

```

<?xml version="1.0" encoding="UTF-8" ?>
<VirtualMachinesProxyView>
  <About Build="1064983" ApiVersion="5.1"
  ApiType="VirtualCenter">
    </About>
    <Datacenter>
      <Name>06 Platform Learning POD</Name>
      <Mor>datacenter-21</Mor>
      <MorType>Datacenter</MorType>
      <Path>\(DC)06 Platform Learning POD(DC)</Path>
      <ParentMor>group-d1</ParentMor>
      <NumberOfFolders>2</NumberOfFolders>
      <vmFolderName>vm</vmFolderName>
      <vmFolderMor>group-v22</vmFolderMor>
      <hostFolderName>host</hostFolderName>
      <hostFolderMor>group-h23</hostFolderMor>
      <datastoreFolderName>datastore</datastoreFolderName>
      <datastoreFolderMor>group-s24</datastoreFolderMor>
      <networkFolderName>network</networkFolderName>
      <networkFolderMor>group-n25</networkFolderMor>
      <Folder>
        <Name>vm</Name>
        <Mor>group-v22</Mor>
        <MorType>Folder</MorType>
        <Path>\(DC)06 Platform Learning POD(DC)\vm</Path>
        <ParentMor>datacenter-21</ParentMor>
        <NumberOfFolders>0</NumberOfFolders>
        <NumberOfVMs>0</NumberOfVMs>
        <NumberOfHosts>0</NumberOfHosts>
        <NumberOfVApps>0</NumberOfVApps>
        <NumberOfDatastores>0</NumberOfDatastores>
        <NumberOfStoragePods>0</NumberOfStoragePods>
        <NumberOfNetworks>0</NumberOfNetworks>
      </Folder>
    </Datacenter>
    <Datacenter>
      <Name>S+CC</Name>
      <Mor>datacenter-281</Mor>
      <MorType>Datacenter</MorType>
      <Path>\(DC)S+CC(DC)</Path>
      <ParentMor>group-d1</ParentMor>
      <NumberOfFolders>2</NumberOfFolders>
      <vmFolderName>vm</vmFolderName>
      <vmFolderMor>group-v282</vmFolderMor>
      <hostFolderName>host</hostFolderName>
      <hostFolderMor>group-h283</hostFolderMor>
      <datastoreFolderName>datastore</datastoreFolderName>
      <datastoreFolderMor>group-s284</datastoreFolderMor>
      <networkFolderName>network</networkFolderName>
      <networkFolderMor>group-n285</networkFolderMor>
      <Folder>
        <Name>vm</Name>

```

```

<Mor>group-v282</Mor>
<MorType>Folder</MorType>
<Path>\(DC)S+CC(DC)\vm</Path>
<ParentMor>datacenter-281</ParentMor>
<NumberOfFolders>7</NumberOfFolders>
<NumberOfVMs>2</NumberOfVMs>
<NumberOfHosts>0</NumberOfHosts>
<NumberOfVApps>0</NumberOfVApps>
<NumberOfDatastores>0</NumberOfDatastores>
<NumberOfStoragePods>0</NumberOfStoragePods>
<NumberOfNetworkss>0</NumberOfNetworkss>
<Folder>
  <Name>Discovered virtual machine</Name>
  <Mor>group-v296</Mor>
  <MorType>Folder</MorType>
  <Path>\(DC)S+CC(DC)\vm\Discovered virtual
machine</Path>
  <ParentMor>group-v282</ParentMor>
  <NumberOfFolders>0</NumberOfFolders>
  <NumberOfVMs>127</NumberOfVMs>
  <NumberOfHosts>0</NumberOfHosts>
  <NumberOfVApps>0</NumberOfVApps>
  <NumberOfDatastores>0</NumberOfDatastores>
  <NumberOfStoragePods>0
</NumberOfStoragePods>
  <NumberOfNetworkss>0</NumberOfNetworkss>
  <VirtualMachine>
    <Name>B16-SN-DV-164</Name>
    <Mor>vm-2885</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-164</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
  </ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T08:06:18.224567Z</ChangeVersion>
  <powerState>poweredOff</powerState>
  <connectionState>connected
</connectionState>
  <uuid>42003c2b-d9ba-90fd-16b7-

```

```

fa6fdfbel16fe</uuid>
                    <instanceUuid>500069cd-2776-e11c-bcbe-
5f8617dd044b</instanceUuid>
                    <vmxDir>[SN-DV-FC-A] B16-SN-DV-164/
</vmxDir>
                    <template>>false</template>
                    <IpAddress>10.106.9.174</IpAddress>
                    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
                    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
                    <NicIpaddresses>unassigned
</NicIpaddresses>
                    <hostName>B16-SN-DV-164</hostName>
                    <host>b16-sn-dv-esx-06.cisco.com
</host>
                    <hostMor>host-1269</hostMor>
                    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                    <NumberOfDatastores>1
</NumberOfDatastores>
                    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                    <NumberOfFiles>13</NumberOfFiles>
                    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-164/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-164/" logDir="[SN-DV-FC-A] B16-SN-DV-164/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-164/B16-SN-DV-164.vmx">
                    </VirtualMachineFileInfo>
                    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                    </VirtualHardware>
                    <File Type="VmFileInfo">
                        <Name>B16-SN-DV-164.vmx</Name>
                        <Size>3237</Size>
                        <Type>config</Type>
                    </File>
                    <File Type="VmFileInfo">
                        <Name>B16-SN-DV-164.vmx</Name>
                        <Size>3433</Size>
                        <Type>extendedConfig</Type>
                    </File>
                    <File Type="VmFileInfo">
                        <Name>B16-SN-DV-164.nvram</Name>
                        <Size>8684</Size>
                        <Type>nvram</Type>
                    </File>
                    <File Type="VmFileInfo">

```

```

        <Name>B16-SN-DV-164.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-164.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>104370</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>139733</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>181727</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>152414</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>304747</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>144463</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24271</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="7418693703" Uncommitted="40088981504"
Committed="7418693703">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-1fd3-9efe-f906-7cfb60a7da74" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="de93db94158b0b241d30elf47bd0186f" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-164/B16-SN-DV-164.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:74:8c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>Unknown 8</Name>
        <Mor>vm-5364</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\Unknown 8</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation></Annotation>
        <Version></Version>
        <GuestId></GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>

```

```

</ChangeTrackingSupported> <ChangeTrackingSupported>>false
</BootOptionsSupported> <BootOptionsSupported>>false
</SwapPlacementSupported> <SwapPlacementSupported>>false
</connectionState> <SwapPlacement></SwapPlacement>
<ChangeVersion></ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>inaccessible

<uuid></uuid>
<instanceUuid></instanceUuid>
<vmxDir></vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks></Networks>
<Nics>None</Nics>
<NicIpaddresses></NicIpaddresses>
<hostName></hostName>
<host>bl6-pf-dv-esx-11.cisco.com

</host>
<hostMor>host-5362</hostMor>
<ResourcePoolMor>resgroup-289

</ResourcePoolMor>
<NumberOfDatastores>0

</NumberOfDatastores>
<NumberOfBackingDisks>0

</NumberOfBackingDisks>
<NumberOfFiles>0</NumberOfFiles>
<CpuFeatureMaskSupported>true

</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0

</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo snapshotDir=""
suspendDir="" logDir="" vmxPath="">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="0"
NumCPUs="0">
</VirtualHardware>
</VirtualMachine>
<VirtualMachine>
<Name>SCCDEMO-ECLAT</Name>
<Mor>vm-355</Mor>
<MorType>VirtualMachine</MorType>
<Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCCDEMO-ECLAT</Path>
<ParentMor>group-v296</ParentMor>
<Annotation>10.106.6.102 - Cisco
Virtual Appliance based on Ubuntu 12.04 with all dependencies for
eCLAT with SCHAT</Annotation>
<Version>vmx-09</Version>

```

```

    <GuestId>ubuntu64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:13:20.645153Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422da1dc-b3aa-a27f-3139-
2513ccfda206</uuid>
    <instanceUuid>502d4347-efa3-f756-b72f-
9c6c56df60f0</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] SCCDEMO-
ECLAT/</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.5.102</IpAddress>
    <Networks>STG-300_10.106.5.0/25
(&lt;False&gt;)</Networks>
    <Nics>STG-300_10.106.5.0/25
(&lt;false&gt;)</Nics>
    <NicIpaddresses>(10.106.5.102)
(fe80::250:56ff:fead:3ccc)</NicIpaddresses>
    <hostName>sccdemo-eclat</hostName>
    <host>b16-stg-esx-05.cisco.com</host>
    <hostMor>host-373</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-ECLAT/" suspendDir="[STG-
SATA-A-NEW] SCCDEMO-ECLAT/" logDir="[STG-SATA-A-NEW] SCCDEMO-
ECLAT/" vmxPath="[STG-SATA-A-NEW] SCCDEMO-ECLAT/SCCDEMO-
ECLAT.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">

```

```

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCCDEMO-ECLAT.vmx</Name>
  <Size>3357</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-ECLAT.vmx</Name>
  <Size>3391</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-ECLAT.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-ECLAT.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-ECLAT.vmdk</Name>
  <Size>52428800</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-ECLAT-
41d08807.vswp</Name>
  <Size>4100980736</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>196572</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>341590</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>151991</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24617</Size>
  <Type>log</Type>
</File>

```



```

        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>226714</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>287007</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-10.log</Name>
            <Size>179833</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="21744695692" Uncommitted="36289486848"
Committed="21744695692">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-ccf7-b002-5593-bf1b5b56ac34" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dlff1e4126888e54dd104131279c4276" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-ECLAT/SCCDEMO-ECLAT.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:cc" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"

```

```

Label="SCSI controller 0">
    </BackingDiskCtrl>
    <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD/DVD Drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
            </BackingCdrom>
        </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SCC-DB-1</Name>
        <Mor>vm-956</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SCC-DB-1</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-08</Version>
        <GuestId>windows7Server64Guest
</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:34.824192Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422dfeac-273c-6d8c-ed96-
377bef361916</uuid>
        <instanceUuid>502d5ab2-044e-9fbf-edc2-
90c18be6f5b9</instanceUuid>
        <vmxDir>[SCC-MGMT] B16-SCC-DB-1/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.10.83</IpAddress>
        <Networks>VM Network(&lt;False&gt;)

```

```

</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SCC-DB-1</hostName>
<host>b16-pf-dv-esx-09.cisco.com
</host>
<hostMor>host-951</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>2
</NumberOfBackingDisks>
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] B16-SCC-DB-1/" suspendDir="[SCC-MGMT]
B16-SCC-DB-1/" logDir="[SCC-MGMT] B16-SCC-DB-1/" vmxPath="[SCC-
MGMT] B16-SCC-DB-1/B16-SCC-DB-1.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SCC-DB-1.vmx</Name>
  <Size>3531</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-DB-1.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-DB-1.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-DB-1.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-DB-1-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList

```

</Type>

```
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-DB-1.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-DB-1_1.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>1380177</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>134461</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>118886</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>124116</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>197352</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-0.log</Name>
  <Size>2046220</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>390257</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SCC-MGMT"
Unshared="12840022500" Uncommitted="146419896320"
Committed="12840022500">
  </StorageInfo>
  <Datastore Mor="datastore-3661"
```

```

Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-806a-b0dd-578b-ee90c226d00e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8011a1332ccd5cf46bbe3f6c4e54737a" Parent=""
Disk="[SCC-MGMT] B16-SCC-DB-1/B16-SCC-DB-1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-5e9e-2d93-3f8d-1c5e0e239f28" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4265ac3156567151df2f069736eb9f7a" Parent=""
Disk="[SCC-MGMT] B16-SCC-DB-1/B16-SCC-DB-1_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:66:25" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">

```

```

        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SONGDO-UCCX</Name>
        <Mor>vm-390</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SONGDO-UCCX</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
    </ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
    </ChangeTrackingSupported>
        <BootOptionsSupported>true
    </BootOptionsSupported>
        <SwapPlacementSupported>true
    </SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:13:34.143238Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
        <uuid>4200595e-3802-e2ce-73ed-
eb770ef28212</uuid>
        <instanceUuid>5000030e-2d00-bd36-f15c-
a8d156756d47</instanceUuid>
        <vmxDir>[STG-SATA-A-NEW] B16-SONGDO-
UCCX</vmxDir>
        <template>false</template>
        <IpAddress></IpAddress>
        <Networks>STG-309_10.106.6.224/27
    (&lt;False&gt;) </Networks>
        <Nics>STG-309_10.106.6.224/27
    (&lt;false&gt;) </Nics>
        <NicIpaddresses>unassigned
    </NicIpaddresses>
        <hostName></hostName>
        <host>b16-stg-esx-07.cisco.com</host>
        <hostMor>host-393</hostMor>
        <ResourcePoolMor>resgroup-295
    </ResourcePoolMor>
        <NumberOfDatastores>1
    </NumberOfDatastores>
        <NumberOfBackingDisks>1
    </NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-SONGDO-UCCX/" suspendDir="[STG-
SATA-A-NEW] B16-SONGDO-UCCX/" logDir="[STG-SATA-A-NEW] B16-
SONGDO-UCCX/" vmxPath="[STG-SATA-A-NEW] B16-SONGDO-UCCX/B16-
SONGDO-UCCX.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="2048"
NumCPUs="2">
            </VirtualHardware>
            <File Type="VmFileInfo">
                <Name>B16-SONGDO-UCCX.vmx</Name>
                <Size>3149</Size>
                <Type>config</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>B16-SONGDO-UCCX.vmx
</Name>
                <Size>2946</Size>
                <Type>extendedConfig</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>B16-SONGDO-UCCX.nvram
</Name>
                <Size>8684</Size>
                <Type>nvram</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>B16-SONGDO-UCCX.vmsd
</Name>
                <Size>0</Size>
                <Type>snapshotList</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>B16-SONGDO-UCCX.vmdk
</Name>
                <Size>157286400</Size>
                <Type>diskDescriptor</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware.log</Name>
                <Size>121496</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-2.log</Name>
                <Size>172871</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">

```

```

        <Name>vmware-3.log</Name>
        <Size>258566</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>367726</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>231155</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>517969</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>24704</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="87512716498" Uncommitted="75942436864"
Committed="87512716498">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-7fab-be6a-55be-9546fc8bdc62" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="157286400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d526d1dc1473c25d37165a4de5b6237f" Parent=""
Disk="[STG-SATA-A-NEW] B16-SONGDO-UCCX/B16-SONGDO-UCCX.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:3d:c1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"

```



```

ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SCC-DB-2</Name>
    <Mor>vm-844</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SCC-DB-2</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:17:06.874778Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>

```

```

9120d905d4d4</uuid>
<instanceUuid>502df0e0-3836-86a5-5dd1-
d1db2143176e</instanceUuid>
</vmxDir>
<template>>false</template>
<IpAddress>10.106.10.84</IpAddress>
<Networks>VM Network(&lt;True&gt;)
</Networks>
<Nics>VM Network(&lt;true&gt;)</Nics>
<NicIpaddresses>
(fe80::edb2:54b3:99e2:abd8)(10.106.10.84)</NicIpaddresses>
<hostName>B16-SCC-DB-2</hostName>
<host>b16-pf-dv-esx-11.cisco.com
</host>
<hostMor>host-5362</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>3
</NumberOfBackingDisks>
<NumberOfFiles>20</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] B16-SCC-DB-2/" suspendDir="[SCC-MGMT]
B16-SCC-DB-2/" logDir="[SCC-MGMT] B16-SCC-DB-2/" vmxPath="[SCC-
MGMT] B16-SCC-DB-2/B16-SCC-DB-2.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SCC-DB-2.vmx</Name>
<Size>3851</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SCC-DB-2.vmx</Name>
<Size>0</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SCC-DB-2.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>B16-SCC-DB-2.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SCC-DB-2-aux.xml
</Name>

    <Size>0</Size>
    <Type>snapshotManifestList
</Type>

</File>
<File Type="VmFileInfo">
    <Name>B16-SCC-DB-2.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SCC-DB-2_1.vmdk</Name>
    <Size>157286400</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SCC-DB-2_2.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SCC-DB-2-e084ab9a.vswp
</Name>

    <Size>8589934592</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SCC-DB-2-
3766791066-1.vswp</Name>

    <Size>115343360</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>893506</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>1262481</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>165606</Size>
    <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>128524</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>1044243</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>201410</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>585036</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SCC-MGMT"
Unshared="197810815709" Uncommitted="122283884544"
Committed="197810815709">
  </StorageInfo>
  <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-1e2a-fd90-5f59-8ccd53dled2c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="48cf2969e8be4705123311e669f428ed" Parent=""
Disk="[SCC-MGMT] B16-SCC-DB-2/B16-SCC-DB-2.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
      </BackingDisk>
      <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-8c95-141a-7148-7e73a2a050f0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="157286400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f62cd6c405226bb5c25c133b804152f6" Parent=""
Disk="[SCC-MGMT] B16-SCC-DB-2/B16-SCC-DB-2_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">

```

```

        </BackingDisk>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-d30b-8cac-5f01-0d834617f33b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d23e456c9b1d728bcfc2a6777965f985" Parent=""
Disk="[SCC-MGMT] B16-SCC-DB-2/B16-SCC-DB-2_2.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="2" Key="2002" ControllerKey="1000"
Type="" Label="Hard disk 3">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:ca" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>SCCDEMO-VSM7</Name>
        <Mor>vm-342</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCCDEMO-VSM7</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
08T11:27:56.353269Z</ChangeVersion>
</connectionState>
bf1814eb4b44</uuid>
8881ed10b726</instanceUuid>
</vmxDir>
(&lt;True&gt;),STG-301_10.106.6.64/26(&lt;True&gt;)</Networks>
(&lt;true&gt;),STG-301_10.106.6.64/26(&lt;true&gt;)</Nics>
</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-VSM7/" suspendDir="[STG-
SATA-A-NEW] SCCDEMO-VSM7/" logDir="[STG-SATA-A-NEW] SCCDEMO-
VSM7/" vmxPath="[STG-SATA-A-NEW] SCCDEMO-VSM7/SCCDEMO-VSM7.vmx">
NumCPUs="4">

```

```

        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSM7.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSM7.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSM7.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSM7.vmdk</Name>
    <Size>111149056</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSM7_1.vmdk
(independent)</Name>
    <Size>314572800</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSM7-db3e73eb.vswp
</Name>
    <Size>536870912</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCCDEMO-VSM7-
3678303211-1.vswp</Name>
    <Size>98566144</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>244037</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>327657</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>

```

```

        <Size>302794</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>200579</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>728120</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>30090</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>329670</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="32072872177" Uncommitted="82381373440"
Committed="32072872177">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-35c3-8a22-5679-b78d62d7c6d6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="111149056"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2d1cf01a8b9e36cf7ad9c1531a3fb550" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-VSM7/SCCDEMO-VSM7.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingDisk
LunUuid="020000000600601606f402800405d6de7a584e111524149442035"
DeviceName="vml.020000000600601606f402800405d6de7a584e1115241494
42035" DiskUuid="" ChangeId="" EagerlyScrub="false"
UseAutoDetect="false" WriteThru="false" Thin="false"
Split="false" CapacityKB="314572800"
CompatibilityMode="physicalMode" Mode="independent_persistent"
dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskRawDiskMappingVer1BackingInfo"

```



```

ContentId="" Parent="" Disk="[STG-SATA-A-NEW] SCCDEMO-
VSM7/SCCDEMO-VSM7_1.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="1" Key="2001"
ControllerKey="1000" Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:60:1c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:79:b9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-ACS</Name>
    <Mor>vm-983</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-ACS</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>

```

```

                <GuestId>otherLinuxGuest</GuestId>
                <GuestOSAltName></GuestOSAltName>
                <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                <BootOptionsSupported>true
</BootOptionsSupported>
                <SwapPlacementSupported>true
</SwapPlacementSupported>
                <SwapPlacement>inherit</SwapPlacement>
                <ChangeVersion>2014-01-
20T10:20:48.128378Z</ChangeVersion>
                <powerState>poweredOff</powerState>
                <connectionState>connected
</connectionState>
                <uuid>42005db0-c27f-7326-ee31-
1bbcecd7ce0f</uuid>
                <instanceUuid>50001e39-8308-8120-c14d-
800e1fca24d9</instanceUuid>
                <vmxDir>[TEMP] SCC-ACS</vmxDir>
                <template>>false</template>
                <IpAddress>10.106.10.95</IpAddress>
                <Networks>VM Network(&lt;False&gt;)
</Networks>
                <Nics>VM Network(&lt;false&gt;)</Nics>
                <NicIpaddresses>(10.106.10.95)
(fe80::250:56ff:fe80:317b)</NicIpaddresses>
                <hostName>scc-acs</hostName>
                <host>b16-pf-dv-esx-05.cisco.com
</host>
                <hostMor>host-895</hostMor>
                <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
                <NumberOfDatastores>1
</NumberOfDatastores>
                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                <NumberOfFiles>13</NumberOfFiles>
                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                <VirtualMachineFileInfo
snapshotDir="[TEMP] SCC-ACS/" suspendDir="[TEMP] SCC-ACS/"
logDir="[TEMP] SCC-ACS/" vmxPath="[TEMP] SCC-ACS/SCC-ACS.vmx">
</VirtualMachineFileInfo>
                <VirtualHardware MemoryMB="4096"
NumCPUs="4">
</VirtualHardware>
                <File Type="VmFileInfo">
                    <Name>SCC-ACS.vmx</Name>

```

```
        <Size>3003</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-ACS.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-ACS.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-ACS.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-ACS.vmdk</Name>
    <Size>209715200</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>142620</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>186821</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>203828</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>119197</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>117211</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>474567</Size>
    <Type>log</Type>
```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>34929</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="TEMP"
Unshared="19584496236" Uncommitted="199784570880"
Committed="19584496236">
            </StorageInfo>
            <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-a3ed-ab2d-8e17-08c580cd434d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dad8c6425d880979d83fa9697aca3e2e" Parent=""
Disk="[TEMP] SCC-ACS/SCC-ACS.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:31:7b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                    </BackingDiskCtrlr>
                                    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                                </BackingCdrom>
                    </VirtualMachine>

```

```

        <VirtualMachine>
            <Name>SCC-TEST-LNX1</Name>
            <Mor>vm-1085</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-TEST-LNX1</Path>
            <ParentMor>group-v296</ParentMor>
            <Annotation></Annotation>
            <Version>vmx-09</Version>
            <GuestId>rhel5_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2014-01-
15T11:13:25.900061Z</ChangeVersion>
            <powerState>poweredOn</powerState>
            <connectionState>connected
</connectionState>
            <uuid>420037f2-21e4-8773-4b67-
cb55248180f5</uuid>
            <instanceUuid>5000b30b-6ea5-4757-e2d8-
c1e3a92a448d</instanceUuid>
            <vmxDir>[TEMP] SCC-TEST-LNX1</vmxDir>
            <template>>false</template>
            <IpAddress>10.106.8.239</IpAddress>
            <Networks>PLATFORM-DEV
(&lt;True&gt;),PLATFORM-DEV(&lt;True&gt;)</Networks>
            <Nics>PLATFORM-DEV
(&lt;true&gt;),PLATFORM-DEV(&lt;true&gt;)</Nics>
            <NicIpaddresses>(10.106.8.239)
(fe80::250:56ff:fe80:28f4),</NicIpaddresses>
            <hostName>scc-test-lnx1.cisco.com
</hostName>
            <host>b16-pf-dv-esx-01.cisco.com
</host>
            <hostMor>host-832</hostMor>
            <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>2
</NumberOfBackingDisks>
            <NumberOfFiles>23</NumberOfFiles>
            <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[TEMP] SCC-TEST-LNX1/" suspendDir="[TEMP] SCC-TEST-
LNX1/" logDir="[TEMP] SCC-TEST-LNX1/" vmxPath="[TEMP] SCC-TEST-
LNX1/SCC-TEST-LNX1.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="2048"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-TEST-LNX1.vmx</Name>
            <Size>4790</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-TEST-LNX1.vmx</Name>
            <Size>3325</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-TEST-LNX1.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-TEST-LNX1.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-TEST-LNX1-000002.vmdk
</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-TEST-LNX1_3.vmdk
</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-TEST-LNX1-
Snapshot35.vmsn</Name>
            <Size>2153301909</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-TEST-LNX1-
a215e333.vswp</Name>
            <Size>2147483648</Size>

```

```

                <Type>swap</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmx-SCC-TEST-LNX1-
2719343411-1.vswp</Name>
                <Size>96468992</Size>
                <Type>uwswap</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-33.log</Name>
                <Size>351092143</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-32.log</Name>
                <Size>31393043</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-34.log</Name>
                <Size>1673927309</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware.log</Name>
                <Size>153148</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-37.log</Name>
                <Size>200061</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-35.log</Name>
                <Size>659294</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-36.log</Name>
                <Size>455129981</Size>
                <Type>log</Type>
            </File>
            <StorageInfo Datastore="TEMP"
Unshared="95836620055" Uncommitted="97411452928"
Committed="95836620055">
                </StorageInfo>
                <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C295-73a0-f563-f2c5-b83adb05a6e6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e5c13034a0a8eafd03eca93fbf9eb982" Parent="[TEMP] SCC-
TEST-LNX1/SCC-TEST-LNX1.vmdk" Disk="[TEMP] SCC-TEST-LNX1/SCC-
TEST-LNX1-000002.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-48fb-bf79-c4be-ca4f81370764" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="20360262e20b6890cfcb79d2baa017b0" Parent=""
Disk="[TEMP] SCC-TEST-LNX1/SCC-TEST-LNX1_3.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:28:f4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:4b:f3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```



```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <BackingUsbCtrl HotAddRemove="false"
EhciEnabled="false" AutoConnect="true" ControllerUnitNumber="-1"
SharedBus="" BackingType="" FileName="" DeviceName="USB
controller " BusNum="22" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="22" Key="7000"
ControllerKey="100" Type="" Label="">
        </BackingUsbCtrl>
        <Snapshot>scc-test-lnx-snap</Snapshot>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-QA-BACKUP</Name>
        <Mor>vm-819</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-QA-BACKUP</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation>The installation is
Windows 2008 Server (32 Bit) for Active Directory. The OS is
being utilized by QA team. The POC are : Nicholas Dattoma,
Sreedhar Reddy, Praveena Sridhar</Annotation>
        <Version>vmx-08</Version>
        <GuestId>winLonghornGuest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T05:25:55.968568Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>420060e4-c3c7-ae9f-79ca-
7ef4fa0baa4b</uuid>
        <instanceUuid>5000afae-45db-c5cb-cc62-
fe02ce176eca</instanceUuid>
        <vmxDir>[SN-QA-FC-B] SCC-QA-BACKUP/
</vmxDir>
        <template>>false</template>

```

```

</Networks>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>bl6-sn-qa-esx-01.cisco.com
</host>
    <hostMor>host-592</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>11</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] SCC-QA-BACKUP/" suspendDir="[SN-QA-FC-
B] SCC-QA-BACKUP/" logDir="[SN-QA-FC-B] SCC-QA-BACKUP/"
vmxPath="[SN-QA-FC-B] SCC-QA-BACKUP/SCC-QA-BACKUP.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-QA-BACKUP.vmx</Name>
        <Size>3568</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-QA-BACKUP.vmx</Name>
        <Size>2741</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-QA-BACKUP.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-QA-BACKUP.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-QA-BACKUP-aux.xml
</Name>

```

```

        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-QA-BACKUP.vmdk</Name>
        <Size>41961780</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>108117</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>186143</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>550686</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>210057</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="23903359916" Uncommitted="23606226944"
Committed="23903359916">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-0551-50cb-e963-4ee3b608201a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7c4513f2ed2e543b30de48652c49a2d0" Parent="" Disk="[SN-
QA-FC-B] SCC-QA-BACKUP/SCC-QA-BACKUP.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:44:a5" AddressType="assigned"

```

```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>New Virtual Machine</Name>
    <Mor>vm-1324</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\New Virtual Machine</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>

```

```

        <ChangeVersion>2013-12-
30T08:10:26.496018Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42007bac-82be-24a7-e16f-
75d720d46d43</uuid>
        <instanceUuid>500095ad-3031-4433-60bd-
48133e814f16</instanceUuid>
Machine/</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-dv-esx-08.cisco.com
</host>
        <hostMor>host-1325</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>8</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] New Virtual Machine/" suspendDir="[SN-
DV-FC-A] New Virtual Machine/" logDir="[SN-DV-FC-A] New Virtual
Machine/" vmxPath="[SN-DV-FC-A] New Virtual Machine/New Virtual
Machine.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="2048"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.vmx
</Name>
            <Size>2357</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.vmx
</Name>

```

```

        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>New Virtual Machine.nvram
</Name>

        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>New Virtual Machine.vmsd
</Name>

        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>New Virtual Machine.vmdk
</Name>

        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>22748</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>105874</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="139663" Uncommitted="109783633920" Committed="139663">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-3f4f-9e54-a25f-852f33680b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e0d3ff22f1b9eca517370921ffffffe" Parent="" Disk="[SN-
DV-FC-A] New Virtual Machine/New Virtual Machine.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```

```

MacAddress="00:50:56:80:7f:05" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>CRE-NVTK-VIP</Name>
    <Mor>vm-1109</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\CRE-NVTK-VIP</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>As per the Srini mail
request (25-Jan-13) we have added POC to Srini
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:53.599094Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>

```

```

474c79dbfb4e</uuid>
<instanceUuid>50356ab0-65db-c6c8-83d0-
b64dd874586e</instanceUuid>
<vmxDir>[TEMP] CRE-NVTK-VIP/</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>bl6-sn-dv-esx-07.cisco.com
</host>
<hostMor>host-1293</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[TEMP] CRE-NVTK-VIP/" suspendDir="[TEMP] CRE-NVTK-
VIP/" logDir="[TEMP] CRE-NVTK-VIP/" vmxPath="[TEMP] CRE-NVTK-
VIP/CRE-NVTK-VIP.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="2048"
NumCPUs="1">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>CRE-NVTK-VIP.vmx</Name>
  <Size>3022</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-NVTK-VIP.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-NVTK-VIP.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-NVTK-VIP.vmsd</Name>

```



```

        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CRE-NVTK-VIP.vmdk</Name>
        <Size>26214400</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>37822</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>35060</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24502</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>50306</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>38989</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-17.log</Name>
        <Size>35598</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>38086</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="23518783173" Uncommitted="5729169408"
Committed="23518783173">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C29e-81ba-044a-849d-c7d14d1274f9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a9ba5ec428d0c355f395249a13553783" Parent=""
Disk="[TEMP] CRE-NVTK-VIP/CRE-NVTK-VIP.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:00:67" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCCDEMO-IT</Name>
    <Mor>vm-396</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCCDEMO-IT</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>10.106.6.107</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
30T08:13:34.092573Z</ChangeVersion>
</connectionState>
1ccad606bc61</uuid>
5555a2cde6d2</instanceUuid>
</vmxDir>
(&lt;False&gt; )</Networks>
(&lt;false&gt; )</Nics>
(fe80::250:56ff:fead:3ce5)</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-IT/" suspendDir="[STG-SATA-A-NEW] SCCDEMO-IT/" logDir="[STG-SATA-A-NEW] SCCDEMO-IT/"
vmxPath="[STG-SATA-A-NEW] SCCDEMO-IT/SCCDEMO-IT.vmx">
NumCPUs="2">

```

```
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-IT.vmx</Name>
    <Size>3425</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-IT.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-IT.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-IT.vmdk</Name>
    <Size>63963136</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24144</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>107021</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>197086</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>177764</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-13.log</Name>
    <Size>237910</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>298351</Size>
    <Type>log</Type>
</File>
```

```

        <File Type="VmFileInfo">
            <Name>vmware-14.log</Name>
            <Size>340611</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="16244888960" Uncommitted="58089381888"
Committed="16244888960">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-ea26-810c-bb89-9453b2221c8d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="63963136"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9c4b5a65899ef48ffcaa1541f58ab2f5" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-IT/SCCDEMO-IT.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:e5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                            </VirtualMachine>

```

```

        <VirtualMachine>
            <Name>SCC-NAGIOS</Name>
            <Mor>vm-408</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-NAGIOS</Path>
            <ParentMor>group-v296</ParentMor>
            <Annotation></Annotation>
            <Version>vmx-09</Version>
            <GuestId>centos64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2014-01-
04T12:42:27.497397Z</ChangeVersion>
            <powerState>poweredOn</powerState>
            <connectionState>connected
</connectionState>
            <uuid>422d9b5f-85e0-2b9c-de59-
31cea6e01c04</uuid>
            <instanceUuid>502d41c9-19af-c402-22bb-
30000f037ae0</instanceUuid>
            <vmxDir>[STG-SATA-A-NEW] SCC-NAGIOS/
</vmxDir>
            <template>false</template>
            <IpAddress>10.106.6.245</IpAddress>
            <Networks>STG-309_10.106.6.224/27
            (&lt;True&gt;)</Networks>
            <Nics>STG-309_10.106.6.224/27
            (&lt;true&gt;)</Nics>
            <NicIpaddresses>(10.106.6.245)
</NicIpaddresses>
            <hostName>scc-nagios.cisco.com
</hostName>
            <host>b16-stg-esx-07.cisco.com</host>
            <hostMor>host-393</hostMor>
            <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>15</NumberOfFiles>
            <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCC-NAGIOS/" suspendDir="[STG-SATA-
A-NEW] SCC-NAGIOS/" logDir="[STG-SATA-A-NEW] SCC-NAGIOS/"
vmxPath="[STG-SATA-A-NEW] SCC-NAGIOS/SCC-NAGIOS.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="4">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-NAGIOS.vmx</Name>
            <Size>3214</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-NAGIOS.vmx</Name>
            <Size>3422</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-NAGIOS.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-NAGIOS.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-NAGIOS.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-NAGIOS-48e1317a.vswp
</Name>
            <Size>4294967296</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmx-SCC-NAGIOS-1222717818-
1.vswp</Name>
            <Size>98566144</Size>
            <Type>uwsap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-29.log</Name>
            <Size>199756</Size>
            <Type>log</Type>
        </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-31.log</Name>
      <Size>323058</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-27.log</Name>
      <Size>406221</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-28.log</Name>
      <Size>109802</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-32.log</Name>
      <Size>24143</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-30.log</Name>
      <Size>139083</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>1010748682</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="51578495089" Uncommitted="39726350336"
Committed="51578495089">
      </StorageInfo>
      <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-f852-ba6a-f9cd-e30761aafdf9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="741e463c2508861cd2f8d1e86aa09301" Parent=""
Disk="[STG-SATA-A-NEW] SCC-NAGIOS/SCC-NAGIOS.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```



```

MacAddress="00:50:56:ad:1a:66" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-009</Name>
    <Mor>vm-2893</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-009</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>This VM was created by
subaig on 5-APR-2013
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T09:11:39.954348Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>

```

```

f15af8ec869e</uuid>
<instanceUuid>5024efab-0da2-a0e6-ecfc-
e8b5634bd57f</instanceUuid>
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.19</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
<NicIpaddresses>(10.106.9.19)
(fe80::250:56ff:fea4:d13)</NicIpaddresses>
<hostName>B16-SN-DV-009</hostName>
<host>b16-sn-dv-esx-06.cisco.com
</host>
<hostMor>host-1269</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-009/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-009/" logDir="[SN-DV-FC-A] B16-SN-DV-009/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-009/B16-SN-DV-009.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-DV-009.vmx</Name>
<Size>3228</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-DV-009.vmx</Name>
<Size>3433</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-DV-009.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>

```

```

<File Type="VmFileInfo">
  <Name>B16-SN-DV-009.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-009.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-009-
d3ec2ffe.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-009-
3555471358-1.vswp</Name>
  <Size>113246208</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>154623</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>525242</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>137211</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>24276</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>1053967757</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>2034378160</Size>
  <Type>log</Type>
</File>

```

```

        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="31533923766" Uncommitted="83337674752"
Committed="31533923766">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-c90f-b17c-13d2-9752fda9137f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dac37efee66bf8e9e6b6da6a09751049" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-009/B16-SN-DV-009.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:0d:13" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>CRE-SCNR-SVR</Name>
        <Mor>vm-1180</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Discovered

```

```

virtual machine\CRE-SCNR-SVR</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation>As per the Saravanan mail
request (25-Jan-13) we have added POC to saravpal
</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winNetStandardGuest</GuestId>
        <GuestOSAltName>Microsoft Windows
Server 2003, Standard Edition (32-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:33.074727Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>503af1d0-df2a-84a9-e67f-
be2ee9721e1f</uuid>
        <instanceUuid>5035e970-a7b5-e96f-2512-
4144879b24cf</instanceUuid>
        <vmxDir>[SN-DV-FC-B] CRE-SCNR-SVR/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>bl6-sn-dv-esx-04.cisco.com
</host>
        <hostMor>host-1209</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo

```

```
snapshotDir="[SN-DV-FC-B] CRE-SCNR-SVR/" suspendDir="[SN-DV-FC-B]
CRE-SCNR-SVR/" logDir="[SN-DV-FC-B] CRE-SCNR-SVR/" vmxPath="[SN-
DV-FC-B] CRE-SCNR-SVR/CRE-SCNR-SVR.vmx">
```

```
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="2048"
```

```
NumCPUs="2">
```

```
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>CRE-SCNR-SVR.vmx</Name>
  <Size>2852</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-SCNR-SVR.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-SCNR-SVR.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-SCNR-SVR.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-SCNR-SVR.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>39900</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>34527</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>40652</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>40673</Size>
  <Type>log</Type>
</File>
```

```

        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>24505</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-12.log</Name>
            <Size>55872</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-16.log</Name>
            <Size>40813</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="10522748638" Uncommitted="34819383296"
Committed="10522748638">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-6630-4693-c98f-178f51627a21" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="29378adeb46e5b8bc5cfcfd551e010ec7" Parent="" Disk="[SN-
DV-FC-B] CRE-SCNR-SVR/CRE-SCNR-SVR.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ba:1a:89" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"

```

```

Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="0" Key="9000" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SCC-VC-1</Name>
    <Mor>vm-901</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SCC-VC-1</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T09:44:46.325573Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d3519-e4d6-c46d-c99b-
1cdf4382918</uuid>
    <instanceUuid>502dabd5-ed37-c8c8-5ef5-
56cf580bf979</instanceUuid>
    <vmxDir>[SCC-MGMT] B16-SCC-VC-1/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.10.85</IpAddress>

```



```

</Networks>
    <Networks>VM Network(&lt;True&gt;)
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>
    (fe80::48fa:ada3:85c2:a045)(10.106.10.85)</NicIpaddresses>
    <hostName>B16-SCC-VC-1.cisco.com
</hostName>
    <host>b16-pf-dv-esx-05.cisco.com
</host>
    <hostMor>host-895</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] B16-SCC-VC-1/" suspendDir="[SCC-MGMT]
B16-SCC-VC-1/" logDir="[SCC-MGMT] B16-SCC-VC-1/" vmxPath="[SCC-
MGMT] B16-SCC-VC-1/B16-SCC-VC-1.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SCC-VC-1.vmx</Name>
        <Size>3376</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SCC-VC-1.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SCC-VC-1.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SCC-VC-1.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SCC-VC-1-aux.xml
</Name>

```

```

        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SCC-VC-1.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SCC-VC-1-e08e8eac.vswp
</Name>
    <Size>8589934592</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SCC-VC-1-
3767439020-1.vswp</Name>
    <Size>115343360</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>298656</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>614234</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>62393</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>481908</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>875410</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>534337</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware.log</Name>
        <Size>920135</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SCC-MGMT"
Unshared="49174673501" Uncommitted="66908585984"
Committed="49174673501">
        </StorageInfo>
        <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-7338-a941-e836-53948d3bbd44" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="783da3cfb71dc5ed15f4569c3ec07738" Parent=""
Disk="[SCC-MGMT] B16-SCC-VC-1/B16-SCC-VC-1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:66:27" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>

```

```

        </VirtualMachine>
        <VirtualMachine>
            <Name>SCC-WSUS</Name>
            <Mor>vm-332</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-WSUS</Path>
            <ParentMor>group-v296</ParentMor>
            <Annotation></Annotation>
            <Version>vmx-09</Version>
            <GuestId>winLonghornGuest</GuestId>
            <GuestOSAltName>Microsoft Windows
Server 2008 (32-bit)</GuestOSAltName>
            <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2013-12-
30T08:13:58.268178Z</ChangeVersion>
            <powerState>poweredOff</powerState>
            <connectionState>connected
</connectionState>
            <uuid>564d8f05-f6c3-4dbd-0e38-
8499c214489c</uuid>
            <instanceUuid>52316e85-8c8d-74b9-c647-
73d460a2375b</instanceUuid>
            <vmxDir>[STG-SATA-A-NEW] SCC-WSUS/
</vmxDir>
            <template>>false</template>
            <IpAddress>10.106.5.57</IpAddress>
            <Networks>STG-300_10.106.5.0/25
            (&lt;False&gt;)</Networks>
            <Nics>STG-300_10.106.5.0/25
            (&lt;false&gt;)</Nics>
            <NicIpaddresses>unassigned
</NicIpaddresses>
            <hostName>SCC-WSUS.cisco.com
</hostName>
            <host>b16-stg-esx-03.cisco.com</host>
            <hostMor>host-343</hostMor>
            <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>3
</NumberOfBackingDisks>
            <NumberOfFiles>18</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>2
</NumberOfFeatureMaskEntries>
        <VirtualMachineFeatureMask level="2147483647"
edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="">
        </VirtualMachineFeatureMask>
        <VirtualMachineFeatureMask level="2147483647"
edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="amd">
        </VirtualMachineFeatureMask>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCC-WSUS/" suspendDir="[STG-SATA-A-
NEW] SCC-WSUS/" logDir="[STG-SATA-A-NEW] SCC-WSUS/"
vmxPath="[STG-SATA-A-NEW] SCC-WSUS/SCC-WSUS.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="4">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-WSUS.vmx</Name>
            <Size>4589</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-WSUS.vmx</Name>
            <Size>3037</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-WSUS.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-WSUS.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-WSUS-aux.xml</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-WSUS.vmdk</Name>

```

```

        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-WSUS_1.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-WSUS_2.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-121.log</Name>
    <Size>156599</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-120.log</Name>
    <Size>155277</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-125.log</Name>
    <Size>269631</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-122.log</Name>
    <Size>155569</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-123.log</Name>
    <Size>156664</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>34872</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-124.log</Name>
    <Size>264735</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="171775784249" Uncommitted="94837841920"
Committed="171775784249">
</StorageInfo>

```

```

                                <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-6ca3-ff2a-c015-6647b9665f6b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3d7e84f7dfefd2f3ded358062a3aeb0a" Parent=""
Disk="[STG-SATA-A-NEW] SCC-WSUS/SCC-WSUS.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-cbf-3525-591c-ff4a68643204" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="06d334fd6214a922a4240db93af54835" Parent=""
Disk="[STG-SATA-A-NEW] SCC-WSUS/SCC-WSUS_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
                                </BackingDisk>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-0343-6710-abfc-9bd898a27a6c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0d5d67236c72730ef4cb470c237f873d" Parent=""
Disk="[STG-SATA-A-NEW] SCC-WSUS/SCC-WSUS_2.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="2" Key="2002" ControllerKey="1000"
Type="" Label="Hard disk 3">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:27:8b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SCC-VC-2</Name>
    <Mor>vm-864</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SCC-VC-2</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:21.495669Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200b777-422a-5e96-883d-
f4566eaf5d23</uuid>
    <instanceUuid>5000c139-8fcf-50b4-614f-
e09b2471db6e</instanceUuid>
    <vmxDir>[PF-DV-FC-B] B16-BMC-1/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.10.103</IpAddress>
    <Networks>VM Network(&lt;False&gt;)

```



```

</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>(10.106.10.103)
</NicIpaddresses>
<hostName>B16-SCC-VC-2.prime.cisco.com
</hostName>
<host>b16-pf-dv-esx-01.cisco.com
</host>
<hostMor>host-832</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>18</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-BMC-1/" suspendDir="[PF-DV-FC-B]
B16-BMC-1/" logDir="[PF-DV-FC-B] B16-BMC-1/" vmxPath="[PF-DV-FC-
B] B16-BMC-1/B16-BMC-1.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-BMC-1.vmx</Name>
  <Size>3355</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-BMC-1.vmx</Name>
  <Size>264</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-BMC-1.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-BMC-1.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-BMC-1-aux.xml</Name>
  <Size>0</Size>
  <Type>snapshotManifestList

```

```

</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-BMC-1-000001.vmdk
</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-BMC-1-Snapshot55.vmsn
</Name>
  <Size>28873</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-BMC-1-
vss_manifests55.zip</Name>
  <Size>179583</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>62245</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>62280</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>777658</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>170947586</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>35930</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>940448</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>

```

```

        <Size>373899</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-B"
Unshared="47294746885" Uncommitted="112849526784"
Committed="47294746885">
        </StorageInfo>
        <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-3ee2-7c14-1337-44323a306b5d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bc0d81987643b282102678fcd695e8fe" Parent="[PF-DV-FC-B]
B16-BMC-1/B16-BMC-1.vmdk" Disk="[PF-DV-FC-B] B16-BMC-1/B16-BMC-1-
000001.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:35:00" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                            </BackingCdrom>
                            <Snapshot>NBU_SNAPSHOT scc-

```

```

nbu.cisco.com 1384849856</Snapshot>
  </VirtualMachine>
  <VirtualMachine>
    <Name>B16-SN-QA-208</Name>
    <Mor>vm-5344</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-QA-208</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>otherLinux64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
  </ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
  </ChangeTrackingSupported>
    <BootOptionsSupported>>true
  </BootOptionsSupported>
    <SwapPlacementSupported>>true
  </SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
20T07:20:30.848409Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
  </connectionState>
    <uuid>42004067-ff4c-3b03-2e7d-
3171384cde4d</uuid>
    <instanceUuid>5000e975-8e3c-3afc-b662-
5a11970a8582</instanceUuid>
    <vmxDir>[TEMP] B16-SN-QA-208</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
  </Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
  </Nics>
    <NicIpaddresses>unassigned
  </NicIpaddresses>
    <hostName></hostName>
    <host>bl6-sn-qa-esx-04.cisco.com
  </host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
  </ResourcePoolMor>
    <NumberOfDatastores>1
  </NumberOfDatastores>
    <NumberOfBackingDisks>2
  </NumberOfBackingDisks>
    <NumberOfFiles>10</NumberOfFiles>
    <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-SN-QA-208/" suspendDir="[TEMP] B16-SN-QA-
208/" logDir="[TEMP] B16-SN-QA-208/" vmxPath="[TEMP] B16-SN-QA-
208/B16-SN-QA-208.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="2048"
NumCPUs="2">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-208.vmx</Name>
        <Size>2839</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-208.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-208.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-208.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-208.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-207.vmdk</Name>
        <Size>325058560</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>101440</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>36729</Size>
        <Type>log</Type>
      </File>
      <StorageInfo Datastore="TEMP"

```

```

Unshared="2341619900" Uncommitted="375860338688"
Committed="2341619900">
    </StorageInfo>
    <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-4988-0ec6-95d6-85f4ebaef59a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="54a3d0fa2f3750e5e185dc8448d998b4" Parent=""
Disk="[TEMP] B16-SN-QA-208/B16-SN-QA-208.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-dcc1-f35e-1d94-401f2df29210" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="325058560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7317db4e02e75143ec001b137fa77323" Parent=""
Disk="[TEMP] B16-SN-QA-208/B16-SN-QA-207.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:30:b6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-125</Name>
    <Mor>vm-2898</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-125</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName>Microsoft Windows
Server 2003, Standard Edition (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:17.885557Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dbe42-ee64-973c-7fef-
8364de6106b2</uuid>
    <instanceUuid>502dbb9e-3b35-b325-796e-
0c09783e1834</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-125/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.135</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-125.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287

```

```

</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-125/" suspendDir="[SN-DV-FC-B] B16-SN-DV-125/" logDir="[SN-DV-FC-B] B16-SN-DV-125/" vmxPath="[SN-DV-FC-B] B16-SN-DV-125/B16-SN-DV-125.vmx">
NumCPUs="1">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-125.vmx</Name>
  <Size>3228</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-125.vmx</Name>
  <Size>3044</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-125.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-125.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-125-aux.xml
  <Size>0</Size>
  <Type>snapshotManifestList
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-125.vmdk</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>

```



```

        <Size>739561684</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24271</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>200784459</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>654353</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>141406</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>101266</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>332507</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="12372141878" Uncommitted="55346274304"
Committed="12372141878">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-9efa-7498-8847-ee6245b9644c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="be8c55d4dc1c71ae54816fb4cd1e573e" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-125/B16-SN-DV-125.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:d1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>SCC-TEST-WIN2</Name>
  <Mor>vm-881</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-TEST-WIN2</Path>
  <ParentMor>group-v296</ParentMor>
  <Annotation></Annotation>
  <Version>vmx-09</Version>
  <GuestId>windows7Server64Guest
</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-

```

```

09T18:03:13.426926Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200116f-0d93-5512-ef9d-
3113227d429d</uuid>
    <instanceUuid>50009420-6103-f45c-5a10-
b3b2b70ea04d</instanceUuid>
    <vmxDir>[SCC-MGMT] SCC-TEST-WIN2/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.254</IpAddress>
    <Networks>PLATFORM-DEV
(&lt;True&gt;), PLATFORM-DEV(&lt;True&gt;)</Networks>
    <Nics>PLATFORM-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>
(fe80::f163:a910:b951:6612)(10.106.8.254)</NicIpaddresses>
    <hostName>SCC-TEST-WIN2</hostName>
    <host>b16-pf-dv-esx-01.cisco.com
</host>
    <hostMor>host-832</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] SCC-TEST-WIN2/" suspendDir="[SCC-MGMT]
SCC-TEST-WIN2/" logDir="[SCC-MGMT] SCC-TEST-WIN2/" vmxPath="[SCC-
MGMT] SCC-TEST-WIN2/SCC-TEST-WIN2.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="1">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-TEST-WIN2.vmx</Name>
        <Size>3569</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-TEST-WIN2.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>SCC-TEST-WIN2.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-TEST-WIN2.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-TEST-WIN2-aux.xml
</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-TEST-WIN2.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-TEST-WIN2-
e344682c.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-TEST-WIN2-
3812911148-1.vswp</Name>
    <Size>112197632</Size>
    <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-73.log</Name>
    <Size>175043</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-77.log</Name>
    <Size>234849</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-74.log</Name>
    <Size>174219</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-75.log</Name>
    <Size>35165</Size>
    <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-76.log</Name>
            <Size>229696</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-72.log</Name>
            <Size>173953</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>226078</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SCC-MGMT"
Unshared="15755067080" Uncommitted="74552705024"
Committed="15755067080">
            </StorageInfo>
            <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-d3e0-3e55-b09f-5eea5a9e965b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="67c25472e61cfalaecb180e099710f74" Parent=""
Disk="[SCC-MGMT] SCC-TEST-WIN2/SCC-TEST-WIN2.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:59:b4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:64:a4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>CRE-DLM-LS</Name>
    <Mor>vm-1106</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\CRE-DLM-LS</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>As per the Srini mail
request (25-Jan-13) we have added POC to Srini
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName>Microsoft Windows
Server 2003, Standard Edition (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:53.494953Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>503aa700-44f6-8e47-1572-
13727800319d</uuid>
    <instanceUuid>50357693-33d8-f910-c6b9-
92e34423a140</instanceUuid>
    <vmxDir>[SN-DV-FC-B] CRE-DLM-LS/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-07.cisco.com
</host>
    <hostMor>host-1293</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] CRE-DLM-LS/" suspendDir="[SN-DV-FC-B]
CRE-DLM-LS/" logDir="[SN-DV-FC-B] CRE-DLM-LS/" vmxPath="[SN-DV-
FC-B] CRE-DLM-LS/CRE-DLM-LS.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>CRE-DLM-LS.vmx</Name>
        <Size>2908</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CRE-DLM-LS.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>

```

```
</File>
<File Type="VmFileInfo">
  <Name>CRE-DLM-LS.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-DLM-LS.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-DLM-LS.vmdk</Name>
  <Size>8388608</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>39397</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>34583</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24416</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>53683</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>40144</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>40173</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>40208</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
```



```

Unshared="7228118564" Uncommitted="3754270720"
Committed="7228118564">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-c193-9b2f-66fa-b835d4f45adb" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="8388608"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="189fc4a45e8da2c8ae5f4cd94ae00fc1" Parent="" Disk="[SN-
DV-FC-B] CRE-DLM-LS/CRE-DLM-LS.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ba:5b:ba" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD

```

```

drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>WIN-XP-SP2-PRO-64BIT</Name>
    <Mor>vm-552</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\WIN-XP-SP2-PRO-64BIT</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName>Microsoft Windows XP
Professional (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.905278Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420303a6-235f-e3e2-32d8-
f806c47bf573</uuid>
    <instanceUuid>5271af92-d8c4-76e0-5204-
08005b8f29df</instanceUuid>
    <vmxDir>[SCC-MGMT] WIN-XP-SP2-PRO-
64BIT/</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>PLATFORM-QA(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-qa-esx-01.cisco.com
</host>
    <hostMor>host-592</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1

```

```

</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] WIN-XP-SP2-PRO-64BIT/" suspendDir="[SCC-
MGMT] WIN-XP-SP2-PRO-64BIT/" logDir="[SCC-MGMT] WIN-XP-SP2-PRO-
64BIT/" vmxPath="[SCC-MGMT] WIN-XP-SP2-PRO-64BIT/WIN-XP-SP2-PRO-
64BIT.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>WIN-XP-SP2-PRO-64BIT.vmx
</Name>
        <Size>2805</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>WIN-XP-SP2-PRO-64BIT.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>WIN-XP-SP2-PRO-64BIT.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>WIN-XP-SP2-PRO-64BIT.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>WIN-XP-SP2-PRO-64BIT.vmdk
</Name>
        <Size>125829120</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>86934</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>

```

```

        <Size>88425</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>141456</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>139857</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>82137</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24919</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>101669</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SCC-MGMT"
Unshared="6517576726" Uncommitted="124724289536"
Committed="6517576726">
        </StorageInfo>
        <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-7971-c207-0454-16ebd9fa4833" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="125829120"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b2aded593738fac840a9aaa937392ea4" Parent=""
Disk="[SCC-MGMT] WIN-XP-SP2-PRO-64BIT/WIN-XP-SP2-PRO-64BIT.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:25:ea" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>RH55-64-Template (28adf2ea-edaf-
47d5-aec9-403b461967e1)</Name>
    <Mor>vm-1297</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\rh55-64-Template (28adf2ea-edaf-47d5-aec9-
403b461967e1)</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:26.956733Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420071f4-c623-d828-b8e1-
7486361e13ac</uuid>

```

```

        <instanceUuid>50004c6a-d918-413e-66eb-
6466825c04ac</instanceUuid>
        <vmxDir>[SN-DV-FC-A] RH55-64-Template
(28adf2ea-edaf-47d5-aec9-403b461967e1)/</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>none(&lt;False&gt;);
</Networks>
        <Nics>none(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>bl6-sn-dv-esx-08.cisco.com
</host>
        <hostMor>host-1325</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] RH55-64-Template (28adf2ea-edaf-47d5-
aec9-403b461967e1)/" suspendDir="[SN-DV-FC-A] RH55-64-Template
(28adf2ea-edaf-47d5-aec9-403b461967e1)/" logDir="[SN-DV-FC-A]
RH55-64-Template (28adf2ea-edaf-47d5-aec9-403b461967e1)/"
vmxPath="[SN-DV-FC-A] RH55-64-Template (28adf2ea-edaf-47d5-aec9-
403b461967e1)/RH55-64-Template (28adf2ea-edaf-47d5-aec9-
403b461967e1).vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>RH55-64-Template
(28adf2ea-edaf-47d5-aec9-403b461967e1).vmx</Name>
            <Size>3036</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>RH55-64-Template
(28adf2ea-edaf-47d5-aec9-403b461967e1).vmxf</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>RH55-64-Template

```

```

(28adf2ea-edaf-47d5-aec9-403b461967e1).nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>RH55-64-Template
(28adf2ea-edaf-47d5-aec9-403b461967e1).vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>RH55-64-Template
(28adf2ea-edaf-47d5-aec9-403b461967e1).vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>102716</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>116390</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>117321</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>244730</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>112003</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>109674</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>26342</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"

```

```

Unshared="5491184832" Uncommitted="41998983168"
Committed="5491184832">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-86a4-b81a-0f71-909ed0d6a214" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0223aeeb1de05a57d550836687880e80" Parent="" Disk="[SN-
DV-FC-A] RH55-64-Template (28adf2ea-edaf-47d5-aec9-
403b461967e1)/RH55-64-Template (28adf2ea-edaf-47d5-aec9-
403b461967e1).vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:d6" AddressType="manual"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="none" AllowGuestControl="true" StartConnected="false"
Connected="false" UnitNum="7" Key="4000" ControllerKey="100"
Type="Vim25Api.VirtualE1000" Label="Network adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SIP</Name>
    <Mor>vm-923</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SIP</Path>
    <ParentMor>group-v296</ParentMor>

```



<Annotation>From Sandeep Byrappa

Subject Line: Install a Linux machine in Staging with all the package selected

Hi Amit,

Install a linux machine with Redhat 5.8 in Staging environment with IP Address

10.106.5.55 | 255.255.255.128 | 10.106.5.1

Hostname : SCC-SIP

Password : cisco123

CPU " 4

MEMORY " 4 GB

REDHAT 5.8 ISO is located in scc-data &gt; cd-dvd-iso &gt;redhat  
</Annotation>

```
<Version>vmx-09</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:08:44.12899Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>422dc823-99aa-a4eb-f4e0-
36b9605203aa</uuid>
<instanceUuid>502d55f3-4283-5557-2d0c-
96d6d85c4b0c</instanceUuid>
<vmxDir>[SCC-MGMT] SIP</vmxDir>
<template>>false</template>
<IpAddress>10.106.10.98</IpAddress>
<Networks>VM Network(&lt;True&gt;)
</Networks>
<Nics>VM Network(&lt;true&gt;)</Nics>
<NicIpaddresses>(10.106.10.98)
</NicIpaddresses>
<hostName>sip</hostName>
<host>b16-pf-dv-esx-05.cisco.com
</host>
<hostMor>host-895</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
```

```

</NumberOfDatastores>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] SIP/" suspendDir="[SCC-MGMT] SIP/"
logDir="[SCC-MGMT] SIP/" vmxPath="[SCC-MGMT] SIP/SCC-SIP.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="6144"
NumCPUs="6">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SIP.vmx</Name>
        <Size>3619</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SIP.vmx</Name>
        <Size>3422</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SIP.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SIP.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SIP.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SIP-3f86e6e5.vswp
</Name>
        <Size>6442450944</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-SCC-SIP-1065805541-
1.vswp</Name>
        <Size>100663296</Size>
        <Type>uwsap</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-46.log</Name>
  <Size>34821</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-47.log</Name>
  <Size>187484</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-42.log</Name>
  <Size>235475</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-43.log</Name>
  <Size>154571</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-45.log</Name>
  <Size>173567</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-44.log</Name>
  <Size>285879</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>127456</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SCC-MGMT"
Unshared="19890604546" Uncommitted="94027907072"
Committed="19890604546">
  </StorageInfo>
  <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-fc50-c323-cf2e-abf54fdcc614" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6b41a8712ed6bb64e638e868c0d62b15" Parent=""
Disk="[SCC-MGMT] SIP/SCC-SIP.vmdk" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:b8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>Unknown</Name>
    <Mor>vm-5365</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\Unknown</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version></Version>
    <GuestId></GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>false
</ChangeTrackingSupported>
    <BootOptionsSupported>>false
</BootOptionsSupported>
    <SwapPlacementSupported>>false
</SwapPlacementSupported>
    <SwapPlacement></SwapPlacement>
    <ChangeVersion></ChangeVersion>
    <powerState>poweredOff</powerState>

```

```

</connectionState>                                <connectionState>inaccessible
                                                    <uuid></uuid>
                                                    <instanceUuid></instanceUuid>
                                                    <vmxDir></vmxDir>
                                                    <template>>false</template>
                                                    <IpAddress></IpAddress>
                                                    <Networks></Networks>
                                                    <Nics>None</Nics>
                                                    <NicIpaddresses></NicIpaddresses>
                                                    <hostName></hostName>
                                                    <host>b16-pf-dv-esx-11.cisco.com
</host>
                                                    <hostMor>host-5362</hostMor>
                                                    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
                                                    <NumberOfDatastores>0
</NumberOfDatastores>
                                                    <NumberOfBackingDisks>0
</NumberOfBackingDisks>
                                                    <NumberOfFiles>0</NumberOfFiles>
                                                    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                                    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                                    <VirtualMachineFileInfo snapshotDir=""
suspendDir="" logDir="" vmxPath="">
                                                    </VirtualMachineFileInfo>
                                                    <VirtualHardware MemoryMB="0"
NumCPUs="0">
                                                    </VirtualHardware>
</VirtualMachine>
<VirtualMachine>
  <Name>CRE-HW-DVM</Name>
  <Mor>vm-1108</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\CRE-HW-DVM</Path>
  <ParentMor>group-v296</ParentMor>
  <Annotation>As per the Srini mail
request (25-Jan-13) we have added POC to Srini
</Annotation>
  <Version>vmx-09</Version>
  <GuestId>winNetStandardGuest</GuestId>
  <GuestOSAltName>Microsoft Windows
Server 2003, Standard Edition (32-bit)</GuestOSAltName>
  <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
  <BootOptionsSupported>>true
</BootOptionsSupported>

```

```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:06:18.247402Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>501f857b-9165-75b7-9ab1-
f13ee1fd6315</uuid>
        <instanceUuid>50354e1b-127d-c639-50af-
f8521474c926</instanceUuid>
</vmxDir>
        <vmxDir>[SN-DV-FC-A] CRE-HW-DVM/
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-dv-esx-06.cisco.com
</host>
        <hostMor>host-1269</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] CRE-HW-DVM/" suspendDir="[SN-DV-FC-A]
CRE-HW-DVM/" logDir="[SN-DV-FC-A] CRE-HW-DVM/" vmxPath="[SN-DV-
FC-A] CRE-HW-DVM/CRE-HW-DVM.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>CRE-HW-DVM.vmx</Name>
            <Size>2838</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>CRE-HW-DVM.vmx</Name>
            <Size>0</Size>

```

```

        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>CRE-HW-DVM.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>CRE-HW-DVM.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>CRE-HW-DVM.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>40991</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>126347</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>20252</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>415298</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24422</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>705549</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-13.log</Name>
    <Size>42315</Size>
    <Type>log</Type>
</File>

```

```

        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="74628540616" Uncommitted="15811846144"
Committed="74628540616">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-f9f7-adfa-f583-a4034e9588e9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8557c62989c370cae8a097a1ce699ee7" Parent="" Disk="[SN-
DV-FC-A] CRE-HW-DVM/CRE-HW-DVM.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:9f:6f:4e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"

```



UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD drive 1">

```
        </BackingCdrom>
    </VirtualMachine>
<VirtualMachine>
    <Name>SCC-OCS</Name>
    <Mor>vm-5367</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-OCS</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>From Sandeep Byrappa
```

Subject Line: Install a Linux machine in Staging with all the package selected

Hi Amit,

Install a linux machine with Redhat 5.8 in Staging environment with IP Address  
10.106.5.55 | 255.255.255.128 | 10.106.5.1  
Hostname : SCC-SIP  
Password : cisco123  
CPU â€" 4  
MEMORY â€" 4 GB

REDHAT 5.8 ISO is located in scc-data &gt; cd-dvd-iso &gt; redhat  
</Annotation>

```
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:15:20.133951Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d6794-db79-44fd-3941-
b3628c2235e7</uuid>
        <instanceUuid>502db279-6909-b8af-0b22-
28ebede7a70a</instanceUuid>
        <vmxDir>[SCC-MGMT] SCC-OCS</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
```

```

</Networks>                                <Networks>VM Network(&lt;False&gt;)
</NicIpaddresses>                          <Nics>VM Network(&lt;false&gt;)</Nics>
</host>                                     <NicIpaddresses>unassigned
</ResourcePoolMor>                         <hostName></hostName>
</NumberOfDatastores>                     <host>b16-pf-dv-esx-11.cisco.com
</NumberOfBackingDisks>                   <hostMor>host-5362</hostMor>
</CpuFeatureMaskSupported>                <ResourcePoolMor>resgroup-289
</NumberOfFeatureMaskEntries>              <NumberOfDatastores>1
                                             <NumberOfBackingDisks>1
                                             <NumberOfFiles>13</NumberOfFiles>
                                             <CpuFeatureMaskSupported>true
                                             <NumberOfFeatureMaskEntries>0
                                             <VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] SCC-OCS/" suspendDir="[SCC-MGMT] SCC-
OCS/" logDir="[SCC-MGMT] SCC-OCS/" vmxPath="[SCC-MGMT] SCC-
OCS/SCC-OCS.vmx">
                                             </VirtualMachineFileInfo>
                                             <VirtualHardware MemoryMB="4096"
NumCPUs="4">
                                             </VirtualHardware>
                                             <File Type="VmFileInfo">
                                             <Name>SCC-OCS.vmx</Name>
                                             <Size>3169</Size>
                                             <Type>config</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>SCC-OCS.vmx</Name>
                                             <Size>0</Size>
                                             <Type>extendedConfig</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>SCC-OCS.nvram</Name>
                                             <Size>8684</Size>
                                             <Type>nvram</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>SCC-OCS.vmsd</Name>
                                             <Size>0</Size>
                                             <Type>snapshotList</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>SCC-OCS.vmdk</Name>
                                             <Size>104857600</Size>
                                             <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>117002</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-30.log</Name>
  <Size>120990</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>121155</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>31393</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>190061</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>232517</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>124476</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SCC-MGMT"
Unshared="6482197703" Uncommitted="105512345600"
Committed="6482197703">
  </StorageInfo>
  <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-1dde-948b-173c-26d70f756ec2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0d2fa23d84aaadaf52f33d7a97ade5d3" Parent=""
Disk="[SCC-MGMT] SCC-OCS/SCC-OCS.vmdk" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:66:23" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-104</Name>
    <Mor>vm-2904</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-104</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>This VM provisioned by
Amit Saha. </Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-

```

```

02T06:28:12.37433Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d9789-bead-5ef4-78ac-
c9cc8bd34dda</uuid>
    <instanceUuid>502d8630-c4c5-88e2-952b-
dcb87a200499</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-104/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.114</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.114)
</NicIpaddresses>
    <hostName>B16-SN-DV-104.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-104/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-104/" logDir="[SN-DV-FC-A] B16-SN-DV-104/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-104/SCC-DEV-VM-054.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-054.vmx</Name>
        <Size>3299</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-054.vmx</Name>
        <Size>3048</Size>
        <Type>extendedConfig</Type>
    </File>

```

```

<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-054.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-054.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-054-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-054.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-054-
d3ec343a.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-DEV-VM-054-
3555472442-1.vswp</Name>
  <Size>113246208</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>85032467</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>24294</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>349326</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>

```

```

        <Size>145007</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>1041221</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>255869</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>229096</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="63564737623" Uncommitted="48304750592"
Committed="63564737623">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-eb0e-300b-4a5e-b2d85b189140" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1b1fc9a6e9221c03fbc417985e5f4522" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-104/SCC-DEV-VM-054.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:42:84" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-BMC-3</Name>
    <Mor>vm-1065</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-BMC-3</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:56:13.708085Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200eaea-a0ea-3f5b-958b-
3963e826bd50</uuid>
    <instanceUuid>5000fd38-eb21-0a5f-a72a-
92cb0d087f04</instanceUuid>
    <vmxDir>[SCC-MGMT] SCC-BMC-3</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>

```



```

</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SCC-MGMT] SCC-BMC-3/" suspendDir="[SCC-MGMT] SCC-
BMC-3/" logDir="[SCC-MGMT] SCC-BMC-3/" vmxPath="[SCC-MGMT] SCC-
BMC-3/SCC-BMC-3.vmx">
NumCPUs="4">
</VirtualMachineFileInfo>
</VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BMC-3.vmx</Name>
  <Size>3142</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BMC-3.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BMC-3.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BMC-3.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BMC-3.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BMC-3_1.vmdk</Name>

```

```

        <Size>209715200</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>102890</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>450644</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>192051</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>40446</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SCC-MGMT"
Unshared="25243167905" Uncommitted="301516869632"
Committed="25243167905">
        </StorageInfo>
        <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-3f2e-9f55-0258-50a7eb8e6fd2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9f782f13840dfbcf10f8a3298f106688" Parent=""
Disk="[SCC-MGMT] SCC-BMC-3/SCC-BMC-3.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-ec6a-99cc-73e3-1cc809bb2f1d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4ca730b36fb901ef3bfbaafa2a6c261fe" Parent=""
Disk="[SCC-MGMT] SCC-BMC-3/SCC-BMC-3_1.vmdk"
AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:40:19" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-YUM</Name>
    <Mor>vm-871</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-YUM</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>

```

```

    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T09:56:56.003503Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d84f9-edf1-5a2a-43d3-
b8ad4e148b16</uuid>
    <instanceUuid>502d16bd-9f0b-d5cd-2374-
28c5b74cbdaa</instanceUuid>
    <vmxDir>[SCC-MGMT] SCC-YUM/</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.251</IpAddress>
    <Networks>PLATFORM-DEV(&lt;True&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.251)
(fe80::250:56ff:fead:18dd)</NicIpaddresses>
    <hostName>SCC-YUM.cisco.com</hostName>
    <host>b16-pf-dv-esx-01.cisco.com
</host>
    <hostMor>host-832</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>2
</NumberOfBackingDisks>
    <NumberOfFiles>17</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] SCC-YUM/" suspendDir="[SCC-MGMT] SCC-
YUM/" logDir="[SCC-MGMT] SCC-YUM/" vmxPath="[SCC-MGMT] SCC-
YUM/SCC-YUM.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="4">
</VirtualHardware>
    <File Type="VmFileInfo">
    <Name>SCC-YUM.vmx</Name>
    <Size>3396</Size>
    <Type>config</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-YUM.vmx</Name>
  <Size>262</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-YUM.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-YUM.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-YUM.vmdk</Name>
  <Size>20971520</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-YUM_1.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-YUM-d5e9d1fa.vswp
</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-YUM-3588870650-
1.vswp</Name>
  <Size>98566144</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>40280</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>175551</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>171033</Size>
  <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>155006</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>410517</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>184544</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>128803</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SCC-MGMT"
Unshared="52395475068" Uncommitted="80848355328"
Committed="52395475068">
  </StorageInfo>
  <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-c435-8654-39eb-b0bddd2d2d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="25d14bc39cbd2dec039ebabe3ac0fb10" Parent=""
Disk="[SCC-MGMT] SCC-YUM/SCC-YUM.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-09ea-bel2-afb6-bf12c85be57c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="903d6500d633e1031f4ccfda3d5931ec" Parent=""
Disk="[SCC-MGMT] SCC-YUM/SCC-YUM_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
  </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:dd" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>SCCDEMO-IC</Name>
        <Mor>vm-362</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCCDEMO-IC</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation>10.106.6.104</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:14:34.141046Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected

```

```

</connectionState>
7bc001e150fa</uuid>
f01c4bbaa355</instanceUuid>
</vmxDir>
(&lt;False&gt;)</Networks>
(&lt;false&gt;)</Nics>
</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-IC/" suspendDir="[STG-SATA-
A-NEW] SCCDEMO-IC/" logDir="[STG-SATA-A-NEW] SCCDEMO-IC/"
vmxPath="[STG-SATA-A-NEW] SCCDEMO-IC/SCCDEMO-IC.vmx">
NumCPUs="2">

```

```

<uuid>422d5261-3569-7457-1e4d-
<instanceUuid>502dff28-f476-597a-85c1-
<vmxDir>[STG-SATA-A-NEW] SCCDEMO-IC/
<template>>false</template>
<IpAddress>10.77.75.237</IpAddress>
<Networks>STG-300_10.106.5.0/25
<Nics>STG-300_10.106.5.0/25
<NicIpaddresses>unassigned
<hostName>SCCDEMO-IC</hostName>
<host>b16-stg-esx-02.cisco.com</host>
<hostMor>host-324</hostMor>
<ResourcePoolMor>resgroup-295
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCCDEMO-IC.vmx</Name>
  <Size>3342</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-IC.vmx</Name>
  <Size>3425</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-IC.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>

```



```

<File Type="VmFileInfo">
  <Name>SCCDEMO-IC.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-IC.vmdk</Name>
  <Size>26214400</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>196485</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>112009</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>138597</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>176782</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>236777</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>342063</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>181569</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24334</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="21908273859" Uncommitted="9476349952"

```

```

Committed="21908273859">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-691e-0e67-2616-2d9dbdcccce6f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2bbcf4da2556e5a58e6b13011a6d947a" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-IC/SCCDEMO-IC.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:6b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-076</Name>
    <Mor>vm-2883</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-076</Path>
    <ParentMor>group-v296</ParentMor>

```

```

        <Annotation>Can you please transfer
the ownership to the below mentioned VMs to jtsubram, this is
currently owned by mushekha but he has been released from the
team</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T05:56:07.352609Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d20cb-5107-981a-86cc-
e83d62612ccd</uuid>
        <instanceUuid>502d2bfb-134c-3c9d-a24a-
08bf72ff3a64</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SN-DV-076/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.86</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.9.86)
(fe80::250:56ff:fead:6807)</NicIpaddresses>
        <hostName>B16-SN-DV-076</hostName>
        <host>b16-sn-dv-esx-06.cisco.com
</host>
        <hostMor>host-1269</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-076/" suspendDir="[SN-DV-FC-

```

```

A] B16-SN-DV-076/" logDir="[SN-DV-FC-A] B16-SN-DV-076/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-076/SCC-DEV-VM-023.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="8192"
NumCPUs="4">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-023.vmx</Name>
    <Size>3308</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-023.vmx</Name>
    <Size>3429</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-023.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-023.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-023.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-023-
d3ec30e2.vswp</Name>
    <Size>8589934592</Size>
    <Type>swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmx-SCC-DEV-VM-023-
3555471586-1.vswp</Name>
    <Size>98566144</Size>
    <Type>uwsap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-36.log</Name>
    <Size>146854</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-39.log</Name>
    <Size>187454</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>696344</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>144634</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-38.log</Name>
        <Size>24637</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-37.log</Name>
        <Size>139390</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>152165</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="99513466451" Uncommitted="16550723584"
Committed="99513466451">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-cda4-cdca-2975-f10ee17e9dd4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0686fb20d79f40611df875c348286193" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-076/SCC-DEV-VM-023.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:68:07" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-097</Name>
    <Mor>vm-2903</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-097</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>This VM imaged by Chandra
Babu M</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:26.91494Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d7557-eabe-8b5d-3888-
e61592db0b77</uuid>
    <instanceUuid>502d5819-7e26-d3c3-4b16-
546a33057437</instanceUuid>

```

```

</vmxDir>                                <vmxDir>[SN-DV-FC-A] B16-SN-DV-097/
</Networks>                               <template>>false</template>
</Nics>                                    <IpAddress>10.106.9.107</IpAddress>
</NicIpaddresses>                         <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</host>                                    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</ResourcePoolMor>                       <NicIpaddresses>unassigned
</NumberOfDatastores>                    <hostName>B16-SN-DV-097</hostName>
</NumberOfBackingDisks>                  <host>b16-sn-dv-esx-08.cisco.com
</CpuFeatureMaskSupported>               <hostMor>host-1325</hostMor>
</NumberOfFeatureMaskEntries>            <ResourcePoolMor>resgroup-287
<VirtualMachineFileInfo>                  <NumberOfDatastores>1
snapshotDir="[SN-DV-FC-A] B16-SN-DV-097/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-097/" logDir="[SN-DV-FC-A] B16-SN-DV-097/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-097/SCC-DEV-VM-066.vmx">    <NumberOfBackingDisks>1
</VirtualMachineFileInfo>                 <NumberOfFiles>13</NumberOfFiles>
<VirtualHardware MemoryMB="4096">        <CpuFeatureMaskSupported>true
</VirtualHardware>                        <NumberOfFeatureMaskEntries>0
<File Type="VmFileInfo">                  <VirtualMachineFileInfo>
  <Name>SCC-DEV-VM-066.vmx</Name>          snapshotDir="[SN-DV-FC-A] B16-SN-DV-097/" suspendDir="[SN-DV-FC-
  <Size>3223</Size>                        A] B16-SN-DV-097/" logDir="[SN-DV-FC-A] B16-SN-DV-097/"
  <Type>config</Type>                     vmxPath="[SN-DV-FC-A] B16-SN-DV-097/SCC-DEV-VM-066.vmx">
</File>                                    </VirtualMachineFileInfo>
<File Type="VmFileInfo">                  <VirtualHardware MemoryMB="4096">
  <Name>SCC-DEV-VM-066.vmx</Name>          </VirtualHardware>
  <Size>3429</Size>                        <File Type="VmFileInfo">
  <Type>extendedConfig</Type>             <Name>SCC-DEV-VM-066.vmx</Name>
</File>                                    <Size>3223</Size>
<File Type="VmFileInfo">                  <Type>config</Type>
  <Name>SCC-DEV-VM-066.nvram              </File>
  <Size>8684</Size>                        <File Type="VmFileInfo">
  <Type>nvram</Type>                       <Name>SCC-DEV-VM-066.vmx</Name>
</File>                                    <Size>3429</Size>
<File Type="VmFileInfo">                  <Type>extendedConfig</Type>
  <Name>SCC-DEV-VM-066.vmsd</Name>        </File>
  <Size>0</Size>                           <File Type="VmFileInfo">
</Name>                                    <Name>SCC-DEV-VM-066.nvram
                                              <Size>8684</Size>
                                              <Type>nvram</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                <Name>SCC-DEV-VM-066.vmx</Name>
                                                <Size>3223</Size>
                                                <Type>config</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                <Name>SCC-DEV-VM-066.vmx</Name>
                                                <Size>3429</Size>
                                                <Type>extendedConfig</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                <Name>SCC-DEV-VM-066.nvram
                                                <Size>8684</Size>
                                                <Type>nvram</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                <Name>SCC-DEV-VM-066.vmsd</Name>
                                                <Size>0</Size>
                                              </File>

```

```

        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-066.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24293</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>105626</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>492695</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-13.log</Name>
    <Size>138802</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>145159</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>157834</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>333618</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="21267583219" Uncommitted="90647666688"
Committed="21267583219">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-997b-5713-c460-15184a31e82e" ChangeId=""

```



```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f48fc7541fa948678f446691f652742d" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-097/SCC-DEV-VM-066.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:b1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCCDEMO-BERBEE</Name>
    <Mor>vm-326</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCCDEMO-BERBEE</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>10.106.6.101</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported>          <BootOptionsSupported>true
</SwapPlacementSupported>        <SwapPlacementSupported>true
                                   <SwapPlacement>inherit</SwapPlacement>
                                   <ChangeVersion>2013-12-
30T08:13:58.268273Z</ChangeVersion>
                                   <powerState>poweredOff</powerState>
                                   <connectionState>connected
</connectionState>
                                   <uuid>422d0b19-56fe-bce3-ab28-
d5d749264717</uuid>
                                   <instanceUuid>502d84f7-100d-ee95-6e88-
f7f283b51275</instanceUuid>
                                   <vmxDir>[STG-SATA-A-NEW] SCCDEMO-
BERBEE</vmxDir>
                                   <template>>false</template>
                                   <IpAddress>10.77.75.18</IpAddress>
                                   <Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
                                   <Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
                                   <NicIpaddresses>unassigned
</NicIpaddresses>
                                   <hostName>SCCDEMO-BERBEE.scc-stg.com
</hostName>
                                   <host>b16-stg-esx-03.cisco.com</host>
                                   <hostMor>host-343</hostMor>
                                   <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
                                   <NumberOfDatastores>1
</NumberOfDatastores>
                                   <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                   <NumberOfFiles>14</NumberOfFiles>
                                   <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                   <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                   <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-BERBEE/" suspendDir="[STG-
SATA-A-NEW] SCCDEMO-BERBEE/" logDir="[STG-SATA-A-NEW] SCCDEMO-
BERBEE/" vmxPath="[STG-SATA-A-NEW] SCCDEMO-BERBEE/SCC-DEMO-IOC-
INFORMACAST.vmx">
                                   </VirtualMachineFileInfo>
                                   <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                   </VirtualHardware>
                                   <File Type="VmFileInfo">
                                   <Name>SCC-DEMO-IOC-
INFORMACAST.vmx</Name>
                                   <Size>3346</Size>

```

```

        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEMO-IOC-
INFORMACAST.vmx</Name>
        <Size>3056</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEMO-IOC-
INFORMACAST.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEMO-IOC-
INFORMACAST.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEMO-IOC-INFORMACAST-
aux.xml</Name>
        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEMO-IOC-
INFORMACAST.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>883967</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>207271</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>24461</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>290255</Size>
    <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-15.log</Name>
            <Size>385232</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-18.log</Name>
            <Size>487157</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-16.log</Name>
            <Size>218707</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="21540263176" Uncommitted="68901249024"
Committed="21540263176">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-d846-e1d7-456e-893c6677b867" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="df905962c789fc0e18ec5ffb87c35666" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-BERBEE/SCC-DEMO-IOC-
INFORMACAST.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:10:28" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrl>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-WXP-64 (4)</Name>
    <Mor>vm-1141</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-WXP-64 (4)</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:33.740052Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42003e63-d1fa-3e1a-ac11-
cff9bbcdc4c0</uuid>
    <instanceUuid>50004889-6055-26ae-2ffd-
bf0c6edble0e</instanceUuid>
    <vmxDir>[SN-DV-FC-B] SCC-WXP-64/
</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>

```

```

</host>
    <hostName></hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>
    <hostMor>host-1209</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>12</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] SCC-WXP-64/" suspendDir="[SN-DV-FC-B]
SCC-WXP-64/" logDir="[SN-DV-FC-B] SCC-WXP-64/" vmxPath="[SN-DV-
FC-B] SCC-WXP-64/SCC-WXP-64.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-WXP-64.vmx</Name>
        <Size>2770</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-WXP-64.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-WXP-64.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-WXP-64.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-WXP-64.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>111836</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>164464</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>205416</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>112351</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>102463</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24504</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="8724884808" Uncommitted="38765174784"
Committed="8724884808">
  </StorageInfo>
  <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-cf4f-c2ff-caba-e3cc048941e8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8cace7ed9167fea039dc3a10aa6dc838" Parent="" Disk="[SN-
DV-FC-B] SCC-WXP-64/SCC-WXP-64.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:1a:95" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"

```

```

StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>svsagent2</Name>
    <Mor>vm-316</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\svsagent2</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>As per the discussion, we
have changed POC to jayanth and same informed in mail (25-Jan-13)
to jayanth</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPProGuest</GuestId>
    <GuestOSAltName>Microsoft Windows XP
Professional (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:04.595618Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d2fc0-665c-1429-0da5-
71ec2b14e9b8</uuid>

```



```

f1524551d459</instanceUuid>
</vmxDir>
</Networks>
</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[STG-SATA-A-NEW] svsgent2/" suspendDir="[STG-SATA-
A-NEW] svsgent2/" logDir="[STG-SATA-A-NEW] svsgent2/"
vmxPath="[STG-SATA-A-NEW] svsgent2/svsgent2.vmx">
NumCPUs="1">

```

```

    <instanceUuid>50032899-53d7-fc1f-16f7-
    <vmxDir>[STG-SATA-A-NEW] svsgent2/
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
    <hostName></hostName>
    <host>b16-stg-esx-08.cisco.com</host>
    <hostMor>host-405</hostMor>
    <ResourcePoolMor>resgroup-295
    <NumberOfDatastores>1
    <NumberOfBackingDisks>1
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
    <NumberOfFeatureMaskEntries>0
    <VirtualMachineFileInfo
    <VirtualHardware MemoryMB="1024"
    </VirtualHardware>
    <File Type="VmFileInfo">
      <Name>svsgent2.vmx</Name>
      <Size>3018</Size>
      <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>svsgent2.vmx</Name>
      <Size>0</Size>
      <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>svsgent2.nvram</Name>
      <Size>8684</Size>
      <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>svsgent2.vmsd</Name>
      <Size>0</Size>
      <Type>snapshotList</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>svsagent2.vmdk</Name>
  <Size>16777216</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>26898</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24459</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>137048</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>145233</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>106046</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>21006</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>105777</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="9342341753" Uncommitted="9116655616"
Committed="9342341753">
  </StorageInfo>
  <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-ce62-e733-ee49-4b7445bdac8c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```

```

Thin="true" Split="false" CapacityKB="16777216"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bc893acee2caed753a77d9ba9c9b55e6" Parent=""
Disk="[STG-SATA-A-NEW] svsgent2/svsgent2.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:09" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualBusLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName="" /dev/fd0"
BackingType="Vim25Api.VirtualFloppyImageBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>svsgent1</Name>
    <Mor>vm-317</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\svsgent1</Path>
    <ParentMor>group-v296</ParentMor>

```

```

        <Annotation>As per the discussion, we
have changed POC to jayanth and same informed in mail (25-Jan-13)
to jayanth</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winXPProGuest</GuestId>
        <GuestOSAltName>Microsoft Windows XP
Professional (32-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:14:04.595279Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>564dc3bb-76d9-9084-a227-
3c9095491d33</uuid>
        <instanceUuid>500328c7-6e11-3de5-b942-
9cff9b08ff35</instanceUuid>
        <vmxDir>[STG-SATA-A-NEW] svsagent1/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>STG-VLAN-11_10.77.75.0/24
(&lt;False&gt;)</Networks>
        <Nics>STG-VLAN-11_10.77.75.0/24
(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>bl6-stg-esx-08.cisco.com</host>
        <hostMor>host-405</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] svsagent1/" suspendDir="[STG-SATA-
A-NEW] svsagent1/" logDir="[STG-SATA-A-NEW] svsagent1/"

```

```

vmxPath=" [STG-SATA-A-NEW] svsagent1/svsagent1.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="1024"
NumCPUs="1">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>svsagent1.vmx</Name>
    <Size>2976</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>svsagent1.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>svsagent1.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>svsagent1.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>svsagent1.vmdk</Name>
    <Size>16777216</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>26040</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>159147</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24459</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>20202</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-9.log</Name>

```

```

        <Size>139666</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>68312</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>107072</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="11605147150" Uncommitted="6853828608"
Committed="11605147150">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-984d-758f-c84b-0f478e089f92" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="16777216"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="aa606a6284e9d928fc4edbcfa460b11e" Parent=""
Disk="[STG-SATA-A-NEW] svsagent1/svsagent1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:01" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-VLAN-11_10.77.75.0/24" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualBusLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>

```

```

        <BackingFloppy UseAutoDetect="false"
FileName="[] /dev/fd0"
BackingType="Vim25Api.VirtualFloppyImageBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SONGDO-VCS</Name>
        <Mor>vm-341</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SONGDO-VCS</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>otherGuest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
    </ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
    </ChangeTrackingSupported>
        <BootOptionsSupported>true
    </BootOptionsSupported>
        <SwapPlacementSupported>true
    </SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:13:58.267826Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
        <uuid>4200377a-34b5-9efc-7cb5-
524894b458f7</uuid>
        <instanceUuid>500094be-3e3d-bfc0-9cbf-
60d88fde02fd</instanceUuid>
        <vmxDir>[STG-SATA-A-NEW] B16-SONGDO-
VCS</vmxDir>
        <template>false</template>
        <IpAddress>10.106.6.253</IpAddress>
        <Networks>STG-309_10.106.6.224/27
(&lt;False&gt;),STG-300_10.106.5.0/25(&lt;False&gt;),STG-300_
10.106.5.0/25(&lt;False&gt;)</Networks>
        <Nics>STG-309_10.106.6.224/27

```

```

(&lt;false&gt;),STG-300_10.106.5.0/25(&lt;false&gt;),STG-300_
10.106.5.0/25(&lt;false&gt;)</Nics>
  <NicIpaddresses>
unassigned,unassigned,unassigned</NicIpaddresses>
  <hostName>b16-songdo-vcs</hostName>
  <host>b16-stg-esx-03.cisco.com</host>
  <hostMor>host-343</hostMor>
  <ResourcePoolMor>resgroup-295

</ResourcePoolMor>
  <NumberOfDatastores>1

</NumberOfDatastores>
  <NumberOfBackingDisks>2

</NumberOfBackingDisks>
  <NumberOfFiles>15</NumberOfFiles>
  <CpuFeatureMaskSupported>true

</CpuFeatureMaskSupported>
  <NumberOfFeatureMaskEntries>0

</NumberOfFeatureMaskEntries>
  <VirtualMachineFileInfo>
snapshotDir="[STG-SATA-A-NEW] B16-SONGDO-VCS/" suspendDir="[STG-
SATA-A-NEW] B16-SONGDO-VCS/" logDir="[STG-SATA-A-NEW] B16-SONGDO-
VCS/" vmxPath="[STG-SATA-A-NEW] B16-SONGDO-VCS/B16-SONGDO-
VCS.vmx" >
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="6144"

NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SONGDO-VCS.vmx</Name>
    <Size>3996</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SONGDO-VCS.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SONGDO-VCS.nvram

  </Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SONGDO-VCS.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SONGDO-VCS.vmdk</Name>
    <Size>4014080</Size>
    <Type>diskDescriptor</Type>

```



```

</File>
<File Type="VmFileInfo">
  <Name>B16-SONGDO-VCS_1.vmdk
</Name>
  <Size>134217728</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>189086</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>317634</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>544805</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>586844</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>232811</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>1410465</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>28336</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="14192653093" Uncommitted="134099021824"
Committed="14192653093">
  </StorageInfo>
  <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-b4f1-d972-339c-eb91835e266a" ChangeId=""

```

```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="4014080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="005521a9804c35dae568cf7fea90d0dc" Parent=""
Disk="[STG-SATA-A-NEW] B16-SONGDO-VCS/B16-SONGDO-VCS.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-831c-8f9d-df83-732d1d9b4d01" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="134217728"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="86c58020a349cc0d94d716aa06b6bfdd" Parent=""
Disk="[STG-SATA-A-NEW] B16-SONGDO-VCS/B16-SONGDO-VCS_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:09:eb" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:51:20" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:12:5c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="9" Key="4002"

```

```

ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 3">
    </BackingNetwork>
    <BackingDiskCtrl HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrl>
    <BackingUsbCtrl HotAddRemove="false"
EhciEnabled="false" AutoConnect="true" ControllerUnitNumber="-1"
SharedBus="" BackingType="" FileName="" DeviceName="USB
controller " BusNum="22" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="22" Key="7000"
ControllerKey="100" Type="" Label="">
    </BackingUsbCtrl>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SCC-IPCC-2</Name>
    <Mor>vm-309</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SCC-IPCC-2</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>The VM has been
Provisioned by ptirunag on Oct12jakohliSCC915</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:34.139573Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200a46b-c406-6792-d4ed-
06d3bfd3243e</uuid>
    <instanceUuid>5000299e-855d-66b6-38da-
69dd6336d727</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-SCC-IPCC-
2/</vmxDir>

```

```

<template>>false</template>
<IpAddress></IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;False&gt; )</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;false&gt; )</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-stg-esx-02.cisco.com</host>
<hostMor>host-324</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-SCC-IPCC-2/" suspendDir="[STG-
SATA-A-NEW] B16-SCC-IPCC-2/" logDir="[STG-SATA-A-NEW] B16-SCC-
IPCC-2/" vmxPath="[STG-SATA-A-NEW] B16-SCC-IPCC-2/B16-SCC-IPCC-
2.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-2.vmx</Name>
  <Size>3364</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-2.vmx</Name>
  <Size>3047</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-2.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-2.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>

```

```

</Name>
</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-2-vmx.xml</Name>
  <Size>0</Size>
  <Type>snapshotManifestList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-2.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>146482</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>239043</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>24673</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>239891</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>379996</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>545293</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>403054</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="64857467703" Uncommitted="47155400704"
Committed="64857467703">
  </StorageInfo>
  <Datastore Mor="datastore-3657"

```

```

Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-9361-68af-5c10-0f139cb3c8fd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4b1368162feb58ef1c24a9a4e5343b98" Parent=""
Disk="[STG-SATA-A-NEW] B16-SCC-IPCC-2/B16-SCC-IPCC-2.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:ba" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SCC-IPCC-3</Name>
    <Mor>vm-5334</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SCC-IPCC-3</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>The VM has been

```

```

Provisioned by ptirunag on Oct12jakohliSCC915</Annotation>
  <Version>vmx-09</Version>
  <GuestId>windows7Server64Guest
</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
  <BootOptionsSupported>>true
</BootOptionsSupported>
  <SwapPlacementSupported>>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T08:15:20.562502Z</ChangeVersion>
  <powerState>poweredOff</powerState>
  <connectionState>connected
</connectionState>
  <uuid>42004b53-4f94-0327-20f0-
5a7d40718c01</uuid>
  <instanceUuid>5000fa05-da6e-172a-d065-
8140e562230c</instanceUuid>
  <vmxDir>[TEMP] B16-SCC-IPCC-3/
</vmxDir>
  <template>>false</template>
  <IpAddress></IpAddress>
  <Networks>STG-301_10.106.6.64/26
  (&lt;False&gt;)</Networks>
  <Nics>STG-301_10.106.6.64/26
  (&lt;false&gt;)</Nics>
  <NicIpaddresses>unassigned
</NicIpaddresses>
  <hostName></hostName>
  <host>b16-pf-dv-esx-11.cisco.com
</host>
  <hostMor>host-5362</hostMor>
  <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
  <NumberOfDatastores>1
</NumberOfDatastores>
  <NumberOfBackingDisks>1
</NumberOfBackingDisks>
  <NumberOfFiles>10</NumberOfFiles>
  <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
  <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
  <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-SCC-IPCC-3/" suspendDir="[TEMP] B16-SCC-
IPCC-3/" logDir="[TEMP] B16-SCC-IPCC-3/" vmxPath="[TEMP] B16-SCC-
IPCC-3/B16-SCC-IPCC-3.vmx">

```

```

</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-3.vmx</Name>
  <Size>2895</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-3.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-3.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-3.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-3.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>632802</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>525507</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>434223</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>31612</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="TEMP"
Unshared="35895440779" Uncommitted="76117069824"

```



```

Committed="35895440779">
    </StorageInfo>
    <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-bf1d-7fa9-1c29-81ae371d204e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bb833238fce8e09301b82194da7e41e1" Parent=""
Disk="[TEMP] B16-SCC-IPCC-3/B16-SCC-IPCC-3.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:bb" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SCC-IPCC-4</Name>
    <Mor>vm-5332</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered

```

```

virtual machine\B16-SCC-IPCC-4</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>The VM has been
Provisioned by ptirunag on Oct12jakohliSCC915</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:15:20.129647Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42008083-cc71-f232-f5df-
d9045f080f90</uuid>
    <instanceUuid>50000e75-1b2d-d82c-d12b-
f16c78597c52</instanceUuid>
    <vmxDir>[TEMP] B16-SCC-IPCC-4/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>STG-301_10.106.6.64/26
(&lt;False&gt; )</Networks>
    <Nics>STG-301_10.106.6.64/26
(&lt;false&gt; )</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-pf-dv-esx-11.cisco.com
</host>
    <hostMor>host-5362</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>11</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo

```

```
snapshotDir="[TEMP] B16-SCC-IPCC-4/" suspendDir="[TEMP] B16-SCC-IPCC-4/" logDir="[TEMP] B16-SCC-IPCC-4/" vmxPath="[TEMP] B16-SCC-IPCC-4/B16-SCC-IPCC-4.vmx">
```

```
</VirtualMachineFileInfo>  
<VirtualHardware MemoryMB="4096"
```

```
NumCPUs="4">
```

```
</VirtualHardware>
```

```
<File Type="VmFileInfo">  
  <Name>B16-SCC-IPCC-4.vmx</Name>  
  <Size>3107</Size>  
  <Type>config</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">  
  <Name>B16-SCC-IPCC-4.vmx</Name>  
  <Size>0</Size>  
  <Type>extendedConfig</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">  
  <Name>B16-SCC-IPCC-4.nvram
```

```
</Name>
```

```
  <Size>8684</Size>  
  <Type>nvram</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">  
  <Name>B16-SCC-IPCC-4.vmsd</Name>  
  <Size>0</Size>  
  <Type>snapshotList</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">  
  <Name>B16-SCC-IPCC-4.vmdk</Name>  
  <Size>104857600</Size>  
  <Type>diskDescriptor</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">  
  <Name>vmware-1.log</Name>  
  <Size>632802</Size>  
  <Type>log</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">  
  <Name>vmware-2.log</Name>  
  <Size>524581</Size>  
  <Type>log</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">  
  <Name>vmware-3.log</Name>  
  <Size>359996</Size>  
  <Type>log</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">  
  <Name>vmware-4.log</Name>  
  <Size>194080</Size>  
  <Type>log</Type>
```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>31612</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="TEMP"
Unshared="17666066158" Uncommitted="94346563584"
Committed="17666066158">
            </StorageInfo>
            <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-f04e-defa-7c9a-6818ddc3b402" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2d514703a73bd59e54ba64a55565b9a2" Parent=""
Disk="[TEMP] B16-SCC-IPCC-4/B16-SCC-IPCC-4.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:bc" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD

```

```

drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-039</Name>
    <Mor>vm-2881</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-039</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:17.896513Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420348fe-4c32-1a2e-4343-
a9ef19497fbc</uuid>
    <instanceUuid>50039033-57e7-4296-e478-
06b5dbec9140</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-039/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.49</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-039.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1

```

```

</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-039/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-039/" logDir="[SN-DV-FC-A] B16-SN-DV-039/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-039/SCC-BGL04-DV-44.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-44.vmx</Name>
        <Size>3353</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-44.vmx
</Name>
        <Size>3081</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-44.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-44.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-44.vmdk
</Name>
        <Size>62926605</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-36.log</Name>
        <Size>580122</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-37.log</Name>
        <Size>747553725</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>111290</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-38.log</Name>
  <Size>1529602626</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-39.log</Name>
  <Size>24305</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>172823</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-35.log</Name>
  <Size>384094</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="66678836295" Uncommitted="4576105472"
Committed="66678836295">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-8584-ad07-e30c-78f34056520f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62926605"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="931ee49da746828eab860e76cfb04b83" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-039/SCC-BGL04-DV-44.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:30:96" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SCC-IPCC-5</Name>
    <Mor>vm-5330</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SCC-IPCC-5</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>The VM has been
Provisioned by ptirunag on Oct12jakohliSCC915</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:15:20.559027Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200dbbc-8009-d8b0-f930-
640fa9cf4alc</uuid>

```



```

                <instanceUuid>50007537-fa3b-5874-c49d-
2f1f872feaaa</instanceUuid>
                <vmxDir>[TEMP] B16-SCC-IPCC-5/
</vmxDir>
                <template>>false</template>
                <IpAddress></IpAddress>
                <Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
                <Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
                <NicIpaddresses>unassigned
</NicIpaddresses>
                <hostName></hostName>
                <host>b16-pf-dv-esx-11.cisco.com
</host>
                <hostMor>host-5362</hostMor>
                <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
                <NumberOfDatastores>1
</NumberOfDatastores>
                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                <NumberOfFiles>11</NumberOfFiles>
                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-SCC-IPCC-5/" suspendDir="[TEMP] B16-SCC-
IPCC-5/" logDir="[TEMP] B16-SCC-IPCC-5/" vmxPath="[TEMP] B16-SCC-
IPCC-5/B16-SCC-IPCC-5.vmx">
                </VirtualMachineFileInfo>
                <VirtualHardware MemoryMB="4096"
NumCPUs="4">
                </VirtualHardware>
                <File Type="VmFileInfo">
                    <Name>B16-SCC-IPCC-5.vmx</Name>
                    <Size>2895</Size>
                    <Type>config</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>B16-SCC-IPCC-5.vmx</Name>
                    <Size>0</Size>
                    <Type>extendedConfig</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>B16-SCC-IPCC-5.nvram
</Name>
                    <Size>8684</Size>
                    <Type>nvram</Type>
                </File>
                <File Type="VmFileInfo">

```

```

        <Name>B16-SCC-IPCC-5.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SCC-IPCC-5.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>632802</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>623876</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>110742</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>304251</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>31612</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="13164489390" Uncommitted="98848100352"
Committed="13164489390">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-7c19-2e5b-d706-08144009292e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6d7a274ec591fb5fced1d769e18fd34a" Parent=""
Disk="[TEMP] B16-SCC-IPCC-5/B16-SCC-IPCC-5.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"

```

```

Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:bd" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>svsagent4</Name>
    <Mor>vm-313</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\"(DC)S+CC(DC)\vm\Discovered
virtual machine\svsagent4</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>As per the discussion, we
have changed POC to jayanth and same informed in mail (25-Jan-13)
to jayanth</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPProGuest</GuestId>
    <GuestOSAltName>Microsoft Windows XP
Professional (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:04.595941Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d70fe-aae1-b67d-6658-
5bdf635d5dd4</uuid>
    <instanceUuid>50038104-78ec-6214-d9fb-
b0cff30c9a28</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>bl6-stg-esx-08.cisco.com</host>
    <hostMor>host-405</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] svsagent4/" suspendDir="[STG-SATA-
A-NEW] svsagent4/" logDir="[STG-SATA-A-NEW] svsagent4/"
vmxPath="[STG-SATA-A-NEW] svsagent4/svsagent4.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="768"
NumCPUs="1">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>svsagent4.vmx</Name>
        <Size>2930</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>svsagent4.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>

```

```
<File Type="VmFileInfo">
  <Name>svsagent4.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>svsagent4.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>svsagent4.vmdk</Name>
  <Size>16777216</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>25947</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24459</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>66705</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>20919</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>137872</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>158556</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>106218</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="3083365730" Uncommitted="15107170304"
```

```

Committed="3083365730">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-1cca-e8ee-c642-899abdb1b60e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="16777216"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="982e31484535420403cb06a0955c35c0" Parent=""
Disk="[STG-SATA-A-NEW] svsagent4/svsagent4.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:07" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualBusLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName="" /dev/fd0"
BackingType="Vim25Api.VirtualFloppyImageBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>

```

```

        <VirtualMachine>
            <Name>svsagent3</Name>
            <Mor>vm-315</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\svsagent3</Path>
            <ParentMor>group-v296</ParentMor>
            <Annotation>As per the discussion, we
have changed POC to jayanth and same informed in mail (25-Jan-13)
to jayanth</Annotation>
            <Version>vmx-09</Version>
            <GuestId>winXPProGuest</GuestId>
            <GuestOSAltName>Microsoft Windows XP
Professional (32-bit)</GuestOSAltName>
            <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2013-12-
30T08:14:04.595805Z</ChangeVersion>
            <powerState>poweredOff</powerState>
            <connectionState>connected
</connectionState>
            <uuid>564dbb19-2db0-ac8c-aec0-
92d5cf9b53a8</uuid>
            <instanceUuid>5003af2f-15c9-e795-d6fe-
d37e59223c2d</instanceUuid>
            <vmxDir>[STG-SATA-A-NEW] svsagent3/
</vmxDir>
            <template>>false</template>
            <IpAddress></IpAddress>
            <Networks>VM Network(&lt;False&gt;)
</Networks>
            <Nics>VM Network(&lt;false&gt;)</Nics>
            <NicIpaddresses>unassigned
</NicIpaddresses>
            <hostName></hostName>
            <host>b16-stg-esx-08.cisco.com</host>
            <hostMor>host-405</hostMor>
            <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>13</NumberOfFiles>
            <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] svAGENT3/" suspendDir="[STG-SATA-
A-NEW] svAGENT3/" logDir="[STG-SATA-A-NEW] svAGENT3/"
vmxPath="[STG-SATA-A-NEW] svAGENT3/svAGENT3.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="768"
NumCPUs="1">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>svAGENT3.vmx</Name>
        <Size>2960</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>svAGENT3.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>svAGENT3.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>svAGENT3.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>svAGENT3.vmdk</Name>
        <Size>16777216</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>25661</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>24368</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>137785</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">

```



```

        <Name>vmware.log</Name>
        <Size>24459</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>158679</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>21006</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>106435</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="4257728597" Uncommitted="13932765184"
Committed="4257728597">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-4dd4-e61f-354d-a779c8c32d13" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="16777216"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ee00dc507a2e74af4ba7a997e6e2ddb" Parent=""
Disk="[STG-SATA-A-NEW] svsagent3/svsagent3.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:08" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualBusLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName="" /dev/fd0"
BackingType="Vim25Api.VirtualFloppyImageBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-DV</Name>
    <Mor>vm-1151</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-DV</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>This Machine was created
by Sandeep Byrappa (sbyrappa@cisco.com) on 26th August 2010.
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghornGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T05:42:58.602218Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d9bc8-9552-07ae-eb48-
73435084934c</uuid>
    <instanceUuid>5229de46-838c-0892-702d-
b9d14733b431</instanceUuid>

```

```

<vmxDir>[PF-DV-FC-A] SCC-DV/</vmxDir>
<template>>false</template>
<IpAddress>10.106.10.80</IpAddress>
<Networks>VM Network(&lt;true&gt;)
</Networks>

<Nics>VM Network(&lt;true&gt;)</Nics>
<NicIpaddresses>
(fe80::b94f:767d:b704:f94)(10.106.10.80)</NicIpaddresses>
<hostName>SCC-BGL04-DEV-V.scc-dv.com
</hostName>

<host>b16-sn-dv-esx-08.cisco.com
</host>

<hostMor>host-1325</hostMor>
<ResourcePoolMor>resgroup-287

</ResourcePoolMor>

<NumberOfDatastores>1

<NumberOfBackingDisks>1

<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>>true

</CpuFeatureMaskSupported>

<NumberOfFeatureMaskEntries>0

</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] SCC-DV/" suspendDir="[PF-DV-FC-A] SCC-
DV/" logDir="[PF-DV-FC-A] SCC-DV/" vmxPath="[PF-DV-FC-A] SCC-
DV/SCC-BGL04-DV-17-VM.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"

NumCPUs="2">

</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-DV-17-VM.vmx

</Name>

<Size>4013</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-DV-17-VM.vmx

</Name>

<Size>3050</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-DV-17-VM.nvram

</Name>

<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-DV-17-VM.vmsd

```

```

</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-17-VM-aux.xml
</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-17-VM.vmdk
</Name>
    <Size>41961780</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-17-VM-
c43eee70.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-DV-17-VM-
3292458608-2.vswp</Name>
    <Size>96468992</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-49.log</Name>
    <Size>24519</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-52.log</Name>
    <Size>255456</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-50.log</Name>
    <Size>243360</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-51.log</Name>
    <Size>222827</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>195935</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-53.log</Name>
        <Size>138505</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-54.log</Name>
        <Size>398536</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="27658735461" Uncommitted="19703058432"
Committed="27658735461">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-c03a-dab4-3f6d-69b192a268d4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b5c01e3f9856a922138741ece424e3d2" Parent="" Disk="[PF-
DV-FC-A] SCC-DV/SCC-BGL04-DV-17-VM.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:43:76" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"

```

```

FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-046</Name>
    <Mor>vm-2882</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-046</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>This VM was created by
sbyrapa on 27-DEC-10</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:14.602815Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d5474-de6a-9e41-20d7-
cb134737c761</uuid>
    <instanceUuid>52400ccd-7a8c-3197-5364-
bc61bc5bd4fe</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-046/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.56</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-046.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-05.cisco.com

```

```

</host>
<hostMor>host-2873</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-046/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-046/" logDir="[SN-DV-FC-A] B16-SN-DV-046/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-046/SCC-BGL04-DV-57_1.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-57_1.vmx
</Name>
  <Size>3274</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-57_1.vmx
</Name>
  <Size>3083</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-57.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-57_1.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-57_1.vmdk
</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-22.log</Name>
        <Size>110161</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>24338</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>154549</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>95239954</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>182353</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>752357</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>368196</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="26054345829" Uncommitted="86036094976"
Committed="26054345829">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-fa92-cf4f-0668-de12e48e8b76" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="32513f82983496775bb7857dca9112ae" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-046/SCC-BGL04-DV-57_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"

```



```

Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:c0" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SCC-IPCC-1</Name>
    <Mor>vm-308</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SCC-IPCC-1</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>The VM has been
Provisioned by ptirunag on Oct12jakohliSCC915</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>

```

```

        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:14:04.595668Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200e2a6-3fbe-92b6-51b6-
f58701e0b0d6</uuid>
        <instanceUuid>500024cc-f657-db78-0b74-
c166d4e9a61b</instanceUuid>
        <vmxDir>[STG-SATA-A-NEW] B16-SCC-IPCC-
1/</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
        <Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-stg-esx-08.cisco.com</host>
        <hostMor>host-405</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-SCC-IPCC-1/" suspendDir="[STG-
SATA-A-NEW] B16-SCC-IPCC-1/" logDir="[STG-SATA-A-NEW] B16-SCC-
IPCC-1/" vmxPath="[STG-SATA-A-NEW] B16-SCC-IPCC-1/B16-SCC-IPCC-
1.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="4">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SCC-IPCC-1.vmx</Name>
            <Size>3361</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SCC-IPCC-1.vmx</Name>
            <Size>3047</Size>
            <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-1.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-1.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-1-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-1.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>183470</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>230270</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>24675</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>247871</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>396760</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>458941</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>409418</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="50853708193" Uncommitted="61159133184"
Committed="50853708193">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-f62f-d040-46fa-34f98527afb8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b60a1de13504f219fd41bda43150978d" Parent=""
Disk="[STG-SATA-A-NEW] B16-SCC-IPCC-1/B16-SCC-IPCC-1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:b9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"

```

```

UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>YUM-REPOS</Name>
    <Mor>vm-2878</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\YUM-REPOS</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>Yum repository server.
Created by Amit Saha.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:27.15795Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d0ce1-61b9-8ac2-f699-
6b7ea5638bfe</uuid>
    <instanceUuid>5000d6e2-ff8b-fce0-c609-
40de0afal259</instanceUuid>
    <vmxDir>[SN-DV-FC-A] YUM-REPOS/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.250</IpAddress>
    <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>YUM-REPOS</hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>
    <hostMor>host-1325</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] YUM-REPOS/" suspendDir="[SN-DV-FC-A]
YUM-REPOS/" logDir="[SN-DV-FC-A] YUM-REPOS/" vmxPath="[SN-DV-FC-
A] YUM-REPOS/YUM-REPOS.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
    <Name>YUM-REPOS.vmx</Name>
    <Size>3164</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>YUM-REPOS.vmx</Name>
    <Size>3424</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>YUM-REPOS.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>YUM-REPOS.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>YUM-REPOS.vmdk</Name>
    <Size>52428800</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>127377</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24109</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>

```

```

        <Size>158935</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>138610</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>273372</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>178086</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>106513</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="13357783362" Uncommitted="44869984256"
Committed="13357783362">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-71e0-f5e8-b3bd-ec564a4dfef" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="487907a19b7ebde795093ecf12cfd7a7" Parent="" Disk="[SN-
DV-FC-A] YUM-REPOS/YUM-REPOS.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:5e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">

```

```

        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>CRE-BOS-SW</Name>
        <Mor>vm-1101</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\CRE-BOS-SW</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation>As per the Srini mail
request (25-Jan-13) we have added POC to Srini
</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winNetStandardGuest</GuestId>
        <GuestOSAltName>Microsoft Windows
Server 2003, Standard Edition (32-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:04:53.502933Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>501f0e54-caf5-6384-b3ca-
521f55f43f66</uuid>
        <instanceUuid>5035bdb8-4dff-947e-86f6-
8bc637487e17</instanceUuid>
        <vmxDir>[SN-DV-FC-B] CRE-BOS-SW/
</vmxDir>
        <template>>false</template>

```



```

</Networks>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] CRE-BOS-SW/" suspendDir="[SN-DV-FC-B]
CRE-BOS-SW/" logDir="[SN-DV-FC-B] CRE-BOS-SW/" vmxPath="[SN-DV-
FC-B] CRE-BOS-SW/CRE-BOS-SW.vmx">
NumCPUs="4">

```

```

<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
<hostName></hostName>
<host>bl6-sn-dv-esx-07.cisco.com
<hostMor>host-1293</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] CRE-BOS-SW/" suspendDir="[SN-DV-FC-B]
CRE-BOS-SW/" logDir="[SN-DV-FC-B] CRE-BOS-SW/" vmxPath="[SN-DV-
FC-B] CRE-BOS-SW/CRE-BOS-SW.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>CRE-BOS-SW.vmx</Name>
  <Size>2855</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-BOS-SW.vmx<Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-BOS-SW.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-BOS-SW.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-BOS-SW.vmdk</Name>
  <Size>41943040</Size>

```

```

        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>41608</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>41698</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>42216</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>38386</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24420</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>44992</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>43225</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="9699616084" Uncommitted="37869756416"
Committed="9699616084">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-6630-4693-c98f-178f51627a21" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="80b1caff7623715be84a618594c1fc2d" Parent="" Disk="[SN-

```

```

DV-FC-B] CRE-BOS-SW/CRE-BOS-SW.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:9f:77:ef" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-KICKSTART</Name>
    <Mor>vm-971</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-KICKSTART</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>

```

```

    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:34.824797Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200e877-4e4d-d22a-fd86-
d7e1213a5579</uuid>
    <instanceUuid>5000672d-e6ba-d05e-045f-
6e24a2aa82c1</instanceUuid>
    <vmxDir>[TEMP] SCC-KICKSTART/</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-pf-dv-esx-09.cisco.com
</host>
    <hostMor>host-951</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>2
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[TEMP] SCC-KICKSTART/" suspendDir="[TEMP] SCC-
KICKSTART/" logDir="[TEMP] SCC-KICKSTART/" vmxPath="[TEMP] SCC-
KICKSTART/SCC-KICKSTART.vmx">
</VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-KICKSTART.vmx</Name>
        <Size>3316</Size>
        <Type>config</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-KICKSTART.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-KICKSTART.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-KICKSTART.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-KICKSTART.vmdk</Name>
  <Size>26214400</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-KICKSTART_1.vmdk
</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>40754</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>328547</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>185343</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>121075</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>228218</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>159322</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>125354</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="TEMP"
Unshared="23320482277" Uncommitted="113290616832"
Committed="23320482277">
            </StorageInfo>
            <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-331a-a02a-2501-1f5d2a28d45d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b70fe169f6447151ebce4899f035871d" Parent=""
Disk="[TEMP] SCC-KICKSTART/SCC-KICKSTART.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-fa72-9a0d-4870-d6bc541c8b74" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0f7461caelf3b962b61ff87da929a0ac" Parent=""
Disk="[TEMP] SCC-KICKSTART/SCC-KICKSTART_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:79" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">

```

```

        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <BackingUsbCtrlr HotAddRemove="false"
EhciEnabled="false" AutoConnect="true" ControllerUnitNumber="-1"
SharedBus="" BackingType="" FileName="" DeviceName="USB
controller " BusNum="22" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="22" Key="7000"
ControllerKey="100" Type="" Label="">
        </BackingUsbCtrlr>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SCC-IPCC-6</Name>
        <Mor>vm-5329</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SCC-IPCC-6</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation>The VM has been
Provisioned by ptirunag on Oct12jakohliSCC915</Annotation>
        <Version>vmx-09</Version>
        <GuestId>windows7Server64Guest
</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:15:20.129302Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>420090fc-6ba4-7cf7-33d3-

```

```

85b2c62b0f2c</uuid>
3415d4835ec5</instanceUuid>
</vmxDir>
(&lt;False&gt; )</Networks>
(&lt;false&gt; )</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[TEMP] B16-SCC-IPCC-6/" suspendDir="[TEMP] B16-SCC-IPCC-6/" logDir="[TEMP] B16-SCC-IPCC-6/" vmxPath="[TEMP] B16-SCC-IPCC-6/B16-SCC-IPCC-6.vmx">
NumCPUs="4">
</Name>

```

```

<instanceUuid>50002792-796e-69ba-6bb0-
<vmxDir>[TEMP] B16-SCC-IPCC-6/
<template>>false</template>
<IpAddress></IpAddress>
<Networks>STG-301_10.106.6.64/26
<Nics>STG-301_10.106.6.64/26
<NicIpaddresses>unassigned
<hostName></hostName>
<host>b16-pf-dv-esx-11.cisco.com
<hostMor>host-5362</hostMor>
<ResourcePoolMor>resgroup-289
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>10</NumberOfFiles>
<CpuFeatureMaskSupported>>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-6.vmx</Name>
  <Size>2895</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-6.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-IPCC-6.nvram
  <Size>8684</Size>
  <Type>nvram</Type>
</File>

```



```

    <File Type="VmFileInfo">
      <Name>B16-SCC-IPCC-6.vmsd</Name>
      <Size>0</Size>
      <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>B16-SCC-IPCC-6.vmdk</Name>
      <Size>104857600</Size>
      <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-1.log</Name>
      <Size>632802</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-2.log</Name>
      <Size>515568</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-3.log</Name>
      <Size>216515</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>31612</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="12487851084" Uncommitted="99524431872"
Committed="12487851084">
      </StorageInfo>
      <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-4901-b6ad-5998-2526ea5823cb" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f86570f202a9f1ed1992cfe5beda2636" Parent=""
Disk="[TEMP] B16-SCC-IPCC-6/B16-SCC-IPCC-6.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```

```

MacAddress="00:50:56:80:6f:be" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>CRE-HW-EBI</Name>
    <Mor>vm-1143</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\CRE-HW-EBI</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>As per the Saravanan mail
request (25-Jan-13) we have added POC to saravpal
</Annotation>
    <Version>vmx-04</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName>Microsoft Windows
Server 2003, Standard Edition (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>false
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:49.140005Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>503a1d8c-a397-477a-30eb-
ecac3b883de2</uuid>
    <instanceUuid>5035d1b5-3ab7-b33a-2835-
69f53431d7e7</instanceUuid>
    <vmxDir>[SN-DV-FC-B] CRE-HW-EBI/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>bl6-sn-dv-esx-03.cisco.com
</host>
    <hostMor>host-1174</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] CRE-HW-EBI/" suspendDir="[SN-DV-FC-B]
CRE-HW-EBI/" logDir="[SN-DV-FC-B] CRE-HW-EBI/" vmxPath="[SN-DV-
FC-B] CRE-HW-EBI/CRE-HW-EBI.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>CRE-HW-EBI.vmx</Name>
        <Size>2297</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CRE-HW-EBI.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CRE-HW-EBI.nvram</Name>
        <Size>8684</Size>

```

```

        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>CRE-HW-EBI.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>CRE-HW-EBI.vmdk</Name>
    <Size>62914560</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>42954</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-13.log</Name>
    <Size>35706</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>42102</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>38485</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>70120</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>78105</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>42020</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="57036603417" Uncommitted="12007677952"
Committed="57036603417">
    </StorageInfo>
<Datastore Mor="datastore-837"

```

```

Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-c736-1e97-00e3-1dc4310539bd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="fa68b48c462fcea9c257845b898974f" Parent="" Disk="[SN-
DV-FC-B] CRE-HW-EBI/CRE-HW-EBI.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ba:06:3c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>

```

```

        <Name>B16-SN-QA-084-BACKUP</Name>
        <Mor>vm-5345</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-QA-084-BACKUP</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation>Verified, This VM is
imaged by Chandra Babu M on 1-MAR-2012 for the user Ramkumar
Kuttuboyina on account of Feb12rkuttuboSCC3163.</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
20T07:20:30.867671Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200cda6-7c02-3376-b7cf-
1e66f7488556</uuid>
        <instanceUuid>5000d30a-9297-631c-568d-
1cbfa6c79275</instanceUuid>
        <vmxDir>[TEMP] B16-SN-QA-084-BACKUP/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>bl6-sn-qa-esx-04.cisco.com
</host>
        <hostMor>host-668</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>6</NumberOfFiles>
        <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-SN-QA-084-BACKUP/" suspendDir="[TEMP]
B16-SN-QA-084-BACKUP/" logDir="[TEMP] B16-SN-QA-084-BACKUP/"
vmxPath="[TEMP] B16-SN-QA-084-BACKUP/B16-SN-QA-084-BACKUP.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-084-BACKUP.vmx
</Name>
        <Size>2952</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-084-BACKUP.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-084-BACKUP.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-084-BACKUP.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>31546</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="38329681602" Uncommitted="9159680000"
Committed="38329681602">
    </StorageInfo>
    <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-12d3-b12a-10c0-f8ec725e591e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"

```

```

CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="be8cc19a27eef9e56b39a332889be336" Parent=""
Disk="[TEMP] B16-SN-QA-084-BACKUP/B16-SN-QA-084-BACKUP.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:58" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SCC-IPCC-7</Name>
    <Mor>vm-5331</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SCC-IPCC-7</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>The VM has been
Provisioned by ptirunag on Oct12jakohliSCC915</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>

```



```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:15:20.343696Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42006403-e5de-3192-aef5-
78fea7ale428</uuid>
        <instanceUuid>5000e7ea-4132-aa5c-b57a-
67290c0c9b99</instanceUuid>
</vmxDir>
        <vmxDir>[TEMP] B16-SCC-IPCC-7/
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
        <Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-pf-dv-esx-11.cisco.com
</host>
        <hostMor>host-5362</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>12</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-SCC-IPCC-7/" suspendDir="[TEMP] B16-SCC-
IPCC-7/" logDir="[TEMP] B16-SCC-IPCC-7/" vmxPath="[TEMP] B16-SCC-
IPCC-7/B16-SCC-IPCC-7.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="4">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SCC-IPCC-7.vmx</Name>
            <Size>2804</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SCC-IPCC-7.vmx</Name>

```

```

        <Size>0</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SCC-IPCC-7.nvram
</Name>

    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SCC-IPCC-7.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SCC-IPCC-7.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>632802</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>514732</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>188578</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>233640</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>116561</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>31601</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="TEMP"
Unshared="14684939130" Uncommitted="97327665152"
Committed="14684939130">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-4724-d4c9-03f4-71fe25972e78" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="270d351e9bf3b98adafda86c00861888" Parent=""
Disk="[TEMP] B16-SCC-IPCC-7/B16-SCC-IPCC-7.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:bf" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>SCCDEMO-CUPS</Name>
        <Mor>vm-377</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCCDEMO-CUPS</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>

```

```

                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>true
</BootOptionsSupported>
                                <SwapPlacementSupported>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
06T10:00:22.935353Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>422d3ef3-5642-5b1a-a54f-
2e3fecdc53fe</uuid>
                                <instanceUuid>502de4a3-cfbf-54e8-51a5-
285d176d3bc2</instanceUuid>
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.5.111</IpAddress>
                                <Networks>STG-300_10.106.5.0/25
(&lt;True&gt;)</Networks>
                                <Nics>STG-300_10.106.5.0/25
(&lt;true&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName>SCCDEMO-CUPS</hostName>
                                <host>b16-stg-esx-06.cisco.com</host>
                                <hostMor>host-382</hostMor>
                                <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-CUPS/" suspendDir="[STG-
SATA-A-NEW] SCCDEMO-CUPS/" logDir="[STG-SATA-A-NEW] SCCDEMO-
CUPS/" vmxPath="[STG-SATA-A-NEW] SCCDEMO-CUPS/SCCDEMO-CUPS.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="2048"
NumCPUs="2">
                                </VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>SCCDEMO-CUPS.vmx</Name>
  <Size>3105</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-CUPS.vmx</Name>
  <Size>2942</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-CUPS.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-CUPS.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-CUPS.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-CUPS-db3411b9.vswp
</Name>
  <Size>2147483648</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCCDEMO-CUPS-
3677622713-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>24582</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>215049</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>439062</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>343879</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>210878</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>105750</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>233219</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="37561579470" Uncommitted="72058142720"
Committed="37561579470">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-74c4-2e2e-6390-bc075f284acf" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5a0a37304c5db60630b2229e5579ea07" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-CUPS/SCCDEMO-CUPS.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:7b:b8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCCDEMO-NBMM-01</Name>
    <Mor>vm-364</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCCDEMO-NBMM-01</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>10.106.6.108</Annotation>
    <Version>vmx-09</Version>
    <GuestId>otherLinuxGuest</GuestId>
    <GuestOSAltName>Other Linux (32-bit)
</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:13:38.309547Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d1f6f-6716-80da-8527-
cefb14f7c75f</uuid>
    <instanceUuid>502de06f-4c94-3b09-a8b1-
b1c3adba74f3</instanceUuid>

```

```

01/ </vmxDir>
<template>false</template>
<IpAddress>10.106.5.108</IpAddress>
<Networks>STG-300_10.106.5.0/25
(&lt;False&gt;)</Networks>
(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>sccdemo-nbmm-01.cisco.com
</hostName>
<host>b16-stg-esx-04.cisco.com</host>
<hostMor>host-353</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-NBMM-01/" suspendDir="[STG-
SATA-A-NEW] SCCDEMO-NBMM-01/" logDir="[STG-SATA-A-NEW] SCCDEMO-
NBMM-01/" vmxPath="[STG-SATA-A-NEW] SCCDEMO-NBMM-01/SCC04-STG-
10.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="2048"
NumCPUs="1">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC04-STG-10.vmx</Name>
  <Size>3283</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-10.vmx</Name>
  <Size>3378</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-10.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-10.vmsd</Name>
  <Size>0</Size>

```



```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-10.vmdk</Name>
        <Size>31457280</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-41.log</Name>
        <Size>178290</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-43.log</Name>
        <Size>133899</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24655</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-38.log</Name>
        <Size>175085</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-39.log</Name>
        <Size>235977</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-42.log</Name>
        <Size>350017</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-40.log</Name>
        <Size>141523</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="7557293447" Uncommitted="27008507904"
Committed="7557293447">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-b019-283b-b402-c7c817791237" ChangeId=""

```

```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="31457280"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a97edeccef8201740eac2273b19d0f6f" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-NBMM-01/SCC04-STG-10.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:53:2d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SCC-VCLOUD</Name>
    <Mor>vm-5366</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SCC-VCLOUD</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:15:20.113156Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422dd888-14d8-e2be-9746-
9351f81cfca7</uuid>
<instanceUuid>502d16ac-694f-57b9-9823-
b6ee44f3ca8b</instanceUuid>
<vmxDir>[SCC-MGMT] B16-SCC-VCLOUD/
</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;),VM
Network(&lt;False&gt;)</Networks>
<Nics>VM Network(&lt;false&gt;),VM
Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned,unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-pf-dv-esx-11.cisco.com
</host>
<hostMor>host-5362</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] B16-SCC-VCLOUD/" suspendDir="[SCC-MGMT]
B16-SCC-VCLOUD/" logDir="[SCC-MGMT] B16-SCC-VCLOUD/"
vmxPath="[SCC-MGMT] B16-SCC-VCLOUD/B16-SCC-VCLOUD.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="2048"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SCC-VCLOUD.vmx</Name>
<Size>3608</Size>
<Type>config</Type>
</File>

```

```

<File Type="VmFileInfo">
  <Name>B16-SCC-VCLOUD.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-VCLOUD.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-VCLOUD.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-VCLOUD.vmdk</Name>
  <Size>52428800</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-VCLOUD-
3e7e7442.vswp</Name>
  <Size>2147483648</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>121267</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>487982</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>156710</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>31675</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>130058</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-13.log</Name>
            <Size>121779</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-18.log</Name>
            <Size>230185</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SCC-MGMT"
Unshared="10764924588" Uncommitted="45315629056"
Committed="10764924588">
            </StorageInfo>
            <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-5f59-7b09-ea61-ee18a335c922" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1302a35d4d774448dad440397cf30a59" Parent=""
Disk="[SCC-MGMT] B16-SCC-VCLOUD/B16-SCC-VCLOUD.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:c8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:c9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
                            </BackingNetwork>

```

```

        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <BackingUsbCtrlr HotAddRemove="false"
EhciEnabled="false" AutoConnect="true" ControllerUnitNumber="-1"
SharedBus="" BackingType="" FileName="" DeviceName="USB
controller " BusNum="22" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="22" Key="7000"
ControllerKey="100" Type="" Label="">
        </BackingUsbCtrlr>
    </VirtualMachine>
    <VirtualMachine>
        <Name>SCC-IB-RHEL-TEMPLATE-1</Name>
        <Mor>vm-1190</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-IB-RHEL-TEMPLATE-1</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation>This VM provisioned by
Amit Saha.
Latest update: Jun12srinkri2SCC844, migrated on 08/06/2012.
</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:32.488447Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200f2fc-cfdc-1d41-bb18-

```

```

86aebc37bfbe</uuid>
a9828375b97b</instanceUuid>
Template1/</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[DEV-V5 (SATA)] SCC-IB-RHEL-Template1/"
suspendDir="[DEV-V5 (SATA)] SCC-IB-RHEL-Template1/" logDir="[DEV-
V5 (SATA)] SCC-IB-RHEL-Template1/" vmxPath="[DEV-V5 (SATA)] SCC-
IB-RHEL-Template1/SCC-IB-RHEL-Template1.vmx">
NumCPUs="2">
</Name>
</Name>

```

```

Template1.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-IB-RHEL-Template1.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-IB-RHEL-Template1.vmdk
</Name>
    <Size>63963136</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>339820</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>125975</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>109112</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>799413</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>146121</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24945</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="DEV-V5 (SATA)"
Unshared="65499811591" Uncommitted="8834621440"
Committed="65499811591">
    </StorageInfo>
    <Datastore Mor="datastore-834"
Url="/vmfs/volumes/4f6f7f20-d7955a13-11b5-0025b500018f"

```



```

Name="DEV-V5 (SATA)">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-e60e-9e26-6d1a-4713fdd0d8b1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="63963136"
CompatibilityMode="" Mode="persistent" dsMor="datastore-834"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2859812001d2111e080a19f65ea073ff" Parent=""
Disk="[DEV-V5 (SATA)] SCC-IB-RHEL-Templat1/SCC-IB-RHEL-
Templat1.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:03" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD/DVD drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-111</Name>
    <Mor>vm-2896</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-111</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>Exchange 2007
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandard64Guest

```

```

</GuestId>
Server 2003, Standard Edition (64-bit)</GuestOSAltName>
    <GuestOSAltName>Microsoft Windows
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T11:22:15.688438Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42034412-fa96-1292-661f-
de28c9225d00</uuid>
    <instanceUuid>5003c5a2-2981-04d2-09f9-
8f2fb19fc105</instanceUuid>
</vmxDir>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-111/
    <template>>false</template>
    <IpAddress>10.106.9.121</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.121)
</NicIpaddresses>
    <hostName>scc-bgl04-dv-25.Exch2k7.scc-
dv.com</hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-111/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-111/" logDir="[SN-DV-FC-A] B16-SN-DV-111/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-111/SCC-BGL04-DV-25-VM.vmx">
    </VirtualMachineFileInfo>

```

```

NumCPUs="2">
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-25-VM.vmx
</Name>
  <Size>3437</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-25-VM.vmx
</Name>
  <Size>2856</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-25-VM.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-25-VM.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-25-VM-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-25-VM.vmdk
</Name>
  <Size>41961780</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-25-VM-
d3ec3458.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-BGL04-DV-25-VM-
3555472472-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-36.log</Name>
      <Size>7639320</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-39.log</Name>
      <Size>2399954</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-40.log</Name>
      <Size>24707</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-41.log</Name>
      <Size>125784</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-38.log</Name>
      <Size>343579</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-37.log</Name>
      <Size>364898</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>149847</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="47353220890" Uncommitted="18141184"
Committed="47353220890">
      </StorageInfo>
      <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-ad80-4b1e-c047-4c65294377db" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bec8e59ea61d2dad0d6bdd878ef4fcfa" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-111/SCC-BGL04-DV-25-VM.vmdk"
AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:00:5c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>RH60-64-Template (563bb3f2-5d9d-
4a2a-896b-0e641d888bbc)</Name>
    <Mor>vm-810</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\rh60-64-Template (563bb3f2-5d9d-4a2a-896b-
0e641d888bbc)</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.137141Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42004b13-abb9-bc6e-78a2-
e87292b498a5</uuid>
    <instanceUuid>5000a1a9-8281-e241-fe98-
116671a81449</instanceUuid>
    <vmxDir>[SN-QA-FC-A] RH60-64-Template
(563bb3f2-5d9d-4a2a-896b-0e641d888bbc)</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>none(&lt;False&gt;);
</Networks>
    <Nics>none(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-qa-esx-01.cisco.com
</host>
    <hostMor>host-592</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>11</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] RH60-64-Template (563bb3f2-5d9d-4a2a-
896b-0e641d888bbc)/" suspendDir="[SN-QA-FC-A] RH60-64-Template
(563bb3f2-5d9d-4a2a-896b-0e641d888bbc)/" logDir="[SN-QA-FC-A]
RH60-64-Template (563bb3f2-5d9d-4a2a-896b-0e641d888bbc)/"
vmxPath="[SN-QA-FC-A] RH60-64-Template (563bb3f2-5d9d-4a2a-896b-
0e641d888bbc)/RH60-64-Template (563bb3f2-5d9d-4a2a-896b-
0e641d888bbc).vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
    <Name>RH60-64-Template
(563bb3f2-5d9d-4a2a-896b-0e641d888bbc).vmx</Name>
    <Size>3191</Size>
    <Type>config</Type>

```

```

        </File>
        <File Type="VmFileInfo">
          <Name>RH60-64-Template
(563bb3f2-5d9d-4a2a-896b-0e641d888bbc).vmxf</Name>
          <Size>0</Size>
          <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>RH60-64-Template
(563bb3f2-5d9d-4a2a-896b-0e641d888bbc).nvram</Name>
          <Size>8684</Size>
          <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>RH60-64-Template
(563bb3f2-5d9d-4a2a-896b-0e641d888bbc).vmsd</Name>
          <Size>0</Size>
          <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>RH60-64-Template
(563bb3f2-5d9d-4a2a-896b-0e641d888bbc).vmdk</Name>
          <Size>41943040</Size>
          <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>vmware.log</Name>
          <Size>107037</Size>
          <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>vmware-4.log</Name>
          <Size>114425</Size>
          <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>vmware-1.log</Name>
          <Size>246701</Size>
          <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>vmware-2.log</Name>
          <Size>113344</Size>
          <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>vmware-3.log</Name>
          <Size>113673</Size>
          <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="5716494831" Uncommitted="41790820352"

```

```

Committed="5716494831">
    </StorageInfo>
    <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-0ade-8597-90dd-d7fadc52b7d9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="59aab72181d5427b0537012a8fff61e4" Parent="" Disk="[SN-
QA-FC-A] RH60-64-Template (563bb3f2-5d9d-4a2a-896b-
0e641d888bbc)/RH60-64-Template (563bb3f2-5d9d-4a2a-896b-
0e641d888bbc).vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:d4" AddressType="manual"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="none" AllowGuestControl="true" StartConnected="false"
Connected="false" UnitNum="7" Key="4000" ControllerKey="100"
Type="Vim25Api.VirtualVmxnet3" Label="Network adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/linux.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-196</Name>
    <Mor>vm-2888</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered

```



```

virtual machine\B16-SN-DV-196</Path>
                                <ParentMor>group-v296</ParentMor>
                                <Annotation>This VM is created by
prasbtr on 4-MAR-2013
</Annotation>
                                <Version>vmx-09</Version>
                                <GuestId>rhel6_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>true
</BootOptionsSupported>
                                <SwapPlacementSupported>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
13T15:18:38.102059Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>42001bf9-a3d1-87a4-dadd-
8bf77e14b76a</uuid>
                                <instanceUuid>50002a3b-77ca-e30b-8a0a-
99ab15c93d98</instanceUuid>
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.9.206</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.9.206)
(fe80::250:56ff:fe80:4e86)</NicIpaddresses>
                                <hostName>B16-SN-DV-196</hostName>
                                <host>b16-sn-dv-esx-06.cisco.com
</host>
                                <hostMor>host-1269</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo

```

```

snapshotDir="[SN-DV-FC-B] B16-SN-DV-196/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-196/" logDir="[SN-DV-FC-B] B16-SN-DV-196/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-196/B16-SN-DV-196.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"

NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-196.vmx</Name>
    <Size>3284</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-196.vmx</Name>
    <Size>3433</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-196.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-196.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-196.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-196-
33903d8d.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-196-
865090957-1.vswp</Name>
    <Size>113246208</Size>
    <Type>uwsap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>126976</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>137202</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>175016</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>469160</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>24268</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>773844264</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>177589</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="20226054676" Uncommitted="27906801664"
Committed="20226054676">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-0b0d-d52b-be7a-07c13fd2025e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a6800d84fc78b7c817778d8d44120eb6" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-196/B16-SN-DV-196.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:4e:86" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-QA-VM-037-TEMPLATE</Name>
    <Mor>vm-5323</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-QA-VM-037-TEMPLATE</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
20T11:26:24.126332Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422da2c3-119c-5fd9-21b5-
4abaea201f0b</uuid>
    <instanceUuid>502d119a-49f2-b1f3-5e43-
26f4776a332d</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] SCC-QA-VM-

```

```

037-TEMPLATE/</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>QA-VLAN-04_10.76.99.0/26
(&lt;False&gt; )</Networks>
                                <Nics>QA-VLAN-04_10.76.99.0/26
(&lt;false&gt; )</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>b16-stg-esx-08.cisco.com</host>
                                <hostMor>host-405</hostMor>
                                <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>8</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCC-QA-VM-037-TEMPLATE/"
suspendDir="[STG-SATA-A-NEW] SCC-QA-VM-037-TEMPLATE/"
logDir="[STG-SATA-A-NEW] SCC-QA-VM-037-TEMPLATE/" vmxPath="[STG-
SATA-A-NEW] SCC-QA-VM-037-TEMPLATE/SCC-QA-VM-034-TEMPLATE.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-QA-VM-034-TEMPLATE.vmx
</Name>
                                    <Size>2788</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-QA-VM-034-
TEMPLATE.vmx</Name>
                                    <Size>0</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-QA-VM-034-
TEMPLATE.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-QA-VM-034-

```

```

TEMPLATE.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-QA-VM-034-
TEMPLATE.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>104863</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>31626</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="4481761785" Uncommitted="43007713280"
Committed="4481761785">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-c0b5-bf42-e58d-6297d3692e64" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0de3178123d3f0fd5956d2ae816ef7dd" Parent=""
Disk="[STG-SATA-A-NEW] SCC-QA-VM-037-TEMPLATE/SCC-QA-VM-034-
TEMPLATE.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:3f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="QA-VLAN-04_10.76.99.0/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-170</Name>
    <Mor>vm-2887</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-170</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:32.781027Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42000ee5-1ffa-182b-1d5b-
08268bb8cd3b</uuid>
    <instanceUuid>5000b355-82e4-c927-7dee-
5e13f18dd62c</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-170/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.180</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;);
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;);
</Nics>

```

```

</NicIpaddresses>                                <NicIpaddresses>unassigned
</hostName>                                       <hostName>B16-SN-DV-170.scc-dv.com
</host>                                           <host>b16-sn-dv-esx-04.cisco.com
</ResourcePoolMor>                               <hostMor>host-1209</hostMor>
</NumberOfDatastores>                           <ResourcePoolMor>resgroup-287
</NumberOfBackingDisks>                         <NumberOfDatastores>1
</CpuFeatureMaskSupported>                      <NumberOfBackingDisks>1
</NumberOfFeatureMaskEntries>                  <NumberOfFiles>14</NumberOfFiles>
<VirtualMachineFileInfo                          <CpuFeatureMaskSupported>true
snapshotDir="[SN-DV-FC-A] B16-SN-DV-170/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-170/" logDir="[SN-DV-FC-A] B16-SN-DV-170/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-170/B16-SN-DV-170.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-170.vmx</Name>
  <Size>3169</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-170.vmx</Name>
  <Size>3047</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-170.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-170.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-170-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>

```



```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-170.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>172414</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24278</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>470000</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>111372</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>646826</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>183778</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>250887</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="61512391191" Uncommitted="50420600832"
Committed="61512391191">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-621f-2679-da81-d53301bde95d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```

```

Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="54ecf67156409c902a6c38f0b1d8c9c8" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-170/B16-SN-DV-170.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:13:cc" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCCDEMO-IPICS</Name>
    <Mor>vm-388</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCCDEMO-IPICS</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true

```

```

</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
07T06:34:33.09606Z</ChangeVersion>
</connectionState>
0ed54f62d1a5</uuid>
da01abl2064d</instanceUuid>
IPICS</vmxDir>
(&lt;True&gt;)</Networks>
(&lt;true&gt;)</Nics>
</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-IPICS/" suspendDir="[STG-
SATA-A-NEW] SCCDEMO-IPICS/" logDir="[STG-SATA-A-NEW] SCCDEMO-
IPICS/" vmxPath="[STG-SATA-A-NEW] SCCDEMO-IPICS/SCCDEMO-
IPICS.vmx">
NumCPUs="4">

```

```

<BootOptionsSupported>true
<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
<powerState>poweredOn</powerState>
<connectionState>connected
<uuid>422d95bd-04c4-29e2-00e6-
<instanceUuid>502d2668-22fb-4442-461b-
<vmxDir>[STG-SATA-A-NEW] SCCDEMO-
<template>>false</template>
<IpAddress></IpAddress>
<Networks>STG-309_10.106.6.224/27
<Nics>STG-309_10.106.6.224/27
<NicIpaddresses>unassigned
<hostName></hostName>
<host>b16-stg-esx-01.cisco.com</host>
<hostMor>host-297</hostMor>
<ResourcePoolMor>resgroup-295
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8080"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCCDEMO-IPICS.vmx</Name>
  <Size>3071</Size>
  <Type>config</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-IPICS.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-IPICS.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-IPICS.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-IPICS.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-IPICS-
421ffe76.vswp</Name>
  <Size>8472494080</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCCDEMO-IPICS-
1109393014-1.vswp</Name>
  <Size>115343360</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>136955</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>24318</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>181534</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>126216</Size>
  <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-19.log</Name>
            <Size>531053</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-16.log</Name>
            <Size>170939</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>269829</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="115963472439" Uncommitted="0"
Committed="115963472439">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-4c2f-f2cb-098a-f25ac66a75cd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4188f522ba0f8d930c1e07ecd4243826" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-IPICS/SCCDEMO-IPICS.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0e:b2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-ISE</Name>
    <Mor>vm-987</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-ISE</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:54:34.05234Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200c36c-76ee-b40c-ebb4-
92be3c427975</uuid>
    <instanceUuid>5000d909-d751-a3d1-2cd3-
74a6c6b0e3f1</instanceUuid>
    <vmxDir>[TEMP] SCC-ISE</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-pf-dv-esx-05.cisco.com
</host>
    <hostMor>host-895</hostMor>

```

```

</ResourcePoolMor>                                <ResourcePoolMor>resgroup-289
</NumberOfDatastores>                              <NumberOfDatastores>1
</NumberOfBackingDisks>                            <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                         <NumberOfFiles>10</NumberOfFiles>
</NumberOfFeatureMaskEntries>                     <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries>                     <NumberOfFeatureMaskEntries>0
snapshotDir="[TEMP] SCC-ISE/" suspendDir="[TEMP] SCC-ISE/"
logDir="[TEMP] SCC-ISE/" vmxPath="[TEMP] SCC-ISE/SCC-ISE.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="4">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-ISE.vmx</Name>
    <Size>2667</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-ISE.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-ISE.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-ISE.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-ISE.vmdk</Name>
    <Size>209715200</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>200163</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>475499</Size>
    <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>116820</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>34926</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="TEMP"
Unshared="40981285991" Uncommitted="178387329024"
Committed="40981285991">
            </StorageInfo>
            <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-b44e-f240-4c42-bea4ab4fc185" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="53bf9f195999de50eafc1704086abee6" Parent=""
Disk="[TEMP] SCC-ISE/SCC-ISE.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:69:fa" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"

```



```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-PRIME</Name>
    <Mor>vm-882</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-PRIME</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
20T11:24:39.317338Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42000ea3-a5b1-61f4-a553-
71e2c5ab9d21</uuid>
    <instanceUuid>5000f02c-25dd-a360-003f-
f7331093fe02</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] SCC-PRIME/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.10.94</IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>(10.106.10.94)
(fe80::250:56ff:fe80:1727)</NicIpaddresses>
    <hostName>scc-prime</hostName>
    <host>b16-stg-esx-08.cisco.com</host>
    <hostMor>host-405</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>

```

```

        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCC-PRIME/" suspendDir="[STG-SATA-
A-NEW] SCC-PRIME/" logDir="[STG-SATA-A-NEW] SCC-PRIME/"
vmxPath="[STG-SATA-A-NEW] SCC-PRIME/SCC-PRIME.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="12288"
NumCPUs="4">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-PRIME.vmx</Name>
            <Size>2841</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-PRIME.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-PRIME.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-PRIME.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-PRIME.vmdk</Name>
            <Size>307200000</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>395934</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>279377</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-11.log</Name>
            <Size>165170</Size>
            <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>34997</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>154402</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>243218</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>177771</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="96164270202" Uncommitted="231619338240"
Committed="96164270202">
  </StorageInfo>
  <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-7755-51d9-0d00-8b83ac0abc96" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="307200000"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7dbc32a5bebda71c6a483325d3957953" Parent=""
Disk="[STG-SATA-A-NEW] SCC-PRIME/SCC-PRIME.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
      </BackingDisk>
      <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:17:27" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>

```

```

        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD/DVD Drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-W7E-64 (3)</Name>
    <Mor>vm-2894</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-W7E-64 (3)</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:18.058551Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42007fff-a543-1377-6b26-
bbac913b8d94</uuid>
    <instanceUuid>5000c7ee-2658-ff20-269a-
af30ebe8a83b</instanceUuid>
    <vmxDir>[SN-DV-FC-B] SCC-W7E-64/
</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)

```

```

</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] SCC-W7E-64/" suspendDir="[SN-DV-FC-B]
SCC-W7E-64/" logDir="[SN-DV-FC-B] SCC-W7E-64/" vmxPath="[SN-DV-
FC-B] SCC-W7E-64/SCC-W7E-64.vmx">
NumCPUs="2">

```

<NicIpaddresses>unassigned  
 <hostName></hostName>  
 <host>bl6-sn-dv-esx-06.cisco.com  
 <hostMor>host-1269</hostMor>  
 <ResourcePoolMor>resgroup-287  
 <NumberOfDatastores>1  
 <NumberOfBackingDisks>1  
 <NumberOfFiles>13</NumberOfFiles>  
 <CpuFeatureMaskSupported>true  
 <NumberOfFeatureMaskEntries>0  
 <VirtualMachineFileInfo  
 <VirtualHardware MemoryMB="4096"  
 </VirtualHardware>  
 <File Type="VmFileInfo">  
     <Name>SCC-W7E-64.vmx</Name>  
     <Size>2841</Size>  
     <Type>config</Type>  
 </File>  
 <File Type="VmFileInfo">  
     <Name>SCC-W7E-64.vmx</Name>  
     <Size>0</Size>  
     <Type>extendedConfig</Type>  
 </File>  
 <File Type="VmFileInfo">  
     <Name>SCC-W7E-64.nvram</Name>  
     <Size>8684</Size>  
     <Type>nvram</Type>  
 </File>  
 <File Type="VmFileInfo">  
     <Name>SCC-W7E-64.vmsd</Name>  
     <Size>0</Size>  
     <Type>snapshotList</Type>  
 </File>  
 <File Type="VmFileInfo">  
     <Name>SCC-W7E-64.vmdk</Name>  
     <Size>41943040</Size>  
     <Type>diskDescriptor</Type>  
 </File>  
 <File Type="VmFileInfo">

```

        <Name>vmware-5.log</Name>
        <Size>135570</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>181038</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>365737</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24503</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>127396</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>127307</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>114019</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="18819880567" Uncommitted="28687814656"
Committed="18819880567">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-4a3d-f75c-35e3-f0341be4a7b8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8ab2d3010304cbea52cb01d8d37603b9" Parent="" Disk="[SN-
DV-FC-B] SCC-W7E-64/SCC-W7E-64.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:00:81" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>SCC-POWERIQ</Name>
  <Mor>vm-904</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-POWERIQ</Path>
  <ParentMor>group-v296</ParentMor>
  <Annotation></Annotation>
  <Version>vmx-09</Version>
  <GuestId>otherGuest64</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T10:06:12.480424Z</ChangeVersion>

```

```

        <powerState>poweredOn</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>420047fb-e0a5-de9a-efdb-
e889822cf8cd</uuid>
    <instanceUuid>50002e74-86e8-ce0f-13a1-
df76d284726e</instanceUuid>
    <vmxDir>[SCC-MGMT] SCC-POWERIQ/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;True&gt;),VM
Network(&lt;True&gt;)</Networks>
    <Nics>None</Nics>
    <NicIpaddresses></NicIpaddresses>
    <hostName></hostName>
    <host>b16-pf-dv-esx-05.cisco.com
</host>
    <hostMor>host-895</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] SCC-POWERIQ/" suspendDir="[SCC-MGMT] SCC-
POWERIQ/" logDir="[SCC-MGMT] SCC-POWERIQ/" vmxPath="[SCC-MGMT]
SCC-POWERIQ/Power-iq-v4.0.0.37.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>Power-iq-v4.0.0.37.vmx
</Name>
        <Size>3333</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>Power-iq-v4.0.0.37.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>Power-iq-v4.0.0.37.nvram

```



```

</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>Power-iq-v4.0.0.37.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>Power-iq-v4.0.0.37.vmdk
</Name>
        <Size>524288000</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>Power-iq-v4.0.0.37-
b8275a26.vswp</Name>
        <Size>8589934592</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-Power-iq-v4.0.0.37-
3089586726-1.vswp</Name>
        <Size>96468992</Size>
        <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>151046</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>232464</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-13.log</Name>
    <Size>139904</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>33634</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>204928</Size>
    <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-10.log</Name>
            <Size>168759</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>120274</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SCC-MGMT"
Unshared="18006161522" Uncommitted="527552217088"
Committed="18006161522">
            </StorageInfo>
            <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-5362-60fe-9790-e7984ed866b0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="524288000"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="94f30b841abc1703dbbf19a5b115243f" Parent=""
Disk="[SCC-MGMT] SCC-POWERIQ/Power-iq-v4.0.0.37.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:9a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:9b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">

```

```

        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD/DVD drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>Unknown 23</Name>
    <Mor>vm-5370</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\Unknown 23</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version></Version>
    <GuestId></GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>false
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement></SwapPlacement>
    <ChangeVersion></ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>inaccessible
</connectionState>
    <uuid></uuid>
    <instanceUuid></instanceUuid>
    <vmxDir></vmxDir>
    <template>>false</template>

```

```

        <IpAddress></IpAddress>
        <Networks></Networks>
        <Nics>None</Nics>
        <NicIpaddresses></NicIpaddresses>
        <hostName></hostName>
        <host>b16-pf-dv-esx-11.cisco.com
</host>
        <hostMor>host-5362</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>0
</NumberOfDatastores>
        <NumberOfBackingDisks>0
</NumberOfBackingDisks>
        <NumberOfFiles>0</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir=""
suspendDir="" logDir="" vmxPath="">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="0"
NumCPUs="0">
        </VirtualHardware>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-W2K8R2S-64 (3)</Name>
        <Mor>vm-1177</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-W2K8R2S-64 (3)</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>windows7Server64Guest
</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:33.060576Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>

```

```

ae7930076513</uuid>
e2614edb5384</instanceUuid>
(3)/</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] SCC-W2K8R2S-64 (3)/" suspendDir="[SN-
DV-FC-A] SCC-W2K8R2S-64 (3)/" logDir="[SN-DV-FC-A] SCC-W2K8R2S-64
(3)/" vmxPath="[SN-DV-FC-A] SCC-W2K8R2S-64 (3)/SCC-W2K8R2S-
64.vmx">
NumCPUs="2">

```

```

<uuid>4200b4b3-5996-0836-1737-
<instanceUuid>50004a5e-e537-b0b2-eca7-
<vmxDir>[SN-DV-FC-A] SCC-W2K8R2S-64
<template>>false</template>
<IpAddress></IpAddress>
<Networks>PLATFORM-DEV(&lt;False&gt;)
<Nics>PLATFORM-DEV(&lt;false&gt;)
<NicIpaddresses>unassigned
<hostName></hostName>
<host>bl6-sn-dv-esx-04.cisco.com
<hostMor>host-1209</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-W2K8R2S-64.vmx</Name>
  <Size>2885</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-W2K8R2S-64.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-W2K8R2S-64.nvram
  <Size>8684</Size>

```

```

        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-W2K8R2S-64.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-W2K8R2S-64.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>114530</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>242688</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>389252</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>810962</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>178649</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>180705</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24775</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="8826768746" Uncommitted="38681792512"
Committed="8826768746">
</StorageInfo>
<Datastore Mor="datastore-836"

```

```

Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-b6d7-7634-1e0d-3b31311e560b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="af2c3636db49bcb9c0458555472624b1" Parent="" Disk="[SN-
DV-FC-A] SCC-W2K8R2S-64 (3)/SCC-W2K8R2S-64.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:70:21" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-QA-VM-035-V7-TEMPLATE</Name>
    <Mor>vm-5325</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-QA-VM-035-V7-TEMPLATE</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>

```

```

</GuestId>
    <Version>vmx-08</Version>
    <GuestId>windows7Server64Guest
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
20T11:28:53.556963Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d3c53-ab8b-21a9-9d23-
4fe7c6fa25f7</uuid>
    <instanceUuid>502dc586-b2d2-14a6-ef96-
59f7339a2f4d</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] SCC-QA-VM-
035-V7-TEMPLATE</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SCC-BGL04-QA-S26-VL10
(&lt;False&gt; )</Networks>
    <Nics>SCC-BGL04-QA-S26-VL10
(&lt;false&gt; )</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-stg-esx-08.cisco.com</host>
    <hostMor>host-405</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>6</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCC-QA-VM-035-V7-TEMPLATE/"
suspendDir="[STG-SATA-A-NEW] SCC-QA-VM-035-V7-TEMPLATE/"
logDir="[STG-SATA-A-NEW] SCC-QA-VM-035-V7-TEMPLATE/"
vmxPath="[STG-SATA-A-NEW] SCC-QA-VM-035-V7-TEMPLATE/SCC-QA-VM-
035-V7-TEMPLATE.vmx">

```



```

        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-QA-VM-035-V7-
TEMPLATE.vmx</Name>
            <Size>2912</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-QA-VM-035-V7-
TEMPLATE.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-QA-VM-035-V7-
TEMPLATE.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-QA-VM-035-V7-TEMPLATE_
1.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>20377</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="7099931385" Uncommitted="40406700032"
Committed="7099931385">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-7e69-92e3-5dd1-e6ef4fa531d5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d87542fa8a2751ef776e822527d4bac6" Parent=""
Disk="[STG-SATA-A-NEW] SCC-QA-VM-035-V7-TEMPLATE/SCC-QA-VM-035-
V7-TEMPLATE_1.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:61" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SCC-BGL04-QA-S26-VL10" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-DV-016-DEL</Name>
  <Mor>vm-2889</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-016-DEL</Path>
  <ParentMor>group-v296</ParentMor>
  <Annotation>This VM was created by
virkumar on 6-JUN-2011</Annotation>
  <Version>vmx-09</Version>
  <GuestId>winNetStandardGuest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-

```

```

30T08:06:17.886208Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d4fc9-217f-fa63-aef1-
c8d15aacddf9</uuid>
    <instanceUuid>52d9ce2d-57c1-0789-9b54-
06c2e4db7541</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-016/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.26</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>b16-sn-dv-016.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-016/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-016/" logDir="[SN-DV-FC-B] B16-SN-DV-016/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-016/SCC-BGL04-DV-147_1.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="1">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-147_1.vmx
</Name>
        <Size>3303</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-147_1.vmx
</Name>
        <Size>273</Size>

```

```

        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-147.nvram
</Name>

    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-147_1.vmsd
</Name>

    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-147_1-aux.xml
</Name>

    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-147_1.vmdk
</Name>

    <Size>83907495</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>242966</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>151168</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24349</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>193391</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>186685</Size>
    <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-30.log</Name>
            <Size>95730567</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-29.log</Name>
            <Size>241425</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="18137532891" Uncommitted="70232816640"
Committed="18137532891">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-7819-4cdd-0f9a-6e39478625ef" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83907495"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e7a870d7025731ce7c2f5822cf49c659" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-016/SCC-BGL04-DV-147_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:61" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"

```

```

dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-179</Name>
    <Mor>vm-5338</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-179</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:15:20.112427Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200716c-da4d-24a7-810d-
4c32195cff1d</uuid>
    <instanceUuid>50006de2-0122-7ba6-366f-
0a9d7f5d369e</instanceUuid>
    <vmxDir>[TEMP] B16-SN-DV-179</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-pf-dv-esx-11.cisco.com
</host>
    <hostMor>host-5362</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1

```

```

</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>8</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-SN-DV-179/" suspendDir="[TEMP] B16-SN-DV-
179/" logDir="[TEMP] B16-SN-DV-179/" vmxPath="[TEMP] B16-SN-DV-
179/B16-SN-DV-179.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-179.vmx</Name>
        <Size>2708</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-179.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-179.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-179.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-179.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>220302</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>30972</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"

```

```

Unshared="4173595146" Uncommitted="107740504064"
Committed="4173595146">
    </StorageInfo>
    <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-c245-83d6-1853-13230701de8a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="36430f38cfc35c6ae2dc6fd096c22faf" Parent=""
Disk="[TEMP] B16-SN-DV-179/B16-SN-DV-179.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
            </BackingDisk>
            <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:37:c2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                </BackingNetwork>
                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                    </BackingDiskCtrlr>
                    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                        </BackingCdrom>
                    </VirtualMachine>
                </VirtualMachine>
            <Name>B16-SN-QA-195</Name>
            <Mor>vm-5340</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-QA-195</Path>

```



```

                                <ParentMor>group-v296</ParentMor>
                                <Annotation></Annotation>
                                <Version>vmx-09</Version>
                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>                                <BootOptionsSupported>>true
</BootOptionsSupported>                                <SwapPlacementSupported>>true
</SwapPlacementSupported>                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
07T09:50:17.416462Z</ChangeVersion>                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>                                <uuid>42004aab-96cb-03b5-b6d3-
728aad96be23</uuid>                                <instanceUuid>50005820-c856-1805-e389-
a3ccbbbeb6a4</instanceUuid>                                <vmxDir>[TEMP] B16-SN-QA-195/</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.13.205</IpAddress>
                                <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>                                <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>                                <NicIpaddresses>(10.106.13.205)
(fe80::250:56ff:fe80:7672)</NicIpaddresses>                                <hostName>B16-SN-QA-195</hostName>
                                <host>b16-sn-qa-esx-03.cisco.com
</host>                                <hostMor>host-640</hostMor>
                                <ResourcePoolMor>resgroup-291
</ResourcePoolMor>                                <NumberOfDatastores>1
</NumberOfDatastores>                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>                                <NumberOfFiles>14</NumberOfFiles>
</CpuFeatureMaskSupported>                                <CpuFeatureMaskSupported>true
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>                                <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-SN-QA-195/" suspendDir="[TEMP] B16-SN-QA-
195/" logDir="[TEMP] B16-SN-QA-195/" vmxPath="[TEMP] B16-SN-QA-
195/B16-SN-QA-195.vmx">
                                </VirtualMachineFileInfo>

```

NumCPUs="2">

```
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-195.vmx</Name>
  <Size>3027</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-195.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-195.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-195.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-195.vmdk</Name>
  <Size>20971520</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-195-
8cfc73df.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-QA-195-
2365354975-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>101923</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>170830</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
```

```

        <Size>31268</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>148210</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>131306</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>174237</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="13280984525" Uncommitted="12586057728"
Committed="13280984525">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-f37a-0a90-b40b-27c7ef24fc04" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d36d706bef81a38bc2b30365b6d9c0c1" Parent=""
Disk="[TEMP] B16-SN-QA-195/B16-SN-QA-195.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:76:72" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>CRE-DHG-S2</Name>
    <Mor>vm-1104</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\CRE-DHG-S2</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>As per the Srini mail
request (25-Jan-13) we have added POC to Srini
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>otherLinuxGuest</GuestId>
    <GuestOSAltName>Other Linux (32-bit)
</GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:26.495899Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>501fe913-aad8-31a8-f508-
1e311479bc42</uuid>
    <instanceUuid>5035b306-0f67-ffa7-acdc-
a54de9ece39b</instanceUuid>
    <vmxDir>[SN-DV-FC-B] CRE-DHG-S2/

```

```

</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-sn-dv-esx-08.cisco.com
</host>
<hostMor>host-1325</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] CRE-DHG-S2/" suspendDir="[SN-DV-FC-B]
CRE-DHG-S2/" logDir="[SN-DV-FC-B] CRE-DHG-S2/" vmxPath="[SN-DV-
FC-B] CRE-DHG-S2/CRE-DHG-S2.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="1024"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>CRE-DHG-S2.vmx</Name>
  <Size>2732</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-DHG-S2.vmx<Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-DHG-S2.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-DHG-S2.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>CRE-DHG-S2.vmdk</Name>
        <Size>16777216</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>35215</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>31756</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24118</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>40645</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>36500</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>34140</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>36643</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="8681411137" Uncommitted="9817137152"
Committed="8681411137">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-a1bc-b8fb-56d1-fdb34eb72842" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="16777216"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="230d94d28281c9f53bf9ddb44ad8c25f" Parent="" Disk="[SN-
DV-FC-B] CRE-DHG-S2/CRE-DHG-S2.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:9f:02:b5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-194</Name>
    <Mor>vm-5339</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-QA-194</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>

```

```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>>false
</ChangeTrackingSupported> <ChangeTrackingSupported>>true
</BootOptionsSupported> <BootOptionsSupported>>true
</SwapPlacementSupported> <SwapPlacementSupported>>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
20T07:20:30.908573Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>4200bab0-fc49-0da5-4f08-
047656db3f02</uuid>
<instanceUuid>50007970-b14b-977c-7deb-
36cbf856c341</instanceUuid>
<vmxDir>[TEMP] B16-SN-QA-194/</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-sn-qa-esx-04.cisco.com
</host>
<hostMor>host-668</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>10</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[TEMP] B16-SN-QA-194/" suspendDir="[TEMP] B16-SN-QA-
194/" logDir="[TEMP] B16-SN-QA-194/" vmxPath="[TEMP] B16-SN-QA-
194/B16-SN-QA-194.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-QA-194.vmx</Name>

```



```

        <Size>2669</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-194.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-194.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-194.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-194.vmdk</Name>
        <Size>20971520</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>101319</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>139204</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>101396</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>31552</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="3891650360" Uncommitted="22123225088"
Committed="3891650360">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C29c-6ac8-c4d5-04ba-65342b52b240" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="231f85724044f04b3df4bbbaadd5a717" Parent=""
Disk="[TEMP] B16-SN-QA-194/B16-SN-QA-194.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:3c:45" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>CRE-DHG-S3</Name>
    <Mor>vm-1105</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\CRE-DHG-S3</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>As per the Srini mail

```

request (25-Jan-13) we have added POC to Srimi

```
</Annotation>
                                <Version>vmx-09</Version>
                                <GuestId>winXPProGuest</GuestId>
                                <GuestOSAltName>Microsoft Windows XP
Professional (32-bit)</GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2013-12-
30T08:10:27.389834Z</ChangeVersion>
                                <powerState>poweredOff</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>501f573d-6856-a04f-8361-
3105c4ae40b9</uuid>
                                <instanceUuid>5035bb55-f6ed-e836-91f8-
53a7b55beb6c</instanceUuid>
</vmxDir>
                                <template>>false</template>
                                <IpAddress>169.254.109.76</IpAddress>
                                <Networks>VM Network(&lt;False&gt;)
</Networks>
                                <Nics>VM Network(&lt;false&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName>cre-dhg-s3</hostName>
                                <host>bl6-sn-dv-esx-08.cisco.com
</host>
                                <hostMor>host-1325</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>13</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] CRE-DHG-S3/" suspendDir="[SN-DV-FC-B]
CRE-DHG-S3/" logDir="[SN-DV-FC-B] CRE-DHG-S3/" vmxPath="[SN-DV-
```

```

FC-B] CRE-DHG-S3/CRE-DHG-S3.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>CRE-DHG-S3.vmx</Name>
        <Size>3225</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CRE-DHG-S3.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CRE-DHG-S3.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CRE-DHG-S3.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CRE-DHG-S3.vmdk</Name>
        <Size>20971520</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>40731</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>24424</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>126572</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-17.log</Name>
        <Size>50514</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>

```

```

        <Size>37798</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>37847</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>40932</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="20238936103" Uncommitted="3628441600"
Committed="20238936103">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-999d-e6dc-0a7e-0049235c3575" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="35e2c7c5747e94e7f4ebbae27cc613b1" Parent="" Disk="[SN-
DV-FC-B] CRE-DHG-S3/CRE-DHG-S3.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:9f:15:75" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingFloppy UseAutoDetect="false"

```

```

FileName="[] /dev/fd0"
BackingType="Vim25Api.VirtualFloppyImageBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"

FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCCDEMO-CUCM</Name>
    <Mor>vm-322</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCCDEMO-CUCM</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
08T13:43:40.280138Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200e54e-8667-02ee-76bf-
7e804191d649</uuid>
    <instanceUuid>50001256-3262-7bd9-a57b-
f0f7bbdaa9f6</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] SCCDEMO-CUCM/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.6.246</IpAddress>
    <Networks>STG-309_10.106.6.224/27
(&lt;True&gt;)</Networks>
    <Nics>STG-309_10.106.6.224/27
(&lt;true&gt;)</Nics>
    <NicIpaddresses>unassigned

```

```

</NicIpaddresses>
    <hostName>SCCDEMO-CUCM</hostName>
    <host>b16-stg-esx-08.cisco.com</host>
    <hostMor>host-405</hostMor>
    <ResourcePoolMor>resgroup-295

</ResourcePoolMor>
    <NumberOfDatastores>1

</NumberOfDatastores>
    <NumberOfBackingDisks>1

</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>>true

</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-CUCM/" suspendDir="[STG-
SATA-A-NEW] SCCDEMO-CUCM/" logDir="[STG-SATA-A-NEW] SCCDEMO-
CUCM/" vmxPath="[STG-SATA-A-NEW] SCCDEMO-CUCM/B16-SN-DV-CM-
01.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"

NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-CM-01.vmx</Name>
        <Size>3004</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-CM-01.vmx.f
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-CM-01.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-CM-01.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-CM-01.vmdk
</Name>
        <Size>167772160</Size>
        <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-CM-01-
db341006.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-CM-01-
3677622278-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>169665</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>180625</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>24625</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>356522</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>390093</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>143155</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>226954</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="84636266591" Uncommitted="91555364864"
Committed="84636266591">
</StorageInfo>

```



```

                                <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-c973-a50c-134e-8900450b9fef" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d56553bala6666886b7ec3f06e15de2f" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-CUCM/B16-SN-DV-CM-01.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:6f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                                </VirtualMachine>
                                <VirtualMachine>
                                    <Name>CRE-DHG-S1</Name>
                                    <Mor>vm-1103</Mor>
                                    <MorType>VirtualMachine</MorType>
                                    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\CRE-DHG-S1</Path>
                                    <ParentMor>group-v296</ParentMor>
                                    <Annotation>As per the Srini mail
request (25-Jan-13) we have added POC to Srini

```

```

</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName>Microsoft Windows
Server 2003, Standard Edition (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:15.331194Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>5015611b-fd76-71d1-79f8-
58e7979e5559</uuid>
    <instanceUuid>5035e0f3-7a8b-bb4a-3264-
50954cf91fe4</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>0.0.0.0</IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>CRE-DHG-S1</hostName>
    <host>b16-sn-dv-esx-05.cisco.com
</host>
    <hostMor>host-2873</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] CRE-DHG-S1/" suspendDir="[SN-DV-FC-B]
CRE-DHG-S1/" logDir="[SN-DV-FC-B] CRE-DHG-S1/" vmxPath="[SN-DV-
FC-B] CRE-DHG-S1/CRE-DHG-S1.vmx">
    </VirtualMachineFileInfo>

```

NumCPUs="2">

```
<VirtualHardware MemoryMB="2048"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>CRE-DHG-S1.vmx</Name>
  <Size>3150</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-DHG-S1.vmx</Name>
  <Size>3041</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-DHG-S1.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-DHG-S1.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>CRE-DHG-S1.vmdk</Name>
  <Size>31457280</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>39632</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>20250</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>24421</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>162790</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>40023</Size>
  <Type>log</Type>
```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>39897</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>40039</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="14556713959" Uncommitted="20048093184"
Committed="14556713959">
  </StorageInfo>
  <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-d110-91bd-9ff1-9733f83b5665" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="31457280"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="89adac37f3270b8fb64670e97bb4d284" Parent="" Disk="[SN-
DV-FC-B] CRE-DHG-S1/CRE-DHG-S1.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:95:3b:e7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
  </BackingNetwork>
  <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
  </BackingDiskCtrlr>
  <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"

```

```

dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>RH55-64-Template (c97d99c9-2da2-
4c09-b4df-3454a26c38d1)</Name>
    <Mor>vm-1176</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\rh55-64-Template (c97d99c9-2da2-4c09-b4df-
3454a26c38d1)</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:33.063483Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420071f4-c623-d828-b8e1-
7486361e13ac</uuid>
    <instanceUuid>50005e54-1b6b-8499-fb7d-
363d3f87bc40</instanceUuid>
    <vmxDir>[SN-DV-FC-A] RH55-64-Template
(c97d99c9-2da2-4c09-b4df-3454a26c38d1)</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>none(&lt;False&gt;);)
</Networks>
    <Nics>none(&lt;false&gt;);)</Nics>
</NicIpaddresses>
    <nicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>
    <hostMor>host-1209</hostMor>
    <ResourcePoolMor>resgroup-287

```

```

</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] RH55-64-Template (c97d99c9-2da2-4c09-
b4df-3454a26c38d1)/" suspendDir="[SN-DV-FC-A] RH55-64-Template
(c97d99c9-2da2-4c09-b4df-3454a26c38d1)/" logDir="[SN-DV-FC-A]
RH55-64-Template (c97d99c9-2da2-4c09-b4df-3454a26c38d1)/"
vmxPath="[SN-DV-FC-A] RH55-64-Template (c97d99c9-2da2-4c09-b4df-
3454a26c38d1)/RH55-64-Template (c97d99c9-2da2-4c09-b4df-
3454a26c38d1).vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>RH55-64-Template
(c97d99c9-2da2-4c09-b4df-3454a26c38d1).vmx</Name>
        <Size>3036</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RH55-64-Template
(c97d99c9-2da2-4c09-b4df-3454a26c38d1).vmxf</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RH55-64-Template
(c97d99c9-2da2-4c09-b4df-3454a26c38d1).nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RH55-64-Template
(c97d99c9-2da2-4c09-b4df-3454a26c38d1).vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RH55-64-Template
(c97d99c9-2da2-4c09-b4df-3454a26c38d1).vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-4.log</Name>
      <Size>109674</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-6.log</Name>
      <Size>102716</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-5.log</Name>
      <Size>116390</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-2.log</Name>
      <Size>117321</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-1.log</Name>
      <Size>244730</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-3.log</Name>
      <Size>112003</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>26341</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="5491184831" Uncommitted="41998983168"
Committed="5491184831">
      </StorageInfo>
      <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-2ac1-d5b4-99ed-fcb3aee546b7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0223aeeblde05a57d550836687880e80" Parent="" Disk="[SN-
DV-FC-A] RH55-64-Template (c97d99c9-2da2-4c09-b4df-
3454a26c38d1)/RH55-64-Template (c97d99c9-2da2-4c09-b4df-

```

```

3454a26c38d1).vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:01:00:08" AddressType="manual"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="none" AllowGuestControl="true" StartConnected="false"
Connected="false" UnitNum="7" Key="4000" ControllerKey="100"
Type="Vim25Api.VirtualE1000" Label="Network adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-NETBACKUP</Name>
    <Mor>vm-880</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-NETBACKUP</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:22.243909Z</ChangeVersion>

```



```

        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>42000fcb-0396-d1be-e379-
f39fdf12b902</uuid>
    <instanceUuid>5000f993-861d-fa02-944a-
81dcc6307e23</instanceUuid>
    <vmxDir>[SCC-MGMT] SCC-NETBACKUP/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.10.101</IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>
(fe80::95df:c7f8:6475:5035)(10.106.10.101)</NicIpaddresses>
    <hostName>SCC-NETBACKUP</hostName>
    <host>b16-pf-dv-esx-01.cisco.com
</host>
    <hostMor>host-832</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] SCC-NETBACKUP/" suspendDir="[SCC-MGMT]
SCC-NETBACKUP/" logDir="[SCC-MGMT] SCC-NETBACKUP/" vmxPath="[SCC-
MGMT] SCC-NETBACKUP/SCC-NETBACKUP.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="4">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-NETBACKUP.vmx</Name>
        <Size>3391</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-NETBACKUP.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-NETBACKUP.nvram</Name>
        <Size>8684</Size>

```

```

        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-NETBACKUP.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-NETBACKUP-aux.xml
</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-NETBACKUP.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>493212</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>136833</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>2225732</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>475568</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>512785</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>215878</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>148893</Size>

```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SCC-MGMT"
Unshared="43836794928" Uncommitted="72473268224"
Committed="43836794928">
        </StorageInfo>
        <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-97d7-9509-435c-edef41f30bb5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9df4f13d0d3daad23459014ebd7b8038" Parent=""
Disk="[SCC-MGMT] SCC-NETBACKUP/SCC-NETBACKUP.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:34:29" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>

```

```

        <Name>B16-SN-DV-116</Name>
        <Mor>vm-2879</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-116</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation>This Machine was Created
using the Base template &quot;SCC-SDP-V1.0&quot; By Sandeep
Byrappa on 8-AUG-2011</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winNetStandardGuest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:06:17.886299Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422dbd2a-a76d-6dba-1743-
355ced7f7ec2</uuid>
        <instanceUuid>502dbad7-3d47-464c-a68d-
9e20ecc4c6ee</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SN-DV-116/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.126</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-116.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-06.cisco.com
</host>
        <hostMor>host-1269</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-116/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-116/" logDir="[SN-DV-FC-A] B16-SN-DV-116/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-116/B16-SN-DV-116.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="3072"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-116.vmx</Name>
            <Size>3667</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-116.vmx</Name>
            <Size>3044</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-116.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-116.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-116-aux.xml
    </Name>
            <Size>0</Size>
            <Type>snapshotManifestList
    </Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-116.vmdk</Name>
            <Size>63033472</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-29.log</Name>
            <Size>965596</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-30.log</Name>
            <Size>146076</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24275</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-32.log</Name>
        <Size>376676</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>150702</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-33.log</Name>
        <Size>126772592</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-31.log</Name>
        <Size>218930</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="64362338850" Uncommitted="3778519040"
Committed="64362338850">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-ed58-e858-dffd-acd506908bc0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="63033472"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="575a9e6776a86aec447556d8da797667" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-116/B16-SN-DV-116.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:ac" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="0" Key="9000" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="1" Key="9001" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
</VirtualMachine>
<VirtualMachine>
    <Name>SCCDEMO-VSOM</Name>
    <Mor>vm-372</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCCDEMO-VSOM</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
08T11:20:25.385919Z</ChangeVersion>
</connectionState>
df6af7c4889a</uuid>
5c434a3b9818</instanceUuid>
</vmxDir>
(&lt;True&gt;),STG-309_10.106.6.224/27(&lt;True&gt;)</Networks>
(&lt;true&gt;),STG-309_10.106.6.224/27(&lt;true&gt;)</Nics>
</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-VSOM/" suspendDir="[STG-
SATA-A-NEW] SCCDEMO-VSOM/" logDir="[STG-SATA-A-NEW] SCCDEMO-
VSOM/" vmxPath="[STG-SATA-A-NEW] SCCDEMO-VSOM/SCCDEMO-VSOM.vmx">
NumCPUs="4">

```

```

<ChangeTrackingSupported>true
<BootOptionsSupported>true
<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
<powerState>poweredOn</powerState>
<connectionState>connected
<uuid>4200ddb9-1983-b5ac-8bdb-
<instanceUuid>5000bf49-0d09-746d-20df-
<vmxDir>[STG-SATA-A-NEW] SCCDEMO-VSOM/
<template>>false</template>
<IpAddress>10.106.6.248</IpAddress>
<Networks>STG-309_10.106.6.224/27
<Nics>STG-309_10.106.6.224/27
<NicIpaddresses>(10.106.6.248),
<hostName>sccdemo-vsom</hostName>
<host>b16-stg-esx-05.cisco.com</host>
<hostMor>host-373</hostMor>
<ResourcePoolMor>resgroup-295
<NumberOfDatastores>1
<NumberOfBackingDisks>2
<NumberOfFiles>17</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="11264"
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCCDEMO-VSOM.vmx</Name>
<Size>3527</Size>

```



```

        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSOM.vmx</Name>
    <Size>3366</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSOM.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSOM.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSOM.vmdk</Name>
    <Size>111149056</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSOM_1.vmdk
(independent)</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSOM-db3e7443.vswp
</Name>
    <Size>536870912</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCCDEMO-VSOM-
3678303299-1.vswp</Name>
    <Size>98566144</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>29960</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>109878</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>

```

```

        <Size>281110</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>371483</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>190630</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>155392</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>245196</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="31980870074" Uncommitted="189846781952"
Committed="31980870074">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-fb7e-dd62-874e-889e32ee3bc1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="111149056"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="afela76c5ba00f95c72db64687f022c3" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-VSOM/SCCDEMO-VSOM.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-0972-987d-067a-5bfe144b88ad" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="independent_persistent"
dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="141b5196fe3204fe2bfla2131e35c254" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-VSOM/SCCDEMO-VSOM_1.vmdk"

```

```

AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:5b:4d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:39:72" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD/DVD drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-JOULEX</Name>
    <Mor>vm-862</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-JOULEX</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest

```

```

</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:55:28.45449Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200b92b-6f5f-c6ee-88fa-
09d38ab0dbef</uuid>
    <instanceUuid>50006b60-9f01-cdbb-db6a-
93e29be696ef</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>bl6-pf-dv-esx-11.cisco.com
</host>
    <hostMor>host-5362</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] SCC-JOULEX/" suspendDir="[SCC-MGMT] SCC-
JOULEX/" logDir="[SCC-MGMT] SCC-JOULEX/" vmxPath="[SCC-MGMT] SCC-
JOULEX/SCC-JOULEX.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="4">
    </VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>SCC-JOULEX.vmx</Name>
  <Size>3240</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-JOULEX.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-JOULEX.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-JOULEX.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-JOULEX-aux.xml</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-JOULEX.vmdk</Name>
  <Size>524288000</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>332999</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>35048</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>259477</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>61784</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-17.log</Name>
        <Size>184423</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>313700</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>679582</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SCC-MGMT"
Unshared="536795196313" Uncommitted="9009254400"
Committed="536795196313">
        </StorageInfo>
        <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-87bf-e034-3aab-a5af3884060e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="524288000"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a676f9c55cbfac13da017f227845627" Parent=""
Disk="[SCC-MGMT] SCC-JOULEX/SCC-JOULEX.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:9d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SONGDO-VCSE</Name>
    <Mor>vm-352</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SONGDO-VCSE</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>otherGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:13:38.310563Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420042cc-6c4a-d8fd-f487-
6569fab9aff</uuid>
    <instanceUuid>5000b03c-79cf-b958-54ec-
1b0e265c6f3f</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-SONGDO-
VCSE</vmxDir>
    <template>false</template>
    <IpAddress>10.106.6.114</IpAddress>
    <Networks>STG-301_10.106.6.64/26
(&lt;False&gt;),STG-300_10.106.5.0/25(&lt;False&gt;),STG-300_
10.106.5.0/25(&lt;False&gt;)</Networks>
    <Nics>STG-301_10.106.6.64/26
(&lt;false&gt;),STG-300_10.106.5.0/25(&lt;false&gt;),STG-300_
10.106.5.0/25(&lt;false&gt;)</Nics>
    <NicIpaddresses>
unassigned,unassigned,unassigned</NicIpaddresses>

```

```

        <hostName>b16-songdo-vcse</hostName>
        <host>b16-stg-esx-04.cisco.com</host>
        <hostMor>host-353</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>2
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-SONGDO-VCSE/" suspendDir="[STG-
SATA-A-NEW] B16-SONGDO-VCSE/" logDir="[STG-SATA-A-NEW] B16-
SONGDO-VCSE/" vmxPath="[STG-SATA-A-NEW] B16-SONGDO-VCSE/B16-
SONGDO-VCSE.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="6144"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SONGDO-VCSE.vmx</Name>
            <Size>3793</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SONGDO-VCSE.vmx.f
</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SONGDO-VCSE.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SONGDO-VCSE.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SONGDO-VCSE.vmdk
</Name>
            <Size>4014080</Size>
            <Type>diskDescriptor</Type>
        </File>

```



```

</Name>
    <File Type="VmFileInfo">
        <Name>B16-SONGDO-VCSE_1.vmdk
        <Size>134217728</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>239287</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>320126</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>508747</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>679201</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>234088</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>771125</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>28405</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="13787373552" Uncommitted="134503772160"
Committed="13787373552">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-f5c6-5d16-d1d6-67d313809fcf" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```

```

Thin="true" Split="false" CapacityKB="4014080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f6840fe5304ec589bb782f8201777ae2" Parent=""
Disk="[STG-SATA-A-NEW] B16-SONGDO-VCSE/B16-SONGDO-VCSE.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-28ef-af2c-c13c-66d9d37e692f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="134217728"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="42e16c59e632925458db6c9efc5363da" Parent=""
Disk="[STG-SATA-A-NEW] B16-SONGDO-VCSE/B16-SONGDO-VCSE_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:13:b0" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:5d:e3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:4f:27" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="9" Key="4002"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network

```

```

adapter 3">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingUsbCtrlr HotAddRemove="false"
EhciEnabled="false" AutoConnect="true" ControllerUnitNumber="-1"
SharedBus="" BackingType="" FileName="" DeviceName="USB
controller " BusNum="22" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="22" Key="7000"
ControllerKey="100" Type="" Label="">
    </BackingUsbCtrlr>
</VirtualMachine>
<VirtualMachine>
    <Name>SCCDEMO-IPS</Name>
    <Mor>vm-409</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCCDEMO-IPS</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>10.106.6.106</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:04.747909Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422df333-7a19-b6ca-1841-
354f4d912033</uuid>
    <instanceUuid>502d178a-b271-e5bb-ed7e-
2a670b97f02c</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] SCCDEMO-IPS/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.5.106</IpAddress>
    <Networks>STG-300_10.106.5.0/25

```

```

(&lt;False&gt;)/Networks>
(&lt;false&gt;)/Nics>
</NicIpaddresses>
</hostName>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-IPS/" suspendDir="[STG-
SATA-A-NEW] SCCDEMO-IPS/" logDir="[STG-SATA-A-NEW] SCCDEMO-IPS/"
vmxPath="[STG-SATA-A-NEW] SCCDEMO-IPS/SCCDEMO0IPS.vmx">
NumCPUs="2">

```

```

<Nics>STG-300_10.106.5.0/25
<NicIpaddresses>unassigned
<hostName>SCCDEMO-IPS.scc-stg.com
<host>b16-stg-esx-06.cisco.com</host>
<hostMor>host-382</hostMor>
<ResourcePoolMor>resgroup-295
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCCDEMO0IPS.vmx</Name>
  <Size>3417</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO0IPS.vmx</Name>
  <Size>3045</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO0IPS.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO0IPS.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO0IPS.vmdk</Name>
  <Size>125853210</Size>
  <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-43.log</Name>
  <Size>107351</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-44.log</Name>
  <Size>111112551</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-42.log</Name>
  <Size>429360</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24198</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-40.log</Name>
  <Size>242644</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-45.log</Name>
  <Size>651353</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-41.log</Name>
  <Size>150651</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="91495083078" Uncommitted="46325958656"
Committed="91495083078">
  </StorageInfo>
  <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-c186-1433-61ff-5f5528c79981" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="125853210"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ea79cf45eda18cd080629bf01bbe7c58" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-IPS/SCCDEMO0IPS.vmdk"

```

```

AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:81" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>TEMPLATE-SCC-IB-RHEL</Name>
    <Mor>vm-5328</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\TEMPLATE-SCC-IB-RHEL</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>This VM provisioned by
Amit Saha.
Latest update: Jun12srinkri2SCC844, migrated on 08/06/2012.
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true

```

```

</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:15:20.123007Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dc2ac-8b58-631c-e9dc-
4538b04f504f</uuid>
    <instanceUuid>502da270-02b3-b6d5-2377-
91c0f5092f97</instanceUuid>
</vmxDir>
    <vmxDir>[TEMP] TEMPLATE-SCC-IB-RHEL/
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>STG-VLAN-11_10.77.75.0/24
(&lt;False&gt;)</Networks>
    <Nics>STG-VLAN-11_10.77.75.0/24
(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-pf-dv-esx-11.cisco.com
</host>
    <hostMor>host-5362</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[TEMP] TEMPLATE-SCC-IB-RHEL/" suspendDir="[TEMP]
TEMPLATE-SCC-IB-RHEL/" logDir="[TEMP] TEMPLATE-SCC-IB-RHEL/"
vmxPath="[TEMP] TEMPLATE-SCC-IB-RHEL/SCC-DEV-VM-040.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-040.vmx</Name>
        <Size>2781</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>SCC-DEV-VM-040.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-040.nvram
</Name>

    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-040.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-040.vmdk</Name>
    <Size>63963136</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>103182</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>116318</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>31750</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>166170</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>240115</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>104016</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>

```



```

        <Size>130548</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="24771414412" Uncommitted="49562361856"
Committed="24771414412">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-bc3e-3eaf-4abc-90e3e14678ea" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="63963136"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c7f0488cf8b8a3546bb92a5708b7944b" Parent=""
Disk="[TEMP] TEMPLATE-SCC-IB-RHEL/SCC-DEV-VM-040.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:10:09" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-VLAN-11_10.77.75.0/24" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>
                <Name>WXP-64-Template (b0308542-7a8d-

```

```

4ced-81a4-848cda9d324a) </Name>
    <Mor>vm-645</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\WXP-64-Template (b0308542-7a8d-4ced-81a4-
848cda9d324a) </Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.337996Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42006559-a6a4-2fbc-8850-
893b9051121b</uuid>
    <instanceUuid>5000e007-d7f9-7313-6b6b-
62770ab5da9a</instanceUuid>
    <vmxDir>[SN-QA-FC-A] WXP-64-Template
(b0308542-7a8d-4ced-81a4-848cda9d324a) </vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>none(&lt;False&gt;)
</Networks>
    <Nics>none(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-qa-esx-02.cisco.com
</host>
    <hostMor>host-616</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>10</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0

```

```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] WXP-64-Template (b0308542-7a8d-4ced-
81a4-848cda9d324a)/" suspendDir="[SN-QA-FC-A] WXP-64-Template
(b0308542-7a8d-4ced-81a4-848cda9d324a)/" logDir="[SN-QA-FC-A]
WXP-64-Template (b0308542-7a8d-4ced-81a4-848cda9d324a)/"
vmxPath="[SN-QA-FC-A] WXP-64-Template (b0308542-7a8d-4ced-81a4-
848cda9d324a)/WXP-64-Template (b0308542-7a8d-4ced-81a4-
848cda9d324a).vmx">
        </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>WXP-64-Template (b0308542-
7a8d-4ced-81a4-848cda9d324a).vmx</Name>
            <Size>3175</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>WXP-64-Template (b0308542-
7a8d-4ced-81a4-848cda9d324a).vmxf</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>WXP-64-Template (b0308542-
7a8d-4ced-81a4-848cda9d324a).nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>WXP-64-Template (b0308542-
7a8d-4ced-81a4-848cda9d324a).vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>WXP-64-Template (b0308542-
7a8d-4ced-81a4-848cda9d324a).vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>100740</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>112351</Size>
            <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>164464</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>205416</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="8181584782" Uncommitted="39308337152"
Committed="8181584782">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-ff44-24ea-e4df-0dbaec788c9d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="433e3b00ec8315127b7f015dd7d3ec75" Parent="" Disk="[SN-
QA-FC-A] WXP-64-Template (b0308542-7a8d-4ced-81a4-
848cda9d324a)/WXP-64-Template (b0308542-7a8d-4ced-81a4-
848cda9d324a).vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:ce" AddressType="manual"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="none" AllowGuestControl="true" StartConnected="false"
Connected="false" UnitNum="7" Key="4000" ControllerKey="100"
Type="Vim25Api.VirtualE1000" Label="Network adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-DB</Name>
    <Mor>vm-1011</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-DB</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:54:34.054208Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564dcc2c-a292-1e7e-f767-
6e0b67cc43d0</uuid>
    <instanceUuid>52bf7b24-00ad-b132-0440-
33edf15727ab</instanceUuid>
    <vmxDir>[TEMP] SCC-DB</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-pf-dv-esx-05.cisco.com
</host>
    <hostMor>host-895</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1

```

```

</NumberOfDatastores>
    <NumberOfBackingDisks>2
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[TEMP] SCC-DB/" suspendDir="[TEMP] SCC-DB/"
logDir="[TEMP] SCC-DB/" vmxPath="[TEMP] SCC-DB/SCC-DB.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-DB.vmx</Name>
        <Size>3152</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DB.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DB.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DB.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DB-aux.xml</Name>
        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DB.vmdk</Name>
        <Size>262144000</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DB_1.vmdk</Name>
        <Size>209715200</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-50.log</Name>
        <Size>439920</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>40231</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-49.log</Name>
        <Size>137289</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-48.log</Name>
        <Size>166417</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-46.log</Name>
        <Size>166410</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-51.log</Name>
        <Size>239423</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-47.log</Name>
        <Size>137263</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="265155800485" Uncommitted="226943737856"
Committed="265155800485">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-b9bd-f3b7-37fc-fb40bd04f8d8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="262144000"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8a09b2b87d87b353910ffb9147c1c7a1" Parent=""
Disk="[TEMP] SCC-DB/SCC-DB.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-8461-03e6-f279-a3c5aa24bd64" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="20f874b612fac893abc30d6f4ebf17bd" Parent=""
Disk="[TEMP] SCC-DB/SCC-DB_1.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="1" Key="2001"
ControllerKey="1000" Type="" Label="Hard disk 2">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:04:67" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SONGDO-CM</Name>
  <Mor>vm-351</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SONGDO-CM</Path>
  <ParentMor>group-v296</ParentMor>
  <Annotation></Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>

```



```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>true
</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:14:34.140198Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>4200e753-5cde-0730-52aa-
52ba024f9581</uuid>
<instanceUuid>500080be-6971-673a-ae5b-
7b74935907fd</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] B16-SONGDO-
CM/</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-stg-esx-02.cisco.com</host>
<hostMor>host-324</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-SONGDO-CM/" suspendDir="[STG-
SATA-A-NEW] B16-SONGDO-CM/" logDir="[STG-SATA-A-NEW] B16-SONGDO-
CM/" vmxPath="[STG-SATA-A-NEW] B16-SONGDO-CM/B16-STG-CM-
DEMO.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">

```

```

        <Name>B16-STG-CM-DEMO.vmx</Name>
        <Size>3035</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-CM-DEMO.vmx
</Name>
        <Size>2945</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-CM-DEMO.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-CM-DEMO.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-CM-DEMO.vmdk
</Name>
        <Size>167772160</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>24653</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>128791</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>298702</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>387993</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>136137</Size>
        <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>316227</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>201099</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="104580187050" Uncommitted="71759667200"
Committed="104580187050">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-6997-98eb-6e45-b1ed136608d6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0a059ee7c461389b4127911e4c8db05c" Parent=""
Disk="[STG-SATA-A-NEW] B16-SONGDO-CM/B16-STG-CM-DEMO.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:48:85" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-ESXI-TEST</Name>
    <Mor>vm-858</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-ESXI-TEST</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>verified</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:21.576085Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200b285-78c4-fda8-92b5-
af32d424754b</uuid>
    <instanceUuid>5000f5e1-f782-c09e-cc6e-
c384650daeb7</instanceUuid>
    <vmxDir>[SCC-MGMT] SCC-ESXI-TEST/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.8.252</IpAddress>
    <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.252)
(fe80::250:56ff:fe80:46ff)</NicIpaddresses>
    <hostName>SCC-ESXI-TEST</hostName>
    <host>b16-pf-dv-esx-01.cisco.com
</host>
    <hostMor>host-832</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>

```

```

        <NumberOfDatastores>1
    </NumberOfDatastores>
        <NumberOfBackingDisks>1
    </NumberOfBackingDisks>
        <NumberOfFiles>17</NumberOfFiles>
        <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] SCC-ESXI-TEST/" suspendDir="[SCC-MGMT]
SCC-ESXI-TEST/" logDir="[SCC-MGMT] SCC-ESXI-TEST/" vmxPath="[SCC-
MGMT] SCC-ESXI-TEST/SCC-ESXI-TEST.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="4">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-ESXI-TEST.vmx</Name>
            <Size>3367</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-ESXI-TEST.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-ESXI-TEST.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-ESXI-TEST.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-ESXI-TEST-000001.vmdk
    </Name>
            <Size>209715200</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-ESXI-TEST-
Snapshot1.vmsn</Name>
            <Size>4300866566</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-ESXI-TEST-
Snapshot2.vmsn</Name>

```

```

        <Size>4300866475</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-85.log</Name>
    <Size>146195</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-80.log</Name>
    <Size>146034</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-83.log</Name>
    <Size>146034</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-81.log</Name>
    <Size>145958</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-82.log</Name>
    <Size>146025</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-84.log</Name>
    <Size>146121</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>145943</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SCC-MGMT"
Unshared="182142509098" Uncommitted="214418083840"
Committed="182142509098">
        </StorageInfo>
        <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-535d-a69b-ea42-8b7741801e51" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="3d72062c336796be48da6778af85a935" Parent="[SCC-MGMT]
SCC-ESXI-TEST/SCC-ESXI-TEST-000002.vmdk" Disk="[SCC-MGMT] SCC-
ESXI-TEST/SCC-ESXI-TEST-000001.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:46:ff" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot-01</Snapshot>
    <Snapshot>Snapshot-02</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-RH55-64</Name>
    <Mor>vm-338</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-RH55-64</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>

```

```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:13:58.268394Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42003fb6-44bf-779f-e588-
6ffb832d71a6</uuid>
        <instanceUuid>5000f980-196b-d5ff-d322-
53d7cbff0093</instanceUuid>
        <vmxDir>[STG-SATA-A-NEW] SCC-RH55-64/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
        <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-stg-esx-03.cisco.com</host>
        <hostMor>host-343</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCC-RH55-64/" suspendDir="[STG-
SATA-A-NEW] SCC-RH55-64/" logDir="[STG-SATA-A-NEW] SCC-RH55-64/"
vmxPath="[STG-SATA-A-NEW] SCC-RH55-64/SCC-RH55-64.vmx">
</VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-RH55-64.vmx</Name>
            <Size>2656</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-RH55-64.vmx</Name>
            <Size>0</Size>

```



```
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-RH55-64.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-RH55-64.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-RH55-64.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>116390</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>117321</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>244730</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>112003</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>109674</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>107774</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24532</Size>
    <Type>log</Type>
</File>
```

```

    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="5520547828" Uncommitted="41969623040"
Committed="5520547828">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-db4e-1e0a-10b2-7abc6993a910" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d26d942a193c7952612c5b6a02c7bbb2" Parent=""
Disk="[STG-SATA-A-NEW] SCC-RH55-64/SCC-RH55-64.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:d9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>RH60-64-Template (5d3f5a3b-9607-
4561-8c91-21ca363449be)</Name>
    <Mor>vm-1296</Mor>
    <MorType>VirtualMachine</MorType>

```

```

virtual machine\RH60-64-Template (5d3f5a3b-9607-4561-8c91-
21ca363449be) </Path>
<ParentMor>group-v296</ParentMor>
<Annotation></Annotation>
<Version>vmx-09</Version>
<GuestId>rhel6_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:10:33.107473Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>4200d782-972a-fe4b-fd17-
2c4c70d19b63</uuid>
<instanceUuid>5000alec-82fb-025f-b6d1-
b78641ccc429</instanceUuid>
<vmxDir>[SN-DV-FC-A] RH60-64-Template
(5d3f5a3b-9607-4561-8c91-21ca363449be) </vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>none(&lt;False&gt;)
</Networks>
<Nics>none(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>bl6-sn-dv-esx-04.cisco.com
</host>
<hostMor>host-1209</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>11</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] RH60-64-Template (5d3f5a3b-9607-4561-

```

```

8c91-21ca363449be)/" suspendDir="[SN-DV-FC-A] RH60-64-Template
(5d3f5a3b-9607-4561-8c91-21ca363449be)/" logDir="[SN-DV-FC-A]
RH60-64-Template (5d3f5a3b-9607-4561-8c91-21ca363449be)/"
vmxPath="[SN-DV-FC-A] RH60-64-Template (5d3f5a3b-9607-4561-8c91-
21ca363449be)/RH60-64-Template (5d3f5a3b-9607-4561-8c91-
21ca363449be).vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>RH60-64-Template
(5d3f5a3b-9607-4561-8c91-21ca363449be).vmx</Name>
        <Size>3135</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RH60-64-Template
(5d3f5a3b-9607-4561-8c91-21ca363449be).vmxf</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RH60-64-Template
(5d3f5a3b-9607-4561-8c91-21ca363449be).nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RH60-64-Template
(5d3f5a3b-9607-4561-8c91-21ca363449be).vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RH60-64-Template
(5d3f5a3b-9607-4561-8c91-21ca363449be).vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>104059</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>114425</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>

```

```

        <Size>246701</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>113344</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>26340</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="6224963824" Uncommitted="41282260992"
Committed="6224963824">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-0f9c-d0ee-4478-f7a90dd7b712" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9e68c9f3f7fe665c237cda26dba15882" Parent="" Disk="[SN-
DV-FC-A] RH60-64-Template (5d3f5a3b-9607-4561-8c91-
21ca363449be)/RH60-64-Template (5d3f5a3b-9607-4561-8c91-
21ca363449be).vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:d2" AddressType="manual"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="none" AllowGuestControl="true" StartConnected="false"
Connected="false" UnitNum="7" Key="4000" ControllerKey="100"
Type="Vim25Api.VirtualVmxnet3" Label="Network adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>SCCDEMO-IIMS</Name>
        <Mor>vm-356</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCCDEMO-IIMS</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation>10.106.6.105</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winXPPro64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
    </ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
    </ChangeTrackingSupported>
        <BootOptionsSupported>true
    </BootOptionsSupported>
        <SwapPlacementSupported>true
    </SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:14:34.140915Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
        <uuid>422dc6b3-3976-8e14-c726-
6efea34dcf30</uuid>
        <instanceUuid>502dc28b-ebc1-4a9e-b47f-
486deb5895af</instanceUuid>
        <vmxDir>[STG-SATA-A-NEW] SCCDEMO-IIMS/
    </vmxDir>
        <template>false</template>
        <IpAddress>10.106.5.105</IpAddress>
        <Networks>STG-300_10.106.5.0/25
    (<False></Networks>
        <Nics>STG-300_10.106.5.0/25
    (<false></Nics>
        <NicIpaddresses>unassigned
    </NicIpaddresses>
        <hostName>SCCDEMO-IIMS.scc-stg.com
    </hostName>
        <host>b16-stg-esx-02.cisco.com</host>
        <hostMor>host-324</hostMor>
        <ResourcePoolMor>resgroup-295

```

```

</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-IIMS/" suspendDir="[STG-SATA-A-NEW] SCCDEMO-IIMS/" logDir="[STG-SATA-A-NEW] SCCDEMO-IIMS/" vmxPath="[STG-SATA-A-NEW] SCCDEMO-IIMS/SCCDEMO-IIMS.vmx"
NumCPUs="2">
  <VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>SCCDEMO-IIMS.vmx</Name>
        <Size>3339</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCCDEMO-IIMS.vmx</Name>
        <Size>3046</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCCDEMO-IIMS.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCCDEMO-IIMS.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCCDEMO-IIMS.vmdk</Name>
        <Size>104872320</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>138841</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>29935486</Size>
        <Type>log</Type>
    </VirtualMachineFileInfo>
  </VirtualHardware>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>99948</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>177344</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>248597</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>380396</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>355337</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24432</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="61655138394" Uncommitted="50305146880"
Committed="61655138394">
  </StorageInfo>
  <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-6125-ef3a-20f8-2ad6f4449d8e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104872320"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0c77b6737ae6b7dcd57babe378a5e67a" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-IIMS/SCCDEMO-IIMS.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""

```



```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:53" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>CRE-BOS-DVM</Name>
        <Mor>vm-1102</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\CRE-BOS-DVM</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation>As per the Srini mail (25-
Jan-13) we have added POC to Srini</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winNetStandardGuest</GuestId>
        <GuestOSAltName>Microsoft Windows
Server 2003, Standard Edition (32-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:27.199395Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>501faddc-f029-86e3-c5ff-
80c27c34ad86</uuid>
    <instanceUuid>5035d23e-0bf0-033e-9055-
29d91ddeda26</instanceUuid>
    <vmxDir>[SN-DV-FC-B] CRE-BOS-DVM/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>bl6-sn-dv-esx-08.cisco.com
</host>
    <hostMor>host-1325</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] CRE-BOS-DVM/" suspendDir="[SN-DV-FC-B]
CRE-BOS-DVM/" logDir="[SN-DV-FC-B] CRE-BOS-DVM/" vmxPath="[SN-DV-
FC-B] CRE-BOS-DVM/CRE-BOS-DVM.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>CRE-BOS-DVM.vmx</Name>
        <Size>2824</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CRE-BOS-DVM.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CRE-BOS-DVM.nvram</Name>
        <Size>8684</Size>

```

```

        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>CRE-BOS-DVM.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>CRE-BOS-DVM.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>39550</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24466</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>33664</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>50291</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>39011</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>36377</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>39841</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="1929654548" Uncommitted="86362136576"
Committed="1929654548">
</StorageInfo>
<Datastore Mor="datastore-837"

```

```

Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-4b36-6ea6-6363-ec86e9a803ef" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0a0e647d569c1bf2df8d411845cc8a67" Parent="" Disk="[SN-
DV-FC-B] CRE-BOS-DVM/CRE-BOS-DVM.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:9f:2a:c2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
</VirtualMachine>

```

```

        <Name>B16-SN-QA-132</Name>
        <Mor>vm-5337</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-QA-132</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation>Verified, The VM has been
provisioned on the request of Sep12nishakumSCC2739 by ptirunag.
</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
20T07:20:30.890728Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200284d-ecda-4d29-bf8d-
d316b2c511ab</uuid>
        <instanceUuid>5000f65d-29e0-fd51-b356-
abec772f5672</instanceUuid>
        <vmxDir>[TEMP] B16-SN-QA-132</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-qa-esx-04.cisco.com
</host>
        <hostMor>host-668</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>12</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-SN-QA-132/" suspendDir="[TEMP] B16-SN-QA-
132/" logDir="[TEMP] B16-SN-QA-132/" vmxPath="[TEMP] B16-SN-QA-
132/B16-SN-QA-132.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-132.vmx</Name>
            <Size>2724</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-132.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-132.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-132.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-132.vmdk</Name>
            <Size>52428800</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>201247</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>103343</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>101961</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>

```

```

        <Size>106617</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>152302</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>31553</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="8590643023" Uncommitted="49636810752"
Committed="8590643023">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-d0f1-ef76-97b1-f4b6d74c0e18" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0ef60dc7f4a8aa1a639a2cb634dd7412" Parent=""
Disk="[TEMP] B16-SN-QA-132/B16-SN-QA-132.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:9a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>CRE-HMA-SYS</Name>
    <Mor>vm-1107</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\CRE-HMA-SYS</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>As per the Srimi mail
request (25-Jan-13) we have added POC to Srimi
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName>Microsoft Windows
Server 2003, Standard Edition (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:27.374685Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>501f9ad8-9d75-2dd3-712c-
8db37b63be46</uuid>
    <instanceUuid>5035ef03-5ef0-ede4-a807-
369121eb0723</instanceUuid>
    <vmxDir>[SN-DV-FC-B] CRE-HMA-SYS/
</vmxDir>
    <template>>false</template>
    <IpAddress>169.254.24.40</IpAddress>
    <Networks>VM Network(&lt;False&gt;)</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>CRE-HMA-SYS</hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>

```



```

        <hostMor>host-1325</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] CRE-HMA-SYS/" suspendDir="[SN-DV-FC-B]
CRE-HMA-SYS/" logDir="[SN-DV-FC-B] CRE-HMA-SYS/" vmxPath="[SN-DV-
FC-B] CRE-HMA-SYS/CRE-HMA-SYS.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="2048"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
        <Name>CRE-HMA-SYS.vmx</Name>
        <Size>3343</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
        <Name>CRE-HMA-SYS.vmx</Name>
        <Size>3038</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
        <Name>CRE-HMA-SYS.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
        <Name>CRE-HMA-SYS.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>CRE-HMA-SYS.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-17.log</Name>
        <Size>39859</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-19.log</Name>

```

```

        <Size>24465</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>132303</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>40496</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>38916</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>37348</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>40705</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="20489544197" Uncommitted="24852668416"
Committed="20489544197">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-6630-4693-c98f-178f51627a21" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f6c65d46f362a952ffcac878f082a16c" Parent="" Disk="[SN-
DV-FC-B] CRE-HMA-SYS/CRE-HMA-SYS.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:9f:65:3b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="1" Key="9000" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-WXP-64</Name>
    <Mor>vm-350</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-WXP-64</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true

```

```

</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:13:38.310274Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200875f-4309-9abe-4836-
4409e5b46bdc</uuid>
    <instanceUuid>5000681c-927f-ccac-4a3c-
f3775754aacf</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-stg-esx-04.cisco.com</host>
    <hostMor>host-353</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>12</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCC-WXP-64/" suspendDir="[STG-SATA-
A-NEW] SCC-WXP-64/" logDir="[STG-SATA-A-NEW] SCC-WXP-64/"
vmxPath="[STG-SATA-A-NEW] SCC-WXP-64/SCC-WXP-64.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-WXP-64.vmx</Name>
        <Size>2767</Size>
        <Type>config</Type>
    </File>

```

```

<File Type="VmFileInfo">
  <Name>SCC-WXP-64.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-WXP-64.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-WXP-64.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-WXP-64.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>112351</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>164464</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>205416</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>100606</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>136699</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24499</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="9039480606" Uncommitted="38450601984"

```

```

Committed="9039480606">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-168d-ea89-62b0-326a4e2f689f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b6f2d4964ef2745a3eed9af116e496ef" Parent=""
Disk="[STG-SATA-A-NEW] SCC-WXP-64/SCC-WXP-64.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:d0" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCCDEMO-IB</Name>
    <Mor>vm-363</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered

```

```

virtual machine\SCCDEMO-IB</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>10.106.6.103</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:13:20.645067Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d13f6-ced4-b7ef-19a2-
533c9bcc93e0</uuid>
    <instanceUuid>502d5096-fede-693e-f8f4-
c24f3229a717</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] SCCDEMO-IB/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.5.103</IpAddress>
    <Networks>STG-300_10.106.5.0/25
(&lt;False&gt; )</Networks>
    <Nics>STG-300_10.106.5.0/25
(&lt;false&gt; )</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>SCCDEMO-IB.scc-stg.com
</hostName>
    <host>b16-stg-esx-05.cisco.com</host>
    <hostMor>host-373</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-IB/" suspendDir="[STG-SATA-
A-NEW] SCCDEMO-IB/" logDir="[STG-SATA-A-NEW] SCCDEMO-IB/"

```

```

vmxPath=" [STG-SATA-A-NEW] SCCDEMO-IB/SCCDEMO-IB.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCCDEMO-IB.vmx</Name>
    <Size>3385</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCCDEMO-IB.vmx</Name>
    <Size>2807</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCCDEMO-IB.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCCDEMO-IB.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCCDEMO-IB-aux.xml</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCCDEMO-IB.vmdk</Name>
    <Size>62914560</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24498</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-33.log</Name>
    <Size>149258</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-37.log</Name>
    <Size>259872</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">

```



```

        <Name>vmware-34.log</Name>
        <Size>179259</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>262961</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-38.log</Name>
        <Size>368811</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-36.log</Name>
        <Size>221745</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="49031846464" Uncommitted="19933798400"
Committed="49031846464">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-2e66-cbe6-0dd4-c12a4dab322e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="13d2bbbe6169b9524ef7ad371bd92db6" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-IB/SCCDEMO-IB.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:55:6a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="0" Key="9000" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="1" Key="9001" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-DATA</Name>
    <Mor>vm-333</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-DATA</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>

```

```

                                <ChangeVersion>2014-01-
02T02:22:45.648894Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>422d7dcf-b0f5-1606-a85e-
893a2a8530ff</uuid>
                                <instanceUuid>502dd625-8ca3-c23a-09eb-
7cbf0758064e</instanceUuid>
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.5.56</IpAddress>
                                <Networks>STG-300_10.106.5.0/25
(&lt;True&gt;)</Networks>
                                <Nics>STG-300_10.106.5.0/25
(&lt;true&gt;)</Nics>
                                <NicIpaddresses>(10.106.5.56)
</NicIpaddresses>
                                <hostName>SCC-DATA.cisco.com
</hostName>
                                <host>b16-stg-esx-03.cisco.com</host>
                                <hostMor>host-343</hostMor>
                                <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>3
</NumberOfBackingDisks>
                                <NumberOfFiles>25</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCC-DATA/" suspendDir="[STG-SATA-A-
NEW] SCC-DATA/" logDir="[STG-SATA-A-NEW] SCC-DATA/"
vmxPath="[STG-SATA-A-NEW] SCC-DATA/SCC-DATA.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-DATA.vmx</Name>
                                    <Size>3647</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-DATA.vmx</Name>
                                    <Size>2937</Size>
                                    <Type>extendedConfig</Type>
                                </File>

```

```

<File Type="VmFileInfo">
  <Name>SCC-DATA.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DATA.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DATA-aux.xml</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DATA_1-000002.vmdk
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DATA_2-000002.vmdk
  <Size>419430400</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DATA-000002.vmdk
  <Size>209715200</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DATA-ddf58ed3.vswp
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-DATA-3723857619-
1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>34875</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-26.log</Name>
        <Size>449006</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>213962</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-30.log</Name>
        <Size>213878</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>223204</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-31.log</Name>
        <Size>213740</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>840674</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="650558092223" Uncommitted="686941786112"
Committed="650558092223">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-eb21-d3c5-ba0e-23740b85fd1e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5cea389a0ac4833dda8205f2e7ae2d4e" Parent="[STG-SATA-A-
NEW] SCC-DATA/SCC-DATA_1.vmdk" Disk="[STG-SATA-A-NEW] SCC-
DATA/SCC-DATA_1-000002.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-1eea-8647-842a-a56b29e72c52" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```

```

Thin="true" Split="false" CapacityKB="419430400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e1839c00b12026201f81c1299d98cf0b" Parent="[STG-SATA-A-NEW] SCC-DATA/SCC-DATA_2-000001.vmdk" Disk="[STG-SATA-A-NEW] SCC-DATA/SCC-DATA_2-000002.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="1" Key="2001"
ControllerKey="1000" Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-374c-f99f-66d1-5bc504e07747" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c7ab06012ee95670ed41d599b7ef302d" Parent="[STG-SATA-A-NEW] SCC-DATA/SCC-DATA-000001.vmdk" Disk="[STG-SATA-A-NEW] SCC-DATA/SCC-DATA-000002.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="2" Key="2002"
ControllerKey="1000" Type="" Label="Hard disk 3">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:0f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>W2K8R2S-64-Template (20ccc211-

```

```

03d6-48a2-b7c4-aefcd9d92d58 )</Name>
    <Mor>vm-1146</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\W2K8R2S-64-Template (20ccc211-03d6-48a2-b7c4-
aefcd9d92d58 )</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:15.375496Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200b4b3-5996-0836-1737-
ae7930076513</uuid>
    <instanceUuid>500041cf-b247-e1b7-afb7-
6b6012e06a26</instanceUuid>
    <vmxDir>[TEMP] W2K8R2S-64-Template
(20ccc211-03d6-48a2-b7c4-aefcd9d92d58 )</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>none (&lt;False&gt; )
</Networks>
    <Nics>none (&lt;false&gt; )</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-05.cisco.com
</host>
    <hostMor>host-2873</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[TEMP] W2K8R2S-64-Template (20ccc211-03d6-48a2-b7c4-
aefcd9d92d58)/" suspendDir="[TEMP] W2K8R2S-64-Template (20ccc211-
03d6-48a2-b7c4-aefcd9d92d58)/" logDir="[TEMP] W2K8R2S-64-Template
(20ccc211-03d6-48a2-b7c4-aefcd9d92d58)/" vmxPath="[TEMP] W2K8R2S-
64-Template (20ccc211-03d6-48a2-b7c4-aefcd9d92d58)/W2K8R2S-64-
Template (20ccc211-03d6-48a2-b7c4-aefcd9d92d58).vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>W2K8R2S-64-Template
(20ccc211-03d6-48a2-b7c4-aefcd9d92d58).vmx</Name>
            <Size>3262</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>W2K8R2S-64-Template
(20ccc211-03d6-48a2-b7c4-aefcd9d92d58).vmxf</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>W2K8R2S-64-Template
(20ccc211-03d6-48a2-b7c4-aefcd9d92d58).nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>W2K8R2S-64-Template
(20ccc211-03d6-48a2-b7c4-aefcd9d92d58).vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>W2K8R2S-64-Template
(20ccc211-03d6-48a2-b7c4-aefcd9d92d58).vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>180705</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>114530</Size>
            <Type>log</Type>

```



```

</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>242688</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>389252</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>810962</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>178649</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>26475</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="TEMP"
Unshared="8826770823" Uncommitted="38681792512"
Committed="8826770823">
  </StorageInfo>
  <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-1a1b-b875-1277-8268d8a006c8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="af2c3636db49bcb9c0458555472624b1" Parent=""
Disk="[TEMP] W2K8R2S-64-Template (20ccc211-03d6-48a2-b7c4-
aefcd9d92d58)/W2K8R2S-64-Template (20ccc211-03d6-48a2-b7c4-
aefcd9d92d58).vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
      </BackingDisk>
      <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:cd" AddressType="manual"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="none" AllowGuestControl="true" StartConnected="false"
Connected="false" UnitNum="7" Key="4000" ControllerKey="100"
Type="Vim25Api.VirtualE1000" Label="Network adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-055</Name>
    <Mor>vm-2892</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-055</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>This VM is created by
sandeep byrappa</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
05T09:01:50.207851Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42031298-815c-cb62-73a2-
0c86bf489680</uuid>
    <instanceUuid>525d2f55-7d35-816d-f0b7-

```

```

14dc9f54c19d</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-055/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.65</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.65)
</NicIpaddresses>
    <hostName>b16-sn-dv-055.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-055/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-055/" logDir="[SN-DV-FC-B] B16-SN-DV-055/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-055/SCC-BGL04-DV-74.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-74.vmx</Name>
        <Size>3295</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-74.vmx
</Name>
        <Size>3049</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-74.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>

```

```

</Name>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-74.vmsd
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-74.vmdk
  <Size>104872320</Size>
  <Type>diskDescriptor</Type>
</File>
339038c7.vswp</Name>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-74-
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
865089735-1.vswp</Name>
<File Type="VmFileInfo">
  <Name>vmx-SCC-BGL04-DV-74-
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-33.log</Name>
  <Size>93221274</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>146856</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-35.log</Name>
  <Size>24311</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-30.log</Name>
  <Size>344857</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>324359</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-32.log</Name>
  <Size>318403</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>150609</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="75956922145" Uncommitted="35918315520"
Committed="75956922145">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-d664-fed2-4cf6-d14b40f3fa15" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104872320"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c4e55089eeb8e68f7fd2f356f5a95657" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-055/SCC-BGL04-DV-74.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:05:57" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"

```

```

UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>WXP-64-Template (520e9b54-cfee-
4a4a-8dda-be3892e756a5)</Name>
    <Mor>vm-1100</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\WXP-64-Template (520e9b54-cfee-4a4a-8dda-
be3892e756a5)</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:26.62867Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42003e63-d1fa-3e1a-ac11-
cff9bbcdc4c0</uuid>
    <instanceUuid>5000c0b7-f1a6-9485-b15c-
06a7d01445cf</instanceUuid>
    <vmxDir>[TEMP] WXP-64-Template
(520e9b54-cfee-4a4a-8dda-be3892e756a5)</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>none(&lt;False&gt;)
</Networks>
    <Nics>none(&lt;false&gt;)</Nics>
</NicIpaddresses>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>
    <hostMor>host-1325</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>12</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[TEMP] WXP-64-Template (520e9b54-cfee-4a4a-8dda-
be3892e756a5)/" suspendDir="[TEMP] WXP-64-Template (520e9b54-
cfee-4a4a-8dda-be3892e756a5)/" logDir="[TEMP] WXP-64-Template
(520e9b54-cfee-4a4a-8dda-be3892e756a5)/" vmxPath="[TEMP] WXP-64-
Template (520e9b54-cfee-4a4a-8dda-be3892e756a5)/WXP-64-Template
(520e9b54-cfee-4a4a-8dda-be3892e756a5).vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>WXP-64-Template (520e9b54-
cfee-4a4a-8dda-be3892e756a5).vmx</Name>
            <Size>3147</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>WXP-64-Template (520e9b54-
cfee-4a4a-8dda-be3892e756a5).vmxf</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>WXP-64-Template (520e9b54-
cfee-4a4a-8dda-be3892e756a5).nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>WXP-64-Template (520e9b54-
cfee-4a4a-8dda-be3892e756a5).vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>WXP-64-Template (520e9b54-
cfee-4a4a-8dda-be3892e756a5).vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>102463</Size>
            <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>111836</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>164464</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>205416</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>112351</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>26309</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="TEMP"
Unshared="8724886990" Uncommitted="38765174784"
Committed="8724886990">
  </StorageInfo>
  <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-282b-2865-23a5-b53281e130bf" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8cace7ed9167fea039dc3a10aa6dc838" Parent=""
Disk="[TEMP] WXP-64-Template (520e9b54-cfee-4a4a-8dda-
be3892e756a5)/WXP-64-Template (520e9b54-cfee-4a4a-8dda-
be3892e756a5).vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
      </BackingDisk>
      <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:de" AddressType="manual"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```



```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="none" AllowGuestControl="true" StartConnected="false"
Connected="false" UnitNum="7" Key="4000" ControllerKey="100"
Type="Vim25Api.VirtualE1000" Label="Network adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>WIN-XP-SP3-PRO-32BIT</Name>
    <Mor>vm-805</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\WIN-XP-SP3-PRO-32BIT</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPProGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.331842Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564df245-5b2f-71d4-2125-
58f7d91abee8</uuid>
    <instanceUuid>52fdae51-8322-8d47-41a8-
23ce2377d210</instanceUuid>

```

```

32BIT/</vmxDir>
<vmxDir>[SN-QA-FC-B] WIN-XP-SP3-PRO-
<template>>false</template>
<IpAddress></IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-sn-qa-esx-01.cisco.com
</host>
<hostMor>host-592</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] WIN-XP-SP3-PRO-32BIT/" suspendDir="[SN-
QA-FC-B] WIN-XP-SP3-PRO-32BIT/" logDir="[SN-QA-FC-B] WIN-XP-SP3-
PRO-32BIT/" vmxPath="[SN-QA-FC-B] WIN-XP-SP3-PRO-32BIT/WIN-XP-
SP3-PRO-32BIT.vmx" >
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>WIN-XP-SP3-PRO-32BIT.vmx
</Name>
<Size>2744</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>WIN-XP-SP3-PRO-32BIT.vmx
</Name>
<Size>0</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>XP 32Bit Template.nvram
</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>

```

```

</Name>
    <File Type="VmFileInfo">
        <Name>WIN-XP-SP3-PRO-32BIT.vmsd
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>WIN-XP-SP3-PRO-32BIT.vmdk
        <Size>41961780</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>117592</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24913</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>90240</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>88522</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>82497</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>20529</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>101241</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
    Unshared="4931989890" Uncommitted="42577063936"
    Committed="4931989890">
    </StorageInfo>
    <Datastore Mor="datastore-417"

```

```

Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-e99d-7b1d-136c-4e1fcflac22b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dlee3e5852bfe57d28c2a9304a5fbbfc" Parent="" Disk="[SN-
QA-FC-B] WIN-XP-SP3-PRO-32BIT/WIN-XP-SP3-PRO-32BIT.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="3000" ControllerKey="200"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:2c:52" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCCDEMO-VSM7-1</Name>
    <Mor>vm-367</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCCDEMO-VSM7-1</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true

```

```

</BootOptionsSupported>
</SwapPlacementSupported>
    <SwapPlacementSupported>true
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:13:20.695359Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42006db9-a3af-ef84-a042-
373ae56cd11b</uuid>
    <instanceUuid>5000317c-2f97-bf31-948b-
5e2eecf30727</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] SCCDEMO-VSM7-
1</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>STG-300_10.106.5.0/25
(&lt;False&gt;),STG-300_10.106.5.0/25(&lt;False&gt;)</Networks>
    <Nics>STG-300_10.106.5.0/25
(&lt;false&gt;),STG-300_10.106.5.0/25(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned,unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-stg-esx-05.cisco.com</host>
    <hostMor>host-373</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>2
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-VSM7-1/" suspendDir="[STG-
SATA-A-NEW] SCCDEMO-VSM7-1/" logDir="[STG-SATA-A-NEW] SCCDEMO-
VSM7-1/" vmxPath="[STG-SATA-A-NEW] SCCDEMO-VSM7-1/SCCDEMO-VSM7-
1.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="12288"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCCDEMO-VSM7-1.vmx</Name>
        <Size>3237</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>SCCDEMO-VSM7-1.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSM7-1.nvram
</Name>

    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSM7-1.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSM7-1.vmdk</Name>
    <Size>79691776</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCCDEMO-VSM7-1_1.vmdk
(independent)</Name>

    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>209861</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>142112</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>210564</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>160144</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>30267</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-

```

```

NEW" Unshared="64547957701" Uncommitted="124755812352"
Committed="64547957701">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-dff8-e641-052c-ab7023b468a9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="79691776"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2230a621549424ec8afe3f7e1ee88bdc" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-VSM7-1/SCCDEMO-VSM7-1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-3b01-bfae-7035-5c3d82670334" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="independent_persistent"
dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="48f12c8389ea0dc4e39aac40680aad11" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-VSM7-1/SCCDEMO-VSM7-1_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:e4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:e5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network

```

```

adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD/DVD drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>W7E-64-Template (5c8ed0fd-9784-
4e85-99f3-a8272d5d13ae)</Name>
    <Mor>vm-740</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\W7E-64-Template (5c8ed0fd-9784-4e85-99f3-
a8272d5d13ae)</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:13:29.844635Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200bf1d-ea6b-9f56-13ff-
2967b89891d2</uuid>
    <instanceUuid>5000f1ee-fe25-584c-4ec9-
13576cf9c0db</instanceUuid>
    <vmxDir>[SN-QA-FC-A] W7E-64-Template
(5c8ed0fd-9784-4e85-99f3-a8272d5d13ae)</vmxDir>
    <template>>false</template>

```



```

        <IpAddress></IpAddress>
        <Networks>none(&lt;False&gt;);
</Networks>

        <Nics>none(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>

        <hostName></hostName>
        <host>bl6-sn-qa-esx-06.cisco.com
</host>

        <hostMor>host-738</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>

        <NumberOfDatastores>1
</NumberOfDatastores>

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>

        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] W7E-64-Template (5c8ed0fd-9784-4e85-
99f3-a8272d5d13ae)/" suspendDir="[SN-QA-FC-A] W7E-64-Template
(5c8ed0fd-9784-4e85-99f3-a8272d5d13ae)/" logDir="[SN-QA-FC-A]
W7E-64-Template (5c8ed0fd-9784-4e85-99f3-a8272d5d13ae)/"
vmxPath="[SN-QA-FC-A] W7E-64-Template (5c8ed0fd-9784-4e85-99f3-
a8272d5d13ae)/W7E-64-Template (5c8ed0fd-9784-4e85-99f3-
a8272d5d13ae).vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>W7E-64-Template (5c8ed0fd-
9784-4e85-99f3-a8272d5d13ae).vmx</Name>
            <Size>3246</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>W7E-64-Template (5c8ed0fd-
9784-4e85-99f3-a8272d5d13ae).vmxf</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>W7E-64-Template (5c8ed0fd-
9784-4e85-99f3-a8272d5d13ae).nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">

```

```

          <Name>W7E-64-Template (5c8ed0fd-
9784-4e85-99f3-a8272d5d13ae).vmsd</Name>
          <Size>0</Size>
          <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>W7E-64-Template (5c8ed0fd-
9784-4e85-99f3-a8272d5d13ae).vmdk</Name>
          <Size>41943040</Size>
          <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>vmware.log</Name>
          <Size>179658</Size>
          <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>vmware-5.log</Name>
          <Size>135570</Size>
          <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>vmware-6.log</Name>
          <Size>365737</Size>
          <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>vmware-2.log</Name>
          <Size>812657</Size>
          <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>vmware-3.log</Name>
          <Size>127396</Size>
          <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>vmware-4.log</Name>
          <Size>127307</Size>
          <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>vmware-7.log</Name>
          <Size>114019</Size>
          <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="18783967586" Uncommitted="28724514816"
Committed="18783967586">
          </StorageInfo>
          <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-

```

```

QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-fce3-8ef7-a441-8d0f15b9ae8e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1e6849d06d62940e8748ac704084ef19" Parent="" Disk="[SN-
QA-FC-A] W7E-64-Template (5c8ed0fd-9784-4e85-99f3-
a8272d5d13ae)/W7E-64-Template (5c8ed0fd-9784-4e85-99f3-
a8272d5d13ae).vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:dd" AddressType="manual"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="none" AllowGuestControl="true" StartConnected="false"
Connected="false" UnitNum="7" Key="4000" ControllerKey="100"
Type="Vim25Api.VirtualE1000" Label="Network adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-BMC-1</Name>
    <Mor>vm-1068</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-BMC-1</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>

```

```

                <GuestId>windows7Server64Guest
</GuestId>
                <GuestOSAltName></GuestOSAltName>
                <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                <BootOptionsSupported>>true
</BootOptionsSupported>
                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                <SwapPlacement>inherit</SwapPlacement>
                <ChangeVersion>2014-01-
20T10:34:41.279772Z</ChangeVersion>
                <powerState>poweredOff</powerState>
                <connectionState>connected
</connectionState>
                <uuid>42000256-6c18-ad13-5119-
f59c7aaea361</uuid>
                <instanceUuid>5000609b-1ac3-0a35-f992-
40d3a39093f4</instanceUuid>
                <vmxDir>[SCC-MGMT] SCC-BMC-1</vmxDir>
                <template>>false</template>
                <IpAddress>10.106.8.241</IpAddress>
                <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
                <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
                <NicIpaddresses>
(fe80::6c4c:e2e2:bbdc:9239)(10.106.8.241)</NicIpaddresses>
                <hostName>SCC-BMC-1</hostName>
                <host>b16-pf-dv-esx-11.cisco.com
</host>
                <hostMor>host-5362</hostMor>
                <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
                <NumberOfDatastores>1
</NumberOfDatastores>
                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                <NumberOfFiles>10</NumberOfFiles>
                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                <VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] SCC-BMC-1/" suspendDir="[SCC-MGMT] SCC-
BMC-1/" logDir="[SCC-MGMT] SCC-BMC-1/" vmxPath="[SCC-MGMT] SCC-
BMC-1/SCC-BMC-1.vmx">
                </VirtualMachineFileInfo>
                <VirtualHardware MemoryMB="4096"
NumCPUs="4">

```

```

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BMC-1.vmx</Name>
  <Size>3200</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BMC-1.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BMC-1.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BMC-1.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BMC-1.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>765377</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>188858</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>35019</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>222853</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SCC-MGMT"
Unshared="23122324791" Uncommitted="88889774080"
Committed="23122324791">
  </StorageInfo>
  <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"

```

```

Name=" SCC-MGMT">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-9ab2-6789-2159-c665c99c2c79" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="140d2f474665a6f4e7558e8c8dcf017d" Parent=""
Disk="[SCC-MGMT] SCC-BMC-1/SCC-BMC-1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:0e:26" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-BMC-2</Name>

```

```

        <Mor>vm-5369</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-BMC-2</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>windows7Server64Guest
</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:15:20.792337Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200836a-31f2-812c-e9b7-
20f96d38e96a</uuid>
        <instanceUuid>5000d1f2-965e-c631-21b2-
005977091516</instanceUuid>
        <vmxDir>[TEMP] SCC-BMC-2</vmxDir>
        <template>false</template>
        <IpAddress></IpAddress>
        <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
        <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>bl6-pf-dv-esx-11.cisco.com
</host>
        <hostMor>host-5362</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>11</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```

```

        <VirtualMachineFileInfo
snapshotDir="[TEMP] SCC-BMC-2/" suspendDir="[TEMP] SCC-BMC-2/"
logDir="[TEMP] SCC-BMC-2/" vmxPath="[TEMP] SCC-BMC-2/SCC-BMC-
2.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="4">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BMC-2.vmx</Name>
            <Size>2928</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BMC-2.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BMC-2.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BMC-2.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BMC-2-aux.xml</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BMC-2.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>1876790</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>115982</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>194363</Size>

```



```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>31486</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="26420053977" Uncommitted="85593051136"
Committed="26420053977">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-9fb8-2c71-468c-0a3209d40ee7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="27cflb636ca81d328dec0d89120d9ea3" Parent=""
Disk="[TEMP] SCC-BMC-2/SCC-BMC-2.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6a:9a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                            </BackingFloppy>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-QA</Name>
    <Mor>vm-779</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-QA</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>The installation is
Windows 2008 Server (32 Bit) for Active Directory. The OS is
being utilized by QA team. The POC are : Nicholas Dattoma,
Sreedhar Reddy, Praveena Sridhar</Annotation>
    <Version>vmx-08</Version>
    <GuestId>winLonghornGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T05:47:50.024534Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d0b2f-c63e-a247-c4b4-
18e11f60a055</uuid>
    <instanceUuid>529289ef-3184-48f7-84bf-
7a0b7dd9b91f</instanceUuid>
    <vmxDir>[PF-QA-FC-A] SCC-QA</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.14.80</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
    <NicIpaddresses>
(fe80::d142:ae28:d5c2:db80)(10.106.14.80)</NicIpaddresses>
    <hostName>SCC-BGL04-QA-03.SCC-QA.com

```

```

</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[PF-QA-FC-A] SCC-QA/" suspendDir="[PF-QA-FC-A] SCC-
QA/" logDir="[PF-QA-FC-A] SCC-QA/" vmxPath="[PF-QA-FC-A] SCC-
QA/SCC-BGL04-QA-VM-03.vmx">
NumCPUs="2">
</Name>
</Name>
</Name>
</Name>
</Name>
</Name>
</Name>

```

```

<host>b16-sn-qa-esx-08.cisco.com
<hostMor>host-803</hostMor>
<ResourcePoolMor>resgroup-291
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-VM-03.vmx
  <Size>3576</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-VM-03.vmx
  <Size>2746</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>Win2K8Srv32Bit.nvram
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-VM-03.vmsd
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-VM-03-aux.xml
  <Size>0</Size>
  <Type>snapshotManifestList

```

```

</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-VM-03.vmdk
</Name>
  <Size>41961780</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-VM-03-
589c5549.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-BGL04-QA-VM-03-
1486640457-2.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>246834</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>194480</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>255368</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>107109</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>96330</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-30.log</Name>
  <Size>682848</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>

```

```

        <Size>236219</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-QA-FC-A"
Unshared="29448994002" Uncommitted="17913139200"
Committed="29448994002">
        </StorageInfo>
        <Datastore Mor="datastore-414"
Url="/vmfs/volumes/502f4a43-25e56874-a137-1025b500000d" Name="PF-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-4d41-cc8b-3068-3a7a0d444e0d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-414"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6a7aed6bb249575243ac1546c2dccc1" Parent="" Disk="[PF-
QA-FC-A] SCC-QA/SCC-BGL04-QA-VM-03.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:76:04" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
                            </BackingFloppy>
                            <BackingCdrom UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-002</Name>
    <Mor>vm-2895</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-002</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>This VM was created by
sbyrappa on 14-MAR-2011</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
06T06:56:47.35052Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d5417-9e59-2ef5-da84-
60ffffb93b135</uuid>
    <instanceUuid>502d010f-2882-f73b-48d8-
ea99016ce87a</instanceUuid>
    <vmxDir>[DEV-V5 (SATA)] SCC-BGL04-DV-
102</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.12</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt; )
</Nics>
    <NicIpaddresses>(10.106.9.12)
</NicIpaddresses>
    <hostName>b16-sn-dv-002.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287

```



```

        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-DV-102-
4144321955-1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwsrap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-34.log</Name>
    <Size>640234910</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-33.log</Name>
    <Size>47447</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-35.log</Name>
    <Size>184861</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-36.log</Name>
    <Size>24400</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-32.log</Name>
    <Size>565987</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-37.log</Name>
    <Size>181024</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>164415</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="DEV-V5 (SATA)"
Unshared="110452491140" Uncommitted="1954545664"
Committed="110452491140">
        </StorageInfo>
        <Datastore Mor="datastore-834"
Url="/vmfs/volumes/4f6f7f20-d7955a13-11b5-0025b500018f"
Name="DEV-V5 (SATA)">
        </Datastore>

```



```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-3b2c-31fe-3a71-e0c259137937" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-834"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="eclba468dbcbceae63910e384ab4d944" Parent=""
Disk="[DEV-V5 (SATA)] SCC-BGL04-DV-102/SCC-BGL04-DV-102.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:81" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
<VirtualMachine>
    <Name>SCC-VSHIELD</Name>
    <Mor>vm-962</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-VSHIELD</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>vShield Manager is the
centralized network management component of vShield, and is
installed as a virtual appliance on any ESX host in your
vCenter Server environment. A vShield Manager can run on a
different ESX host from your vShield agents. Using the vShield
Manager user interface or vSphere Client plug-in, administrators

```

install, configure, and maintain vShield components. The vShield Manager user interface leverages the VMware Infrastructure SDK to display a copy of the vSphere Client inventory panel, and includes the Hosts & Clusters and Networks views.

```

</Annotation>
    <Version>vmx-09</Version>
    <GuestId>otherGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:15:32.343086Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d2aaf-d9e3-7bca-97fe-
d8bb32866c75</uuid>
    <instanceUuid>502d5822-b1d3-c284-09b3-
df02c12ea26e</instanceUuid>
    <vmxDir>[SCC-MGMT] SCC-VSHIELD/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.10.88</IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>(10.106.10.88)
(fe80::250:56ff:fead:792)</NicIpaddresses>
    <hostName>manager</hostName>
    <host>b16-pf-dv-esx-05.cisco.com
</host>
    <hostMor>host-895</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] SCC-VSHIELD/" suspendDir="[SCC-MGMT] SCC-

```

```

VSHIELD/" logDir="[SCC-MGMT] SCC-VSHIELD/" vmxPath="[SCC-MGMT]
SCC-VSHIELD/SCC-VSHIELD.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="3072"
NumCPUs="1">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-VSHIELD.vmx</Name>
    <Size>3674</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-VSHIELD.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-VSHIELD.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-VSHIELD.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-VSHIELD.vmdk</Name>
    <Size>8388608</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>98382</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-36.log</Name>
    <Size>147169</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-33.log</Name>
    <Size>114683</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>33533</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">

```

```

        <Name>vmware-32.log</Name>
        <Size>115534</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>198454</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>235210</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SCC-MGMT"
Unshared="2273219515" Uncommitted="6522478592"
Committed="2273219515">
        </StorageInfo>
        <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-8b33-2fb2-b123-db032bc07d4e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="8388608"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1dcea131705c084c3d994b4afd933409" Parent=""
Disk="[SCC-MGMT] SCC-VSHIELD/SCC-VSHIELD.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:07:92" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualBusLogicController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>SCC-DV-BACKUP</Name>
        <Mor>vm-1191</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\SCC-DV-BACKUP</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation>This Machine was created
by Sandeep Byrappa (sbyrappa@cisco.com) on 26th August 2010.
</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winLonghornGuest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:33.062827Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200fb22-0d85-01ea-bbf1-
e4940c38b4dd</uuid>
        <instanceUuid>500043e0-28a5-2257-d7ea-
56db2609998a</instanceUuid>
        <vmxDir>[SN-DV-FC-B] SCC-DV-BACKUP/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>SCC-BGL04-DEV-V.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-04.cisco.com

```

```

</host>
<hostMor>host-1209</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>12</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] SCC-DV-BACKUP/" suspendDir="[SN-DV-FC-
B] SCC-DV-BACKUP/" logDir="[SN-DV-FC-B] SCC-DV-BACKUP/"
vmxPath="[SN-DV-FC-B] SCC-DV-BACKUP/SCC-DV-BACKUP.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-DV-BACKUP.vmx</Name>
  <Size>3458</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DV-BACKUP.vmx</Name>
  <Size>2742</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DV-BACKUP.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DV-BACKUP.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DV-BACKUP-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DV-BACKUP.vmdk</Name>
  <Size>41961780</Size>
  <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>185689</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>321445</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>183173</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>744526</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24626</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="22508109607" Uncommitted="25001881600"
Committed="22508109607">
  </StorageInfo>
  <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-d598-5880-7c32-f9470c5e8789" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="df10a7e585b8136128d2f1d643121e3d" Parent="" Disk="[SN-
DV-FC-B] SCC-DV-BACKUP/SCC-DV-BACKUP.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:24:91" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="VM Network" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-020</Name>
    <Mor>vm-2890</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-020</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>This VM was created by
sbyrappa on 28-JUN-2011</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:17.936063Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203b797-beb4-350f-1ce6-
6b47a891363a</uuid>

```



```

        <instanceUuid>5003bd0c-5c06-fc49-883b-
af090acda0f5</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-020/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.30</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>b16-sn-dv-020</hostName>
        <host>b16-sn-dv-esx-06.cisco.com
</host>
        <hostMor>host-1269</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-020/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-020/" logDir="[SN-DV-FC-B] B16-SN-DV-020/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-020/SCC-BGL04-DV-154.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-154.vmx
</Name>
            <Size>3407</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-154.vmx
</Name>
            <Size>3431</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-154.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-154.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-154.vmdk
</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-44.log</Name>
  <Size>24319</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-42.log</Name>
  <Size>155336</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>184609</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-39.log</Name>
  <Size>183470</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-40.log</Name>
  <Size>126289</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-43.log</Name>
  <Size>137079</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-41.log</Name>
  <Size>222711</Size>
  <Type>log</Type>
</File>
  <StorageInfo Datastore="SN-DV-FC-B"
  Unshared="15167652599" Uncommitted="96747233280"
  Committed="15167652599">
</StorageInfo>

```

```

        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-5411-abd9-4c63-539d2d985be7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="908b3b493b61fa552556cc62e15136ae" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-020/SCC-BGL04-DV-154.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:1b:1c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>RH55-64-Template (760d1a07-443e-
4d15-9569-bb8e1c8bad57)</Name>
        <Mor>vm-780</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\rh55-64-Template (760d1a07-443e-4d15-9569-
bb8e1c8bad57)</Path>
        <ParentMor>group-v296</ParentMor>

```

```

<Annotation></Annotation>
<Version>vmx-08</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:13:29.896599Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42003642-5e9e-3316-c9e2-
3e4e46868f0f</uuid>
<instanceUuid>50005d03-746b-9059-a888-
a617b89b581c</instanceUuid>
<vmxDir>[SN-QA-FC-A] RH55-64-Template
(760d1a07-443e-4d15-9569-bb8e1c8bad57)</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>none(&lt;False&gt;)
</Networks>
<Nics>none(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>bl6-sn-qa-esx-06.cisco.com
</host>
<hostMor>host-738</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>12</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] RH55-64-Template (760d1a07-443e-4d15-
9569-bb8e1c8bad57)/" suspendDir="[SN-QA-FC-A] RH55-64-Template
(760d1a07-443e-4d15-9569-bb8e1c8bad57)/" logDir="[SN-QA-FC-A]
RH55-64-Template (760d1a07-443e-4d15-9569-bb8e1c8bad57)/"
vmxPath="[SN-QA-FC-A] RH55-64-Template (760d1a07-443e-4d15-9569-

```

```

bb8e1c8bad57)/RH55-64-Template (760d1a07-443e-4d15-9569-
bb8e1c8bad57).vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>RH55-64-Template
(760d1a07-443e-4d15-9569-bb8e1c8bad57).vmx</Name>
        <Size>3036</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RH55-64-Template
(760d1a07-443e-4d15-9569-bb8e1c8bad57).vmxf</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RH55-64-Template
(760d1a07-443e-4d15-9569-bb8e1c8bad57).nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RH55-64-Template
(760d1a07-443e-4d15-9569-bb8e1c8bad57).vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RH55-64-Template
(760d1a07-443e-4d15-9569-bb8e1c8bad57).vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>105344</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>116390</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>117321</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-1.log</Name>
        <Size>244730</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>112003</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>109674</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="4440487966" Uncommitted="43049656320"
Committed="4440487966">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-8198-7951-3fbc-d99aeeb2c8df" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="75c82b3e2d6532272e5dfffc2b728bf6c" Parent="" Disk="[SN-
QA-FC-A] RH55-64-Template (760d1a07-443e-4d15-9569-
bb8e1c8bad57)/RH55-64-Template (760d1a07-443e-4d15-9569-
bb8e1c8bad57).vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:d8" AddressType="manual"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="none" AllowGuestControl="true" StartConnected="false"
Connected="false" UnitNum="7" Key="4000" ControllerKey="100"
Type="Vim25Api.VirtualE1000" Label="Network adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-CS01-04</Name>
        <Mor>vm-5342</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-QA-CS01-04</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
20T07:20:30.889698Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42006008-1a1e-3064-18c3-
7bbd0a592a2d</uuid>
        <instanceUuid>5000f77c-cd66-2da5-6b8c-
d39c15743f2f</instanceUuid>
        <vmxDir>[TEMP] B16-SN-QA-CS01-04/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>STG-304_10.106.6.0/26
(&lt;False&gt;)</Networks>
        <Nics>STG-304_10.106.6.0/26
(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-qa-esx-04.cisco.com
</host>
        <hostMor>host-668</hostMor>
        <ResourcePoolMor>resgroup-291

```

```

</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[TEMP] B16-SN-QA-CS01-04/" suspendDir="[TEMP] B16-SN-QA-CS01-04/" logDir="[TEMP] B16-SN-QA-CS01-04/"
vmxPath="[TEMP] B16-SN-QA-CS01-04/B16-SN-QA-182.vmx">
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-182.vmx</Name>
  <Size>2631</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-182.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-182.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-182.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-182.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>106881</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>238816</Size>
  <Type>log</Type>

```



```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>101153</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>103165</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>151905</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>31658</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="TEMP"
Unshared="4018888125" Uncommitted="56356085760"
Committed="4018888125">
            </StorageInfo>
            <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-1f8a-0158-b7ba-766e0877cd25" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b6c8ddebd72d86c5639d8436d395bf55" Parent=""
Disk="[TEMP] B16-SN-QA-CS01-04/B16-SN-QA-182.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:56:35" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-304_10.106.6.0/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>

```

```

        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>Fedora for Amino</Name>
        <Mor>vm-5333</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\Fedora for Amino</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>otherLinuxGuest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:15:20.99269Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>564db9cf-e7b0-5a22-5b6f-
6d1aef9eb2bd</uuid>
        <instanceUuid>5035510c-d570-528a-0332-
e1ealab4af43</instanceUuid>
        <vmxDir>[TEMP] Fedora for Amino/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;),VM
Network(&lt;False&gt;)</Networks>
        <Nics>VM Network(&lt;false&gt;),VM
Network(&lt;false&gt;)</Nics>

```

```

</NicIpaddresses>                                <NicIpaddresses>unassigned,unassigned
</host>                                           <hostName></hostName>
</ResourcePoolMor>                               <host>b16-pf-dv-esx-11.cisco.com
</NumberOfDatastores>                           <hostMor>host-5362</hostMor>
</NumberOfBackingDisks>                         <ResourcePoolMor>resgroup-289
</CpuFeatureMaskSupported>                       <NumberOfDatastores>1
</NumberOfFeatureMaskEntries>                   <NumberOfBackingDisks>1
                                                    <NumberOfFiles>13</NumberOfFiles>
                                                    <CpuFeatureMaskSupported>true
                                                    <NumberOfFeatureMaskEntries>0
snapshotDir="[TEMP] Fedora for Amino/" suspendDir="[TEMP] Fedora
for Amino/" logDir="[TEMP] Fedora for Amino/" vmxPath="[TEMP]
Fedora for Amino/Fedora for Amino.vmx">
                                                    </VirtualMachineFileInfo>
                                                    <VirtualHardware MemoryMB="1000"
NumCPUs="1">
                                                    </VirtualHardware>
                                                    <File Type="VmFileInfo">
</Name>                                           <Name>Fedora for Amino.vmx
                                                    <Size>3035</Size>
                                                    <Type>config</Type>
</File>
<File Type="VmFileInfo">
</Name>                                           <Name>Fedora for Amino.vmx
                                                    <Size>0</Size>
                                                    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
</Name>                                           <Name>Fedora for Amino.nvram
                                                    <Size>8684</Size>
                                                    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
</Name>                                           <Name>Fedora for Amino.vmsd
                                                    <Size>0</Size>
                                                    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
</Name>                                           <Name>Fedora for Amino.vmdk

```

```

        <Size>10485760</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>32713</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>32566</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>63568</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>37247</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>37265</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>31377</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>39208</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="TEMP"
Unshared="4365507551" Uncommitted="7677423616"
Committed="4365507551">
    </StorageInfo>
    <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-68a7-1dc3-204b-bdd1b7e852e7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="10485760"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="370c348e8e1a19512f11f955629c08c" Parent=""
Disk="[TEMP] Fedora for Amino/Fedora for Amino.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:00:65" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:00:66" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualBusLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>TEMPLATE-SCC-IPS-RHEL</Name>
    <Mor>vm-5327</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\TEMPLATE-SCC-IPS-RHEL</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>This VM provisioned by

```

```

Amit Saha.</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>>true
</ChangeTrackingSupported>
<BootOptionsSupported>>true
</BootOptionsSupported>
<SwapPlacementSupported>>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:15:20.273124Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d8aed-a975-75f8-a706-
d790500e934f</uuid>
<instanceUuid>502d1823-f6ee-7e05-22b9-
132da6ae226f</instanceUuid>
<vmxDir>[TEMP] TEMPLATE-SCC-IPS-RHEL/
</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>STG-VLAN-11_10.77.75.0/24
(&lt;False&gt;)</Networks>
<Nics>STG-VLAN-11_10.77.75.0/24
(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-pf-dv-esx-11.cisco.com
</host>
<hostMor>host-5362</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>9</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[TEMP] TEMPLATE-SCC-IPS-RHEL/" suspendDir="[TEMP]
TEMPLATE-SCC-IPS-RHEL/" logDir="[TEMP] TEMPLATE-SCC-IPS-RHEL/"
vmxPath="[TEMP] TEMPLATE-SCC-IPS-RHEL/SCC-DEV-VM-040.vmx">
</VirtualMachineFileInfo>

```

```

NumCPUs="2">
    <VirtualHardware MemoryMB="8192"
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-040.vmx</Name>
        <Size>2697</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-040.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-040.nvram
    </Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-040.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-040.vmdk</Name>
        <Size>63963136</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>219610</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>159576</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>31482</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="18137641121" Uncommitted="56195653632"
Committed="18137641121">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
        </Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-574b-812d-1fab-d58a0419dca7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="63963136"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ebeb48129743c207cc6d9aca785f86d2" Parent=""
Disk="[TEMP] TEMPLATE-SCC-IPS-RHEL/SCC-DEV-VM-040.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:e1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-VLAN-11_10.77.75.0/24" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD/DVD drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>W2K8R2S-64-Template (283c7b61-
32a4-4fbc-95f0-305311935479)</Name>
        <Mor>vm-811</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\W2K8R2S-64-Template (283c7b61-32a4-4fbc-95f0-
305311935479)</Path>
        <ParentMor>group-v296</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-08</Version>
        <GuestId>windows7Server764Guest
</GuestId>

```



```

        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:21.344355Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200f455-63a5-dbff-5899-
4e61356b62e7</uuid>
        <instanceUuid>5000660f-c7a4-20d7-ec62-
be5f080e4538</instanceUuid>
        <vmxDir>[SN-QA-FC-A] W2K8R2S-64-
Template (283c7b61-32a4-4fbc-95f0-305311935479)</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>none(&lt;False&gt;)
</Networks>
        <Nics>none(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>bl6-sn-qa-esx-01.cisco.com
</host>
        <hostMor>host-592</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>11</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] W2K8R2S-64-Template (283c7b61-32a4-
4fbc-95f0-305311935479)/" suspendDir="[SN-QA-FC-A] W2K8R2S-64-
Template (283c7b61-32a4-4fbc-95f0-305311935479)/" logDir="[SN-QA-
FC-A] W2K8R2S-64-Template (283c7b61-32a4-4fbc-95f0-
305311935479)/" vmxPath="[SN-QA-FC-A] W2K8R2S-64-Template
(283c7b61-32a4-4fbc-95f0-305311935479)/W2K8R2S-64-Template
(283c7b61-32a4-4fbc-95f0-305311935479).vmx">
        </VirtualMachineFileInfo>

```

```

NumCPUs="2">
    <VirtualHardware MemoryMB="4096"
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>W2K8R2S-64-Template
(283c7b61-32a4-4fbc-95f0-305311935479).vmx</Name>
        <Size>3290</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>W2K8R2S-64-Template
(283c7b61-32a4-4fbc-95f0-305311935479).vmxf</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>W2K8R2S-64-Template
(283c7b61-32a4-4fbc-95f0-305311935479).nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>W2K8R2S-64-Template
(283c7b61-32a4-4fbc-95f0-305311935479).vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>W2K8R2S-64-Template
(283c7b61-32a4-4fbc-95f0-305311935479).vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>178742</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>810962</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>178649</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>242688</Size>
        <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>389252</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="8768956203" Uncommitted="38739464192"
Committed="8768956203">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-86ba-e501-4879-cfed6b93695c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3c1dc403a7747f6278e2921c012bf223" Parent="" Disk="[SN-
QA-FC-A] W2K8R2S-64-Template (283c7b61-32a4-4fbc-95f0-
305311935479)/W2K8R2S-64-Template (283c7b61-32a4-4fbc-95f0-
305311935479).vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:d1" AddressType="manual"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="none" AllowGuestControl="true" StartConnected="false"
Connected="false" UnitNum="7" Key="4000" ControllerKey="100"
Type="Vim25Api.VirtualE1000" Label="Network adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD

```

```

drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-CS01-03</Name>
    <Mor>vm-5343</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-QA-CS01-03</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
20T07:20:30.846178Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42005322-cf3a-86f9-6734-
b8c6b56ecaff</uuid>
    <instanceUuid>50009e3b-577a-ad07-c61f-
8d2c76984d2e</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>STG-304_10.106.6.0/26
(&lt;False&gt;)</Networks>
    <Nics>STG-304_10.106.6.0/26
(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>

```

```

        <NumberOfFiles>11</NumberOfFiles>
        <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-SN-QA-CS01-03/" suspendDir="[TEMP] B16-
SN-QA-CS01-03/" logDir="[TEMP] B16-SN-QA-CS01-03/"
vmxPath="[TEMP] B16-SN-QA-CS01-03/B16-SN-QA-181.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-181.vmx</Name>
        <Size>2631</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-181.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-181.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-181.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-181.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>101186</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>206968</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>103892</Size>
        <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>151922</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>31656</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="TEMP"
Unshared="5767774939" Uncommitted="54607060992"
Committed="5767774939">
            </StorageInfo>
            <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-d186-f1d7-ba02-25d0a9f9bb9b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="570ba3683b7c5ce3bcc6ce4cc87e1dbf" Parent=""
Disk="[TEMP] B16-SN-QA-CS01-03/B16-SN-QA-181.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:7f:30" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-304_10.106.6.0/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"

```

```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-023</Name>
    <Mor>vm-2880</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-023</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>-CM</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:18.062191Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d556d-53b0-cba6-f7ad-
9cf34128d38f</uuid>
    <instanceUuid>502d58ad-79ff-bc41-dd6f-
a84c05a2cf5f</instanceUuid>
</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-023/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-023/" logDir="[SN-DV-FC-A] B16-SN-DV-023/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-023/SCC-BGL04-DV-173.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4232"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-173.vmx
</Name>
            <Size>3087</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-173.vmx
</Name>
            <Size>2947</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-173.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-173.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-173.vmdk
</Name>
            <Size>167772160</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-19.log</Name>
            <Size>525582</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-22.log</Name>

```



```

        <Size>24667</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>144452</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>120097</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>121139</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>139841</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>120264</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="24979339656" Uncommitted="151502823424"
Committed="24979339656">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-8fe1-705c-5d1f-814667eeef35" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f2cc6ed2506e7703a43a3e48b2eb62f8" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-023/SCC-BGL04-DV-173.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:79:d3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>W7E-64-Template (85dfb2a6-ea26-
402c-8709-76b60fd71a12)</Name>
    <Mor>vm-1295</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Discovered
virtual machine\W7E-64-Template (85dfb2a6-ea26-402c-8709-
76b60fd71a12)</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:26.907032Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42007fff-a543-1377-6b26-
bbac913b8d94</uuid>

```

```

                <instanceUuid>5000518b-9c3a-b432-0460-
212e91aae230</instanceUuid>
                <vmxDir>[SN-DV-FC-A] W7E-64-Template
(85dfb2a6-ea26-402c-8709-76b60fd71a12)/</vmxDir>
                <template>>false</template>
                <IpAddress></IpAddress>
                <Networks>none(&lt;False&gt;);
</Networks>
                <Nics>none(&lt;false&gt;)</Nics>
                <NicIpaddresses>unassigned
</NicIpaddresses>
                <hostName></hostName>
                <host>b16-sn-dv-esx-08.cisco.com
</host>
                <hostMor>host-1325</hostMor>
                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                <NumberOfDatastores>1
</NumberOfDatastores>
                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                <NumberOfFiles>13</NumberOfFiles>
                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] W7E-64-Template (85dfb2a6-ea26-402c-
8709-76b60fd71a12)/" suspendDir="[SN-DV-FC-A] W7E-64-Template
(85dfb2a6-ea26-402c-8709-76b60fd71a12)/" logDir="[SN-DV-FC-A]
W7E-64-Template (85dfb2a6-ea26-402c-8709-76b60fd71a12)/"
vmxPath="[SN-DV-FC-A] W7E-64-Template (85dfb2a6-ea26-402c-8709-
76b60fd71a12)/W7E-64-Template (85dfb2a6-ea26-402c-8709-
76b60fd71a12).vmx">
                </VirtualMachineFileInfo>
                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                </VirtualHardware>
                <File Type="VmFileInfo">
                    <Name>W7E-64-Template (85dfb2a6-
ea26-402c-8709-76b60fd71a12).vmx</Name>
                    <Size>3246</Size>
                    <Type>config</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>W7E-64-Template (85dfb2a6-
ea26-402c-8709-76b60fd71a12).vmxf</Name>
                    <Size>0</Size>
                    <Type>extendedConfig</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>W7E-64-Template (85dfb2a6-

```

```

ea26-402c-8709-76b60fd71a12).nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>W7E-64-Template (85dfb2a6-
ea26-402c-8709-76b60fd71a12).vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>W7E-64-Template (85dfb2a6-
ea26-402c-8709-76b60fd71a12).vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>181038</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>135570</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>365737</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>26309</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>127396</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>127307</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>114019</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"

```

```

Unshared="18819882778" Uncommitted="28687814656"
Committed="18819882778">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-bbf9-80b6-88e8-27b3069a202e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8ab2d3010304cbea52cb01d8d37603b9" Parent="" Disk="[SN-
DV-FC-A] W7E-64-Template (85dfb2a6-ea26-402c-8709-
76b60fd71a12)/W7E-64-Template (85dfb2a6-ea26-402c-8709-
76b60fd71a12).vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:cc" AddressType="manual"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="none" AllowGuestControl="true" StartConnected="false"
Connected="false" UnitNum="7" Key="4000" ControllerKey="100"
Type="Vim25Api.VirtualE1000" Label="Network adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-162</Name>
    <Mor>vm-2905</Mor>
    <MorType>VirtualMachine</MorType>

```

```

virtual machine\B16-SN-DV-162</Path>
<ParentMor>group-v296</ParentMor>
<Annotation></Annotation>
<Version>vmx-09</Version>
<GuestId>rhel6_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:06:17.936396Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42004d5c-9ef4-53ae-15bf-
7159a9eea90b</uuid>
<instanceUuid>50001320-65ff-b450-4c4a-
b585e47671ad</instanceUuid>
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.172</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-162</hostName>
<host>b16-sn-dv-esx-06.cisco.com
</host>
<hostMor>host-1269</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>12</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-162/" suspendDir="[SN-DV-FC-

```

```

A] B16-SN-DV-162/" logDir="[SN-DV-FC-A] B16-SN-DV-162/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-162/B16-SN-DV-162.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"

NumCPUs="2">

  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-162.vmx</Name>
    <Size>3238</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-162.vmx</Name>
    <Size>3433</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-162.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-162.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-162.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>134678</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>181705</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>152563</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>265696</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">

```

```

        <Name>vmware-5.log</Name>
        <Size>144360</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24269</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="7418545250" Uncommitted="40088981504"
Committed="7418545250">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-e888-0bc4-60eb-861c0958d7c6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="22f87f58685205b045785aadd8c94b1a" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-162/B16-SN-DV-162.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:44:82" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"

```



```

StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-181</Name>
    <Mor>vm-2875</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\B16-SN-DV-181</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation>This VM is imaged by
prashanth BR</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:17.88574Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200cf9e-d1ba-4dfc-5787-
027bdf458bel</uuid>
    <instanceUuid>5000ab5d-e54a-64ca-05c5-
alfa00826936</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-181/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.191</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-181</hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-181/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-181/" logDir="[SN-DV-FC-A] B16-SN-DV-181/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-181/B16-SN-DV-181.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-181.vmx</Name>
            <Size>3141</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-181.vmx</Name>
            <Size>3372</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-181.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-181.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>rhel-server-6.3-64bit-
Template.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>24826</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>137663</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">

```

```

        <Name>vmware.log</Name>
        <Size>171480</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>134989</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>184624</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>141604</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>271377</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="32705118624" Uncommitted="79209799680"
Committed="32705118624">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-8046-75e8-bf2d-a47a52a881a6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="989a2079245e005061015431a9dac7ea" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-181/rhel-server-6.3-64bit-Template.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:4f:d9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>Unknown 10</Name>
    <Mor>vm-5368</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Discovered
virtual machine\Unknown 10</Path>
    <ParentMor>group-v296</ParentMor>
    <Annotation></Annotation>
    <Version></Version>
    <GuestId></GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>false
</SwapPlacementSupported>
    <SwapPlacement></SwapPlacement>
    <ChangeVersion></ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>inaccessible
</connectionState>
    <uuid></uuid>
    <instanceUuid></instanceUuid>
    <vmxDir></vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks></Networks>
    <Nics>None</Nics>
    <NicIpaddresses></NicIpaddresses>
    <hostName></hostName>
    <host>b16-pf-dv-esx-11.cisco.com

```

```

</host>
    <hostMor>host-5362</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>0
</NumberOfDatastores>
    <NumberOfBackingDisks>0
</NumberOfBackingDisks>
    <NumberOfFiles>0</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo snapshotDir=""
suspendDir="" logDir="" vmxPath="">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="0"
NumCPUs="0">
    </VirtualHardware>
    </VirtualMachine>
</Folder>
<Folder>
    <Name>Platform Development SDP</Name>
    <Mor>group-v5433</Mor>
    <MorType>Folder</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform Development
SDP</Path>
    <ParentMor>group-v282</ParentMor>
    <NumberOfFolders>0</NumberOfFolders>
    <NumberOfVMs>11</NumberOfVMs>
    <NumberOfHosts>0</NumberOfHosts>
    <NumberOfVApps>0</NumberOfVApps>
    <NumberOfDatastores>0</NumberOfDatastores>
    <NumberOfStoragePods>0
</NumberOfStoragePods>
    <NumberOfNetworks>0</NumberOfNetworks>
    <VirtualMachine>
        <Name>SDPX-FW-01</Name>
        <Mor>vm-5423</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Platform
Development SDP\SDPX-FW-01</Path>
        <ParentMor>group-v5433</ParentMor>
        <Annotation>Firewall and gateway for
virutal private LAN.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>centos64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported>      <BootOptionsSupported>true
</SwapPlacementSupported>    <SwapPlacementSupported>true
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
07T12:00:14.952581Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4224d691-289b-dd65-9a03-
bd5ad44520bb</uuid>
                                <instanceUuid>50246d11-3155-b76a-65c5-
1369c32bee04</instanceUuid>
</vmxDir>                     <vmxDir>[PF-DV-FC-A] SDPX-FW-03/
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VLAN-2005-172.17.2.0-24
(&lt;True&gt;),PLATFORM-DEV-2(&lt;True&gt;)</Networks>
                                <Nics>VLAN-2005-172.17.2.0-24
(&lt;true&gt;),PLATFORM-DEV-2(&lt;true&gt;)</Nics>
                                <NicIpaddresses>unassigned,unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>b16-pf-dv-esx-06.cisco.com
</host>
                                <hostMor>host-5321</hostMor>
                                <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>10</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] SDPX-FW-03/" suspendDir="[PF-DV-FC-A]
SDPX-FW-03/" logDir="[PF-DV-FC-A] SDPX-FW-03/" vmxPath="[PF-DV-
FC-A] SDPX-FW-03/SDPX-FW-03.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="512"
NumCPUs="1">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SDPX-FW-03.vmx</Name>
                                    <Size>3098</Size>
                                    <Type>config</Type>
                                </File>

```

```

<File Type="VmFileInfo">
  <Name>SDPX-FW-03.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SDPX-FW-03.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SDPX-FW-03.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SDPX-FW-03.vmdk</Name>
  <Size>4194304</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SDPX-FW-03-b9356789.vswp
</Name>
  <Size>536870912</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SDPX-FW-03-3107284873-
1.vswp</Name>
  <Size>47185920</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>142553</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>97312</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-A"
Unshared="1837356799" Uncommitted="3041918976"
Committed="1837356799">
  </StorageInfo>
  <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-4a84-495d-ebd4-31ceb3b760bd" ChangeId=""

```

```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="4194304"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9e8clf4f83b7c9d730851cd6a2107b51" Parent="" Disk="[PF-
DV-FC-A] SDPX-FW-03/SDPX-FW-03.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:65:a8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN-2005-172.17.2.0-24" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:79:5c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV-2" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD-ROM 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>GREEN-RTR</Name>
    <Mor>vm-5394</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform

```



```

Development SDP\GREEN-RTR</Path>
    <ParentMor>group-v5433</ParentMor>
    <Annotation>Simple Router to decouple
virtual network sites.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>centos64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T11:59:00.514401Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42249b89-b916-6a02-f316-
5c47e160a90c</uuid>
    <instanceUuid>5024ede4-154b-8a1b-828e-
ba8e672e6471</instanceUuid>
    <vmxDir>[PF-DV-FC-A] XCH-RTR-03/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>PLATFORM-DEV-2
(&lt;True&gt;),VLAN-2004-8.8.8.0-24(&lt;True&gt;)</Networks>
    <Nics>PLATFORM-DEV-2
(&lt;true&gt;),VLAN-2004-8.8.8.0-24(&lt;true&gt;)</Nics>
</NicIpaddresses>
    <NicIpaddresses>unassigned,unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>bl6-pf-dv-esx-06.cisco.com
</host>
    <hostMor>host-5321</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>11</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] XCH-RTR-03/" suspendDir="[PF-DV-FC-A]

```

```

XCH-RTR-03/" logDir="[PF-DV-FC-A] XCH-RTR-03/" vmxPath="[PF-DV-
FC-A] XCH-RTR-03/XCH-RTR-03.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="512"
NumCPUs="1">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>XCH-RTR-03.vmx</Name>
    <Size>2830</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>XCH-RTR-03.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>XCH-RTR-03.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>XCH-RTR-03.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>XCH-RTR-03.vmdk</Name>
    <Size>4194304</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>XCH-RTR-03-60206928.vswp
</Name>
    <Size>536870912</Size>
    <Type>swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmx-XCH-RTR-03-1612736808-
1.vswp</Name>
    <Size>47185920</Size>
    <Type>uwsap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>181698</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>95469</Size>
    <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>96111</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="PF-DV-FC-A"
Unshared="1815469848" Uncommitted="3063939072"
Committed="1815469848">
            </StorageInfo>
            <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-68ca-6665-0fd9-52e76619e309" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="4194304"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="290175c65dc6c54f136be9dcbcd0c7ce" Parent="" Disk="[PF-
DV-FC-A] XCH-RTR-03/XCH-RTR-03.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:32:3c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV-2" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:7f:ad" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN-2004-8.8.8.0-24" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
                            </BackingNetwork>
                            <BackingCdrom UseAutoDetect="false"
FileName="[PF-DV-FC-A] XCH-RTR-03/_deviceImage-0.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-835" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="0" Key="3002"

```

```

ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>RED-FW</Name>
  <Mor>vm-5382</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Platform
Development SDP\RED-FW</Path>
  <ParentMor>group-v5433</ParentMor>
  <Annotation>Firewall and gateway for
virutal private LAN.</Annotation>
  <Version>vmx-08</Version>
  <GuestId>centos64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
  <BootOptionsSupported>>true
</BootOptionsSupported>
  <SwapPlacementSupported>>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-
07T11:59:55.350905Z</ChangeVersion>
  <powerState>poweredOn</powerState>
  <connectionState>connected
</connectionState>
  <uuid>42244d43-cf3c-e2c0-88d0-
086a631035ca</uuid>
  <instanceUuid>502443e5-0b11-e05a-42c1-
b06b51af1688</instanceUuid>
  <vmxDir>[PF-DV-FC-A] SDPX-FW01/
</vmxDir>
  <template>>false</template>
  <IpAddress></IpAddress>
  <Networks>VLAN-2002-4.4.4.0-24
(&lt;True&gt;),VLAN-2001-192.168.1.0-24(&lt;True&gt;)</Networks>
  <Nics>VLAN-2002-4.4.4.0-24
(&lt;true&gt;),VLAN-2001-192.168.1.0-24(&lt;true&gt;)</Nics>
</NicIpaddresses>
  <NicIpaddresses>unassigned,unassigned
</NicIpaddresses>
  <hostName></hostName>
  <host>b16-pf-dv-esx-06.cisco.com
</host>
  <hostMor>host-5321</hostMor>
  <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
  <NumberOfDatastores>1
</NumberOfDatastores>
  <NumberOfBackingDisks>1

```

```

</NumberOfBackingDisks>
    <NumberOfFiles>12</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] SDPX-FW01/" suspendDir="[PF-DV-FC-A]
SDPX-FW01/" logDir="[PF-DV-FC-A] SDPX-FW01/" vmxPath="[PF-DV-FC-
A] SDPX-FW01/SDPX-FW01.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="512"
NumCPUs="1">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SDPX-FW01.vmx</Name>
        <Size>2883</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SDPX-FW01.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SDPX-FW01.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SDPX-FW01.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SDPX-FW01.vmdk</Name>
        <Size>4194304</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SDPX-FW01-fddad4fa.vswp
</Name>
        <Size>536870912</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-SDPX-FW01-4258977018-
1.vswp</Name>
        <Size>47185920</Size>
        <Type>uwsap</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-1.log</Name>
        <Size>120730</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>200617</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>113677</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>96006</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="1835550597" Uncommitted="3044016128"
Committed="1835550597">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-63aa-2bf4-19ce-ceb929702b07" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="4194304"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9cbc7ccdd9111a18ecfac7d53db0d53a" Parent="" Disk="[PF-
DV-FC-A] SDPX-FW01/SDPX-FW01.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:69:9f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN-2002-4.4.4.0-24" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:0a:67" AddressType="assigned"

```

```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN-2001-192.168.1.0-24" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD-ROM 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>GREEN_HOST-01</Name>
    <Mor>vm-5386</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development SDP\GREEN_HOST-01</Path>
    <ParentMor>group-v5433</ParentMor>
    <Annotation>A generic host machine
inside the virutal LAN of provider and customer. (CentOS Linux
with desktop.)</Annotation>
    <Version>vmx-08</Version>
    <GuestId>centos64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T11:59:40.324812Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224cd9d-7894-a379-a3e6-

```

```

974b2952aa7d</uuid>
f9711c31929c</instanceUuid>
</vmxDir>
<instanceUuid>50241883-de65-ed67-eb64-
<vmxDir>[PF-DV-FC-A] RED_HOST-02/
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VLAN-2003-10.20.20.0-24
(&lt;True&gt;)</Networks>
<Nics>VLAN-2003-10.20.20.0-24
(&lt;true&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-pf-dv-esx-06.cisco.com
</host>
<hostMor>host-5321</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>11</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] RED_HOST-02/" suspendDir="[PF-DV-FC-A]
RED_HOST-02/" logDir="[PF-DV-FC-A] RED_HOST-02/" vmxPath="[PF-DV-
FC-A] RED_HOST-02/RED_HOST-02.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="512"
NumCPUs="1">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>RED_HOST-02.vmx</Name>
  <Size>3002</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>RED_HOST-02.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>RED_HOST-02.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">

```



```

        <Name>RED_HOST-02.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RED_HOST-02.vmdk</Name>
        <Size>16777216</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RED_HOST-02-91b78477.vswp
</Name>

        <Size>536870912</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-RED_HOST-02-
2444723319-1.vswp</Name>

        <Size>47185920</Size>
        <Type>uwsnap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>123245</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>93103</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>94292</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="12127103766" Uncommitted="5637144576"
Committed="12127103766">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-10aa-e945-7e27-75a8b607e645" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="16777216"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="34a8f4f32f0713b15a918042ffca6ba8" Parent="" Disk="[PF-
DV-FC-A] RED_HOST-02/RED_HOST-02.vmdk" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:39:84" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN-2003-10.20.20.0-24" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="CD-ROM 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>GREEN-FW</Name>
    <Mor>vm-5392</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development SDP\GREEN-FW</Path>
    <ParentMor>group-v5433</ParentMor>
    <Annotation>Firewall and gateway for
virutal private LAN.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>centos64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false

```

```

</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
07T11:59:43.717348Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>42242ab3-d3db-40a1-88d0-
2086693c6213</uuid>
<instanceUuid>50249959-1162-dc0b-3ae0-
eaf01aa42449</instanceUuid>
<vmxDir>[PF-DV-FC-A] SDPX-FW-02/
</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VLAN-2003-10.20.20.0-24
(&lt;True&gt;),VLAN-2004-8.8.8.0-24(&lt;True&gt;)</Networks>
<Nics>VLAN-2003-10.20.20.0-24
(&lt;true&gt;),VLAN-2004-8.8.8.0-24(&lt;true&gt;)</Nics>
<NicIpaddresses>unassigned,unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-pf-dv-esx-06.cisco.com
</host>
<hostMor>host-5321</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>11</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] SDPX-FW-02/" suspendDir="[PF-DV-FC-A]
SDPX-FW-02/" logDir="[PF-DV-FC-A] SDPX-FW-02/" vmxPath="[PF-DV-
FC-A] SDPX-FW-02/SDPX-FW-02.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="512"
NumCPUs="1">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SDPX-FW-02.vmx</Name>

```

```

        <Size>3066</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SDPX-FW-02.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SDPX-FW-02.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SDPX-FW-02.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SDPX-FW-02.vmdk</Name>
    <Size>4194304</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SDPX-FW-02-b9356788.vswp
</Name>
    <Size>536870912</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SDPX-FW-02-3107284872-
1.vswp</Name>
    <Size>47185920</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>206096</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>94960</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>95798</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-A"
Unshared="1850096668" Uncommitted="3029336064"

```

```

Committed="1850096668">
    </StorageInfo>
    <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-2d00-00d9-76a9-2b06cfcf6699" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="4194304"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="30f6ddc5ffb3de6c7670439384df4546" Parent="" Disk="[PF-
DV-FC-A] SDPX-FW-02/SDPX-FW-02.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:39:ab" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN-2003-10.20.20.0-24" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:04:69" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN-2004-8.8.8.0-24" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD-ROM 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD

```

```

drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>RED-RTR</Name>
    <Mor>vm-5384</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development SDP\RED-RTR</Path>
    <ParentMor>group-v5433</ParentMor>
    <Annotation>Simple Router to decouple
virtual network sites.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>centos64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T11:59:05.055387Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224811d-27e4-bedb-72fb-
2a18244df8c2</uuid>
    <instanceUuid>50248c46-1e88-b994-1992-
c7c0513058eb</instanceUuid>
    <vmxDir>[PF-DV-FC-A] XCH-RTR01/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>PLATFORM-DEV-2
(&lt;True&gt;),VLAN-2002-4.4.4.0-24(&lt;True&gt;)</Networks>
    <Nics>PLATFORM-DEV-2
(&lt;true&gt;),VLAN-2002-4.4.4.0-24(&lt;true&gt;)</Nics>
</NicIpaddresses>
    <NicIpaddresses>unassigned,unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-pf-dv-esx-06.cisco.com
</host>
    <hostMor>host-5321</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1

```

```

</NumberOfBackingDisks>
    <NumberOfFiles>11</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] XCH-RTR01/" suspendDir="[PF-DV-FC-A]
XCH-RTR01/" logDir="[PF-DV-FC-A] XCH-RTR01/" vmxPath="[PF-DV-FC-
A] XCH-RTR01/XCH-RTR01.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="512"
NumCPUs="1">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>XCH-RTR01.vmx</Name>
        <Size>2677</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>XCH-RTR01.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>XCH-RTR01.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>XCH-RTR01.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>XCH-RTR01.vmdk</Name>
        <Size>4194304</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>XCH-RTR01-8e8c9eb9.vswp
</Name>
        <Size>536870912</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-XCH-RTR01-2391580345-
1.vswp</Name>
        <Size>47185920</Size>
        <Type>uwsap</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-1.log</Name>
        <Size>148968</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>178334</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>95669</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="1840685212" Uncommitted="3038773248"
Committed="1840685212">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-9c68-d854-cf54-f0c208efee9f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="4194304"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b4bdf166cc06223c0f3301b1776cde9c" Parent="" Disk="[PF-
DV-FC-A] XCH-RTR01/XCH-RTR01.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:5b:74" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV-2" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:72:fc" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN-2002-4.4.4.0-24" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"

```



```

ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingCdrom UseAutoDetect="false"
FileName="[PF-DV-FC-A] XCH-RTR01/_deviceImage-0.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-835" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>GREEN-NODE-01</Name>
    <Mor>vm-6355</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development SDP\GREEN-NODE-01</Path>
    <ParentMor>group-v5433</ParentMor>
    <Annotation>SDP-3.1-9.x86_64 - CPU=X86
_64_1Sock4Core RAM=8GB HDD=20GB ThinProv NIC=E1000x1
Java1.6.0_45 Jetty8.1.7 Strongswan5.1.0</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T11:59:48.993747Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422485e6-1f03-6f63-ad36-
b947e4f86e8b</uuid>
    <instanceUuid>50245b6f-e4c7-15d8-1ef8-
44af25ae956d</instanceUuid>
    <vmxDir>[PF-DV-FC-A] NODE_TEMPLATE/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VLAN-2003-10.20.20.0-24
(&lt;True&gt;)</Networks>
    <Nics>VLAN-2003-10.20.20.0-24
(&lt;true&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>

```

```

</host>
    <hostName></hostName>
    <host>b16-pf-dv-esx-06.cisco.com
</host>
    <hostMor>host-5321</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>10</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] NODE_TEMPLATE/" suspendDir="[PF-DV-FC-
A] NODE_TEMPLATE/" logDir="[PF-DV-FC-A] NODE_TEMPLATE/"
vmxPath="[PF-DV-FC-A] NODE_TEMPLATE/NODE_TEMPLATE.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>NODE_TEMPLATE.vmx</Name>
        <Size>2721</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>NODE_TEMPLATE.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>NODE_TEMPLATE.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>NODE_TEMPLATE.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>NODE_TEMPLATE.vmdk</Name>
        <Size>20971520</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>NODE_TEMPLATE-
f19a2051.vswp</Name>
        <Size>8589934592</Size>

```

```

        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-NODE_TEMPLATE-
4053409873-1.vswp</Name>
        <Size>54525952</Size>
        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>174120</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>97484</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="12847436161" Uncommitted="17272143872"
Committed="12847436161">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-0834-2761-2587-5c07ccac3c28" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0b571e8ba535d5971921e0b07843b542" Parent="" Disk="[PF-
DV-FC-A] NODE_TEMPLATE/NODE_TEMPLATE.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:78:bd" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN-2003-10.20.20.0-24" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
</VirtualMachine>
<VirtualMachine>
    <Name>SDPX_HOST-01</Name>
    <Mor>vm-5422</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development SDP\SDPX_HOST-01</Path>
    <ParentMor>group-v5433</ParentMor>
    <Annotation>A generic host machine
inside the virutal LAN of provider and customer. (CentOS Linux
with desktop.)</Annotation>
    <Version>vmx-08</Version>
    <GuestId>centos64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T12:00:09.714939Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224dc2e-32cc-5c1e-3c3a-
5611605defeb</uuid>
    <instanceUuid>502456b1-e4b5-b60a-8a7a-
d3a99acd0dba</instanceUuid>
    <vmxDir>[PF-DV-FC-A] RED_HOST-03/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VLAN-2005-172.17.2.0-24
(&lt;True&gt;)</Networks>
    <Nics>VLAN-2005-172.17.2.0-24
(&lt;true&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-pf-dv-esx-06.cisco.com
</host>
    <hostMor>host-5321</hostMor>
    <ResourcePoolMor>resgroup-289

```

```

</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[PF-DV-FC-A] RED_HOST-03/" suspendDir="[PF-DV-FC-A]
RED_HOST-03/" logDir="[PF-DV-FC-A] RED_HOST-03/" vmxPath="[PF-DV-
FC-A] RED_HOST-03/RED_HOST-03.vmx">
NumCPUs="1">
2444723320-1.vswp</Name>

```

```

<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>10</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="512"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>RED_HOST-03.vmx</Name>
  <Size>3038</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>RED_HOST-03.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>RED_HOST-03.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>RED_HOST-03.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>RED_HOST-03.vmdk</Name>
  <Size>16777216</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>RED_HOST-03-91b78478.vswp
  <Size>536870912</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-RED_HOST-03-

```

```

        <Size>47185920</Size>
        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>140033</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>94003</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="6921895934" Uncommitted="10842275840"
Committed="6921895934">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-c851-d370-6c20-54ae07f541a3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="16777216"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b4393089dfdfc288f2e75546fe91fbd7" Parent="" Disk="[PF-
DV-FC-A] RED_HOST-03/RED_HOST-03.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:76:ac" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN-2005-172.17.2.0-24" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingFloppy UseAutoDetect="false"

```

```

FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"

FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="CD-ROM 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>RED-HOST-01</Name>
    <Mor>vm-5381</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development SDP\RED-HOST-01</Path>
    <ParentMor>group-v5433</ParentMor>
    <Annotation>A generic host machine
inside the virutal LAN of provider and customer. (CentOS Linux
with desktop.)</Annotation>
    <Version>vmx-08</Version>
    <GuestId>centos64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T11:59:59.399911Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224118c-dd7a-5676-0c42-
3688f3205069</uuid>
    <instanceUuid>5024e99e-f306-fa5b-98c5-
ee3f4390a371</instanceUuid>
    <vmxDir>[PF-DV-FC-A] RED_HOST01/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VLAN-2001-192.168.1.0-24

```

```

(&lt;True&gt;)</Networks>
(&lt;true&gt;)</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[PF-DV-FC-A] RED_HOST01/" suspendDir="[PF-DV-FC-A]
RED_HOST01/" logDir="[PF-DV-FC-A] RED_HOST01/" vmxPath="[PF-DV-
FC-A] RED_HOST01/RED_HOST01.vmx">
NumCPUs="1">

```

```

<Nics>VLAN-2001-192.168.1.0-24
<NicIpaddresses>unassigned
<hostName></hostName>
<host>b16-pf-dv-esx-06.cisco.com
<hostMor>host-5321</hostMor>
<ResourcePoolMor>resgroup-289
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>11</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="512"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>RED_HOST01.vmx</Name>
  <Size>2820</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>RED_HOST01.vmx<Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>RED_HOST01.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>RED_HOST01.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>RED_HOST01.vmdk</Name>
  <Size>16777216</Size>
  <Type>diskDescriptor</Type>

```



```

</File>
<File Type="VmFileInfo">
  <Name>RED_HOST01-71059009.vswp
</Name>
  <Size>536870912</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-RED_HOST01-1896189961-
1.vswp</Name>
  <Size>47185920</Size>
  <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>118821</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>141542</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>93416</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-A"
Unshared="9528775395" Uncommitted="8235515904"
Committed="9528775395">
  </StorageInfo>
  <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-47f3-457d-42b8-192788677408" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="16777216"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7dd529cb206b587fa0fafdf1e5c0957e" Parent="" Disk="[PF-
DV-FC-A] RED_HOST01/RED_HOST01.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:1a:e3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN-2001-192.168.1.0-24" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="CD-ROM 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>RED-NODE-01</Name>
    <Mor>vm-6353</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development SDP\RED-NODE-01</Path>
    <ParentMor>group-v5433</ParentMor>
    <Annotation>SDP-3.1-9.x86_64 - CPU=X86
_64_1Sock4Core RAM=8GB HDD=20GB ThinProv NIC=E1000x1
Javal.6.0_45 Jetty8.1.7 Strongswan5.1.0</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>

```

```

                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
07T12:00:04.450274Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4224b775-05e3-ab7a-51b7-
05be53fb708e</uuid>
                                <instanceUuid>5024c729-ab43-c521-471c-
dbe5214d74fd</instanceUuid>
                                <vmxDir>[PF-DV-FC-A] RED-NODE-01/
</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VLAN-2001-192.168.1.0-24
(&lt;True&gt;)</Networks>
                                <Nics>VLAN-2001-192.168.1.0-24
(&lt;true&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>b16-pf-dv-esx-06.cisco.com
</host>
                                <hostMor>host-5321</hostMor>
                                <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>10</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] RED-NODE-01/" suspendDir="[PF-DV-FC-A]
RED-NODE-01/" logDir="[PF-DV-FC-A] RED-NODE-01/" vmxPath="[PF-DV-
FC-A] RED-NODE-01/RED-NODE-01.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="8192"
NumCPUs="4">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>RED-NODE-01.vmx</Name>
                                    <Size>2685</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>RED-NODE-01.vmx</Name>
                                    <Size>0</Size>
                                    <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>RED-NODE-01.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>RED-NODE-01.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>RED-NODE-01.vmdk</Name>
  <Size>20971520</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>RED-NODE-01-39alb3cc.vswp
</Name>
  <Size>8589934592</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-RED-NODE-01-966898636-
1.vswp</Name>
  <Size>54525952</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>113920</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>98072</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-A"
Unshared="14028073089" Uncommitted="16091447296"
Committed="14028073089">
  </StorageInfo>
  <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-35c9-0da8-4e33-c1a2743651d6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="a2ebcb3a9f02e568869696bf05ac4e85" Parent="" Disk="[PF-
DV-FC-A] RED-NODE-01/RED-NODE-01.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4a:47" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN-2001-192.168.1.0-24" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
</VirtualMachine>
<VirtualMachine>
    <Name>SDPX-NODE-01</Name>
    <Mor>vm-6357</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development SDP\SDPX-NODE-01</Path>
    <ParentMor>group-v5433</ParentMor>
    <Annotation>SDP-3.1-9.x86_64 - CPU=X86
_64_1Sock4Core RAM=8GB HDD=20GB ThinProv NIC=E1000x1
Java1.6.0_45 Jetty8.1.7 Strongswan5.1.0</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T12:00:17.432978Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>

```

```

844ee9c851ce</uuid>
<instanceUuid>5024915c-3ae8-60b5-18f1-
2b079e6a8b88</instanceUuid>
</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VLAN-2005-172.17.2.0-24
(&lt;True&gt;)</Networks>
<Nics>VLAN-2005-172.17.2.0-24
(&lt;true&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-pf-dv-esx-06.cisco.com
</host>
<hostMor>host-5321</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>10</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] SDPX-NODE-01/" suspendDir="[PF-DV-FC-A]
SDPX-NODE-01/" logDir="[PF-DV-FC-A] SDPX-NODE-01/" vmxPath="[PF-
DV-FC-A] SDPX-NODE-01/SDPX-NODE-01.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SDPX-NODE-01.vmx</Name>
<Size>2715</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SDPX-NODE-01.vmx</Name>
<Size>0</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SDPX-NODE-01.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>SDPX-NODE-01.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SDPX-NODE-01.vmdk</Name>
            <Size>20971520</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SDPX-NODE-01-3301b330.vswp
</Name>
            <Size>8589934592</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmx-SDPX-NODE-01-
855749424-1.vswp</Name>
            <Size>54525952</Size>
            <Type>uwsap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>112671</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>97450</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="PF-DV-FC-A"
Unshared="15609323856" Uncommitted="14510194688"
Committed="15609323856">
            </StorageInfo>
            <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-6730-cc06-0c7f-90d1e5b1d828" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="73d8b42f86e82975dd9ac65998978e19" Parent="" Disk="[PF-
DV-FC-A] SDPX-NODE-01/SDPX-NODE-01.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:14:12" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN-2005-172.17.2.0-24" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
    </VirtualMachine>
</Folder>
<Folder>
    <Name>Platform Development</Name>
    <Mor>group-v1377</Mor>
    <MorType>Folder</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform Development
</Path>
    <ParentMor>group-v282</ParentMor>
    <NumberOfFolders>0</NumberOfFolders>
    <NumberOfVMs>60</NumberOfVMs>
    <NumberOfHosts>0</NumberOfHosts>
    <NumberOfVApps>0</NumberOfVApps>
    <NumberOfDatastores>0</NumberOfDatastores>
    <NumberOfStoragePods>0
</NumberOfStoragePods>
    <NumberOfNetworks>0</NumberOfNetworks>
    <VirtualMachine>
        <Name>B16-PF-DV-217</Name>
        <Mor>vm-1907</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-217</Path>
        <ParentMor>group-v1377</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true

```



```

</BootOptionsSupported>
</SwapPlacementSupported>
29T05:49:40.366752Z</ChangeVersion>
</connectionState>
0ffce4cd1c0e</uuid>
408225291420</instanceUuid>
</Networks>
</Nics>
(fe80::250:56ff:fea4:4855)</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[TEMP] B16-PF-DV-217/" suspendDir="[TEMP] B16-PF-DV-
217/" logDir="[TEMP] B16-PF-DV-217/" vmxPath="[TEMP] B16-PF-DV-
217/B16-PF-DV-217.vmx">
NumCPUs="2">

```

```

<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
<powerState>poweredOn</powerState>
<connectionState>connected
<uuid>422480e5-411d-8cbb-3e78-
<instanceUuid>50243146-5d7f-272f-93be-
<vmxDir>[TEMP] B16-PF-DV-217/</vmxDir>
<template>>false</template>
<IpAddress>10.106.8.227</IpAddress>
<Networks>PLATFORM-DEV(&lt;true&gt;)
<Nics>PLATFORM-DEV(&lt;true&gt;)
<NicIpaddresses>(10.106.8.227)
<hostName>B16-PF-DV-217</hostName>
<host>b16-pf-dv-esx-11.cisco.com
<hostMor>host-5362</hostMor>
<ResourcePoolMor>resgroup-289
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>12</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-217.vmx</Name>
  <Size>2991</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-217.vmx</Name>

```

```

        <Size>0</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-217.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-217.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-217.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-217-
b0a16f77.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-PF-DV-217-
2963369847-1.vswp</Name>
    <Size>96468992</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>2037958270</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>34460</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>5713172854</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>122208</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="TEMP"
Unshared="28242571659" Uncommitted="91274346496"

```

```

Committed="28242571659">
    </StorageInfo>
    <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-41ca-6994-ddb3-4fd40d525212" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1ab4635e0cbclb2bc9d3de1623656fbf" Parent=""
Disk="[TEMP] B16-PF-DV-217/B16-PF-DV-217.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:48:55" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SCC-ADEX-01</Name>
    <Mor>vm-3778</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-SCC-ADEX-01</Path>
    <ParentMor>group-v1377</ParentMor>

```

```

<Annotation></Annotation>
<Version>vmx-09</Version>
<GuestId>windows8_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>>true
</ChangeTrackingSupported>
<BootOptionsSupported>>true
</BootOptionsSupported>
<SwapPlacementSupported>>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T11:06:50.121717Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>42244caf-1434-9d3b-eced-
68f3470be8c6</uuid>
<instanceUuid>5024b45e-f88c-06aa-5316-
8556347cd5c0</instanceUuid>
<vmxDir>[STG-SATA-B-NEW] B16-SCC-ADEX-
01/</vmxDir>
<template>>false</template>
<IpAddress>10.106.6.251</IpAddress>
<Networks>None</Networks>
<Nics>STG-309_10.106.6.224/27
(&lt;true&gt;)</Nics>
<NicIpaddresses>
(fe80::d865:c89c:5804:9399)(10.106.6.251)</NicIpaddresses>
<hostName>B16-SCC-ADEX-01.adex01.com
</hostName>
<host>b16-stg-esx-08.cisco.com</host>
<hostMor>host-405</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-B-NEW] B16-SCC-ADEX-01/" suspendDir="[STG-
SATA-B-NEW] B16-SCC-ADEX-01/" logDir="[STG-SATA-B-NEW] B16-SCC-
ADEX-01/" vmxPath="[STG-SATA-B-NEW] B16-SCC-ADEX-01/B16-SCC-ADEX-
01.vmx">
</VirtualMachineFileInfo>

```

```

NumCPUs="4">
    <VirtualHardware MemoryMB="8192"
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SCC-ADEX-01.vmx</Name>
        <Size>3232</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SCC-ADEX-01.vmx
    </Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SCC-ADEX-01.nvram
    </Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SCC-ADEX-01.vmsd
    </Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SCC-ADEX-01-aux.xml
    </Name>
        <Size>0</Size>
        <Type>snapshotManifestList
    </Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SCC-ADEX-01-
000001.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SCC-ADEX-01-
Snapshot3.vmsn</Name>
        <Size>8598673654</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SCC-ADEX-01-
6c14d786.vswp</Name>
        <Size>8589934592</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">

```

```

1813305222-1.vswp</Name>
    <Name>vmx-B16-SCC-ADEX-01-
    <Size>98566144</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>1045370</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>6036490729</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>587451</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>25609</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>1260246</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-B-
NEW" Unshared="148312869503" Uncommitted="27111772160"
Committed="148312869503">
    </StorageInfo>
    <Datastore Mor="datastore-3658"
Url="/vmfs/volumes/51e15c1b-fcb08d75-ec4f-0025b5cc005f"
Name="STG-SATA-B-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-aa2a-40ef-f49a-ab34ca62637e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3658"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3d9834e77ab3a92737f1fd2e70f209b8" Parent="[STG-SATA-B-
NEW] B16-SCC-ADEX-01/B16-SCC-ADEX-01.vmdk" Disk="[STG-SATA-B-NEW]
B16-SCC-ADEX-01/B16-SCC-ADEX-01-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</Snapshot>
    <Snapshot>B16-SCC-ADEX-01-SNAPSHOT-01
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-030</Name>
    <Mor>vm-846</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-030</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>verified</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:22.061995Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dc0db-7dc2-709f-7325-
0b48c3ecb839</uuid>
    <instanceUuid>502d59df-8309-3f6a-a4d9-
d5624dfcf446</instanceUuid>
    <vmxDir>[PF-DV-FC-A] B16-PF-DV-030/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.40</IpAddress>

```

```

</Networks>                                <Networks>PLATFORM-DEV(&lt;False&gt;)
</Nics>                                       <Nics>PLATFORM-DEV(&lt;false&gt;)
                                               <NicIpaddresses>(10.106.8.40)
(fe80::250:56ff:fead:10)</NicIpaddresses>     <hostName>B16-PF-DV-030</hostName>
</host>                                       <host>b16-pf-dv-esx-01.cisco.com
                                               <hostMor>host-832</hostMor>
</ResourcePoolMor>                           <ResourcePoolMor>resgroup-289
                                               <NumberOfDatastores>1
</NumberOfDatastores>                       <NumberOfBackingDisks>1
</NumberOfBackingDisks>                     <NumberOfFiles>13</NumberOfFiles>
                                               <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>                 <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>              <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-030/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-030/" logDir="[PF-DV-FC-A] B16-PF-DV-030/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-030/SCC-BGL04-DV-160.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-160.vmx
</Name>
  <Size>3204</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-160.vmx
</Name>
  <Size>3431</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-160.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-160.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>

```



```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-160.vmdk
</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>35207</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>171586</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>747753</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>190174</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>164960</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>165609</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>373432</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-A"
Unshared="19710898536" Uncommitted="92204802048"
Committed="19710898536">
  </StorageInfo>
  <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-976f-71bc-0aef-c24d69715173" ChangeId=""

```

```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d33513788d9665cf084450886c932253" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-030/SCC-BGL04-DV-160.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:10" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-141</Name>
    <Mor>vm-942</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-141</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>Jan12hbabariySCC1516 -
CUSDP_CRM - 10.76.96.169</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPProGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true

```

```

</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
06T07:05:57.42309Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42000d7c-bb68-19ae-20d5-
7e4db4141329</uuid>
    <instanceUuid>5000d09b-945e-5f51-d3c1-
a0f0b9b92cd6</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.151</IpAddress>
    <Networks>PLATFORM-DEV(&lt;True&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.151)
</NicIpaddresses>
    <hostName>B16-PF-DV-141.scc-dv.com
</hostName>
    <host>b16-pf-dv-esx-09.cisco.com
</host>
    <hostMor>host-951</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-141/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-141/" logDir="[PF-DV-FC-B] B16-PF-DV-141/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-141/B16-PF-DV-141.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-141.vmx</Name>
        <Size>3096</Size>

```

```

        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-141.vmx</Name>
    <Size>3043</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-141.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-141.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-141.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-141-
00b29b5d.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-PF-DV-141-
11705181-1.vswp</Name>
    <Size>96468992</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>717262</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>143964</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>149375</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>163196</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>34832</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>210633</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>124449</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-B"
Unshared="43124246534" Uncommitted="4218421248"
Committed="43124246534">
        </StorageInfo>
        <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-a765-c18c-8c58-358c3c6f1458" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2dd02ef2eb302eaaf9b3352a3447ae49" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-141/B16-PF-DV-141.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="3000" ControllerKey="200"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:42:6d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"

```

```

DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-184</Name>
    <Mor>vm-908</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-184</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:15:32.050805Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42001bf5-6fe8-8fc5-5e13-
bale0953c9d1</uuid>
    <instanceUuid>5000f143-3642-533c-fb96-
4546314e65fa</instanceUuid>
    <vmxDir>[PF-DV-FC-A] B16-PF-DV-184/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.8.194</IpAddress>
    <Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.194)
(fe80::250:56ff:fe80:6d9)</NicIpaddresses>
    <hostName>B16-PF-DV-184</hostName>
    <host>b16-pf-dv-esx-05.cisco.com
</host>
    <hostMor>host-895</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1

```

```

</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-184/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-184/" logDir="[PF-DV-FC-A] B16-PF-DV-184/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-184/B16-PF-DV-184.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-184.vmx</Name>
        <Size>3238</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-184.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-184.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-184.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>rhel-server-5.5-x86_64-
Template.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>498366</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>209923</Size>
        <Type>log</Type>
    </File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-11.log</Name>
            <Size>6593445888</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-10.log</Name>
            <Size>161573110</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>205075</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>118665</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>35035</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="PF-DV-FC-A"
Unshared="44928462116" Uncommitted="52266639360"
Committed="44928462116">
            </StorageInfo>
            <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-7c83-b215-4938-8f99a994a767" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c5c20f4a0450a5d4efb0d877d761adac" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-184/rhel-server-5.5-x86_64-Template.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:06:d9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"

```



```

StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-185</Name>
    <Mor>vm-853</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-185</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>This VM was created by
subaig on 10-APRIL-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:22.064044Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200869a-dced-5979-430a-
97d5b96edfc2</uuid>
    <instanceUuid>50008683-6bd0-1891-7881-
0eaa2edb3b95</instanceUuid>
    <vmxDir>[PF-DV-FC-A] B16-PF-DV-185/
</vmxDir>

```

```

<template>>false</template>
<IpAddress>10.106.8.195</IpAddress>
<Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
<Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>(10.106.8.195)
(fe80::250:56ff:fe80:7b34)</NicIpaddresses>
<hostName>B16-PF-DV-185</hostName>
<host>b16-pf-dv-esx-01.cisco.com
</host>
<hostMor>host-832</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-185/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-185/" logDir="[PF-DV-FC-A] B16-PF-DV-185/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-185/B16-PF-DV-185.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-185.vmx</Name>
  <Size>3093</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-185.vmx</Name>
  <Size>3470</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-185.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-185.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>B16-PF-DV-185.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>165055</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>399496</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>35161</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>213225</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>630241</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>172379</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>357311</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="105087129107" Uncommitted="6828695552"
Committed="105087129107">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-11c4-5fa9-3398-d9943cab3f94" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9fca70238372701de846fe16b3dedb0f" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-185/B16-PF-DV-185.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:7b:34" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-073</Name>
    <Mor>vm-897</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-073</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>

```

```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:15:32.052051Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422da970-fbfb-985f-447b-
98949c7e29f0</uuid>
        <instanceUuid>502d8e75-25a4-286d-d69e-
9b9b14b4a5e1</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.8.83</IpAddress>
        <Networks>PLATFORM-DEV(&lt;False&gt; )
</Networks>
        <Nics>PLATFORM-DEV(&lt;false&gt; )
</Nics>
        <NicIpaddresses>(10.106.8.83)
(fe80::250:56ff:fead:1825)</NicIpaddresses>
        <hostName>B16-PF-DV-073</hostName>
        <host>b16-pf-dv-esx-05.cisco.com
</host>
        <hostMor>host-895</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-073/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-073/" logDir="[PF-DV-FC-A] B16-PF-DV-073/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-073/SCC-DEV-VM-047.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-047.vmx</Name>
            <Size>3130</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-047.vmx</Name>

```

```

        <Size>3368</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-047.nvram
</Name>

        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-047.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-047.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>195245</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>151024</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>207930</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>148769</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>410691</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>833175</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>35181</Size>

```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="77298825613" Uncommitted="17437138944"
Committed="77298825613">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-3abe-laba-cbc3-8d0db0cedd6c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="fed4e590c1d1ae24609fe80c4b398974" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-073/SCC-DEV-VM-047.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:25" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>
                <Name>B16-PF-DV-074</Name>
                <Mor>vm-1048</Mor>

```

```

        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-074</Path>
        <ParentMor>group-v1377</ParentMor>
        <Annotation>This VM imaged by Chandra
Babu M</Annotation>

        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:15:20.792841Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422dc773-5165-5e49-0efc-
18e82ebcc6b8</uuid>
        <instanceUuid>502d3fda-a3b9-efa8-5f3a-
5a6e1fe7d251</instanceUuid>
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.8.84</IpAddress>
        <Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
        <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>(10.106.8.84)
(fe80::250:56ff:fead:1829)</NicIpaddresses>
        <hostName>B16-PF-DV-074</hostName>
        <host>b16-pf-dv-esx-11.cisco.com
</host>
        <hostMor>host-5362</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```



```

        <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-074/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-074/" logDir="[PF-DV-FC-A] B16-PF-DV-074/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-074/SCC-DEV-VM-048.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-048.vmx</Name>
            <Size>3132</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-048.vmx</Name>
            <Size>3368</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-048.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-048.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-048-000002.vmdk
</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>33346</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-27.log</Name>
            <Size>293999</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-28.log</Name>
            <Size>170626</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-30.log</Name>

```

```

        <Size>254264</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-31.log</Name>
        <Size>168208</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>336579</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-32.log</Name>
        <Size>191948</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="93077682010" Uncommitted="111712301056"
Committed="93077682010">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-bae3-b46b-1af7-1176bde86d96" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="18acblac1391773063767473c94adf4a" Parent="[PF-DV-FC-A]
B16-PF-DV-074/SCC-DEV-VM-048-000001.vmdk" Disk="[PF-DV-FC-A] B16-
PF-DV-074/SCC-DEV-VM-048-000002.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:29" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-139</Name>
    <Mor>vm-868</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-139</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>This VM is created by
subaig on 5-MAR-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:21.496036Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42001d79-219a-5d1e-5dd5-
1fa96eb4123b</uuid>
    <instanceUuid>50003e0e-b07f-7bc8-a41a-
2deb35db7fe6</instanceUuid>
    <vmxDir>[PF-DV-FC-A] B16-PF-DV-139/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.149</IpAddress>
    <Networks>PLATFORM-DEV(&lt;false&gt;);
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;);
</Nics>
    <NicIpaddresses>(10.106.8.149)

```

```

(fe80::250:56ff:fe80:74f9)</NicIpaddresses>
                                <hostName>B16-PF-DV-139.cisco.com
</hostName>
                                <host>b16-pf-dv-esx-01.cisco.com
</host>
                                <hostMor>host-832</hostMor>
                                <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>13</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-139/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-139/" logDir="[PF-DV-FC-A] B16-PF-DV-139/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-139/B16-PF-DV-139.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-139.vmx</Name>
                                    <Size>3229</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-139.vmx</Name>
                                    <Size>3428</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-139.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-139.vmsd</Name>
                                    <Size>0</Size>
                                    <Type>snapshotList</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-139.vmdk</Name>
                                    <Size>104857600</Size>
                                    <Type>diskDescriptor</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware-11.log</Name>

```

```

        <Size>794486</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>35162</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>145795</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>331092</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>232330</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>2053335529</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>793543055</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="41063785110" Uncommitted="73698484224"
Committed="41063785110">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-1ca0-4677-d127-6b73ebc2206a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8e235cbc8aff4b0d03c30ba2e242994f" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-139/B16-PF-DV-139.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:74:f9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-077</Name>
    <Mor>vm-988</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-077</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>This VM created by Sandeep
Byrappa.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:54:34.395467Z</ChangeVersion>
    <powerState>poweredOff</powerState>

```



```

        <Name>SCC-BGL04-DV-121-NEW.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-121-NEW.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-121-NEW.vmdk
</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>138863</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>118953</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>490239</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>209315</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>785589</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>34930</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>120888</Size>
        <Type>log</Type>
</File>

```



```

        <StorageInfo Datastore="PF-DV-FC-A"
Unshared="76207175083" Uncommitted="35708575744"
Committed="76207175083">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-d023-8ee1-de53-faba2a4f2240" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="79704d74033b21d3f09ea8793dee0f0d" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-077/SCC-BGL04-DV-121-NEW.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:5d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-PF-DV-138</Name>
        <Mor>vm-1097</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Platform

```

```

Development\B16-PF-DV-138</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>This VM was created by
subaig on 4-MAR-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:55:44.193537Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42006f53-69e7-5604-d1dd-
4e9e72aa067a</uuid>
    <instanceUuid>50003742-10cc-8ca4-8d3f-
384acd672d56</instanceUuid>
    <vmxDir>[TEMP] B16-PF-DV-138</vmxDir>
    <template>false</template>
    <IpAddress>10.106.8.148</IpAddress>
    <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.148)
(fe80::250:56ff:fe80:7c79)</NicIpaddresses>
    <hostName>B16-PF-DV-138.cisco.com
</hostName>
    <host>b16-pf-dv-esx-11.cisco.com
</host>
    <hostMor>host-5362</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-PF-DV-138/" suspendDir="[TEMP] B16-PF-DV-

```

```
138/" logDir="[TEMP] B16-PF-DV-138/" vmxPath="[TEMP] B16-PF-DV-138/B16-PF-DV-138.vmx">
```

```
</VirtualMachineFileInfo>
```

```
<VirtualHardware MemoryMB="4096"
```

```
NumCPUs="2">
```

```
</VirtualHardware>
```

```
<File Type="VmFileInfo">
```

```
<Name>B16-PF-DV-138.vmx</Name>
```

```
<Size>3074</Size>
```

```
<Type>config</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">
```

```
<Name>B16-PF-DV-138.vmx</Name>
```

```
<Size>0</Size>
```

```
<Type>extendedConfig</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">
```

```
<Name>B16-PF-DV-138.nvram</Name>
```

```
<Size>8684</Size>
```

```
<Type>nvram</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">
```

```
<Name>B16-PF-DV-138.vmsd</Name>
```

```
<Size>0</Size>
```

```
<Type>snapshotList</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">
```

```
<Name>B16-PF-DV-138.vmdk</Name>
```

```
<Size>104857600</Size>
```

```
<Type>diskDescriptor</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">
```

```
<Name>vmware-32.log</Name>
```

```
<Size>2038173185</Size>
```

```
<Type>log</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">
```

```
<Name>vmware-31.log</Name>
```

```
<Size>793711041</Size>
```

```
<Type>log</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">
```

```
<Name>vmware-27.log</Name>
```

```
<Size>294250</Size>
```

```
<Type>log</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">
```

```
<Name>vmware-28.log</Name>
```

```
<Size>210958</Size>
```

```
<Type>log</Type>
```

```
</File>
```

```
<File Type="VmFileInfo">
```

```

        <Name>vmware-29.log</Name>
        <Size>170533</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-30.log</Name>
        <Size>252144</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>34827</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="68439113288" Uncommitted="46307581952"
Committed="68439113288">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-2cf6-55bf-3e44-ad49d17aa300" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bc14081366f530ba6f9bfef17ca8alaf" Parent=""
Disk="[TEMP] B16-PF-DV-138/B16-PF-DV-138.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:7c:79" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                </BackingNetwork>
                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-135</Name>
    <Mor>vm-936</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-135</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>This VM was created by
prasbr on 27-FEB-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:34.824659Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200ec05-96d1-db4d-0288-
6aa140f6b095</uuid>
    <instanceUuid>50005f4a-b42c-b2c3-d5b2-
c4ee705852e5</instanceUuid>
    <vmxDir>[PF-DV-FC-B] B16-PF-DV-135/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.8.145</IpAddress>
    <Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.145)
(fe80::250:56ff:fe80:1c18)</NicIpaddresses>
    <hostName>B16-PF-DV-135</hostName>
    <host>b16-pf-dv-esx-09.cisco.com
</host>

```

```

        <hostMor>host-951</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-135/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-135/" logDir="[PF-DV-FC-B] B16-PF-DV-135/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-135/B16-PF-DV-135.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-PF-DV-135.vmx</Name>
            <Size>3281</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-PF-DV-135.vmx</Name>
            <Size>3428</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-PF-DV-135.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-PF-DV-135.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-PF-DV-135.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>4111681936</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>

```

```

        <Size>34837</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>736908</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>218219</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>148807</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>629583</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>1587765124</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-B"
Unshared="93693534423" Uncommitted="23921532928"
Committed="93693534423">
        </StorageInfo>
        <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-3305-6e56-1b21-a141b1f3530c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6c5418722ec513bf16a5da8b9685bd01" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-135/B16-PF-DV-135.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:1c:18" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-134</Name>
    <Mor>vm-964</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-134</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:34.824471Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200fc39-22e4-0ada-5d9e-
90c8673c2d6f</uuid>
    <instanceUuid>5000af9d-3472-04cd-5c09-
b8a66b78f49c</instanceUuid>

```



```

</vmxDir>                                <vmxDir>[PF-DV-FC-B] B16-PF-DV-134/
</Networks>                               <template>>false</template>
</Nics>                                    <IpAddress>10.106.8.144</IpAddress>
                                            <Networks>PLATFORM-DEV(&lt;false&gt;)
                                            <Nics>PLATFORM-DEV(&lt;false&gt;)
                                            <NicIpaddresses>(10.106.8.144)
( fe80::250:56ff:fe80:7dc2)</NicIpaddresses> <hostName>B16-PF-DV-134</hostName>
</host>                                     <host>b16-pf-dv-esx-09.cisco.com
                                            <hostMor>host-951</hostMor>
</ResourcePoolMor>                        <ResourcePoolMor>resgroup-289
</NumberOfDatastores>                     <NumberOfDatastores>1
</NumberOfBackingDisks>                   <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                <NumberOfFiles>13</NumberOfFiles>
</NumberOfFeatureMaskEntries>              <CpuFeatureMaskSupported>true
                                            <NumberOfFeatureMaskEntries>0
                                            <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-134/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-134/" logDir="[PF-DV-FC-B] B16-PF-DV-134/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-134/B16-PF-DV-134.vmx">
                                            </VirtualMachineFileInfo>
                                            <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-134.vmx</Name>
    <Size>3031</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-134.vmx</Name>
    <Size>3426</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-134.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-134.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-134.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>34837</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>112438</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>119432</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>601614</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>147660</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>2058372317</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>820251067</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-B"
Unshared="107786537578" Uncommitted="7006953472"
Committed="107786537578">
  </StorageInfo>
  <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-43d5-17df-2514-14cbcd0ae82f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```

```

Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ec68857be70d57953751be046d880e25" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-134/B16-PF-DV-134.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:7d:c2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-062</Name>
    <Mor>vm-863</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-062</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>verified changed manager
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported>      <BootOptionsSupported>true
</SwapPlacementSupported>    <SwapPlacementSupported>true
                               <SwapPlacement>inherit</SwapPlacement>
                               <ChangeVersion>2013-12-
30T08:10:21.495217Z</ChangeVersion>
                               <powerState>poweredOff</powerState>
                               <connectionState>connected
</connectionState>
                               <uuid>564d3f04-38d6-7630-2c9e-
2delccaafa345</uuid>
                               <instanceUuid>52b4acc0-8c9d-ab2d-4084-
9589524e8edb</instanceUuid>
</vmxDir>                     <vmxDir>[PF-DV-FC-B] B16-PF-DV-062/
                               <template>>false</template>
                               <IpAddress>10.106.8.72</IpAddress>
                               <Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
                               <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
                               <NicIpaddresses>(10.106.8.72)
(fe80::250:56ff:fead:3263)</NicIpaddresses>
                               <hostName>B16-PF-DV-062</hostName>
</host>                       <host>b16-pf-dv-esx-01.cisco.com
                               <hostMor>host-832</hostMor>
                               <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
                               <NumberOfDatastores>1
</NumberOfDatastores>
                               <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                               <NumberOfFiles>13</NumberOfFiles>
</CpuFeatureMaskSupported>    <CpuFeatureMaskSupported>true
                               <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                               <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-062/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-062/" logDir="[PF-DV-FC-B] B16-PF-DV-062/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-062/SCC-BGL04-DV-81.vmx">
                               </VirtualMachineFileInfo>
                               <VirtualHardware MemoryMB="4096"
NumCPUs="4">
                               </VirtualHardware>
                               <File Type="VmFileInfo">
                                   <Name>SCC-BGL04-DV-81.vmx</Name>
                                   <Size>3271</Size>
                                   <Type>config</Type>
                               </File>

```

```

</Name>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-81.vmx
        </Name>
        <Size>3430</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-81.nvram
        </Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-81.vmsd
        </Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-81.vmdk
        </Name>
        <Size>209715200</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-46.log</Name>
        <Size>50758</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-44.log</Name>
        <Size>150622</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>35191</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-43.log</Name>
        <Size>182935</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-48.log</Name>
        <Size>167046</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-47.log</Name>
        <Size>215697</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-45.log</Name>
        <Size>690402</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-B"
Unshared="142931854020" Uncommitted="76437430272"
Committed="142931854020">
        </StorageInfo>
        <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-b3bb-a94b-5d94-7a4c9e78a6c9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4193613d3d5930a76de91cc750ffb186" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-062/SCC-BGL04-DV-81.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:63" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">

```

```

        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-PF-DV-061</Name>
        <Mor>vm-884</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-061</Path>
        <ParentMor>group-v1377</ParentMor>
        <Annotation>verified changed manager
    </Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
    </ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
    </ChangeTrackingSupported>
        <BootOptionsSupported>true
    </BootOptionsSupported>
        <SwapPlacementSupported>true
    </SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:22.248722Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
        <uuid>422da333-3a27-0358-ce5e-
3ed8b1dc4a89</uuid>
        <instanceUuid>502dd403-0089-49f2-a155-
0e6c6538e1a0</instanceUuid>
        <vmxDir>[PF-DV-FC-A] B16-PF-DV-061/
    </vmxDir>
        <template>false</template>
        <IpAddress>10.106.8.71</IpAddress>
        <Networks>PLATFORM-DEV(&lt;false&gt;)
    </Networks>
        <Nics>PLATFORM-DEV(&lt;false&gt;)
    </Nics>
        <NicIpaddresses>(10.106.8.71)
(fe80::250:56ff:fead:6f)</NicIpaddresses>
        <hostName>B16-PF-DV-061</hostName>
        <host>b16-pf-dv-esx-01.cisco.com
    </host>
        <hostMor>host-832</hostMor>
        <ResourcePoolMor>resgroup-289
    </ResourcePoolMor>
        <NumberOfDatastores>1
    </NumberOfDatastores>
        <NumberOfBackingDisks>1
    </NumberOfBackingDisks>

```

```

        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-061/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-061/" logDir="[PF-DV-FC-A] B16-PF-DV-061/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-061/SCC-BGL04-DV-79.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="6144"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-79.vmx</Name>
            <Size>3154</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-79.vmx
</Name>
            <Size>3430</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-79.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-79.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-79.vmdk
</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-28.log</Name>
            <Size>164863</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-23.log</Name>
            <Size>114486</Size>
            <Type>log</Type>
        </File>

```



```

        <File Type="VmFileInfo">
            <Name>vmware-25.log</Name>
            <Size>148335</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-26.log</Name>
            <Size>685719</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-27.log</Name>
            <Size>212452</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>35189</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-24.log</Name>
            <Size>412040</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="PF-DV-FC-A"
Unshared="29084043712" Uncommitted="84979064832"
Committed="29084043712">
            </StorageInfo>
            <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-fd70-26ec-04c1-6c943b1dffbfb" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="flaelfa8895785d202c53c84ae67e4a8" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-061/SCC-BGL04-DV-79.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:6f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"

```

```

StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-TEST-WIN1</Name>
    <Mor>vm-5238</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\SCC-TEST-WIN1</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
09T17:00:19.16829Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564deffe-54c1-299e-05e8-
2dcc8bfabac6</uuid>
    <instanceUuid>500053d3-8ef2-d8c2-9b64-
c051b3ef0356</instanceUuid>
    <vmxDir>[TEMP] SCC-TEST-WIN1</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.244</IpAddress>

```

```

</Networks>                                <Networks>PLATFORM-DEV(&lt;True&gt;)
</Nics>                                       <Nics>PLATFORM-DEV(&lt;true&gt;)
                                               <NicIpaddresses>
(fe80::7c55:1ba7:e889:33c2)(10.106.8.244)</NicIpaddresses>
</hostName>                                  <hostName>SCC-TEST-WIN1.scc-dv.com
</host>                                       <host>b16-pf-dv-esx-11.cisco.com
                                               <hostMor>host-5362</hostMor>
</ResourcePoolMor>                          <ResourcePoolMor>resgroup-289
</NumberOfDatastores>                       <NumberOfDatastores>1
</NumberOfBackingDisks>                    <NumberOfBackingDisks>1
                                               <NumberOfFiles>16</NumberOfFiles>
</CpuFeatureMaskSupported>                 <CpuFeatureMaskSupported>true
                                               <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                               <VirtualMachineFileInfo
snapshotDir="[TEMP] SCC-TEST-WIN1/" suspendDir="[TEMP] SCC-TEST-
WIN1/" logDir="[TEMP] SCC-TEST-WIN1/" vmxPath="[TEMP] SCC-TEST-
WIN1/SCC-TEST-WIN1.vmx">
</VirtualMachineFileInfo>
                                               <VirtualHardware MemoryMB="2048"
NumCPUs="1">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-TEST-WIN1.vmx</Name>
  <Size>4576</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-TEST-WIN1.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-TEST-WIN1.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-TEST-WIN1.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-TEST-WIN1-aux.xml

```

```

</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-TEST-WIN1_1.vmdk
</Name>
    <Size>94371840</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-TEST-WIN1-
a21bd4cf.vswp</Name>
    <Size>2147483648</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-TEST-WIN1-
2719732943-1.vswp</Name>
    <Size>112197632</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>477193</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>231254</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-32.log</Name>
    <Size>231129</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>483711</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>147445</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-33.log</Name>
    <Size>240222</Size>
    <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>222550</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="TEMP"
Unshared="61000858412" Uncommitted="37897633792"
Committed="61000858412">
            </StorageInfo>
            <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-49a4-cbcf-21a8-ad9dee90c9b3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="94371840"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6e048ae002deaf1168687c9ef871e190" Parent=""
Disk="[TEMP] SCC-TEST-WIN1/SCC-TEST-WIN1_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:2d:09" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                                </BackingFloppy>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
        <BackingUsbCtrl HotAddRemove="false"
EhciEnabled="false" AutoConnect="true" ControllerUnitNumber="-1"
SharedBus="" BackingType="" FileName="" DeviceName="USB
controller " BusNum="22" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="22" Key="7000"
ControllerKey="100" Type="" Label="">
        </BackingUsbCtrl>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-PF-DV-060</Name>
        <Mor>vm-847</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-060</Path>
        <ParentMor>group-v1377</ParentMor>
        <Annotation>verified</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
    </ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
    </ChangeTrackingSupported>
        <BootOptionsSupported>true
    </BootOptionsSupported>
        <SwapPlacementSupported>true
    </SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:15:20.561973Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
        <uuid>422d1dbe-5e87-d3a0-e443-
a5e1d3c2ab2b</uuid>
        <instanceUuid>502d5f5e-0b77-f547-4b8a-
3de4c9ed5be4</instanceUuid>
        <vmxDir>[PF-DV-FC-A] B16-PF-DV-060/
    </vmxDir>
        <template>>false</template>
        <IpAddress>10.106.8.70</IpAddress>
        <Networks>PLATFORM-DEV(&lt;False&gt;)
    </Networks>

```

```

        <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>(10.106.8.70)
(fe80::250:56ff:fead:7b)</NicIpaddresses>
        <hostName>B16-PF-DV-060</hostName>
        <host>b16-pf-dv-esx-11.cisco.com
</host>
        <hostMor>host-5362</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-060/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-060/" logDir="[PF-DV-FC-A] B16-PF-DV-060/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-060/SCC-BGL04-DV-78.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-78.vmx</Name>
            <Size>3137</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-78.vmx
</Name>
            <Size>3430</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-78.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-78.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-78.vmdk

```

```

</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-39.log</Name>
    <Size>201998</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>31320</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-36.log</Name>
    <Size>179928</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-35.log</Name>
    <Size>107498</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-37.log</Name>
    <Size>645791</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-34.log</Name>
    <Size>263453</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-38.log</Name>
    <Size>166665</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-A"
Unshared="89157834880" Uncommitted="22757613568"
Committed="89157834880">
    </StorageInfo>
    <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-a5c6-104c-6a0c-1562d7ac6b8a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"

```



```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="45345f44ee5905c46eb0f09864ce7624" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-060/SCC-BGL04-DV-78.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:7b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-050</Name>
    <Mor>vm-1060</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-050</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>verified</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:56:14.168464Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d6c9d-cf25-0933-4d8f-
2500d3b8aa4a</uuid>
    <instanceUuid>502da83b-ee91-01a6-d488-
d870f239dbd8</instanceUuid>
    <vmxDir>[TEMP] B16-PF-DV-050</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.60</IpAddress>
    <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.60)
(fe80::250:56ff:fead:32af)</NicIpaddresses>
    <hostName>B16-PF-DV-050</hostName>
    <host>b16-pf-dv-esx-11.cisco.com
</host>
    <hostMor>host-5362</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-PF-DV-050/" suspendDir="[TEMP] B16-PF-DV-
050/" logDir="[TEMP] B16-PF-DV-050/" vmxPath="[TEMP] B16-PF-DV-
050/SCC-BGL04-DV-200.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-200.vmx
</Name>
        <Size>3124</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-200.vmx
</Name>

```

```

        <Size>0</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-200.nvram
</Name>

        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-200.vmsd
</Name>

        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-200.vmdk
</Name>

        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-32.log</Name>
    <Size>208705</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>117078</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>35210</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>118667</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>442979</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>120088</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-31.log</Name>
        <Size>836545</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="49493629704" Uncommitted="40947261440"
Committed="49493629704">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-94fc-f04d-024d-cabd244b3f06" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="58e9c2d8b26706c7c1500a918506fa16" Parent=""
Disk="[TEMP] B16-PF-DV-050/SCC-BGL04-DV-200.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:af" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>

```

```

        <Name>BGL16-SCE-VC</Name>
        <Mor>vm-8311</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Platform
Development\BGL16-SCE-VC</Path>
        <ParentMor>group-v1377</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>winNetStandard64Guest
</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
12T20:52:33.899843Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42244b08-e88b-4507-e22e-
2f59ab14d6a3</uuid>
        <instanceUuid>50244fb0-01fb-03e6-7a06-
43ab7celdcdb</instanceUuid>
        <vmxDir>[PF-DV-FC-A] BGL16-SCE-VC/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>STG-300_10.106.5.0/25
(&lt;False&gt;),STG-300_10.106.5.0/25(&lt;False&gt;)</Networks>
        <Nics>STG-300_10.106.5.0/25
(&lt;false&gt;),STG-300_10.106.5.0/25(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned,unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-pf-dv-esx-01.cisco.com
</host>
        <hostMor>host-832</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>6</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] BGL16-SCE-VC/" suspendDir="[PF-DV-FC-A]
BGL16-SCE-VC/" logDir="[PF-DV-FC-A] BGL16-SCE-VC/" vmxPath="[PF-
DV-FC-A] BGL16-SCE-VC/BGL16-SCE-VC.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="6144"
NumCPUs="4">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>BGL16-SCE-VC.vmx</Name>
            <Size>3222</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>BGL16-SCE-VC.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>BGL16-SCE-VC.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>BGL16-SCE-VC.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>BGL16-SCE-VC.vmdk</Name>
            <Size>573018112</Size>
            <Type>diskDescriptor</Type>
        </File>
        <StorageInfo Datastore="PF-DV-FC-A"
Unshared="254991675010" Uncommitted="338545778688"
Committed="254991675010">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-3246-1397-3c75-179187e104c5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="573018112"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="fca04344e252e45c6d356124690469cc" Parent="" Disk="[PF-
DV-FC-A] BGL16-SCE-VC/BGL16-SCE-VC.vmdk"
AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:73:74" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:1b:3b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
    <BackingUsbCtrlr HotAddRemove="false"
EhciEnabled="false" AutoConnect="true" ControllerUnitNumber="-1"
SharedBus="" BackingType="" FileName="" DeviceName="USB
controller " BusNum="22" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="22" Key="7000"
ControllerKey="100" Type="" Label="">
    </BackingUsbCtrlr>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-052</Name>

```

```

Development\B16-PF-DV-052</Path>
    <Mor>vm-919</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-052</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>verified</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
20T09:16:37.025305Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42038bce-186e-d649-84c7-
e56b5bb72abc</uuid>
    <instanceUuid>524b4123-74f0-37ae-9d4d-
b8e3d0b91d40</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.62</IpAddress>
    <Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-PF-DV-052</hostName>
    <host>b16-pf-dv-esx-05.cisco.com
</host>
    <hostMor>host-895</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0

```



```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-052/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-052/" logDir="[PF-DV-FC-B] B16-PF-DV-052/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-052/SCC-BGL04-DV-27.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-27.vmx</Name>
        <Size>3333</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-27.vmx
</Name>
        <Size>3430</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-27.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-27.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-27.vmdk
</Name>
        <Size>209715200</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-42.log</Name>
        <Size>149980</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-43.log</Name>
        <Size>380329</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-45.log</Name>
        <Size>728881</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-44.log</Name>
  <Size>161385</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>34854</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-46.log</Name>
  <Size>167072</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-41.log</Name>
  <Size>144481</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-B"
Unshared="176027284125" Uncommitted="39047307264"
Committed="176027284125">
  </StorageInfo>
  <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-7eed-5a59-b169-eabd3f4412f0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="be397b178c86529354c0c0410e47abca" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-052/SCC-BGL04-DV-27.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:0a:c5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
  </BackingNetwork>

```

```

        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-PF-DV-205</Name>
        <Mor>vm-5304</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-205</Path>
        <ParentMor>group-v1377</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:15:32.323058Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>420078c8-802e-d403-3874-
8b0ee356d04d</uuid>
        <instanceUuid>5000db33-22a2-1a73-2a68-
75c5fb7de646</instanceUuid>
        <vmxDir>[PF-DV-FC-B] B16-PF-DV-205-
OLD</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>None</Networks>
        <Nics>None</Nics>
        <NicIpaddresses></NicIpaddresses>

```

```

</host>
    <hostName></hostName>
    <host>b16-pf-dv-esx-05.cisco.com
</host>
    <hostMor>host-895</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-205-OLD/" suspendDir="[PF-DV-
FC-B] B16-PF-DV-205-OLD/" logDir="[PF-DV-FC-B] B16-PF-DV-205-
OLD/" vmxPath="[PF-DV-FC-B] B16-PF-DV-205-OLD/B16-PF-DV-205.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096 "
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-205.vmx</Name>
        <Size>3155</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-205.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-205.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-205.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-205.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>142687</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>220056</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>195880</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>159972</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>34850</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>144049</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>131601</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-B"
Unshared="13734241074" Uncommitted="98180636672"
Committed="13734241074">
  </StorageInfo>
  <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-3c40-d2b2-12b1-dcf74847442c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="cel29d3b61de7660ea3a5f3cffffffe" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-205/B16-PF-DV-205.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-206</Name>
    <Mor>vm-5266</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-206</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:21.495395Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d40a8-ea80-ccef-35cd-
63ed0bef0ef0</uuid>
    <instanceUuid>5024b5af-4f61-d64f-b166-
63749b540a94</instanceUuid>
    <vmxDir>[PF-DV-FC-A] B16-PF-DV-206/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.216</IpAddress>
    <Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>

```

```

        <NicIpaddresses>(10.106.8.216)
(fe80::250:56ff:fea4:2319)</NicIpaddresses>
        <hostName>B16-PF-DV-206</hostName>
        <host>b16-pf-dv-esx-01.cisco.com
</host>

        <hostMor>host-832</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>

        <NumberOfDatastores>1
</NumberOfDatastores>

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>

        <NumberOfFiles>11</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-206/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-206/" logDir="[PF-DV-FC-A] B16-PF-DV-206/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-206/B16-PF-DV-206.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-PF-DV-206.vmx</Name>
            <Size>2834</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-PF-DV-206.vmx</Name>
            <Size>3428</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-PF-DV-206.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-PF-DV-206.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-PF-DV-206.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>

```

```

        <Size>405747124</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>753926144</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>2039135938</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>8622015856</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>34733</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="53353921525" Uncommitted="70380789760"
Committed="53353921525">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-23cb-b43f-b961-be0fa4b2bcbe" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f1cac4519aala073cabf9ff4031eb467" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-206/B16-PF-DV-206.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:23:19" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network

```



```

adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-087</Name>
    <Mor>vm-944</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-087</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>This VM provisioned by
Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:34.825071Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dbe22-bebc-3d3b-0a97-
3572a2df290d</uuid>
    <instanceUuid>502d3cbe-af6d-4f4b-ef73-
328f2c738b25</instanceUuid>
    <vmxDir>[PF-DV-FC-B] B16-PF-DV-087/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.97</IpAddress>

```

```

</Networks>                                <Networks>PLATFORM-DEV(&lt;False&gt;)
</Nics>                                     <Nics>PLATFORM-DEV(&lt;false&gt;)
                                              <NicIpaddresses>(10.106.8.97)
(fe80::250:56ff:fead:4282)</NicIpaddresses>  <hostName>B16-PF-DV-087</hostName>
                                              <host>b16-pf-dv-esx-09.cisco.com
</host>                                     <hostMor>host-951</hostMor>
                                              <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
                                              <NumberOfDatastores>1
</NumberOfDatastores>
                                              <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                              <NumberOfFiles>13</NumberOfFiles>
                                              <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                              <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                              <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-087/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-087/" logDir="[PF-DV-FC-B] B16-PF-DV-087/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-087/SCC-DEV-VM-053.vmx">
                                              </VirtualMachineFileInfo>
                                              <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                              </VirtualHardware>
                                              <File Type="VmFileInfo">
                                                <Name>SCC-DEV-VM-053.vmx</Name>
                                                <Size>3257</Size>
                                                <Type>config</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                <Name>SCC-DEV-VM-053.vmx</Name>
                                                <Size>0</Size>
                                                <Type>extendedConfig</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                <Name>SCC-DEV-VM-053.nvram
</Name>
                                                <Size>8684</Size>
                                                <Type>nvram</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                <Name>SCC-DEV-VM-053.vmsd</Name>
                                                <Size>0</Size>
                                                <Type>snapshotList</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                <Name>SCC-DEV-VM-053.vmdk</Name>

```

```

        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-31.log</Name>
        <Size>164353</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>142728</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>34852</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>478676</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>190495</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-30.log</Name>
        <Size>213892</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>254137</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-B"
Unshared="107222581378" Uncommitted="4692746240"
Committed="107222581378">
        </StorageInfo>
        <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-292b-e85d-475d-465b3d995101" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="a81fb34bbd9258d79935a16f065b3e7a" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-087/SCC-DEV-VM-053.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:42:82" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-203</Name>
    <Mor>vm-5263</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-203</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>

```

```

        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:21.496216Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>564d6b2b-2bd1-4752-03b0-
93dc94926c99</uuid>
        <instanceUuid>50000efa-d027-2fd1-2923-
a2d87d65f535</instanceUuid>
        <vmxDir>[PF-DV-FC-B] B16-PF-DV-203/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.8.213</IpAddress>
        <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
        <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>(10.106.8.213)
(fe80::250:56ff:fe80:6fa0)</NicIpaddresses>
        <hostName>B16-PF-DV-203</hostName>
        <host>b16-pf-dv-esx-01.cisco.com
</host>
        <hostMor>host-832</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>11</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-203/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-203/" logDir="[PF-DV-FC-B] B16-PF-DV-203/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-203/B16-PF-DV-203.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-PF-DV-203.vmx</Name>
            <Size>3207</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-PF-DV-203.vmx</Name>
            <Size>3425</Size>
            <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-203.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-203.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-203.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>476909466</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>2767778328</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>196312</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>2246485425</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>34734</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-B"
Unshared="64059632061" Uncommitted="53345624064"
Committed="64059632061">
  </StorageInfo>
  <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-6d6c-8a44-11d0-c95f7c4ca163" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```

```

Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f18a83327f54b1aaaa7c5bc14afa8845" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-203/B16-PF-DV-203.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:a0" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-229</Name>
    <Mor>vm-5272</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-229</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true

```

```

</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T14:55:41.004388Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224fe18-a559-aea6-db32-
47c1cb9cc3be</uuid>
    <instanceUuid>5024041f-ab19-d08d-fc38-
e33826b7e95b</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.2</IpAddress>
    <Networks>PLATFORM-DEV(&lt;True&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.2)
(fe80::250:56ff:fea4:7e44)</NicIpaddresses>
    <hostName>B16-PF-DV-229</hostName>
    <host>b16-pf-dv-esx-01.cisco.com
</host>
    <hostMor>host-832</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-229/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-229/" logDir="[PF-DV-FC-B] B16-PF-DV-229/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-229/B16-PF-DV-229.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-229.vmx</Name>
        <Size>3117</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">

```



```

        <Name>B16-PF-DV-229.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-229.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-229.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-229.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-229-
00b29f64.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-PF-DV-229-
11706212-1.vswp</Name>
    <Size>96468992</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>2035219883</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>1995756805</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>770303</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>35080</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware.log</Name>
        <Size>123107</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-B"
Unshared="18933230515" Uncommitted="96864305152"
Committed="18933230515">
        </StorageInfo>
        <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-02d4-61a6-5977-3bcc82b5523a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1f246c3ae427d234896a38b45fd9cdca" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-229/B16-PF-DV-229.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:7e:44" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-095</Name>
    <Mor>vm-4633</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-095</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:34.823702Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224bc6c-17ad-03c0-8ead-
f03e9087877d</uuid>
    <instanceUuid>5024c4f9-bb7f-81c1-06ac-
1b8e9bb2a102</instanceUuid>
    <vmxDir>[PF-DV-FC-B] B16-PF-DV-095/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.105</IpAddress>
    <Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.105)
(fe80::250:56ff:fea4:76de)</NicIpaddresses>
    <hostName>B16-PF-DV-095</hostName>
    <host>b16-pf-dv-esx-09.cisco.com
</host>
    <hostMor>host-951</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1

```

```

</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>10</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-095/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-095/" logDir="[PF-DV-FC-B] B16-PF-DV-095/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-095/B16-PF-DV-095.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-095.vmx</Name>
        <Size>3013</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-095.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-095.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-095.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-095.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>3242196992</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>2056471808</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-3.log</Name>
        <Size>496945</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>34758</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-B"
Unshared="51226844428" Uncommitted="65986207744"
Committed="51226844428">
        </StorageInfo>
        <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-d52a-eea1-a869-37ad31c8a8ef" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="11b381a30189f900f7841dce60fe4964" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-095/B16-PF-DV-095.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:76:de" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"

```

```

StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-PF-DV-096</Name>
  <Mor>vm-4672</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-096</Path>
  <ParentMor>group-v1377</ParentMor>
  <Annotation>This VM was created by
prasbr on 19-AUG-13</Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T08:15:20.778627Z</ChangeVersion>
  <powerState>poweredOff</powerState>
  <connectionState>connected
</connectionState>
  <uuid>422415c9-3358-94d4-9b9e-
a7a329a29033</uuid>
  <instanceUuid>5024c3ae-49e3-648f-d874-
633ee88c5075</instanceUuid>
  <vmxDir>[PF-DV-FC-A] B16-PF-DV-096/
</vmxDir>
  <template>>false</template>
  <IpAddress>10.106.8.106</IpAddress>
  <Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
  <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
  <NicIpaddresses>(10.106.8.106)
(fe80::250:56ff:fea4:177a)</NicIpaddresses>
  <hostName>B16-PF-DV-096.cisco.com
</hostName>
  <host>b16-pf-dv-esx-11.cisco.com
</host>
  <hostMor>host-5362</hostMor>
  <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
  <NumberOfDatastores>1

```

```

</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>12</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-096/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-096/" logDir="[PF-DV-FC-A] B16-PF-DV-096/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-096/B16-PF-DV-096.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-096.vmx</Name>
        <Size>3201</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-096.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-096.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-096.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-096.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>441966</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>2038418559</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-3.log</Name>
        <Size>71451058</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>372511354</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>516394067</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>31213</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="26269262122" Uncommitted="88723595264"
Committed="26269262122">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-f06b-31be-a192-143668719161" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d6e191a96adca4fad921745a8e60758a" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-096/B16-PF-DV-096.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:17:7a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```



```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-097</Name>
    <Mor>vm-855</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-097</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:15:20.832731Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d32f4-acb9-8f44-08bb-
9aca2ecbe0e3</uuid>
    <instanceUuid>502d9f50-b67a-f375-2c08-
d934353255d3</instanceUuid>
    <vmxDir>[PF-DV-FC-B] B16-PF-DV-097/
</vmxDir>

```

```

                                <template>false</template>
                                <IpAddress>10.106.8.107</IpAddress>
                                <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
                                <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
                                <NicIpaddresses>(10.106.8.107)
(fe80::250:56ff:fead:18ea)</NicIpaddresses>
                                <hostName>B16-PF-DV-097.cisco.com
</hostName>
                                <host>b16-pf-dv-esx-11.cisco.com
</host>
                                <hostMor>host-5362</hostMor>
                                <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>13</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-097/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-097/" logDir="[PF-DV-FC-B] B16-PF-DV-097/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-097/B16-PF-DV-097.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="6144"
NumCPUs="4">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-097.vmx</Name>
                                    <Size>3129</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-097.vmx</Name>
                                    <Size>3428</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-097.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-097.vmsd</Name>
                                    <Size>0</Size>
                                    <Type>snapshotList</Type>
                                </File>

```

```

<File Type="VmFileInfo">
  <Name>B16-PF-DV-097.vmdk</Name>
  <Size>157286400</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>204084</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-30.log</Name>
  <Size>423003</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>443884</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>31290</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-33.log</Name>
  <Size>169030</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>150469</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-32.log</Name>
  <Size>164467</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-B"
Unshared="78632218556" Uncommitted="89197551616"
Committed="78632218556">
  </StorageInfo>
  <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-45fb-celb-8ba9-79c69ab763ca" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="157286400"

```

```

CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="84e7f0bb20987a2c3847ce81d1bf563e" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-097/B16-PF-DV-097.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:ea" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-028</Name>
    <Mor>vm-866</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-028</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>requester not found
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:10:21.495766Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>4203f297-e2c9-09a8-9b0c-
cd52c9bfcf4b</uuid>
<instanceUuid>500340af-d707-670b-8dce-
e2e0773c4982</instanceUuid>
<vmxDir>[PF-DV-FC-A] B16-PF-DV-028/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.8.38</IpAddress>
<Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
<Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>(10.106.8.38)
(fe80::250:56ff:fe83:3af2)</NicIpaddresses>
<hostName>B16-PF-DV-028</hostName>
<host>b16-pf-dv-esx-01.cisco.com
</host>
<hostMor>host-832</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-028/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-028/" logDir="[PF-DV-FC-A] B16-PF-DV-028/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-028/SCC-BGL04-DV-157.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-DV-157.vmx
<Size>3230</Size>
<Type>config</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-157.vmx
</Name>
  <Size>3370</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-157.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-157.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-157.vmdk
</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>35200</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-36.log</Name>
  <Size>830696</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-37.log</Name>
  <Size>166601</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-39.log</Name>
  <Size>165039</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-38.log</Name>
  <Size>214995</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-35.log</Name>

```

```

        <Size>190701</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>586353</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="71417570501" Uncommitted="19023634432"
Committed="71417570501">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-b9d8-c5ea-3f9c-f9dff18af11a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="14310695ff31ee457df7289a44cf8e60" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-028/SCC-BGL04-DV-157.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:3a:f2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"

```

```

ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-PF-DV-112</Name>
  <Mor>vm-891</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-112</Path>
  <ParentMor>group-v1377</ParentMor>
  <Annotation></Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-
06T05:27:35.809915Z</ChangeVersion>
  <powerState>poweredOn</powerState>
  <connectionState>connected
</connectionState>
  <uuid>4200faeb-cbfc-a9f4-17b7-
b478ebf765be</uuid>
  <instanceUuid>5000126c-9d46-4f14-67ac-
fcf5c3ec35e7</instanceUuid>
  <vmxDir>[PF-DV-FC-A] B16-PF-DV-112/
</vmxDir>
  <template>false</template>
  <IpAddress>10.106.8.122</IpAddress>
  <Networks>PLATFORM-DEV(&lt;True&gt;)
</Networks>
  <Nics>PLATFORM-DEV(&lt;true&gt;)
</Nics>
  <NicIpaddresses>(10.106.8.122)
(fe80::250:56ff:fe80:397f)</NicIpaddresses>
  <hostName>B16-PF-DV-112</hostName>
  <host>b16-pf-dv-esx-01.cisco.com
</host>
  <hostMor>host-832</hostMor>
  <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
  <NumberOfDatastores>1
</NumberOfDatastores>
  <NumberOfBackingDisks>1
</NumberOfBackingDisks>

```



```

        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-112/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-112/" logDir="[PF-DV-FC-A] B16-PF-DV-112/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-112/B16-PF-DV-112.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
        <Name>B16-PF-DV-112.vmx</Name>
        <Size>3175</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-PF-DV-112.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-PF-DV-112.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-PF-DV-112.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-PF-DV-112.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-PF-DV-112-
c5941fc4.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmx-B16-PF-DV-112-
3314819012-1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-7.log</Name>

```

```

        <Size>726479</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>165226</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>35161</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>253866</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>212473</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>211941</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>1222686054</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="109833711415" Uncommitted="3156213760"
Committed="109833711415">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-9f09-f9fb-2af1-fe24d5f52d2f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4fef327c8cc74854469fb5cdba3cfd36" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-112/B16-PF-DV-112.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:39:7f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-234</Name>
    <Mor>vm-5283</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-234</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>centos64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T13:18:58.084508Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected

```

```

</connectionState>
                                <uuid>4224af55-5908-c025-97bc-
08a349b27d10</uuid>
                                <instanceUuid>502471a9-c6c8-6ec9-b503-
e09f176aa5e5</instanceUuid>
</vmxDir>                        <vmxDir>[PF-DV-FC-B] B16-PF-DV-234/
                                <template>>false</template>
                                <IpAddress>10.106.8.7</IpAddress>
                                <Networks>PLATFORM-DEV(&lt;True&gt;)
</Networks>
                                <Nics>PLATFORM-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.8.7)
(fe80::250:56ff:fea4:b94)</NicIpaddresses>
                                <hostName>B16-PF-DV-234</hostName>
                                <host>b16-pf-dv-esx-01.cisco.com
</host>
                                <hostMor>host-832</hostMor>
                                <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-234/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-234/" logDir="[PF-DV-FC-B] B16-PF-DV-234/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-234/B16-PF-DV-234.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-234.vmx</Name>
                                    <Size>3069</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-234.vmx</Name>
                                    <Size>268</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-234.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-234.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-234.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-234-
00b29f80.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-PF-DV-234-
11706240-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>141080</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>171088</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>164569</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>392918</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>170568</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>35083</Size>
  <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>125110</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="PF-DV-FC-B"
Unshared="41590882325" Uncommitted="70175948800"
Committed="41590882325">
            </StorageInfo>
            <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-fa06-4e4e-b6c2-63ce9f77554a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="63888849453325db7e60829dbad375b3" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-234/B16-PF-DV-234.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:0b:94" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                                </BackingFloppy>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-236</Name>
    <Mor>vm-5289</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-236</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>centos64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T13:44:59.659144Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42247151-c9e4-0107-e99b-
32bd2fe5094b</uuid>
    <instanceUuid>502489fe-6714-2c22-ad1f-
4fe752f1bb2f</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.9</IpAddress>
    <Networks>PLATFORM-DEV(&lt;True&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.9)
(fe80::250:56ff:fea4:bc1)</NicIpaddresses>
    <hostName>B16-PF-DV-236</hostName>
    <host>b16-pf-dv-esx-01.cisco.com
</host>
    <hostMor>host-832</hostMor>
    <ResourcePoolMor>resgroup-289

```

```

</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[PF-DV-FC-A] B16-PF-DV-236/" suspendDir="[PF-DV-FC-A] B16-PF-DV-236/" logDir="[PF-DV-FC-A] B16-PF-DV-236/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-236/B16-PF-DV-236.vmx">
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-236.vmx</Name>
  <Size>3178</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-236.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-236.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-236.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-236.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-236-
c594244b.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-PF-DV-236-
3314820171-1.vswp</Name>

```



```

        <Size>96468992</Size>
        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>151282</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>165000</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-0.log</Name>
        <Size>1425612</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>170158</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>171102</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>35082</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>125188</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="57207318966" Uncommitted="54560555008"
Committed="57207318966">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b50000d" Name="PF-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-0551-ba36-7969-7b4307699401" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="bc28b296eb0ed4a2ed42955d25b3fdfb" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-236/B16-PF-DV-236.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:0b:c1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-235</Name>
    <Mor>vm-5287</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-235</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>centos64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false

```

```

</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
07T13:36:25.899031Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>4224ab0c-a987-c9be-898c-
6d3635f82e50</uuid>
<instanceUuid>502493bf-b100-77b5-faa1-
a807834c8def</instanceUuid>
<vmxDir>[TEMP] B16-PF-DV-235</vmxDir>
<template>>false</template>
<IpAddress>10.106.8.8</IpAddress>
<Networks>PLATFORM-DEV(&lt;True&gt;)
</Networks>
<Nics>PLATFORM-DEV(&lt;true&gt;)
</Nics>
<NicIpaddresses>(10.106.8.8)
(fe80::250:56ff:fea4:1adc)</NicIpaddresses>
<hostName>B16-PF-DV-235</hostName>
<host>b16-pf-dv-esx-01.cisco.com
</host>
<hostMor>host-832</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[TEMP] B16-PF-DV-235/" suspendDir="[TEMP] B16-PF-DV-
235/" logDir="[TEMP] B16-PF-DV-235/" vmxPath="[TEMP] B16-PF-DV-
235/B16-PF-DV-235.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-PF-DV-235.vmx</Name>
<Size>3178</Size>

```

```

        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-235.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-235.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-235.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-235.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-235-
b0a16fb7.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-PF-DV-235-
2963369911-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>171475</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>442453</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>326056</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>50785</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>165005</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>35080</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>125187</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="59178763039" Uncommitted="52588183552"
Committed="59178763039">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-7747-57ed-adc3-cc1d045c4b5c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="477578d401fe3727a290ef4907f5a05e" Parent=""
Disk="[TEMP] B16-PF-DV-235/B16-PF-DV-235.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:1a:dc" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-237</Name>
    <Mor>vm-5291</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-237</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>centos64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T13:46:02.810225Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42242abb-0460-ced1-da32-
a4d17375462e</uuid>
    <instanceUuid>50240710-755d-1927-6665-
37bc09a0741b</instanceUuid>
    <vmxDir>[TEMP] B16-PF-DV-237</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.10</IpAddress>
    <Networks>PLATFORM-DEV(&lt;True&gt;)

```

```

</Networks>
</Nics>
(fe80::250:56ff:fea4:1eeb)
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[TEMP] B16-PF-DV-237/" suspendDir="[TEMP] B16-PF-DV-
237/" logDir="[TEMP] B16-PF-DV-237/" vmxPath="[TEMP] B16-PF-DV-
237/B16-PF-DV-237.vmx">
NumCPUs="2">

```

```

<Nics>PLATFORM-DEV(&lt;true&gt;)
<NicIpaddresses>(10.106.8.10)
</NicIpaddresses>
<hostName>B16-PF-DV-237</hostName>
<host>b16-pf-dv-esx-01.cisco.com
<hostMor>host-832</hostMor>
<ResourcePoolMor>resgroup-289
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-237.vmx</Name>
  <Size>3179</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-237.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-237.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-237.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-237.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-237-
b0a16fb9.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-PF-DV-237-
2963369913-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>171373</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>50786</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>50784</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>35081</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>50784</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>165002</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>125188</Size>
  <Type>log</Type>
</File>
  <StorageInfo Datastore="TEMP"
Unshared="57246619005" Uncommitted="54519660544"
Committed="57246619005">
</StorageInfo>

```



```

                                <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-fb4b-1d0e-0e76-313ce32363dc" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="01cb146131f9c3fb0ce576c8ba31cf26" Parent=""
Disk="[TEMP] B16-PF-DV-237/B16-PF-DV-237.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:1e:eb" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                                </BackingFloppy>
                                <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                                </VirtualMachine>
                                <VirtualMachine>
                                <Name>B16-PF-DV-239</Name>

```

```

        <Mor>vm-5293</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-239</Path>
        <ParentMor>group-v1377</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>centos64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
07T14:52:43.184947Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42241fc9-1f30-23ad-8443-
476b059262c7</uuid>
        <instanceUuid>50243496-423f-6903-abf7-
1d2d46678c2e</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.64.75.139</IpAddress>
        <Networks>PLATFORM-DEV-2(&lt;True&gt;)
</Networks>
        <Nics>PLATFORM-DEV-2(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.64.75.139)
(fe80::250:56ff:fea4:3dae)</NicIpaddresses>
        <hostName>B16-PF-DV-239.cisco.com
</hostName>
        <host>b16-pf-dv-esx-01.cisco.com
</host>
        <hostMor>host-832</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0

```

```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-239/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-239/" logDir="[PF-DV-FC-B] B16-PF-DV-239/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-239/B16-PF-DV-239.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-239.vmx</Name>
        <Size>2858</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-239.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-239.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-239.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-239.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-239-
00b29f85.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-B16-PF-DV-239-
11706245-1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwsnap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>2312553</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-2.log</Name>
        <Size>169956</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>164082</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>35080</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>883104837</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-B"
Unshared="49719031214" Uncommitted="62932385792"
Committed="49719031214">
        </StorageInfo>
        <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-e691-3e0c-c217-c40368368ccf" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1e35fc0306944b346566b4efd12395b0" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-239/B16-PF-DV-239.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:3d:ae" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV-2" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-128</Name>
    <Mor>vm-981</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-128</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:54:34.386298Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200f89b-565c-4284-3fc0-
29aa6ac8f3b6</uuid>
    <instanceUuid>50002a43-d227-0f0a-3289-
ef40d3353b06</instanceUuid>
    <vmxDir>[PF-DV-FC-A] B16-PF-DV-128/
</vmxDir>

```

```

<template>>false</template>
<IpAddress>10.106.8.138</IpAddress>
<Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
<Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-PF-DV-128</hostName>
<host>b16-pf-dv-esx-05.cisco.com
</host>
<hostMor>host-895</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-128/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-128/" logDir="[PF-DV-FC-A] B16-PF-DV-128/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-128/B16-PF-DV-128.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-128.vmx</Name>
  <Size>3112</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-128.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-128.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-128.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>B16-PF-DV-128.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>269952</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>120066</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>119960</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>482533</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>2056590281</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>796921661</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>34827</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="54168718216" Uncommitted="60599672832"
Committed="54168718216">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-a5c9-13d0-3ca1-d97a0a2964fb" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="df1379043452db79aa2a9896c715d39b" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-128/B16-PF-DV-128.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:21:95" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-104</Name>
    <Mor>vm-917</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-104</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true

```



```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:15:32.0531Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200bbce-e146-9877-ae4b-
ab270ac6d437</uuid>
    <instanceUuid>50005fe0-d4f3-e8b6-7b03-
2fd51bcf3d0f</instanceUuid>
    <vmxDir>[PF-DV-FC-A] B16-PF-DV-104/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.114</IpAddress>
    <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.114)
(fe80::250:56ff:fe80:70e9)</NicIpaddresses>
    <hostName>B16-PF-DV-104</hostName>
    <host>b16-pf-dv-esx-05.cisco.com
</host>
    <hostMor>host-895</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-104/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-104/" logDir="[PF-DV-FC-A] B16-PF-DV-104/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-104/B16-PF-DV-104.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-104.vmx</Name>
        <Size>3056</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-104.vmx</Name>
        <Size>3428</Size>

```

```
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-104.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-104.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-104.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>328315</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>174837</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-13.log</Name>
    <Size>211381</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>703068</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>145706</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>34818</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>163595</Size>
    <Type>log</Type>
</File>
```

```

        <StorageInfo Datastore="PF-DV-FC-A"
Unshared="35173113080" Uncommitted="12317990912"
Committed="35173113080">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-01e6-cblb-0345-40a20ed53f45" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e705e927d6211a235fdcaf5907fc28fe" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-104/B16-PF-DV-104.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:e9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-PF-DV-105</Name>
        <Mor>vm-938</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Platform

```

```

Development\B16-PF-DV-105</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>P2V Migrated VM.
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPProGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T06:50:39.618095Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420089b8-8da0-7f46-0121-
e240472d9d91</uuid>
    <instanceUuid>5000e2e5-fac9-49d3-0399-
b2aece7aa695</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.115</IpAddress>
    <Networks>PLATFORM-DEV(&lt;True&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.115)
</NicIpaddresses>
    <hostName>B16-PF-DV-105.scc-dv.com
</hostName>
    <host>b16-pf-dv-esx-09.cisco.com
</host>
    <hostMor>host-951</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo

```

```

snapshotDir="[PF-DV-FC-B] B16-PF-DV-105/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-105/" logDir="[PF-DV-FC-B] B16-PF-DV-105/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-105/B16-PF-DV-105.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"

NumCPUs="4">

  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-PF-DV-105.vmx</Name>
    <Size>4049</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-PF-DV-105.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-PF-DV-105.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-PF-DV-105.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-PF-DV-105.vmdk</Name>
    <Size>244199424</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-PF-DV-105-
00b29add.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmx-B16-PF-DV-105-
11705053-1.vswp</Name>
    <Size>98566144</Size>
    <Type>uwsap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>145197</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>143927</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>479307</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>1292378</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>35192</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>171967</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>225693</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-B"
Unshared="146917441178" Uncommitted="107538808832"
Committed="146917441178">
        </StorageInfo>
        <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-1486-70f0-3583-451d7dce77c7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="244199424"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="48d3585342c644ea4e49e2dbc95e5830" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-105/B16-PF-DV-105.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="3000" ControllerKey="200"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:03:a2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="1" Key="3001" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
    <BackingUsbCtrlr HotAddRemove="false"
EhciEnabled="false" AutoConnect="true" ControllerUnitNumber="-1"
SharedBus="" BackingType="" FileName="" DeviceName="USB
controller " BusNum="22" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="22" Key="7000"
ControllerKey="100" Type="" Label="">
    </BackingUsbCtrlr>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-221</Name>
    <Mor>vm-2174</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-221</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:55:28.166341Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42245950-b918-5a39-fa81-
108cd6f0e638</uuid>
    <instanceUuid>5024ba86-029a-976c-7a74-
9ff0aaf1a8ba</instanceUuid>

```

```

</vmxDir>                                <vmxDir>[PF-DV-FC-B] B16-PF-DV-221/
</Networks>                               <template>>false</template>
</Nics>                                    <IpAddress>10.106.8.231</IpAddress>
                                             <Networks>PLATFORM-DEV(&lt;false&gt;)
</Nics>                                    <Nics>PLATFORM-DEV(&lt;false&gt;)
                                             <NicIpaddresses>(10.106.8.231)
(fe80::250:56ff:fea4:64c0)</NicIpaddresses> <hostName>B16-PF-DV-221</hostName>
</host>                                    <host>b16-pf-dv-esx-11.cisco.com
                                             <hostMor>host-5362</hostMor>
</ResourcePoolMor>                       <ResourcePoolMor>resgroup-289
</NumberOfDatastores>                   <NumberOfDatastores>1
</NumberOfBackingDisks>                 <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>              <NumberOfFiles>11</NumberOfFiles>
</NumberOfFeatureMaskEntries>           <CpuFeatureMaskSupported>true
</VirtualMachineFileInfo>               <NumberOfFeatureMaskEntries>0
snapshotDir="[PF-DV-FC-B] B16-PF-DV-221/" <VirtualMachineFileInfo>
logDir="[PF-DV-FC-B] B16-PF-DV-221/"      <VirtualHardware MemoryMB="4096"
vmxPath="[PF-DV-FC-B] B16-PF-DV-221/B16-PF-DV-221.vmx">
NumCPUs="2">                             </VirtualHardware>
                                             <File Type="VmFileInfo">
                                             <Name>B16-PF-DV-221.vmx</Name>
                                             <Size>2767</Size>
                                             <Type>config</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>B16-PF-DV-221.vmx</Name>
                                             <Size>3428</Size>
                                             <Type>extendedConfig</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>B16-PF-DV-221.nvram</Name>
                                             <Size>8684</Size>
                                             <Type>nvram</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>B16-PF-DV-221.vmsd</Name>
                                             <Size>0</Size>
                                             <Type>snapshotList</Type>

```



```

</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-221.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>6824132608</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>42668267</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>49416</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>141350</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>34746</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-B"
Unshared="84551842802" Uncommitted="34229035008"
Committed="84551842802">
  </StorageInfo>
  <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-d5b6-e1a8-3dce-cfaa79d5c427" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c79c2289155d8b9f226be019d475c8c5" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-221/B16-PF-DV-221.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:64:c0" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-PF-DV-222</Name>
        <Mor>vm-2176</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-222</Path>
        <ParentMor>group-v1377</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>

```

```

        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:22.238075Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4224462d-cb27-da44-a98b-
a9355fb422c2</uuid>
        <instanceUuid>50241bdb-84f0-64ee-2809-
b93d98ef111f</instanceUuid>
        <vmxDir>[PF-DV-FC-B] B16-PF-DV-222/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.8.232</IpAddress>
        <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
        <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>(10.106.8.232)
(fe80::250:56ff:fea4:3f1c)</NicIpaddresses>
        <hostName>B16-PF-DV-222</hostName>
        <host>b16-pf-dv-esx-01.cisco.com
</host>
        <hostMor>host-832</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>12</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-222/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-222/" logDir="[PF-DV-FC-B] B16-PF-DV-222/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-222/B16-PF-DV-222.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-PF-DV-222.vmx</Name>
            <Size>3118</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-PF-DV-222.vmx</Name>
            <Size>3425</Size>
            <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-222.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-222.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-222.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>4549771264</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>541011063</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>1816947176</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>382060</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>54909770</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>34732</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-B"
Unshared="111434795324" Uncommitted="7442112512"
Committed="111434795324">
  </StorageInfo>
  <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-

```

```

DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-46de-d32d-6dd7-093616583de8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="eee7f264c0e8aeddb23a786c6f54e711" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-222/B16-PF-DV-222.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:3f:1c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-039</Name>
    <Mor>vm-924</Mor>
    <MorType>VirtualMachine</MorType>

```

```

Development\B16-PF-DV-039</Path>
<Path>\(DC)S+CC(DC)\vm\Platform
<ParentMor>group-v1377</ParentMor>
<Annotation>case no not found
</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:15:32.052913Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d0f78-c410-998a-5f89-
ae707b865be1</uuid>
<instanceUuid>502d21b7-92ef-78a6-30b4-
20b074933030</instanceUuid>
<vmxDir>[PF-DV-FC-A] B16-PF-DV-039/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.8.49</IpAddress>
<Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
<Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>(10.106.8.49)
(fe80::250:56ff:fead:50)</NicIpaddresses>
<hostName>B16-PF-DV-039</hostName>
<host>b16-pf-dv-esx-05.cisco.com
</host>
<hostMor>host-895</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>2
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo

```

```

snapshotDir="[PF-DV-FC-A] B16-PF-DV-039/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-039/" logDir="[PF-DV-FC-A] B16-PF-DV-039/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-039/SCC-BGL04-DV-169.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-169.vmx
  </Name>
    <Size>3340</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-169.vmx
  </Name>
    <Size>3431</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-169.nvram
  </Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-169.vmsd
  </Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-169.vmdk
  </Name>
    <Size>157286400</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-169_1.vmdk
  </Name>
    <Size>6291456</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-50.log</Name>
    <Size>263842</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-54.log</Name>
    <Size>238260</Size>
    <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-55.log</Name>
  <Size>167009</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>40472</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-53.log</Name>
  <Size>168954</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-51.log</Name>
  <Size>154158</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-52.log</Name>
  <Size>1145835</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-A"
Unshared="62344231489" Uncommitted="109701341184"
Committed="62344231489">
  </StorageInfo>
  <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-d204-c9b5-42c2-370e51dfaa84" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="157286400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d9f0c317b6973abefbf4a3eaaeb028be" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-039/SCC-BGL04-DV-169.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-000f-254b-0283-12a1845dd805" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="6291456"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```



```

ContentId="09865365119cb6d9f76d2da4848e00b9" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-039/SCC-BGL04-DV-169_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:50" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-014</Name>
    <Mor>vm-5239</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-014</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>verified</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:15:20.814406Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d0965-144f-b71e-644f-
3e33a3550502</uuid>
    <instanceUuid>52712a6b-4ad6-275f-f5b5-
4402e598f153</instanceUuid>
    <vmxDir>[TEMP] B16-PF-DV-014/</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.24</IpAddress>
    <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.24)
(fe80::250:56ff:fe83:44e6)</NicIpaddresses>
    <hostName>B16-PF-DV-014</hostName>
    <host>b16-pf-dv-esx-11.cisco.com
</host>
    <hostMor>host-5362</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-PF-DV-014/" suspendDir="[TEMP] B16-PF-DV-
014/" logDir="[TEMP] B16-PF-DV-014/" vmxPath="[TEMP] B16-PF-DV-
014/SCC-BGL04-DV-125.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-125.vmx
</Name>
        <Size>3349</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-125.vmx
</Name>

```

```

        <Size>0</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-125.nvram
</Name>

    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-125.vmsd
</Name>

    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-125.vmdk
</Name>

    <Size>209715200</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-35.log</Name>
    <Size>244323735</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>568262</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>31335</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-36.log</Name>
    <Size>179772</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-33.log</Name>
    <Size>164248</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-34.log</Name>
    <Size>167202</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-32.log</Name>
        <Size>666928</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="16792642795" Uncommitted="202741489664"
Committed="16792642795">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-71c9-4f0c-b371-b960e7837748" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="23c083d4bfd876301a5596ad4f622085" Parent=""
Disk="[TEMP] B16-PF-DV-014/SCC-BGL04-DV-125.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:44:e6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>

```

```

        <Name>B16-PF-DV-048</Name>
        <Mor>vm-977</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-048</Path>
        <ParentMor>group-v1377</ParentMor>
        <Annotation>verified</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:51:58.299209Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422dc86e-27a2-1ac7-718b-
5c3db0elaaba</uuid>
        <instanceUuid>502df6cd-c088-dc97-488e-
56c2593cc6ea</instanceUuid>
        <vmxDir>[PF-DV-FC-A] B16-PF-DV-048/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.8.58</IpAddress>
        <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
        <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>(10.106.8.58)
(fe80::250:56ff:fead:326d)</NicIpaddresses>
        <hostName>B16-PF-DV-048</hostName>
        <host>b16-pf-dv-esx-05.cisco.com
</host>
        <hostMor>host-895</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0

```

```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-048/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-048/" logDir="[PF-DV-FC-A] B16-PF-DV-048/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-048/SCC-BGL04-DV-197.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-197.vmx
</Name>
        <Size>3205</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-197.vmx
</Name>
        <Size>3431</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-197.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-197.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-197.vmdk
</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>503095</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>263515</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>174038</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>219838</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>694605</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-30.log</Name>
        <Size>61936</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>34864</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="49272456299" Uncommitted="45543235584"
Committed="49272456299">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-eda0-0cde-7eb7-1bfdb60c7941" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="cfe858be21eb072548a4a64457dd2b15" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-048/SCC-BGL04-DV-197.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:6d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">

```

```

        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>GREEN_HOST_01-TEMPLATE</Name>
        <Mor>vm-5441</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Platform
Development\GREEN_HOST_01-TEMPLATE</Path>
        <ParentMor>group-v1377</ParentMor>
        <Annotation>Node-VM using SDPLinux,
Java-1.6-u45_x86_64bit, jetty-8.1.7</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-10-
27T11:01:17.578916Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>disconnected
</connectionState>
        <uuid>422452d7-3dff-96c2-4a8b-
2ad99e8117cd</uuid>
        <instanceUuid>502424d4-370a-a0cf-ea55-
8b1ec413ed48</instanceUuid>
        <vmxDir>[B16-PF-DV-ESX-12] GREEN_HOST_
01-TEMPLATE/</vmxDir>
        <template>true</template>
        <IpAddress></IpAddress>
        <Networks>VLAN-2003-10.20.20.0-24

```



```

(&lt;False&gt;)</Networks>
(&lt;false&gt;)</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[B16-PF-DV-ESX-12] GREEN_HOST_01-TEMPLATE/"
suspendDir="[B16-PF-DV-ESX-12] GREEN_HOST_01-TEMPLATE/"
logDir="[B16-PF-DV-ESX-12] GREEN_HOST_01-TEMPLATE/"
vmxPath="[B16-PF-DV-ESX-12] GREEN_HOST_01-TEMPLATE/GREEN_HOST_01-
TEMPLATE.vmtx">
NumCPUs="1">
</Name>
TEMPLATE.vmx</Name>
TEMPLATE.vmx</Name>
TEMPLATE.nvram</Name>
TEMPLATE.vmsd</Name>

```

```

<Nics>VLAN-2003-10.20.20.0-24
<NicIpaddresses>unassigned
<hostName></hostName>
<host>b16-pf-dv-esx-12.cisco.com
<hostMor>host-1050</hostMor>
<ResourcePoolMor>Uninitialized
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>6</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>GREEN_HOST_01-TEMPLATE.vmx
  <Size>2829</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>GREEN_HOST_01-
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>GREEN_HOST_01-
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>GREEN_HOST_01-
  <Size>0</Size>

```

```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>GREEN_HOST_01-
TEMPLATE.vmdk</Name>

        <Size>4194304</Size>
        <Type>diskDescriptor</Type>
    </File>
    <StorageInfo Datastore="B16-PF-DV-ESX-
12" Unshared="1725967609" Uncommitted="7086067712"
Committed="1725967609">
        </StorageInfo>
        <Datastore Mor="datastore-1051"
Url="/vmfs/volumes/51755790-3f6cde68-2dc3-1025b5000016"
Name="B16-PF-DV-ESX-12">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-1b48-e6b9-e6bf-548d37ac9fcb" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="4194304"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1051"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3c11f3ddd89aed766ff728f922ble37b" Parent=""
Disk="[B16-PF-DV-ESX-12] GREEN_HOST_01-TEMPLATE/GREEN_HOST_01-
TEMPLATE.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:18:90" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN-2003-10.20.20.0-24" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="[B16-PF-DV-ESX-12] GREEN_HOST_01-TEMPLATE/_deviceImage-
0.iso" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1051" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="0" Key="3002"

```

```

ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-PF-DV-049</Name>
  <Mor>vm-955</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-049</Path>
  <ParentMor>group-v1377</ParentMor>
  <Annotation>verified</Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T10:26:35.203207Z</ChangeVersion>
  <powerState>poweredOff</powerState>
  <connectionState>connected
</connectionState>
  <uuid>422daf6f-292c-f715-eb4d-
ab7691e1e761</uuid>
  <instanceUuid>502d37b9-423e-fbb6-0007-
b06230286196</instanceUuid>
  <vmxDir>[PF-DV-FC-A] B16-PF-DV-049/
</vmxDir>
  <template>>false</template>
  <IpAddress>10.106.8.59</IpAddress>
  <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
  <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
  <NicIpaddresses>(10.106.8.59)
(fe80::250:56ff:fead:32ae)</NicIpaddresses>
  <hostName>B16-PF-DV-049</hostName>
  <host>b16-pf-dv-esx-09.cisco.com
</host>
  <hostMor>host-951</hostMor>
  <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
  <NumberOfDatastores>1
</NumberOfDatastores>
  <NumberOfBackingDisks>1
</NumberOfBackingDisks>

```

```

        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-049/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-049/" logDir="[PF-DV-FC-A] B16-PF-DV-049/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-049/SCC-BGL04-DV-199.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-199.vmx
        </Name>
            <Size>3237</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-199.vmx
        </Name>
            <Size>3431</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-199.nvram
        </Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-199.vmsd
        </Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-199.vmdk
        </Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-24.log</Name>
            <Size>750418</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-25.log</Name>
            <Size>208762</Size>
            <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>120121</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>117137</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>112905</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>34873</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>477412</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-A"
Unshared="85766965172" Uncommitted="4673871872"
Committed="85766965172">
  </StorageInfo>
  <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-297a-a77b-971b-6298f41cd8b5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a15f100d3eff83032d675c896cf35199" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-049/SCC-BGL04-DV-199.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:ae" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-TEST-LNX2</Name>
    <Mor>vm-5285</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\SCC-TEST-LNX2</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>centos64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
09T14:45:56.398962Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d92f5-2eca-98d3-074a-
304ef6c8f18a</uuid>
    <instanceUuid>50240685-f4d7-282c-59c8-
3f30e03421eb</instanceUuid>
    <vmxDir>[SCC-MGMT] SCC-TEST-LNX2/
</vmxDir>

```

```

        <template>false</template>
        <IpAddress></IpAddress>
        <Networks>PLATFORM-DEV(&lt;True&gt;)
</Networks>
        <Nics>PLATFORM-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-pf-dv-esx-05.cisco.com
</host>
        <hostMor>host-895</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>2
</NumberOfBackingDisks>
        <NumberOfFiles>17</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] SCC-TEST-LNX2/" suspendDir="[SCC-MGMT]
SCC-TEST-LNX2/" logDir="[SCC-MGMT] SCC-TEST-LNX2/" vmxPath="[SCC-
MGMT] SCC-TEST-LNX2/SCC-TEST-LNX2.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-TEST-LNX2.vmx</Name>
            <Size>3393</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-TEST-LNX2.vmx</Name>
            <Size>371</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-TEST-LNX2.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-TEST-LNX2.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">

```

```

        <Name>SCC-TEST-LNX2.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-TEST-LNX2_1.vmdk
</Name>

    <Size>20971520</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-TEST-LNX2-

e33e7690.vswp</Name>

    <Size>8589934592</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-TEST-LNX2-

3812521616-1.vswp</Name>

    <Size>96468992</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>239828</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>469324623</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>132475</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>143088</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>40219</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>3885257</Size>
    <Type>log</Type>
</File>

```



```

        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>124791</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SCC-MGMT"
Unshared="40450862729" Uncommitted="33133953024"
Committed="40450862729">
            </StorageInfo>
            <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-944f-dc7a-22b2-3eac35eb3b43" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e66441a8422691f8e43e9bbd582a3059" Parent=""
Disk="[SCC-MGMT] SCC-TEST-LNX2/SCC-TEST-LNX2.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-9fa2-1ef3-1570-5b17313b0506" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f86e1a3733029ce54f30cf276e1c4899" Parent=""
Disk="[SCC-MGMT] SCC-TEST-LNX2/SCC-TEST-LNX2_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:09:eb" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                            </BackingNetwork>
                            <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-230</Name>
    <Mor>vm-5274</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-230</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
20T05:52:58.964952Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42245604-a60b-c269-ec48-
838c4c563fca</uuid>
    <instanceUuid>50247249-7c4c-082f-0117-
4e36b4c24c8e</instanceUuid>
    <vmxDir>[TEMP] B16-PF-DV-230</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.3</IpAddress>
    <Networks>PLATFORM-DEV(&lt;True&gt;)

```

```

</Networks>
</Nics>
(fe80::250:56ff:fea4:1daa)
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[TEMP] B16-PF-DV-230/" suspendDir="[TEMP] B16-PF-DV-
230/" logDir="[TEMP] B16-PF-DV-230/" vmxPath="[TEMP] B16-PF-DV-
230/B16-PF-DV-230.vmx">
NumCPUs="2">

```

```

<Nics>PLATFORM-DEV(&lt;true&gt;)
<NicIpaddresses>(10.106.8.3)
</NicIpaddresses>
<hostName>B16-PF-DV-230</hostName>
<host>b16-pf-dv-esx-01.cisco.com
<hostMor>host-832</hostMor>
<ResourcePoolMor>resgroup-289
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-230.vmx</Name>
  <Size>3119</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-230.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-230.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-230.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-230.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-230-
b0a16fb2.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-PF-DV-230-
2963369906-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>170897</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>50228</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>50228</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>50226</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>35082</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>164607</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>374783947</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="TEMP"
Unshared="14661116442" Uncommitted="97479819264"
Committed="14661116442">
</StorageInfo>

```

```

                                <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-c1fa-6923-b4b7-448b87d35849" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b4b5c1363feb70d33a1a4f1aa9f6fad3" Parent=""
Disk="[TEMP] B16-PF-DV-230/B16-PF-DV-230.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:1d:aa" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                                </BackingFloppy>
                                <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                                </VirtualMachine>
                                <VirtualMachine>
                                <Name>B16-PF-DV-054</Name>

```

```

        <Mor>vm-900</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-054</Path>
        <ParentMor>group-v1377</ParentMor>
        <Annotation>verified changed
manager,requester</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel4_64Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 4 (64-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T06:16:00.083067Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42030ff0-c01c-716b-27ab-
c984dcfba6b4</uuid>
        <instanceUuid>523e27aa-063f-6f29-c390-
0a9d693bac13</instanceUuid>
        <vmxDir>[DEV-V5 (SATA)] SCC-BGL04-DV-
32</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.8.64</IpAddress>
        <Networks>PLATFORM-DEV(&lt;True&gt;)
</Networks>
        <Nics>PLATFORM-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.8.64)
(fe80::250:56ff:fe83:3baa)</NicIpaddresses>
        <hostName>B16-PF-DV-054</hostName>
        <host>b16-pf-dv-esx-05.cisco.com
</host>
        <hostMor>host-895</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>2
</NumberOfBackingDisks>
        <NumberOfFiles>17</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[DEV-V5 (SATA)] SCC-BGL04-DV-32/" suspendDir="[DEV-
V5 (SATA)] SCC-BGL04-DV-32/" logDir="[DEV-V5 (SATA)] SCC-BGL04-
DV-32/" vmxPath="[DEV-V5 (SATA)] SCC-BGL04-DV-32/SCC-BGL04-DV-
32.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-32.vmx</Name>
            <Size>3513</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-32.vmx
</Name>
            <Size>3472</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-32.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-32.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-32.vmdk
</Name>
            <Size>209715200</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-32_1.vmdk
</Name>
            <Size>209715200</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-32-
3607eb95.vswp</Name>
            <Size>4294967296</Size>
            <Type>swap</Type>
        </File>

```

```

906488725-1.vswp</Name>
    <File Type="VmFileInfo">
      <Name>vmx-SCC-BGL04-DV-32-
        <Size>96468992</Size>
        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-44.log</Name>
      <Size>171727</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-45.log</Name>
      <Size>236343</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-42.log</Name>
      <Size>151854</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-46.log</Name>
      <Size>40897</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-43.log</Name>
      <Size>1280310</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-41.log</Name>
      <Size>691444</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>211113</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="DEV-V5 (SATA)"
Unshared="393001744125" Uncommitted="40889221120"
Committed="393001744125">
      </StorageInfo>
      <Datastore Mor="datastore-834"
Url="/vmfs/volumes/4f6f7f20-d7955a13-11b5-0025b500018f"
Name="DEV-V5 (SATA)">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-33db-28ff-d066-cddf0adc9270" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```



```

Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-834"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4f36491489a4ef3a00329a9925177ae8" Parent=""
Disk="[DEV-V5 (SATA)] SCC-BGL04-DV-32/SCC-BGL04-DV-32.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-9f29-1alc-e30d-ea3f3d414164" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-834"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e8535cd16367535a486f087903ca5bb7" Parent=""
Disk="[DEV-V5 (SATA)] SCC-BGL04-DV-32/SCC-BGL04-DV-32_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:3b:aa" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-068</Name>
    <Mor>vm-934</Mor>
    <MorType>VirtualMachine</MorType>

```

```

Development\B16-PF-DV-068</Path>
    <Path>\(DC)S+CC(DC)\vm\Platform
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
03T10:15:32.051233Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dd478-8438-d692-37ae-
a53003757bca</uuid>
    <instanceUuid>502dc599-38ef-ac3f-875b-
4a6a3eb5e0ad</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.78</IpAddress>
    <Networks>PLATFORM-DEV(&lt;True&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.78)
(fe80::250:56ff:fead:39dd)</NicIpaddresses>
    <hostName>B16-PF-DV-068</hostName>
    <host>b16-pf-dv-esx-09.cisco.com
</host>
    <hostMor>host-951</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-068/" suspendDir="[PF-DV-FC-

```

```

A] B16-PF-DV-068/" logDir="[PF-DV-FC-A] B16-PF-DV-068/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-068/SCC-DEV-VM-028.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="8192"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-028.vmx</Name>
    <Size>3266</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-028.vmx</Name>
    <Size>3429</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-028.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-028.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-028.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-028-
c5941c2e.vswp</Name>
    <Size>8589934592</Size>
    <Type>swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmx-SCC-DEV-VM-028-
3314818094-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwsap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>165006</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>157362</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>148978</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>35194</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>215759</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>717003</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>123140</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="82730029917" Uncommitted="11857297408"
Committed="82730029917">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-19e3-5f1f-4716-12a882b6ee72" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c58b65839c800cb841da40b0047837ba" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-068/SCC-DEV-VM-028.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:39:dd" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-055</Name>
    <Mor>vm-854</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-055</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>verified</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel4_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 4 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:15:20.131029Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203b9e1-ef11-5124-fb76-
9caca095533e</uuid>
    <instanceUuid>520c929f-7195-9303-9ba6-
b07c72c4c2bb</instanceUuid>

```

```

</vmxDir>                                <vmxDir>[PF-DV-FC-A] B16-PF-DV-055/
</Networks>                               <template>>false</template>
</Nics>                                    <IpAddress>10.106.8.65</IpAddress>
</NicIpaddresses>                         <Networks>PLATFORM-DEV(&lt;false&gt;)
</host>                                    <Nics>PLATFORM-DEV(&lt;false&gt;)
</ResourcePoolMor>                       <NicIpaddresses>unassigned
</NumberOfDatastores>                    <hostName>B16-PF-DV-055</hostName>
</NumberOfBackingDisks>                 <host>b16-pf-dv-esx-11.cisco.com
</CpuFeatureMaskSupported>              <hostMor>host-5362</hostMor>
</NumberOfFeatureMaskEntries>           <ResourcePoolMor>resgroup-289
                                        <NumberOfDatastores>1
                                        <NumberOfBackingDisks>1
                                        <NumberOfFiles>13</NumberOfFiles>
                                        <CpuFeatureMaskSupported>true
                                        <NumberOfFeatureMaskEntries>0
                                        <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-055/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-055/" logDir="[PF-DV-FC-A] B16-PF-DV-055/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-055/SCC-BGL04-DV-34.vmx">
                                        </VirtualMachineFileInfo>
                                        <VirtualHardware MemoryMB="4096"
NumCPUs="4">
                                        </VirtualHardware>
                                        <File Type="VmFileInfo">
                                        <Name>SCC-BGL04-DV-34.vmx</Name>
                                        <Size>3406</Size>
                                        <Type>config</Type>
                                        </File>
                                        <File Type="VmFileInfo">
                                        <Name>SCC-BGL04-DV-34.vmx
                                        </Name>
                                        <Size>3432</Size>
                                        <Type>extendedConfig</Type>
                                        </File>
                                        <File Type="VmFileInfo">
                                        <Name>SCC-BGL04-DV-34.nvram
                                        </Name>
                                        <Size>8684</Size>
                                        <Type>nvram</Type>
                                        </File>
                                        <File Type="VmFileInfo">
                                        <Name>SCC-BGL04-DV-34.vmsd

```

```

</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-34.vmdk
</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-62.log</Name>
        <Size>203814</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-60.log</Name>
        <Size>567857</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-61.log</Name>
        <Size>180243</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>31322</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-57.log</Name>
        <Size>172642</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-59.log</Name>
        <Size>213348</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-58.log</Name>
        <Size>213488</Size>
        <Type>log</Type>
</File>
        <StorageInfo Datastore="PF-DV-FC-A"
Unshared="83889775388" Uncommitted="23810449408"
Committed="83889775388">
        </StorageInfo>
        <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-6d7f-9715-0bf5-83e2960df0c3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="280dcb00f940325361967086787f3561" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-055/SCC-BGL04-DV-34.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:69:b5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-PF-DV-216</Name>
        <Mor>vm-1902</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-216</Path>
        <ParentMor>group-v1377</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false

```



```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
29T05:50:12.686426Z</ChangeVersion>
</connectionState>
852f3d8cc24b</uuid>
4313829ed6dc</instanceUuid>
</vmxDir>
</Networks>
</Nics>
(fe80::250:56ff:fea4:7775)</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[PF-DV-FC-B] B16-PF-DV-216/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-216/" logDir="[PF-DV-FC-B] B16-PF-DV-216/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-216/B16-PF-DV-216.vmx">
NumCPUs="2">

```

```

<ChangeTrackingSupported>true
<BootOptionsSupported>true
<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
29T05:50:12.686426Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
<uuid>4224c074-1c3a-0c23-bbc2-
<instanceUuid>5024fff3-25b2-5669-2407-
<vmxDir>[PF-DV-FC-B] B16-PF-DV-216/
<template>>false</template>
<IpAddress>10.106.8.226</IpAddress>
<Networks>PLATFORM-DEV(&lt;True&gt;)
<Nics>PLATFORM-DEV(&lt;true&gt;)
<NicIpaddresses>(10.106.8.226)
<hostName>B16-PF-DV-216.cisco.com
<host>b16-pf-dv-esx-05.cisco.com
<hostMor>host-895</hostMor>
<ResourcePoolMor>resgroup-289
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>12</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-216/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-216/" logDir="[PF-DV-FC-B] B16-PF-DV-216/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-216/B16-PF-DV-216.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">

```

```

        <Name>B16-PF-DV-216.vmx</Name>
        <Size>2872</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-216.vmx</Name>
    <Size>268</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-216.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-216.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-216.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-PF-DV-216-
00b29f40.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-PF-DV-216-
11706176-1.vswp</Name>
    <Size>96468992</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>5715787776</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>34461</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>2056547603</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware.log</Name>
        <Size>9275441</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-B"
Unshared="32423193105" Uncommitted="87124082688"
Committed="32423193105">
        </StorageInfo>
        <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-8fa7-1ce9-d7ca-ba32ab22a76d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b912050dac2db060356c0e0373be84f1" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-216/B16-PF-DV-216.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:77:75" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
</VirtualMachine>

```

```

        <Name>B16-PF-DV-067</Name>
        <Mor>vm-841</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-067</Path>
        <ParentMor>group-v1377</ParentMor>
        <Annotation>POC has been changed on
the request of Narasayya(aimmidis) on 31-JAN-2013.--ptirunag
</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:22.066486Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d867d-b810-76c8-aa26-
c9e1c0524d5a</uuid>
        <instanceUuid>502df351-1584-675b-2f9a-
03a1182ba3d6</instanceUuid>
        <vmxDir>[PF-DV-FC-A] B16-PF-DV-067/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.8.77</IpAddress>
        <Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
        <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>(10.106.8.77)
(fe80::250:56ff:fead:39dc)</NicIpaddresses>
        <hostName>B16-PF-DV-067</hostName>
        <host>b16-pf-dv-esx-01.cisco.com
</host>
        <hostMor>host-832</hostMor>
        <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-067/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-067/" logDir="[PF-DV-FC-A] B16-PF-DV-067/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-067/SCC-DEV-VM-027.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-027.vmx</Name>
        <Size>3181</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-027.vmx</Name>
        <Size>3429</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-027.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-027.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-027.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>526048391</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-31.log</Name>
        <Size>144886</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-32.log</Name>
        <Size>148498</Size>
        <Type>log</Type>
    </File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>35171</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-30.log</Name>
            <Size>139171295</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-33.log</Name>
            <Size>164975</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-29.log</Name>
            <Size>589898174</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="PF-DV-FC-A"
Unshared="68110735292" Uncommitted="36468793344"
Committed="68110735292">
            </StorageInfo>
            <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-d483-3a0a-fd37-d09dc1477177" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b210dbf9adefb2d6c1eea9a7e3268b6b" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-067/SCC-DEV-VM-027.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:39:dc" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-056</Name>
    <Mor>vm-883</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-056</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>verified changed manager
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T06:48:51.586112Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203ca00-3d38-fbdf-885b-
3fa209d045a8</uuid>
    <instanceUuid>5254456d-93b5-e5eb-8258-
0eeef157e406</instanceUuid>
    <vmxDir>[TEMP] B16-PF-DV-056</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.66</IpAddress>
    <Networks>PLATFORM-DEV(&lt;True&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;true&gt;)

```

```

</Nics>
    <NicIpaddresses>(10.106.8.66)
(fe80::250:56ff:fe83:7deb)</NicIpaddresses>
    <hostName>B16-PF-DV-056</hostName>
    <host>b16-pf-dv-esx-01.cisco.com
</host>
    <hostMor>host-832</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-PF-DV-056/" suspendDir="[TEMP] B16-PF-DV-
056/" logDir="[TEMP] B16-PF-DV-056/" vmxPath="[TEMP] B16-PF-DV-
056/SCC-BGL04-DV-35.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-35.vmx</Name>
        <Size>3404</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-35.vmx.f
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-35.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-35.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-35.vmdk
</Name>

```



```

        <Size>209715200</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-35-
b0a16778.vswp</Name>

        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-DV-35-
2963367800-1.vswp</Name>

        <Size>98566144</Size>
        <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-61.log</Name>
    <Size>216640</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-62.log</Name>
    <Size>167378</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-58.log</Name>
    <Size>144073</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-63.log</Name>
    <Size>35189</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-59.log</Name>
    <Size>141479</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-60.log</Name>
    <Size>239534</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>142897</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="TEMP"
Unshared="197346248206" Uncommitted="21796749312"

```

```

Committed="197346248206">
    </StorageInfo>
    <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-7b7a-eab1-2326-01356e8d40d9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9a053e3d17b4e9afc3f8e788677552a7" Parent=""
Disk="[TEMP] B16-PF-DV-056/SCC-BGL04-DV-35.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:7d:eb" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-213</Name>
    <Mor>vm-1786</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-213</Path>
    <ParentMor>group-v1377</ParentMor>

```

```

                                <Annotation></Annotation>
                                <Version>vmx-09</Version>
                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>                                <BootOptionsSupported>>true
</BootOptionsSupported>                                <SwapPlacementSupported>>true
</SwapPlacementSupported>                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
07T06:27:40.912144Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>                                <uuid>42243171-66a6-8b92-14cd-
fa9e1bd98d37</uuid>
                                <instanceUuid>5024b43c-50fd-07c2-6ae6-
fc706fcf51f3</instanceUuid>
</vmxDir>                                <vmxDir>[PF-DV-FC-B] B16-PF-DV-213/
                                <template>>false</template>
                                <IpAddress>10.106.8.223</IpAddress>
                                <Networks>PLATFORM-DEV(&lt;True&gt;)
</Networks>                                <Nics>PLATFORM-DEV(&lt;true&gt;)
</Nics>                                <NicIpaddresses>(10.106.8.223)
(fe80::250:56ff:fea4:18a9)</NicIpaddresses>
                                <hostName>B16-PF-DV-213</hostName>
</host>                                <host>b16-pf-dv-esx-11.cisco.com
                                <hostMor>host-5362</hostMor>
</ResourcePoolMor>                                <ResourcePoolMor>resgroup-289
                                <NumberOfDatastores>1
</NumberOfDatastores>                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>                                <NumberOfFiles>14</NumberOfFiles>
</CpuFeatureMaskSupported>                                <CpuFeatureMaskSupported>true
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>                                <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-213/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-213/" logDir="[PF-DV-FC-B] B16-PF-DV-213/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-213/B16-PF-DV-213.vmx">
                                </VirtualMachineFileInfo>

```

NumCPUs="2">

```
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-213.vmx</Name>
  <Size>2980</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-213.vmx</Name>
  <Size>3425</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-213.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-213.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-213.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-213-
00b29f3d.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-PF-DV-213-
11706173-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>13907926</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>10055843840</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
```

```

        <Size>50037</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>141604</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>34748</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>902449044</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-B"
Unshared="26945400496" Uncommitted="95792660480"
Committed="26945400496">
        </StorageInfo>
        <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-ee04-c00d-04f4-c53d1729e1a4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="31bb30697d880e13f1064cffa9fad30a" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-213/B16-PF-DV-213.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:18:a9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-165</Name>
    <Mor>vm-950</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-165</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:34.82524Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200e2eb-94ac-9aa7-d284-
abf3d3164b3a</uuid>
    <instanceUuid>5000b28b-3a71-b605-42e9-
8aff5a4bec79</instanceUuid>
    <vmxDir>[PF-DV-FC-B] B16-PF-DV-165/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.8.175</IpAddress>
    <Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.175)
(fe80::250:56ff:fe80:7b1)</NicIpaddresses>

```

```

</host>
    <hostName>B16-PF-DV-165</hostName>
    <host>b16-pf-dv-esx-09.cisco.com

    <hostMor>host-951</hostMor>
    <ResourcePoolMor>resgroup-289

    </ResourcePoolMor>
    <NumberOfDatastores>1

    </NumberOfDatastores>
    <NumberOfBackingDisks>1

    </NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true

    </CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0

    </NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-165/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-165/" logDir="[PF-DV-FC-B] B16-PF-DV-165/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-165/B16-PF-DV-165.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"

    NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-165.vmx</Name>
        <Size>3031</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-165.vmx</Name>
        <Size>3427</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-165.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-165.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-165.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>419504</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>1542830333</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>4110982651</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>950610</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>34831</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>396140</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>172419</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-B"
Unshared="47406952222" Uncommitted="5738176512"
Committed="47406952222">
  </StorageInfo>
  <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-21e6-a6ed-e3e4-60f3182437c4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8eedd661004c8629c13e45fb51ce6552" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-165/B16-PF-DV-165.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""

```



```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:07:b1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-243</Name>
    <Mor>vm-5297</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-243</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>centos64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T14:55:11.574445Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42241671-d9c5-ac47-073d-

```

```

daab0748138f</uuid>
                                <instanceUuid>5024372f-5780-ecc6-4f02-
054215ceb9ab</instanceUuid>
                                <vmxDir>[PF-DV-FC-B] B16-PF-DV-243/
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.64.75.143</IpAddress>
                                <Networks>PLATFORM-DEV-2(&lt;True&gt;)
</Networks>
                                <Nics>PLATFORM-DEV-2(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.64.75.143)
(fe80::250:56ff:fea4:7344)</NicIpaddresses>
                                <hostName>B16-PF-DV-243.cisco.com
</hostName>
                                <host>b16-pf-dv-esx-05.cisco.com
</host>
                                <hostMor>host-895</hostMor>
                                <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>12</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-243/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-243/" logDir="[PF-DV-FC-B] B16-PF-DV-243/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-243/B16-PF-DV-243.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-243.vmx</Name>
                                    <Size>3068</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-243.vmx</Name>
                                    <Size>268</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-DV-243.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>

```

```

<File Type="VmFileInfo">
  <Name>B16-PF-DV-243.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-243.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-243-
00b29fa0.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-PF-DV-243-
11706272-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>6754220</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>34461</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>166079</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>124339</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="PF-DV-FC-B"
Unshared="25311327151" Uncommitted="86461382656"
Committed="25311327151">
  </StorageInfo>
  <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-d384-259c-1123-13ce4c855664" ChangeId=""

```

```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="49637b8f4820bcb4428f8914011ffa61" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-243/B16-PF-DV-243.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:73:44" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV-2" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-130</Name>
    <Mor>vm-850</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-130</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>

```

```

                                <Version>vmx-09</Version>
                                <GuestId>windows7_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
06T07:05:39.904469Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4200f593-78b4-c16e-e99b-
80d0b7103031</uuid>
                                <instanceUuid>500011a9-f175-95c4-d0b1-
70d77f5f5d83</instanceUuid>
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.8.140</IpAddress>
                                <Networks>PLATFORM-DEV(&lt;True&gt;)
</Networks>
                                <Nics>PLATFORM-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>
(fe80::d57c:83bf:e2a4:6a01)(10.106.8.140)</NicIpaddresses>
                                <hostName>B16-PF-DV-130.scc-dv.com
</hostName>
                                <host>b16-pf-dv-esx-11.cisco.com
</host>
                                <hostMor>host-5362</hostMor>
                                <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>16</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-130/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-130/" logDir="[PF-DV-FC-A] B16-PF-DV-130/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-130/B16-PF-DV-130.vmx">
                                </VirtualMachineFileInfo>

```

```

NumCPUs="2">
    <VirtualHardware MemoryMB="4096"
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-130.vmx</Name>
        <Size>3145</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-130.vmx</Name>
        <Size>3043</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-130.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-130.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-130-aux.xml
    </Name>
        <Size>0</Size>
        <Type>snapshotManifestList
    </Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-130.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-DV-130-
c5942004.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-B16-PF-DV-130-
3314819076-1.vswp</Name>
        <Size>113246208</Size>
        <Type>uwsap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>515124</Size>
        <Type>log</Type>
    </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-11.log</Name>
      <Size>171743</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-12.log</Name>
      <Size>207041</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-10.log</Name>
      <Size>896930</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-13.log</Name>
      <Size>31295</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-9.log</Name>
      <Size>404242</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>200982</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-A"
Unshared="55218357237" Uncommitted="56566480896"
Committed="55218357237">
      </StorageInfo>
      <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-769b-0ce1-b64f-5f9e2b9295da" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5aa572c1726afc3f8c4f6fee47915bec" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-130/B16-PF-DV-130.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```

```

MacAddress="00:50:56:80:24:60" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-188</Name>
    <Mor>vm-869</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-188</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:21.444463Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>

```



```

                <uuid>4200877d-4894-fd7d-c5c6-
29c5419b6496</uuid>
                <instanceUuid>5000f6a9-ce93-58f8-0434-
9208836d261e</instanceUuid>
</vmxDir>                <vmxDir>[PF-DV-FC-A] B16-PF-DV-188/
</vmxDir>                <template>>false</template>
                <IpAddress>10.106.8.198</IpAddress>
                <Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
                <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
                <NicIpaddresses>(10.106.8.198)
(fe80::250:56ff:fe80:2a0b)</NicIpaddresses>
                <hostName>B16-PF-DV-188</hostName>
                <host>b16-pf-dv-esx-01.cisco.com
</host>
                <hostMor>host-832</hostMor>
                <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
                <NumberOfDatastores>1
</NumberOfDatastores>
                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                <NumberOfFiles>13</NumberOfFiles>
                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-A] B16-PF-DV-188/" suspendDir="[PF-DV-FC-
A] B16-PF-DV-188/" logDir="[PF-DV-FC-A] B16-PF-DV-188/"
vmxPath="[PF-DV-FC-A] B16-PF-DV-188/B16-PF-DV-188.vmx">
                </VirtualMachineFileInfo>
                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                </VirtualHardware>
                <File Type="VmFileInfo">
                    <Name>B16-PF-DV-188.vmx</Name>
                    <Size>3192</Size>
                    <Type>config</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>B16-PF-DV-188.vmx</Name>
                    <Size>3428</Size>
                    <Type>extendedConfig</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>B16-PF-DV-188.nvram</Name>
                    <Size>8684</Size>
                    <Type>nvram</Type>
                </File>

```

```

<File Type="VmFileInfo">
  <Name>B16-PF-DV-188.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-188.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>480261</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>767356</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>35162</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>155492</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>336807</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>2035774250</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>782611906</Size>
  <Type>log</Type>
</File>
  <StorageInfo Datastore="PF-DV-FC-A"
Unshared="42024336026" Uncommitted="72709677056"
Committed="42024336026">
  </StorageInfo>
  <Datastore Mor="datastore-835"
Url="/vmfs/volumes/502f4930-80acb436-c120-1025b500000d" Name="PF-
DV-FC-A">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-9699-2a79-bc45-3faf0f2fc4b2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="60bfa08ad45b5b5e3f2b313bf9de9cd7" Parent="" Disk="[PF-
DV-FC-A] B16-PF-DV-188/B16-PF-DV-188.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:2a:0b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-PF-DV-011</Name>
  <Mor>vm-921</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Platform

```

```

Development\B16-PF-DV-011</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation>verified</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:15:32.051962Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203a36c-baa4-fbab-08c7-
27faaf408df9</uuid>
    <instanceUuid>52be3e9f-4ed5-9e79-9078-
c0dae35b8ac9</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.8.21</IpAddress>
    <Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>(10.106.8.21)
(fe80::250:56ff:fe83:72d8)</NicIpaddresses>
    <hostName>B16-PF-DV-011</hostName>
    <host>b16-pf-dv-esx-05.cisco.com
</host>
    <hostMor>host-895</hostMor>
    <ResourcePoolMor>resgroup-289
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-011/" suspendDir="[PF-DV-FC-

```

```

B] B16-PF-DV-011/" logDir="[PF-DV-FC-B] B16-PF-DV-011/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-011/SCC-BGL04-DV-111.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4336"
NumCPUs="4">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-111.vmx
  </Name>
    <Size>3282</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-111.vmx
  </Name>
    <Size>3431</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-111.nvram
  </Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-111.vmsd
  </Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-111.vmdk
  </Name>
    <Size>262144000</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>172029</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-33.log</Name>
    <Size>168797</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>150665</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">

```

```

        <Name>vmware-32.log</Name>
        <Size>610377</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>165932</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>151747</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>34871</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-B"
Unshared="39879863671" Uncommitted="233428131840"
Committed="39879863671">
        </StorageInfo>
        <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-3dc5-78f1-45e4-879ce0d9f747" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="262144000"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e35fb65f35d53d8c14ad77e00c065a25" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-011/SCC-BGL04-DV-111.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:72:d8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-DV-244</Name>
    <Mor>vm-5301</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform
Development\B16-PF-DV-244</Path>
    <ParentMor>group-v1377</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:34.825361Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42241d36-3eac-f195-4236-
9d6576adacfc</uuid>
    <instanceUuid>50247277-7804-e161-9590-
a80ed27f8e82</instanceUuid>
    <vmxDir>[PF-DV-FC-B] B16-PF-DV-244/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.64.75.144</IpAddress>
    <Networks>PLATFORM-DEV-2
(&lt;False&gt;)</Networks>
    <Nics>PLATFORM-DEV-2(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned

```

```

</NicIpaddresses>
<hostName>B16-PF-DV-244</hostName>
<host>b16-pf-dv-esx-09.cisco.com
</host>
<hostMor>host-951</hostMor>
<ResourcePoolMor>resgroup-289
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>9</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[PF-DV-FC-B] B16-PF-DV-244/" suspendDir="[PF-DV-FC-
B] B16-PF-DV-244/" logDir="[PF-DV-FC-B] B16-PF-DV-244/"
vmxPath="[PF-DV-FC-B] B16-PF-DV-244/B16-PF-DV-244.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-244.vmx</Name>
  <Size>2816</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-244.vmx</Name>
  <Size>268</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-244.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-244.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-PF-DV-244.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>1714485745</Size>

```



```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>2056510143</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>34472</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-DV-FC-B"
Unshared="19118000464" Uncommitted="96566878208"
Committed="19118000464">
        </StorageInfo>
        <Datastore Mor="datastore-838"
Url="/vmfs/volumes/5109010e-f447d3a4-e2c5-1025b500000d" Name="PF-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-c4ea-af26-600e-f8fa0cb70078" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-838"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8112312492f8cbd7df0abdb26547cba1" Parent="" Disk="[PF-
DV-FC-B] B16-PF-DV-244/B16-PF-DV-244.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:7b:0d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV-2" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingFloppy UseAutoDetect="false"

```

```

FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[ ] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
</Folder>
<Folder>
    <Name>Platform QA</Name>
    <Mor>group-v1365</Mor>
    <MorType>Folder</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform QA</Path>
    <ParentMor>group-v282</ParentMor>
    <NumberOfFolders>0</NumberOfFolders>
    <NumberOfVMs>3</NumberOfVMs>
    <NumberOfHosts>0</NumberOfHosts>
    <NumberOfVApps>0</NumberOfVApps>
    <NumberOfDatastores>0</NumberOfDatastores>
    <NumberOfStoragePods>0
</NumberOfStoragePods>
    <NumberOfNetworks>0</NumberOfNetworks>
    <VirtualMachine>
        <Name>SDPX-NODE-01-TMP1</Name>
        <Mor>vm-5459</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Platform QA
\SDPX-NODE-01-TMP1</Path>
        <ParentMor>group-v1365</ParentMor>
        <Annotation>Node-VM using SDPLinux,
Java-1.6-u45_x86_64bit, jetty-8.1.7</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:15:01.711941Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>42246e38-f221-98c1-30b5-
951a668af421</uuid>
    <instanceUuid>5024a55e-a265-7d40-f3ea-
6d39a1c5cf31</instanceUuid>
    <vmxDir>[TEMP] SDPX-NODE-01-TMP1/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>PLATFORM-QA(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>bl6-pf-qa-esx-01.cisco.com
</host>
    <hostMor>host-411</hostMor>
    <ResourcePoolMor>resgroup-293
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>8</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[TEMP] SDPX-NODE-01-TMP1/" suspendDir="[TEMP] SDPX-
NODE-01-TMP1/" logDir="[TEMP] SDPX-NODE-01-TMP1/" vmxPath="[TEMP]
SDPX-NODE-01-TMP1/SDPX-NODE-01-TMP1.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="1">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SDPX-NODE-01-TMP1.vmx
</Name>
        <Size>2754</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SDPX-NODE-01-TMP1.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>

```

```

        <File Type="VmFileInfo">
            <Name>SDPX-NODE-01-TMP1.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SDPX-NODE-01-TMP1.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SDPX-NODE-01-TMP1.vmdk
</Name>
            <Size>4194304</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>98206</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>101813</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="TEMP"
Unshared="1800616449" Uncommitted="6916440064"
Committed="1800616449">
            </StorageInfo>
            <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-a1ff-c1e2-78f7-4fd0623c92c4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="4194304"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dfb574c434c033075e6290bf3daled7b" Parent=""
Disk="[TEMP] SDPX-NODE-01-TMP1/SDPX-NODE-01-TMP1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4f:9d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[TEMP] SDPX-NODE-01-TMP1/_deviceImage-0.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-415" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-QA-033</Name>
    <Mor>vm-1360</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\"(DC)S+CC(DC)\vm\Platform QA
\B16-PF-QA-033</Path>
    <ParentMor>group-v1365</ParentMor>
    <Annotation>This VM was created by
bpattana</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:15:01.848312Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422403b8-3661-a5ee-6cb0-
43121f21ed80</uuid>

```

```

                                <instanceUuid>50249b8e-40bc-7a83-19a4-
0dc90adf5603</instanceUuid>
                                <vmxDir>[PF-QA-FC-A] B16-PF-QA-033/
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.12.43</IpAddress>
                                <Networks>PLATFORM-QA(&lt;False&gt;)
</Networks>
                                <Nics>PLATFORM-QA(&lt;false&gt;)
</Nics>
                                <NicIpaddresses>(10.106.12.43)
(fe80::250:56ff:fea4:2dfd)</NicIpaddresses>
                                <hostName>B16-PF-QA-033</hostName>
                                <host>b16-pf-qa-esx-01.cisco.com
</host>
                                <hostMor>host-411</hostMor>
                                <ResourcePoolMor>resgroup-293
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>9</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[PF-QA-FC-A] B16-PF-QA-033/" suspendDir="[PF-QA-FC-
A] B16-PF-QA-033/" logDir="[PF-QA-FC-A] B16-PF-QA-033/"
vmxPath="[PF-QA-FC-A] B16-PF-QA-033/B16-PF-QA-033.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-QA-033.vmx</Name>
                                    <Size>3253</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-QA-033.vmx</Name>
                                    <Size>0</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-QA-033.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-PF-QA-033.vmsd</Name>

```

```

        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-PF-QA-033.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>269412</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>102227</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>149831</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-QA-FC-A"
Unshared="39040066463" Uncommitted="8367702016"
Committed="39040066463">
        </StorageInfo>
        <Datastore Mor="datastore-414"
Url="/vmfs/volumes/502f4a43-25e56874-a137-1025b500000d" Name="PF-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-66b1-0f7f-70c8-90784b60e04c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-414"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c8bf0a02430519cba740e1ef71863c2c" Parent="" Disk="[PF-
QA-FC-A] B16-PF-QA-033/B16-PF-QA-033.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:2d:fd" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network

```

```

adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-PF-QA-002</Name>
    <Mor>vm-566</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Platform QA
\B16-PF-QA-002</Path>
    <ParentMor>group-v1365</ParentMor>
    <Annotation>Windows 2008 Standard - 64
bit OS, for Exchange server. Installation for SCC-QA team.
Contact person : Nicholas Dattoma, Sreedhar Reddy, Praveena
Sridhar</Annotation>
    <Version>vmx-08</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
06T07:45:15.773244Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d1cf2-2f8b-ebbb-96dc-
1e14dac5a5bc</uuid>
    <instanceUuid>52fc4dbd-7e66-fc58-b87e-
4c5a24e88911</instanceUuid>
    <vmxDir>[PF-QA-FC-A] B16-PF-QA-002/
</vmxDir>
    <template>>false</template>

```



```

</Networks>
    <IpAddress>10.106.12.12</IpAddress>
    <Networks>PLATFORM-QA(&lt;True&gt;)
</Networks>
    <Nics>PLATFORM-QA(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.106.12.12)
</NicIpaddresses>
    <hostName>B16-PF-QA-002.scc-qa.com
</hostName>
    <host>b16-pf-qa-esx-01.cisco.com
</host>
    <hostMor>host-411</hostMor>
    <ResourcePoolMor>resgroup-293
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-QA-FC-A] B16-PF-QA-002/" suspendDir="[PF-QA-FC-
A] B16-PF-QA-002/" logDir="[PF-QA-FC-A] B16-PF-QA-002/"
vmxPath="[PF-QA-FC-A] B16-PF-QA-002/SCC-BGL04-QA-VM-04_1.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-VM-04_1.vmx
</Name>
        <Size>3544</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-VM-04_1.vmx
</Name>
        <Size>2752</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>Win2K8Srv64Bit.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-VM-04_1.vmsd
</Name>
        <Size>45</Size>

```

```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-VM-04_1-
aux.xml</Name>
        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-VM-04_1.vmdk
</Name>
        <Size>209715200</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-VM-04_1-
41dbfb1b.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-SCC-BGL04-QA-VM-04_1-
1104935707-1.vswp</Name>
        <Size>48234496</Size>
        <Type>u.swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-60.log</Name>
        <Size>102973</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-56.log</Name>
        <Size>2487639</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-59.log</Name>
        <Size>170971</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-57.log</Name>
        <Size>629769</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-58.log</Name>
        <Size>195293</Size>
        <Type>log</Type>
    </File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-55.log</Name>
            <Size>119943</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>164218</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="PF-QA-FC-A"
Unshared="219048266503" Uncommitted="47185920"
Committed="219048266503">
            </StorageInfo>
            <Datastore Mor="datastore-414"
Url="/vmfs/volumes/502f4a43-25e56874-a137-1025b500000d" Name="PF-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-7538-1e4d-e99e-89fcf66def2d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-414"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7dcfd20de6a6be5ed7faf5c950ad65fb" Parent="" Disk="[PF-
QA-FC-A] B16-PF-QA-002/SCC-BGL04-QA-VM-04_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:2b:19" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"

```

```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    </VirtualMachine>
</Folder>
<Folder>
    <Name>Solutions Development</Name>
    <Mor>group-v1379</Mor>
    <MorType>Folder</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development</Path>
    <ParentMor>group-v282</ParentMor>
    <NumberOfFolders>0</NumberOfFolders>
    <NumberOfVMs>224</NumberOfVMs>
    <NumberOfHosts>0</NumberOfHosts>
    <NumberOfVApps>0</NumberOfVApps>
    <NumberOfDatastores>0</NumberOfDatastores>
    <NumberOfStoragePods>0
</NumberOfStoragePods>
    <NumberOfNetworks>0</NumberOfNetworks>
    <VirtualMachine>
        <Name>B16-SN-DV-080</Name>
        <Mor>vm-1163</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-080</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM is Provisioned by
Amit Saha on
20-MAR-12</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T06:01:29.719091Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d5cc0-f182-a8f1-b11c-
9f0fbd9b5349</uuid>
        <instanceUuid>502d85eb-6d1d-cd45-02a7-
3c81b13331d1</instanceUuid>

```

```

</vmxDir>                                <vmxDir>[SN-DV-FC-A] B16-SN-DV-080/
</Networks>                               <template>>false</template>
</Nics>                                    <IpAddress>10.106.9.90</IpAddress>
                                             <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Nics>                                    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
                                             <NicIpaddresses>(10.106.9.90)
(fe80::250:56ff:fead:6808)</NicIpaddresses> <hostName>B16-SN-DV-080</hostName>
</host>                                    <host>b16-sn-dv-esx-04.cisco.com
                                             <hostMor>host-1209</hostMor>
</ResourcePoolMor>                        <ResourcePoolMor>resgroup-287
</NumberOfDatastores>                    <NumberOfDatastores>1
</NumberOfBackingDisks>                  <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>              <NumberOfFiles>15</NumberOfFiles>
</NumberOfFeatureMaskEntries>           <CpuFeatureMaskSupported>true
</VirtualMachineFileInfo>                <NumberOfFeatureMaskEntries>0
snapshotDir="[SN-DV-FC-A] B16-SN-DV-080/" <VirtualMachineFileInfo>
logDir="[SN-DV-FC-A] B16-SN-DV-080/"      <VirtualHardware MemoryMB="4096"
vmxPath="[SN-DV-FC-A] B16-SN-DV-080/SCC-DEV-VM-031.vmx">
NumCPUs="2">                               </VirtualHardware>
                                             <File Type="VmFileInfo">
                                             <Name>SCC-DEV-VM-031.vmx</Name>
                                             <Size>3178</Size>
                                             <Type>config</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>SCC-DEV-VM-031.vmx</Name>
                                             <Size>3429</Size>
                                             <Type>extendedConfig</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>SCC-DEV-VM-031.nvram
</Name>                                     <Size>8684</Size>
                                             <Type>nvram</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>SCC-DEV-VM-031.vmsd</Name>
                                             <Size>0</Size>

```

```

        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-031.vmdk</Name>
    <Size>62914560</Size>
    <Type>diskDescriptor</Type>
</File>
d3ec30fd.vswp</Name>
    <Name>SCC-DEV-VM-031-
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
3555471613-1.vswp</Name>
    <Name>vmx-SCC-DEV-VM-031-
    <Size>96468992</Size>
    <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>106996</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>104364</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>330351</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>184285</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>24635</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>180120</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>149441</Size>

```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="41343301435" Uncommitted="27473739776"
Committed="41343301435">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-7ee5-e4d0-1a7c-7d4ee7dab963" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="aeb1291f53974007ad718a45fa12919c" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-080/SCC-DEV-VM-031.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:68:08" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                    </VirtualMachine>
                </VirtualMachine>
            <Name>B16-SN-DV-081</Name>
            <Mor>vm-1316</Mor>

```

```

        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-081</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>Cloned image from SCC-DEV-
VM-036 BY Chandra Babu M.
</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winNetStandardGuest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T07:02:11.959441Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422deecb-beab-ea1b-05d8-
89613a31aab6</uuid>
        <instanceUuid>502d0de5-0ebe-b73b-c752-
25d429b3cefe</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SN-DV-081/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.91</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.9.91)
</NicIpaddresses>
        <hostName>B16-SN-DV-081.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-07.cisco.com
</host>
        <hostMor>host-1293</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>16</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```



```

        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-081/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-081/" logDir="[SN-DV-FC-A] B16-SN-DV-081/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-081/SCC-DEV-VM-032.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-032.vmx</Name>
            <Size>3591</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-032.vmx</Name>
            <Size>3080</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-032.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-032.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-032-aux.xml
</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-032.vmdk</Name>
            <Size>62926605</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-032-
d3ec30fe.vswp</Name>
            <Size>8589934592</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmx-SCC-DEV-VM-032-
3555471614-1.vswp</Name>

```

```

        <Size>165675008</Size>
        <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>24640</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>152887</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>149036</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>288840508</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>166483</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>147043</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>1099526917</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="70457675413" Uncommitted="4123800576"
Committed="70457675413">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-29fe-d088-0313-abcfab9e1f2d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62926605"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="54f5c88b081497c9b9ab50902d71d869" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-081/SCC-DEV-VM-032.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0f:d6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/char/serial/uart0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="9000" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
    <BackingSerialPort YieldOnPoll="false"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="1" Key="9001"
ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-088</Name>
    <Mor>vm-1185</Mor>

```

```

        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-088</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM is imaged by Amit
Saha on 10-APR-2012 for the user Satheesh Kumar S K on account
of Apr12skumarskSCC1010.</Annotation>
        <Version>vmx-09</Version>
        <GuestId>windows7_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:32.750957Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d1c02-2907-460e-b12b-
e59ccc6d105b</uuid>
        <instanceUuid>502d6ee5-0a8b-6b33-6349-
75898ce5af78</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SN-DV-088/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.9.98</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-088.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-04.cisco.com
</host>
        <hostMor>host-1209</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-088/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-088/" logDir="[SN-DV-FC-A] B16-SN-DV-088/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-088/SCC-DEV-VM-044.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-044.vmx</Name>
            <Size>3339</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-044.vmx</Name>
            <Size>3048</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-044.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-044.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-044-aux.xml
</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-044.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-20.log</Name>
            <Size>140864</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-19.log</Name>
            <Size>188746</Size>
            <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>674440</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>24294</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>249592</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>107910</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>431458</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="45118911927" Uncommitted="66814038016"
Committed="45118911927">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-845d-3a7f-c210-25229a95c70d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f936f86627c08686dccbc3aell280670" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-088/SCC-DEV-VM-044.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:10:13" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-089</Name>
    <Mor>vm-1110</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-089</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM provisioned by
Amit Saha.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:26.912419Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422de2fe-f2f5-acab-36e6-
75990df3ea6e</uuid>
    <instanceUuid>502d60fe-736b-aa50-4bf3-

```

```

800ccc355e07</instanceUuid>
</vmxDir>
<vmxDir>[SN-DV-FC-A] B16-SN-DV-089/
<template>>false</template>
<IpAddress>169.254.206.96</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-089.scc-dv.com
</hostName>
<host>b16-sn-dv-esx-08.cisco.com
</host>
<hostMor>host-1325</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>
<NumberOfDatastores>1
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-089/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-089/" logDir="[SN-DV-FC-A] B16-SN-DV-089/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-089/SCC-DEV-VM-046.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-DEV-VM-046.vmx</Name>
<Size>3293</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-DEV-VM-046.vmx</Name>
<Size>3046</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-DEV-VM-046.nvram
</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">

```



```

        <Name>SCC-DEV-VM-046.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-046-aux.xml
</Name>

    <Size>0</Size>
    <Type>snapshotManifestList
</Type>

</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-046.vmdk</Name>
    <Size>62914560</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>406559</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>186834</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>24291</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>103238</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>341665</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>139535</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>315286</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"

```

```

Unshared="37554184719" Uncommitted="31411511296"
Committed="37554184719">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-f27f-0bd9-b09f-2a6d621c8f78" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6a9d7596cbfc2cb42e896c5f99d2d917" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-089/SCC-DEV-VM-046.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:2f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-086</Name>
    <Mor>vm-5380</Mor>
    <MorType>VirtualMachine</MorType>

```

```

        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-086</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM was created by
prasbr on 18-OCT-2013</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T07:22:52.663144Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42242f5c-52d8-f36a-adcd-
7246f6e6137f</uuid>
        <instanceUuid>50242d4f-562b-8c87-99f7-
17edb4d8b79c</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-dv-esx-05.cisco.com
</host>
        <hostMor>host-2873</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>17</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo

```

```

snapshotDir="[SN-DV-FC-B] B16-SN-DV-086/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-086/" logDir="[SN-DV-FC-B] B16-SN-DV-086/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-086/B16-SN-DV-086.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="8192"

NumCPUs="2">

  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-086.vmx</Name>
    <Size>3084</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-086.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-086.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-086.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-086-000001.vmdk
</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-086-
Snapshot3.vmsn</Name>
    <Size>28604</Size>
    <Type>snapshotData</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-086-
3390392b.vswp</Name>
    <Size>8589934592</Size>
    <Type>swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-086-
865089835-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwsnap</Type>
  </File>
  <File Type="VmFileInfo">

```

```

        <Name>vmware-10.log</Name>
        <Size>102444</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>156415</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>24236</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>125108</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>125382</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>277763</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>202320</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="43722646872" Uncommitted="69692387328"
Committed="43722646872">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-a4dc-33a5-8a42-3032a955f232" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ef555f67fa3329781b668cbffe9c5d0f" Parent="[SN-DV-FC-B]
B16-SN-DV-086/B16-SN-DV-086.vmdk" Disk="[SN-DV-FC-B] B16-SN-DV-
086/B16-SN-DV-086-000001.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"

```

```

ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:64:c9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[SN-DV-FC-B] ISO/IEP-DEV-1.1.0-4.x86_64.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-837" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>clone-temp-1387792149464767
</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-087</Name>
    <Mor>vm-1199</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-087</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is imaged by Amit
Saha on 10-APR-2012 for the user Satheesh Kumar S K on account
of Apr12skumarskSCC1010.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>

```

```

        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:32.777814Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d74e8-ecc3-40fe-8655-
9a90752f5c9c</uuid>
        <instanceUuid>502d5ed5-e28a-ae53-f5f7-
e7247a65e449</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.97</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-087.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-04.cisco.com
</host>
        <hostMor>host-1209</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-087/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-087/" logDir="[SN-DV-FC-A] B16-SN-DV-087/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-087/SCC-DEV-VM-043.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-043.vmx</Name>
            <Size>3339</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-043.vmx</Name>
            <Size>3048</Size>

```

```

        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-043.nvram
</Name>

    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-043.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-043-aux.xml
</Name>

    <Size>0</Size>
    <Type>snapshotManifestList
</Type>

</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-043.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>248968</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>195344</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>24292</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>725331</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>143910</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>

```



```

        <Size>203509</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>429062</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="33421151183" Uncommitted="78511951872"
Committed="33421151183">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-7f71-eb2f-4c72-20b04d6befa4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="344fb3755fc47c39bf8fcfad39feec85" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-087/SCC-DEV-VM-043.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:10:15" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"

```

```

AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-084</Name>
    <Mor>vm-1130</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-084</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM provisioned by
Amit Saha on 9-APR-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:04:27.047663Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d39d9-a0f4-6831-ac23-
5d415a91eb2c</uuid>
    <instanceUuid>502d909b-fcc1-4f66-70bb-
2f349711f272</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-084/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.94</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.94)
(fe80::250:56ff:fead:1006)</NicIpaddresses>
    <hostName>B16-SN-DV-084</hostName>
    <host>b16-sn-dv-esx-03.cisco.com
</host>
    <hostMor>host-1174</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1

```

```

</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-084/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-084/" logDir="[SN-DV-FC-B] B16-SN-DV-084/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-084/SCC-DEV-VM-038.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-038.vmx</Name>
        <Size>3197</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-038.vmx</Name>
        <Size>3429</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-038.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-038.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-038.vmdk</Name>
        <Size>63963136</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-038-
33903929.vswp</Name>
        <Size>8589934592</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-SCC-DEV-VM-038-
865089833-1.vswp</Name>
        <Size>96468992</Size>

```

```

        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>740072158</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>24286</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>211147</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>471437</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>1531538726</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-17.log</Name>
        <Size>253672</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>148751</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="39193096447" Uncommitted="37264293888"
Committed="39193096447">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-b641-209d-2b96-829aacc188bb" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="63963136"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8ed41c4932ad17280a38d9bcf6a30fac" Parent="" Disk="[SN-

```

```

DV-FC-B] B16-SN-DV-084/SCC-DEV-VM-038.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:10:06" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-085</Name>
    <Mor>vm-1340</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-085</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is created by
prasanth B R 9-APR-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>

```

```

        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
13T06:39:36.776455Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200da0a-5659-10d8-7c1f-
92893f57c0b8</uuid>
        <instanceUuid>5000faf8-af59-2528-285b-
6709d1fccc77</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-085/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-dv-esx-08.cisco.com
</host>
        <hostMor>host-1325</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-085/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-085/" logDir="[SN-DV-FC-B] B16-SN-DV-085/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-085/B16-SN-DV-085.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-085.vmx</Name>
            <Size>3187</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-085.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-085.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-085.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-085.vmdk</Name>
  <Size>167772160</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-085-
3390392a.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-085-
865089834-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>124115</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>24322</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>163873</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>134909</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>123623</Size>
  <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-14.log</Name>
            <Size>124114</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>103564</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="16913292695" Uncommitted="159277645824"
Committed="16913292695">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-b72c-a32b-578f-47d874af210a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="930818c30067bec3e7317c6236a12345" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-085/B16-SN-DV-085.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:a6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingFloppy UseAutoDetect="false"
FileName=""

```



```

BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-082</Name>
    <Mor>vm-5377</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-082</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
prasbr on 18-OCT-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:53.197255Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224c567-6557-e1ed-b63d-
d90a8ddac8d8</uuid>
    <instanceUuid>5024edd0-190c-8187-5a63-
6626deed32a6</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-082/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned

```

```

</NicIpaddresses>
<hostName></hostName>
<host>b16-sn-dv-esx-07.cisco.com
</host>
<hostMor>host-1293</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-082/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-082/" logDir="[SN-DV-FC-B] B16-SN-DV-082/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-082/B16-SN-DV-082.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-082.vmx</Name>
  <Size>3044</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-082.vmx</Name>
  <Size>371</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-082.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-082.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-082.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>24238</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>668848</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>123961</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>107570</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>129297</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>147967</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>293561</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="17161453781" Uncommitted="73279053824"
Committed="17161453781">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-e4c2-10ff-f04c-e0ef8f64e990" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b7648df35fd38ddc85a5cb088d37f262" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-082/B16-SN-DV-082.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:35:3f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[SN-DV-FC-B] ISO/IEP-DEV-1.1.0-4.x86_64.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-837" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-019</Name>
        <Mor>vm-2162</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-019</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM was created by
prasbr on 19-JUN-2013</Annotation>
        <Version>vmx-09</Version>
        <GuestId>windows7_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T08:24:34.101001Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected

```

```

</connectionState>
3d1aeb186fd8</uuid>
</instanceUuid>
</vmxDir>
</Networks>
</Nics>
(fe80::74e1:2e1:bc56:e00d)(10.106.9.29)</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] B16-SN-DV-019/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-019/" logDir="[SN-DV-FC-A] B16-SN-DV-019/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-019/B16-SN-DV-019.vmx">
NumCPUs="2">

```

```

<uuid>42248279-b176-af82-20c0-
<instanceUuid>502436b2-6f9b-ee86-049a-
<vmxDir>[SN-DV-FC-A] B16-SN-DV-019/
<template>>false</template>
<IpAddress>10.106.9.29</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;True&gt;)
<Nics>SOLUTIONS-DEV(&lt;true&gt;)
<NicIpaddresses>
<hostName>B16-SN-DV-019.scc-dv.com
<host>b16-sn-dv-esx-07.cisco.com
<hostMor>host-1293</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-019.vmx</Name>
  <Size>3265</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-019.vmx</Name>
  <Size>3047</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-019.nvram</Name>
  <Size>8684</Size>

```

```

        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-019.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-019-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-019.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-019-
d3ec301f.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-019-
3555471391-1.vswp</Name>
  <Size>113246208</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>193842</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>146554</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>143620</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>24279</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-4.log</Name>
        <Size>128293</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>1236744</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>403251</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="68349523835" Uncommitted="43435163648"
Committed="68349523835">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-5db5-cf5d-dce9-4ac7521393f9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a285bf1f71122daebd8ab4fca732fe7c" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-019/B16-SN-DV-019.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:1f:e7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-083</Name>
    <Mor>vm-4671</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-083</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
prasbr on 19-AUG-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
05T09:04:17.348341Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42241173-7879-7615-9642-
76262bc83f51</uuid>
    <instanceUuid>50244d2f-7f86-9150-0ae7-
18c3c27d20cd</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-083/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.93</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>
(fe80::5de:6768:f4fd:ba15)(10.106.9.93)</NicIpaddresses>
    <hostName>B16-SN-DV-083.scc-dv.com

```



```

</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] B16-SN-DV-083/" suspendDir="[SN-DV-FC-A] B16-SN-DV-083/" logDir="[SN-DV-FC-A] B16-SN-DV-083/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-083/B16-SN-DV-083.vmx">
NumCPUs="2">
d3ec3100.vswp</Name>

```

```

<host>b16-sn-dv-esx-05.cisco.com
<hostMor>host-2873</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<Name>B16-SN-DV-083.vmx</Name>
<Size>3144</Size>
<Type>config</Type>
</File>
<Name>B16-SN-DV-083.vmx</Name>
<Size>3047</Size>
<Type>extendedConfig</Type>
</File>
<Name>B16-SN-DV-083.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<Name>B16-SN-DV-083.vmsd</Name>
<Size>0</Size>
<Type>snapshotList</Type>
</File>
<Name>B16-SN-DV-083.vmdk</Name>
<Size>41943040</Size>
<Type>diskDescriptor</Type>
</File>
<Name>B16-SN-DV-083-
<Size>4294967296</Size>

```

```

        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-083-
3555471616-1.vswp</Name>
    <Size>113246208</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>396125</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>24193</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>46740316</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>153350</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>196261</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>364769</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>218011</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="40163479932" Uncommitted="7242514432"
Committed="40163479932">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C298-8a17-5cba-5a40-e18c65f87a60" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="831f52e2d7511d2d5aaf810dc3ald424" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-083/B16-SN-DV-083.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4f:f4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-018</Name>
    <Mor>vm-1283</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-018</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM instance
provisioned by Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>

```

```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>true
</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:04:52.727256Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d7479-e07d-29fd-c368-
3bb3c90d8748</uuid>
<instanceUuid>502d634c-0575-147c-658c-
2d202a16b936</instanceUuid>
<vmxDir>[SN-DV-FC-B] B16-SN-DV-018/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.28</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>b16-sn-dv-018.scc-dv.com
</hostName>
<host>b16-sn-dv-esx-07.cisco.com
</host>
<hostMor>host-1293</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-018/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-018/" logDir="[SN-DV-FC-B] B16-SN-DV-018/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-018/SCC-BGL04-DV-171.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-171.vmx
</Name>
  <Size>3309</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-171.vmx
</Name>
  <Size>3082</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-171.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-171.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-171-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-171.vmdk
</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-32.log</Name>
  <Size>772434</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>1247906</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>24317</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-29.log</Name>
            <Size>587350</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-30.log</Name>
            <Size>651726</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-33.log</Name>
            <Size>140146</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-31.log</Name>
            <Size>326228</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="33774203838" Uncommitted="35193724928"
Committed="33774203838">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-8d50-1586-23d5-b3d09f077470" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="19f7d920757c06d5467fe445c0e4d47f" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-018/SCC-BGL04-DV-171.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:52" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-230</Name>
    <Mor>vm-7026</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-230</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.929192Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224910a-2218-dc10-d668-
0a9fc660fa80</uuid>
    <instanceUuid>502444a3-1f3c-16aa-6fae-
399fc35df4de</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-230/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.4</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;);)
</Networks>

```

```

</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-230/" suspendDir="[SN-DV-FC-B] B16-SN-DV-230/" logDir="[SN-DV-FC-B] B16-SN-DV-230/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-230/B16-SN-DV-230.vmx">
NumCPUs="2">
</VirtualMachineFileInfo>
</VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-230.vmx</Name>
  <Size>3164</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-230.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-230.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-230.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-230.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>

```



```

        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>269528</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="7572048672" Uncommitted="104342069248"
Committed="7572048672">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-62e4-2b30-684e-6696b75a50b0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c1fe7445fd24fd99e6356f76209c5696" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-230/B16-SN-DV-230.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:33:9c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                                </BackingFloppy>
                                <BackingCdrom UseAutoDetect="false"

```

```

FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-041</Name>
    <Mor>vm-1312</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-041</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This Machine is created By
Sandeep Byrappa on 10-AUG-2011</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
03T05:44:48.539103Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dae05-24de-edce-b05a-
7cae7f3b4560</uuid>
    <instanceUuid>502dbc76-dd95-c6e0-673c-
37caacbc316a</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-041/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.51</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.51)
</NicIpaddresses>
    <hostName>B16-SN-DV-041.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>
    <hostMor>host-1325</hostMor>

```

```

</ResourcePoolMor>                                <ResourcePoolMor>resgroup-287
</NumberOfDatastores>                             <NumberOfDatastores>1
</NumberOfBackingDisks>                           <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                        <NumberOfFiles>15</NumberOfFiles>
</NumberOfFeatureMaskEntries>                     <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries>                     <NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo                            <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-041/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-041/" logDir="[SN-DV-FC-A] B16-SN-DV-041/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-041/SCC-BGL04-DV-46.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-46.vmx</Name>
  <Size>3254</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-46.vmx
</Name>
  <Size>3081</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-46.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-46.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-46.vmdk
</Name>
  <Size>104872320</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-46-
d3ec307a.vswp</Name>
  <Size>4294967296</Size>

```

```

        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-DV-46-
3555471482-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-34.log</Name>
    <Size>150461</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-37.log</Name>
    <Size>148336</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-35.log</Name>
    <Size>586086</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-36.log</Name>
    <Size>155844553</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-39.log</Name>
    <Size>176824</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-38.log</Name>
    <Size>24313</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>153438</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="108477096982" Uncommitted="3460694016"
Committed="108477096982">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C298-9b13-2879-e47e-31faef5e052b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104872320"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="58fcff19ec822e8f39f22d34175aa6ae" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-041/SCC-BGL04-DV-46.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:20" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-042</Name>
    <Mor>vm-3784</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-042</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
30T08:10:48.205386Z</ChangeVersion>
</connectionState>
0ab14d643469</uuid>
abda7d45d005</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-042/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-042/" logDir="[SN-DV-FC-B] B16-SN-DV-042/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-042/B16-SN-DV-042.vmx">
NumCPUs="2">

```

```

<ChangeTrackingSupported>true
<BootOptionsSupported>true
<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
<powerState>poweredOff</powerState>
<connectionState>connected
<uuid>4224e24a-1d2c-6a24-d559-
<instanceUuid>502457b2-98ce-1b84-e637-
<vmxDir>[SN-DV-FC-B] B16-SN-DV-042/
<template>>false</template>
<IpAddress>10.106.9.52</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
<NicIpaddresses>unassigned
<hostName>B16-SN-DV-042.scc-dv.com
<host>b16-sn-dv-esx-03.cisco.com
<hostMor>host-1174</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>11</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-042/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-042/" logDir="[SN-DV-FC-B] B16-SN-DV-042/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-042/B16-SN-DV-042.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">

```

```

        <Name>B16-SN-DV-042.vmx</Name>
        <Size>3207</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-042.vmx</Name>
    <Size>3047</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-042.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-042.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-042.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>152845</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>373052</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>156459</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>24633</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>362611</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="64728632442" Uncommitted="47203569664"
Committed="64728632442">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-d9ce-17c2-2799-5d44a69663ca" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c9db9cdddb33c9165ae4795bccdcc407" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-042/B16-SN-DV-042.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:02:84" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-015</Name>
        <Mor>vm-1310</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-015</Path>

```



```

        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM was created by
sbyrappa on 27-MAY-2011</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:26.496623Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42037347-5d50-33db-b907-
c672c42285b6</uuid>
        <instanceUuid>528a6b7d-1c9a-7353-4e63-
f22584842da7</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-015/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.25</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-015</hostName>
        <host>b16-sn-dv-esx-08.cisco.com
</host>
        <hostMor>host-1325</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-015/" suspendDir="[SN-DV-FC-

```

```

B] B16-SN-DV-015/" logDir="[SN-DV-FC-B] B16-SN-DV-015/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-015/SCC-BGL04-DV-141.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-141.vmx
  </Name>
    <Size>3411</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-141.vmx
  </Name>
    <Size>3431</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-141.nvram
  </Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-141.vmsd
  </Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-141.vmdk
  </Name>
    <Size>105906176</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>184637</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>24321</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>177042</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">

```

```

        <Name>vmware-23.log</Name>
        <Size>181738</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>126494</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>139701</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>224470</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="30797751049" Uncommitted="82190901248"
Committed="30797751049">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-f726-4a83-2db6-1068eece9719" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="105906176"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a2114e94651e9f3c016239017fa8ce4e" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-015/SCC-BGL04-DV-141.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:00:fc" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-017</Name>
    <Mor>vm-1336</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-017</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
virkumar on 6-JUN-2011</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.205141Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42034f1d-06e2-9030-a4cb-
d7544411856e</uuid>
    <instanceUuid>52ac50a6-c5a5-9632-6b64-
114976480308</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-017/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.27</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;false&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>

```

```

</NicIpaddresses>                                <NicIpaddresses>unassigned
</hostName>                                       <hostName>b16-sn-dv-017.scc-dv.com
</host>                                           <host>b16-sn-dv-esx-03.cisco.com
</ResourcePoolMor>                               <hostMor>host-1174</hostMor>
</NumberOfDatastores>                           <ResourcePoolMor>resgroup-287
</NumberOfBackingDisks>                         <NumberOfDatastores>1
</CpuFeatureMaskSupported>                      <NumberOfBackingDisks>1
</NumberOfFeatureMaskEntries>                   <NumberOfFiles>13</NumberOfFiles>
<VirtualMachineFileInfo                          <CpuFeatureMaskSupported>true
snapshotDir="[SN-DV-FC-B] B16-SN-DV-017/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-017/" logDir="[SN-DV-FC-B] B16-SN-DV-017/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-017/SCC-BGL04-DV-148.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-148.vmx
  </Name>
    <Size>3268</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-148.vmx
  </Name>
    <Size>3082</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-148.nvram
  </Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-148.vmsd
  </Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-148.vmdk

```

```

</Name>
        <Size>104872320</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-49.log</Name>
    <Size>108533</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-51.log</Name>
    <Size>1526125011</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-50.log</Name>
    <Size>748682783</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>172174</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-47.log</Name>
    <Size>405658</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-48.log</Name>
    <Size>701102</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-52.log</Name>
    <Size>24327</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="109623154046" Uncommitted="4581990400"
Committed="109623154046">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-a325-5d79-b99e-858ec322152c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104872320"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e557b75eaec7c8c0f33a3010d9ae91a6" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-017/SCC-BGL04-DV-148.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:6a:c8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-040</Name>
    <Mor>vm-1156</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-040</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true

```

```

</BootOptionsSupported>
</SwapPlacementSupported>
    <SwapPlacementSupported>true
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.540013Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d48c6-87e8-182b-a0dd-
ee052f4e2ae9</uuid>
    <instanceUuid>5292b252-9b32-727d-2575-
4c7e5657fc18</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.50</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-040.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-03.cisco.com
</host>
    <hostMor>host-1174</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-040/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-040/" logDir="[SN-DV-FC-B] B16-SN-DV-040/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-040/SCC-BGL04-DV-45_1.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="1">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-45_1.vmx
</Name>
        <Size>3346</Size>
        <Type>config</Type>

```



```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-45_1.vmx
  </Name>
  <Size>3083</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-45.nvram
  </Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-45_1.vmsd
  </Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-45_1.vmdk
  </Name>
  <Size>104860672</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>582534</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>747451353</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>24338</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>1526974694</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>105808</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>

```

```

        <Size>172093</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>382242</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="105689419023" Uncommitted="6315909120"
Committed="105689419023">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-5c70-5fd2-c9d9-55111fc80057" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104860672"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="256ae0e2bb5758ae8e89f2a5d0795570" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-040/SCC-BGL04-DV-45_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:93" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"

```

```

AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-111-clone</Name>
    <Mor>vm-7596</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-111-clone</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Exchange 2007
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandard64Guest
</GuestId>
    <GuestOSAltName>Microsoft Windows
Server 2003, Standard Edition (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:33.2829Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224bfe1-81b5-b69a-8258-
471a135ef02c</uuid>
    <instanceUuid>5024d7df-a2e7-7171-ec37-
23fdc8c595a0</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-111-
clone</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>
    <hostMor>host-1209</hostMor>
    <ResourcePoolMor>resgroup-287

```

```

</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
</VirtualMachineFileInfo>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-111-clone/" suspendDir="[SN-
DV-FC-B] B16-SN-DV-111-clone/" logDir="[SN-DV-FC-B] B16-SN-DV-
111-clone/" vmxPath="[SN-DV-FC-B] B16-SN-DV-111-clone/B16-SN-DV-
111-clone.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-111-clone.vmx
</Name>
  <Size>3118</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-111-clone.vmx
</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-111-clone.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-111-clone.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-111-clone.vmdk
</Name>
  <Size>41961780</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24587</Size>

```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="42950757925" Uncommitted="4557795328"
Committed="42950757925">
        </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-05d1-d6e9-5003-89f2ddf11a95" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="acefc4393071461c02d4e1b1cf31eea9" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-111-clone/B16-SN-DV-111-clone.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:57:0f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>

```

```

        <Name>B16-SN-DV-016</Name>
        <Mor>vm-5483</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-016</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>Can you please transfer
the ownership to the below mentioned VMs to jtsubram, this is
currently owned by mushekha but he has been released from the
team</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T05:21:22.976195Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422417c7-c972-9efb-aead-
805c8d8a77e2</uuid>
        <instanceUuid>5024c5a8-4873-a3bd-100d-
08c4a1547bd4</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SN-DV-016/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.9.26</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.9.26)
(fe80::250:56ff:fea4:1604)</NicIpaddresses>
        <hostName>B16-SN-DV-016</hostName>
        <host>b16-sn-dv-esx-06.cisco.com
</host>
        <hostMor>host-1269</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>11</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-016/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-016/" logDir="[SN-DV-FC-A] B16-SN-DV-016/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-016/B16-SN-DV-016.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-016.vmx</Name>
            <Size>3218</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-016.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-016.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-016.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-016.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-016-
d3ec301c.vswp</Name>
            <Size>4294967296</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmx-B16-SN-DV-016-
3555471388-1.vswp</Name>
            <Size>96468992</Size>
            <Type>uwsap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>320127</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>23988</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>150578</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="95428262627" Uncommitted="16337862656"
Committed="95428262627">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-1dd0-ac77-e681-e64cbc94140d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ad10889199ba5f306920f56895cb2255" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-016/B16-SN-DV-016.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:16:04" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"

```



```

FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-045</Name>
    <Mor>vm-3575</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-045</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Can you please transfer
the ownership to the below mentioned VMs to jtsubram, this is
currently owned by mushekha but he has been released from the
team</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
06T06:15:24.03705Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422412b5-2110-9d5c-8b4d-
69929ed12be0</uuid>
    <instanceUuid>502431e0-d748-14ad-138e-
1ea222ca8828</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-045/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.55</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.55)
(fe80::250:56ff:fea4:5803)</NicIpaddresses>
    <hostName>B16-SN-DV-045</hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>

```

```

        <hostMor>host-1325</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-045/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-045/" logDir="[SN-DV-FC-A] B16-SN-DV-045/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-045/B16-SN-DV-045.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-045.vmx</Name>
            <Size>3331</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-045.vmx</Name>
            <Size>3428</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-045.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-045.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-045.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-045-
d3ec307e.vswp</Name>
            <Size>4294967296</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">

```

```

3555471486-1.vswp</Name>
    <Name>vmx-B16-SN-DV-045-
    <Size>96468992</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>153343</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>176543</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>218406</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>24274</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>171132</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>149768</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="97541545581" Uncommitted="14224982016"
Committed="97541545581">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-7705-61ee-ad94-f4986b697cb2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d03308d7a3f457b7bf196d1067b0bdf9" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-045/B16-SN-DV-045.vmdk"
AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:58:03" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-043</Name>
    <Mor>vm-1215</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-043</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:14.601933Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>564d4a35-8664-84aa-2af9-
3319ff81ee83</uuid>
    <instanceUuid>5245c236-44bd-427a-8e88-
568893187bab</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-043/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.53</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-043.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-05.cisco.com
</host>
    <hostMor>host-2873</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-043/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-043/" logDir="[SN-DV-FC-B] B16-SN-DV-043/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-043/SCC-BGL04-DV-51.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-51.vmx</Name>
        <Size>3354</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-51.vmxf
</Name>
        <Size>3081</Size>
        <Type>extendedConfig</Type>
    </File>

```

```

</Name>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-DV-51.nvram
    </Name>
      <Size>8684</Size>
      <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-DV-51.vmsd
    </Name>
      <Size>0</Size>
      <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-DV-51_1.vmdk
    </Name>
      <Size>105079360</Size>
      <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-21.log</Name>
      <Size>581056</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-24.log</Name>
      <Size>24334</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-23.log</Name>
      <Size>1507554</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-22.log</Name>
      <Size>747358145</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-19.log</Name>
      <Size>110645</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>180858</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-20.log</Name>
      <Size>346458</Size>
      <Type>log</Type>

```

```

        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="65036221577" Uncommitted="47854821376"
Committed="65036221577">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-5fc0-f9b6-3e00-6c3f564dacc" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="105079360"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8d42a05743ae76cb5e9dd6ed19cd8c4c" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-043/SCC-BGL04-DV-51_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:4c:f4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-044</Name>

```

```

        <Mor>vm-1331</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-044</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM is provisioned by
ppattana on 17-DEC-10</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winNetStandardGuest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:32.772648Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4203f889-edd3-55f5-bfec-
ec7f3fd66533</uuid>
        <instanceUuid>500332bf-b7a2-820a-0587-
de42587a4fc8</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.54</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-044.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-04.cisco.com
</host>
        <hostMor>host-1209</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```



```

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-044/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-044/" logDir="[SN-DV-FC-A] B16-SN-DV-044/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-044/SCC-BGL04-DV-52.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-52.vmx</Name>
            <Size>3329</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-52.vmx
</Name>
            <Size>3046</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-52.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-52.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-52-aux.xml
</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-52.vmdk
</Name>
            <Size>41961780</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-41.log</Name>
            <Size>161060</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">

```

```

        <Name>vmware-40.log</Name>
        <Size>53926194</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-38.log</Name>
        <Size>659576</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-42.log</Name>
        <Size>24304</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-39.log</Name>
        <Size>201469</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>169794</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-37.log</Name>
        <Size>388822</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="29292990886" Uncommitted="18271072256"
Committed="29292990886">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-662a-1920-10f2-46643ad57e8d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0208c25266cced346777f2da27e31187" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-044/SCC-BGL04-DV-52.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:16:94" AddressType="assigned"

```

```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-049</Name>
    <Mor>vm-8555</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-049</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
25T14:28:04.982563Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224804b-48fe-aa9c-7c55-

```

```

162d05317862</uuid>
<instanceUuid>5024450d-f2ed-ea75-1a7c-
c8d8635b401a</instanceUuid>
<vmxDir>[SN-DV-FC-A] b16-sn-dv-049/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.59</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
<NicIpaddresses>(10.106.9.59)
(fe80::250:56ff:fea4:a29)</NicIpaddresses>
<hostName>b16-sn-dv-049</hostName>
<host>b16-sn-dv-esx-06.cisco.com
</host>
<hostMor>host-1269</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>9</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] b16-sn-dv-049/" suspendDir="[SN-DV-FC-
A] b16-sn-dv-049/" logDir="[SN-DV-FC-A] b16-sn-dv-049/"
vmxPath="[SN-DV-FC-A] b16-sn-dv-049/b16-sn-dv-049.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>b16-sn-dv-049.vmx</Name>
<Size>3281</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>b16-sn-dv-049.vmx</Name>
<Size>0</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>b16-sn-dv-049.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">

```

```

                <Name>b16-sn-dv-049.vmsd</Name>
                <Size>0</Size>
                <Type>snapshotList</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>b16-sn-dv-049.vmdk</Name>
                <Size>104857600</Size>
                <Type>diskDescriptor</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>b16-sn-dv-049-
247e4122.vswp</Name>
                <Size>4294967296</Size>
                <Type>swap</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmx-b16-sn-dv-049-
612253986-1.vswp</Name>
                <Size>96468992</Size>
                <Type>uwsnap</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware.log</Name>
                <Size>282162341</Size>
                <Type>log</Type>
            </File>
            <StorageInfo Datastore="SN-DV-FC-A"
Unshared="75541619554" Uncommitted="36506173440"
Committed="75541619554">
                </StorageInfo>
                <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-fa4e-435d-b317-8d5ec4c659c4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ba73d5674cf0bfdaad9f2c2ba47defb6" Parent="" Disk="[SN-
DV-FC-A] b16-sn-dv-049/b16-sn-dv-049.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:0a:29" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-174-clone</Name>
    <Mor>vm-3788</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-174-clone</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:18.206745Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224fe26-1c4d-eb00-3d88-
5d4bf12a9f5b</uuid>
    <instanceUuid>5024c0eb-6a11-2225-4967-
f6e6a6e1cfa9</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-174-
clone</vmxDir>
    <template>>false</template>

```

```

<IpAddress>10.106.9.184</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-174</hostName>
<host>b16-sn-dv-esx-06.cisco.com
</host>
<hostMor>host-1269</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>8</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-174-clone/" suspendDir="[SN-
DV-FC-B] B16-SN-DV-174-clone/" logDir="[SN-DV-FC-B] B16-SN-DV-
174-clone/" vmxPath="[SN-DV-FC-B] B16-SN-DV-174-clone/B16-SN-DV-
174-clone.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-DV-174-clone.vmx
</Name>
<Size>3155</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-DV-174-clone.vmx
</Name>
<Size>0</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-DV-174-clone.nvram
</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-DV-174-clone.vmsd
</Name>

```

```

        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-174-clone.vmdk
</Name>

    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>106151</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24578</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="9913380072" Uncommitted="106312847360"
Committed="9913380072">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-1efd-70ab-87a4-70783b355398" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6bbcc88e049d900948360217b5c9282c" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-174-clone/B16-SN-DV-174-clone.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
            </BackingDisk>
            <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:6f:50" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                </BackingNetwork>
                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```



```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-047</Name>
    <Mor>vm-1222</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-047</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is provisioned by
ahsha on 1-AUG-11</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName>Microsoft Windows 7
(64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.92915Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422de3a7-5089-7f53-3e10-
427c995d0d6a</uuid>
    <instanceUuid>502dfa52-207c-1f38-c826-
4875d8123946</instanceUuid>

```

```

</vmxDir>                                <vmxDir>[SN-DV-FC-A] B16-SN-DV-047/
</Networks>                               <template>>false</template>
</Nics>                                    <IpAddress>10.106.9.57</IpAddress>
</NicIpaddresses>                         <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</hostName>                               <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</host>                                    <NicIpaddresses>unassigned
</ResourcePoolMor>                       <hostName>B16-SN-DV-047.scc-dv.com
</NumberOfDatastores>                   <host>b16-sn-dv-esx-03.cisco.com
</NumberOfBackingDisks>                 <hostMor>host-1174</hostMor>
</CpuFeatureMaskSupported>              <ResourcePoolMor>resgroup-287
</NumberOfFeatureMaskEntries>           <NumberOfDatastores>1
                                        <NumberOfBackingDisks>1
                                        <NumberOfFiles>14</NumberOfFiles>
                                        <CpuFeatureMaskSupported>true
                                        <NumberOfFeatureMaskEntries>0
                                        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-047/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-047/" logDir="[SN-DV-FC-A] B16-SN-DV-047/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-047/SCC-BGL04-DV-58.vmx">
                                        </VirtualMachineFileInfo>
                                        <VirtualHardware MemoryMB="4032"
NumCPUs="2">
                                        </VirtualHardware>
                                        <File Type="VmFileInfo">
                                        <Name>SCC-BGL04-DV-58.vmx</Name>
                                        <Size>3358</Size>
                                        <Type>config</Type>
                                        </File>
                                        <File Type="VmFileInfo">
                                        <Name>SCC-BGL04-DV-58.vmx
                                        </Name>
                                        <Size>3081</Size>
                                        <Type>extendedConfig</Type>
                                        </File>
                                        <File Type="VmFileInfo">
                                        <Name>SCC-BGL04-DV-58.nvram
                                        </Name>
                                        <Size>8684</Size>
                                        <Type>nvram</Type>
                                        </File>
                                        <File Type="VmFileInfo">

```

```

</Name>
    <Name>SCC-BGL04-DV-58.vmsd
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-58-aux.xml
</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-58.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>576967</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-34.log</Name>
    <Size>746913</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-38.log</Name>
    <Size>203037</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-37.log</Name>
    <Size>24304</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-36.log</Name>
    <Size>1505569113</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-35.log</Name>
    <Size>737014119</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-33.log</Name>
    <Size>442192</Size>
    <Type>log</Type>

```

```

        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="45086261400" Uncommitted="4597829632"
Committed="45086261400">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-b095-afd4-ccf2-c4fb48620ba8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="34da9e900971ba0bbaf3d71a9f3f8c9e" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-047/SCC-BGL04-DV-58.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:12" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-048</Name>

```

```

        <Mor>vm-6231</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-048</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T07:20:14.724226Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4224bdcb-a8fc-21b7-9f52-
c83f5bedbdcb</uuid>
        <instanceUuid>5024b2b6-be0d-4f82-c08c-
041342725af2</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SN-DV-048_2/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-dv-esx-06.cisco.com
</host>
        <hostMor>host-1269</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>2
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>12</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```

```

        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-048_2/" suspendDir="[SN-DV-
FC-A] B16-SN-DV-048_2/" logDir="[SN-DV-FC-A] B16-SN-DV-048_2/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-048_2/B16-SN-DV-048.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-048.vmx</Name>
            <Size>3022</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-048.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-048.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-048.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-048.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-048-
7fba6132.vswp</Name>
            <Size>4294967296</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmx-B16-SN-DV-048-
2142921010-1.vswp</Name>
            <Size>96468992</Size>
            <Type>uwsap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>216061</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>

```

```

        <Size>125782</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>24000</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>136189</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="19171628746" Uncommitted="71119667200"
Committed="19171628746">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                        </Datastore>
                        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-5038-80e4-bd65-60cac1e8d81e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="43ca9da5e22e1a9bb53a18d8984ee342" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-048_2/B16-SN-DV-048.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:1e:0d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                        </BackingNetwork>
                                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[SN-DV-FC-B] ISO/IEP-DEV-1.1.0-4.x86_64.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-837" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SCC-ADEX-02</Name>
    <Mor>vm-3820</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SCC-ADEX-02</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows8Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T11:07:38.941603Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224a1fe-83c5-8d54-ca07-
157c84bbeb86</uuid>
    <instanceUuid>50244a4e-fd48-d81f-353c-
27acd98bfc95</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SCC-ADEX-02/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.10</IpAddress>
    <Networks>None</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>
(fe80::90d2:d9df:c74b:c919)(10.106.9.10)</NicIpaddresses>
    <hostName>B16-SCC-ADEX-02.adex02.com

```



```

</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SCC-ADEX-02/" suspendDir="[SN-DV-FC-B] B16-SCC-ADEX-02/" logDir="[SN-DV-FC-B] B16-SCC-ADEX-02/" vmxPath="[SN-DV-FC-B] B16-SCC-ADEX-02/B16-SCC-ADEX-02.vmx">
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SCC-ADEX-02.vmx</Name>
  <Size>3336</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-ADEX-02.vmx.f
</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-ADEX-02.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-ADEX-02.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-ADEX-02-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-ADEX-02.vmdk
</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-ADEX-02-
db83a2cf.vswp</Name>
  <Size>8589934592</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SCC-ADEX-02-
3682837199-1.vswp</Name>
  <Size>98566144</Size>
  <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>938854</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>132980</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>906463</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>247702</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>24286</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>234572</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="51067099501" Uncommitted="64998080512"
Committed="51067099501">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-36f2-83ad-c8a1-5fcae2d345ef" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6483d99a12bc8660239719630cd60f26" Parent="" Disk="[SN-
DV-FC-B] B16-SCC-ADEX-02/B16-SCC-ADEX-02.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-161</Name>
    <Mor>vm-1169</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-161</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>

```

```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:48.858163Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42000b09-1441-604a-e0de-
1cfa426fd506</uuid>
        <instanceUuid>5000f4b9-7523-3716-9267-
abab245abfda</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.171</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-161</hostName>
        <host>b16-sn-dv-esx-03.cisco.com
</host>
        <hostMor>host-1174</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>12</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-161/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-161/" logDir="[SN-DV-FC-A] B16-SN-DV-161/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-161/B16-SN-DV-161.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-161.vmx</Name>
            <Size>3237</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-161.vmx</Name>

```

```
        <Size>3433</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-161.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-161.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-161.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>133493</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>336716</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>152436</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>653668</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>144841</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24269</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="7404407337" Uncommitted="40103661568"
Committed="7404407337">
</StorageInfo>
```

```

        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-76a7-9d1c-82b3-639dae19416f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="67ff0b173fa7562ee8c9bdbe70e7383b" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-161/B16-SN-DV-161.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:10:6c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-160</Name>
        <Mor>vm-1187</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-160</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>

```

```

    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:32.53832Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200d8e4-a25d-3bb7-420f-
35c090de81af</uuid>
    <instanceUuid>50000adf-352d-3e7f-025d-
e5380c182942</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-160/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.170</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-160</hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>
    <hostMor>host-1209</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>12</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-160/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-160/" logDir="[SN-DV-FC-A] B16-SN-DV-160/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-160/B16-SN-DV-160.vmx">
</VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">

```

```
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-160.vmx</Name>
  <Size>3238</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-160.vmx</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-160.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-160.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-160.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>133859</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>336726</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>152433</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>653529</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>145275</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
```



```

        <Name>vmware.log</Name>
        <Size>24271</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="10268069064" Uncommitted="37240000512"
Committed="10268069064">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-8fa8-54cc-c988-7cb1b8959bdc" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9e479dd1b9e25a61f63ef315e82cebda" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-160/B16-SN-DV-160.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:34:c3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
</VirtualMachine>

```

```

        <Name>B16-SN-DV-166</Name>
        <Mor>vm-1281</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-166</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
28T08:10:25.471145Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200e7c4-6736-4db0-6104-
e3458e89c1cf</uuid>
        <instanceUuid>500003e6-e789-5415-875b-
1a6c340801df</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SN-DV-166/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>None</Nics>
        <NicIpaddresses></NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-dv-esx-07.cisco.com
</host>
        <hostMor>host-1293</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo

```

```

snapshotDir="[SN-DV-FC-A] B16-SN-DV-166/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-166/" logDir="[SN-DV-FC-A] B16-SN-DV-166/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-166/B16-SN-DV-166.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"

NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-166.vmx</Name>
    <Size>3019</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-166.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-166.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-166.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-166.vmdk</Name>
    <Size>62914560</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-166-
d3ec3502.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-166-
3555472642-1.vswp</Name>
    <Size>113246208</Size>
    <Type>uwsap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>825945</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>365594</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>139900</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>521552</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>134961</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>24318</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>105140</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="18221137113" Uncommitted="50613714944"
Committed="18221137113">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-df2f-8bc0-0142-aa3d2d95d0dd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="614b4f40e2333cc81ba2bb5d355fdfae" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-166/B16-SN-DV-166.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6e:6c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-165</Name>
    <Mor>vm-1280</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-165</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:52.728796Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420016a7-66d0-7c18-1f39-
bf507154f0c8</uuid>
    <instanceUuid>50007fb2-9992-c685-6a54-
0f85cb4b1bf6</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-165/

```

```

</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.175</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-165.scc-dv.com
</hostName>
<host>b16-sn-dv-esx-07.cisco.com
</host>
<hostMor>host-1293</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-165/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-165/" logDir="[SN-DV-FC-A] B16-SN-DV-165/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-165/B16-SN-DV-165.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-165.vmx</Name>
  <Size>3104</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-165.vmx</Name>
  <Size>3047</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-165.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-165.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-165-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-165.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>218245</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>686028</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>24279</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>129266</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>941486</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>412349</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>145563</Size>
  <Type>log</Type>
</File>
  <StorageInfo Datastore="SN-DV-FC-A"
  Unshared="34277375763" Uncommitted="77656313856"
  Committed="34277375763">
</StorageInfo>

```

```

                                <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-d438-8c85-8a87-b962f4136ee3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="37ae67814940f86aa97544403379ae5b" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-165/B16-SN-DV-165.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:71:5b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                                </BackingCdrom>
                                </VirtualMachine>
                                <VirtualMachine>
                                    <Name>B16-SN-DV-163</Name>
                                    <Mor>vm-1226</Mor>
                                    <MorType>VirtualMachine</MorType>
                                    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-163</Path>
                                    <ParentMor>group-v1379</ParentMor>

```



```

<Annotation></Annotation>
<Version>vmx-09</Version>
<GuestId>rhel6_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:06:15.122883Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>420041f7-5025-d3e8-5b1e-
752863552aa1</uuid>
<instanceUuid>5000de95-86d9-dcba-fe74-
20d2f8b97cc3</instanceUuid>
<vmxDir>[SN-DV-FC-A] B16-SN-DV-163/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.173</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-163</hostName>
<host>b16-sn-dv-esx-05.cisco.com
</host>
<hostMor>host-2873</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>12</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-163/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-163/" logDir="[SN-DV-FC-A] B16-SN-DV-163/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-163/B16-SN-DV-163.vmx">
</VirtualMachineFileInfo>

```

NumCPUs="2">

```
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-163.vmx</Name>
  <Size>3237</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-163.vmx</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-163.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-163.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-163.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>134517</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>336621</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>152433</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>576397</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>144697</Size>
  <Type>log</Type>
```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>24271</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="7413768034" Uncommitted="40094224384"
Committed="7413768034">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-cd1c-44e0-10b6-bd51af3f6184" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="67ea06b3ce9f5dacda21930e946498d0" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-163/B16-SN-DV-163.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6a:aa" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>

```

```

        </VirtualMachine>
        <VirtualMachine>
            <Name>B16-SN-DV-169</Name>
            <Mor>vm-1115</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-169</Path>
            <ParentMor>group-v1379</ParentMor>
            <Annotation></Annotation>
            <Version>vmx-09</Version>
            <GuestId>windows7_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2013-12-
30T08:10:27.165469Z</ChangeVersion>
            <powerState>poweredOff</powerState>
            <connectionState>connected
</connectionState>
            <uuid>4200aa83-338a-01bb-b632-
7fec233d7e63</uuid>
            <instanceUuid>5000d26c-c9ba-f5b4-285b-
0479fff8ea12</instanceUuid>
            <vmxDir>[SN-DV-FC-A] B16-SN-DV-169/
</vmxDir>
            <template>false</template>
            <IpAddress>10.106.9.179</IpAddress>
            <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
            <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
            <NicIpaddresses>unassigned
</NicIpaddresses>
            <hostName>B16-SN-DV-169.scc-dv.com
</hostName>
            <host>b16-sn-dv-esx-08.cisco.com
</host>
            <hostMor>host-1325</hostMor>
            <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>14</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-169/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-169/" logDir="[SN-DV-FC-A] B16-SN-DV-169/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-169/B16-SN-DV-169.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-169.vmx</Name>
        <Size>3167</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-169.vmx</Name>
        <Size>3047</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-169.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-169.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-169-aux.xml
    </Name>
        <Size>0</Size>
        <Type>snapshotManifestList
    </Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-169.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>1309042</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>499619</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>209866</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>696049</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>142857</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>24281</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>294823</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="63879295627" Uncommitted="48055013376"
Committed="63879295627">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-0f0b-1439-eac2-9abdfef74cb08" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0cea40dd5d2e9c4c6959a2dcd74664e3" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-169/B16-SN-DV-169.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:5a:82" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>sagar-clone</Name>
    <Mor>vm-7876</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\sagar-clone</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
11T08:23:19.283769Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422469ab-8cd2-5f2a-ee4f-
a888502e96c7</uuid>
    <instanceUuid>5024eac4-8a13-9d9b-a4e5-

```

```

9ed784fe8ad2</instanceUuid>
</vmxDir>          <vmxDir>[SN-DV-FC-A] sagar-clone/
                    <template>>false</template>
                    <IpAddress></IpAddress>
                    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
</Nics>            <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
</NicIpaddresses> <NicIpaddresses>unassigned
                    <hostName></hostName>
                    <host>b16-sn-dv-esx-03.cisco.com
</host>
                    <hostMor>host-1174</hostMor>
                    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                    <NumberOfDatastores>1
</NumberOfDatastores>
                    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                    <NumberOfFiles>6</NumberOfFiles>
                    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] sagar-clone/" suspendDir="[SN-DV-FC-A]
sagar-clone/" logDir="[SN-DV-FC-A] sagar-clone/" vmxPath="[SN-DV-
FC-A] sagar-clone/sagar-clone.vmx">
                    </VirtualMachineFileInfo>
                    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                    </VirtualHardware>
                    <File Type="VmFileInfo">
                        <Name>sagar-clone.vmx</Name>
                        <Size>2818</Size>
                        <Type>config</Type>
                    </File>
                    <File Type="VmFileInfo">
                        <Name>sagar-clone.vmx</Name>
                        <Size>0</Size>
                        <Type>extendedConfig</Type>
                    </File>
                    <File Type="VmFileInfo">
                        <Name>sagar-clone.nvram</Name>
                        <Size>8684</Size>
                        <Type>nvram</Type>
                    </File>
                    <File Type="VmFileInfo">
                        <Name>sagar-clone.vmsd</Name>
                        <Size>0</Size>

```



```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>sagar-clone.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="12369013998" Uncommitted="78087278592"
Committed="12369013998">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-db46-be96-ab4e-7d8d5f72aa2b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bf8c123e0f9006cd9ad7d1df43c7b4f1" Parent="" Disk="[SN-
DV-FC-A] sagar-clone/sagar-clone.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:6a:0a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                            </BackingFloppy>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-168</Name>
        <Mor>vm-1121</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-168</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>windows7_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T05:33:46.509249Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42008b2f-346f-4f09-86a9-
9191a9ad8e80</uuid>
        <instanceUuid>500014e1-c538-4722-4d86-
b56d1cab7f2d</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SN-DV-168/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.9.178</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt; )
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt; )
</Nics>
        <NicIpaddresses>
(fe80::103f:7b63:7c12:e216)(10.106.9.178)</NicIpaddresses>
        <hostName>B16-SN-DV-168.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-03.cisco.com
</host>
        <hostMor>host-1174</hostMor>

```

```

</ResourcePoolMor>                                <ResourcePoolMor>resgroup-287
</NumberOfDatastores>                             <NumberOfDatastores>1
</NumberOfBackingDisks>                           <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                        <NumberOfFiles>16</NumberOfFiles>
</NumberOfFeatureMaskEntries>                     <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries>                     <NumberOfFeatureMaskEntries>0
                                                    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-168/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-168/" logDir="[SN-DV-FC-A] B16-SN-DV-168/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-168/B16-SN-DV-168.vmx">
                                                    </VirtualMachineFileInfo>
NumCPUs="2">                                       <VirtualHardware MemoryMB="4096"
                                                    </VirtualHardware>
<File Type="VmFileInfo">                             <File Type="VmFileInfo">
    <Name>B16-SN-DV-168.vmx</Name>                    <Name>B16-SN-DV-168.vmx</Name>
    <Size>3170</Size>                                <Size>3170</Size>
    <Type>config</Type>                              <Type>config</Type>
</File>                                              </File>
<File Type="VmFileInfo">                             <File Type="VmFileInfo">
    <Name>B16-SN-DV-168.vmx</Name>                    <Name>B16-SN-DV-168.vmx</Name>
    <Size>3047</Size>                                <Size>3047</Size>
    <Type>extendedConfig</Type>                      <Type>extendedConfig</Type>
</File>                                              </File>
<File Type="VmFileInfo">                             <File Type="VmFileInfo">
    <Name>B16-SN-DV-168.nvram</Name>                  <Name>B16-SN-DV-168.nvram</Name>
    <Size>8684</Size>                                <Size>8684</Size>
    <Type>nvram</Type>                              <Type>nvram</Type>
</File>                                              </File>
<File Type="VmFileInfo">                             <File Type="VmFileInfo">
    <Name>B16-SN-DV-168.vmsd</Name>                  <Name>B16-SN-DV-168.vmsd</Name>
    <Size>0</Size>                                   <Size>0</Size>
    <Type>snapshotList</Type>                       <Type>snapshotList</Type>
</File>                                              </File>
<File Type="VmFileInfo">                             <File Type="VmFileInfo">
    <Name>B16-SN-DV-168-aux.xml                      <Name>B16-SN-DV-168-aux.xml
</Name>
    <Size>0</Size>
</Type>                                              <Type>snapshotManifestList
                                                    </File>
<File Type="VmFileInfo">                             <File Type="VmFileInfo">
    <Name>B16-SN-DV-168.vmdk</Name>                  <Name>B16-SN-DV-168.vmdk</Name>
    <Size>104857600</Size>                           <Size>104857600</Size>
    <Type>diskDescriptor</Type>                     <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">

```

```

d3ec3504.vswp</Name>
    <Name>B16-SN-DV-168-
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-168-
3555472644-1.vswp</Name>
    <Size>113246208</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>249307</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>183214</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>205662502</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>1161297</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>151409</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>24278</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>236671</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="70876463099" Uncommitted="41113616384"
Committed="70876463099">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-

```

```

DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-ebfe-1898-c809-242189b08b51" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a3b9c2a162fb2636481c69503597c374" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-168/B16-SN-DV-168.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:60:52" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-167</Name>
    <Mor>vm-1346</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-167</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>

```

```

                                <GuestId>windows7_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
02T06:25:18.578154Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4200132b-310d-6904-c211-
b9db5a2a442d</uuid>
                                <instanceUuid>50002655-5d9f-d544-2920-
28ffa892f4ee</instanceUuid>
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.9.177</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>
(fe80::c495:5d2e:531e:4275)(10.106.9.177)</NicIpaddresses>
                                <hostName>B16-SN-DV-167.scc-dv.com
</hostName>
                                <host>b16-sn-dv-esx-07.cisco.com
</host>
                                <hostMor>host-1293</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>16</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-167/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-167/" logDir="[SN-DV-FC-A] B16-SN-DV-167/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-167/B16-SN-DV-167.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"

```

NumCPUs="2">

```
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-167.vmx</Name>
  <Size>3245</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-167.vmx</Name>
  <Size>3047</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-167.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-167.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-167-aux.xml
  <Size>0</Size>
  <Type>snapshotManifestList
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-167-
d3ec3503.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-167-
3555472643-1.vswp</Name>
  <Size>113246208</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>145249</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
```

```

        <Name>vmware-9.log</Name>
        <Size>207030481</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>960386</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>24279</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>266655</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>119624</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>259153</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="69345630787" Uncommitted="42645585920"
Committed="69345630787">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-5a2b-26cb-3a1c-f8979e2f329c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="84ca2e4c36af6828f10eba4c43ec9bb8" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-167/B16-SN-DV-167.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6a:68" AddressType="assigned"

```



```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>New Virtual Machine</Name>
    <Mor>vm-6227</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\New Virtual Machine</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
prasbr on 18-OCT-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.857724Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>

```

```

f3a8c6f8b626</uuid>                <uuid>4224a787-22c8-000a-de5a-
ba5c7a2f8268</instanceUuid>        <instanceUuid>50247d0d-4726-f9fc-ff47-
Machine_2/</vmxDir>                  <vmxDir>[SN-DV-FC-A] New Virtual
                                      <template>>false</template>
                                      <IpAddress></IpAddress>
                                      <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
                                      <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
                                      <NicIpaddresses>unassigned
</NicIpaddresses>
                                      <hostName></hostName>
                                      <host>b16-sn-dv-esx-03.cisco.com
</host>
                                      <hostMor>host-1174</hostMor>
                                      <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                      <NumberOfDatastores>2
</NumberOfDatastores>
                                      <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                      <NumberOfFiles>7</NumberOfFiles>
                                      <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                      <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] New Virtual Machine_2/"
suspendDir="[SN-DV-FC-A] New Virtual Machine_2/" logDir="[SN-DV-
FC-A] New Virtual Machine_2/" vmxPath="[SN-DV-FC-A] New Virtual
Machine_2/New Virtual Machine.vmx">
                                      </VirtualMachineFileInfo>
                                      <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                      </VirtualHardware>
                                      <File Type="VmFileInfo">
                                      <Name>New Virtual Machine.vmx
</Name>
                                      <Size>2799</Size>
                                      <Type>config</Type>
                                      </File>
                                      <File Type="VmFileInfo">
                                      <Name>New Virtual Machine.vmx
</Name>
                                      <Size>0</Size>
                                      <Type>extendedConfig</Type>
                                      </File>
                                      <File Type="VmFileInfo">
                                      <Name>New Virtual Machine.nvram

```

```

</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>New Virtual Machine.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>New Virtual Machine.vmdk
</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24241</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="17693707148" Uncommitted="72745328640"
Committed="17693707148">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-52ae-0063-d024-9f1301918841" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a5616f01e4c89132e198f291299b180b" Parent="" Disk="[SN-
DV-FC-A] New Virtual Machine_2/New Virtual Machine.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:6c:4a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"

```

```

StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[SN-DV-FC-B] ISO/IEP-DEV-1.1.0-4.x86_64.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-837" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-222</Name>
    <Mor>vm-2171</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-222</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
03T02:29:25.53062Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224c99d-0a8d-274d-53d9-
055ce7618a88</uuid>
    <instanceUuid>5024b870-5020-6ce1-c774-
84170740cef0</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-222/
</vmxDir>
    <template>>false</template>

```

```

        <IpAddress>10.106.9.232</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.9.232)
(fe80::250:56ff:fea4:4fa7)</NicIpaddresses>
        <hostName>B16-SN-DV-222</hostName>
        <host>b16-sn-dv-esx-08.cisco.com
</host>
        <hostMor>host-1325</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-222/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-222/" logDir="[SN-DV-FC-B] B16-SN-DV-222/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-222/B16-SN-DV-222.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-222.vmx</Name>
            <Size>2891</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-222.vmx</Name>
            <Size>3428</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-222.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-222.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-222.vmdk</Name>

```

```

        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-222-
339040e3.vswp</Name>

        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-222-
865091811-1.vswp</Name>

        <Size>96468992</Size>
        <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>151601</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>268293</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>170229</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>24193</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>780677120</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>1067731599</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="39794906326" Uncommitted="9395240960"
Committed="39794906326">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-84d8-7260-ddd5-2dbe7d9794d7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="16819073e58c913685a237f06d41c6a0" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-222/B16-SN-DV-222.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4f:a7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-123</Name>
        <Mor>vm-1132</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions

```

```

Development\B16-SN-DV-123</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName>Microsoft Windows
Server 2003, Standard Edition (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.153466Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422df708-6657-b011-e32b-
195d91602a2e</uuid>
    <instanceUuid>502d8f2b-8460-0bdf-259d-
606f50ff25d8</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.133</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-123</hostName>
    <host>b16-sn-dv-esx-03.cisco.com
</host>
    <hostMor>host-1174</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-123/" suspendDir="[SN-DV-FC-

```



```

A] B16-SN-DV-123/" logDir="[SN-DV-FC-A] B16-SN-DV-123/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-123/B16-SN-DV-123.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-123.vmx</Name>
    <Size>3205</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-123.vmx</Name>
    <Size>3044</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-123.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-123.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-123-aux.xml
  </Name>
    <Size>0</Size>
    <Type>snapshotManifestList
  </Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-123.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>743434</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>709814138</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24271</Size>
    <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>103269</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>134494</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>157644</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>336795</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="75629987026" Uncommitted="15520342016"
Committed="75629987026">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-f9f7-adfa-f583-a4034e9588e9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2964eedbc36df4b2a5355a77f3512609" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-123/B16-SN-DV-123.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:e2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
  </BackingNetwork>

```

```

        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-223</Name>
    <Mor>vm-2984</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-223</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:52.956981Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42244151-8262-04be-fbff-
2896c68cbd84</uuid>
    <instanceUuid>5024e8df-9a9e-44e6-2cab-
ccf0c243b4bb</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-223/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.233</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;);

```

```

</Networks>
</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] B16-SN-DV-223/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-223/" logDir="[SN-DV-FC-A] B16-SN-DV-223/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-223/B16-SN-DV-223.vmx">
NumCPUs="2">
</VirtualMachineFileInfo>
</VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-223.vmx</Name>
  <Size>3053</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-223.vmx</Name>
  <Size>3432</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-223.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-223.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-223.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>160189</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>190230</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>137282</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>24192</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>768831025</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="12851050759" Uncommitted="78374588416"
Committed="12851050759">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-698d-b2c3-f4d5-dbcd73ed5e34" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a7f0f1f4a7b314980339fcb6269ae04d" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-223/B16-SN-DV-223.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:00:42" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-122</Name>
    <Mor>vm-1292</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-122</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>otherLinuxGuest</GuestId>
    <GuestOSAltName>Other Linux (32-bit)
</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:52.7283Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d358e-0f85-04b7-138c-
1c07cc493980</uuid>
    <instanceUuid>502d5c40-6bfa-e0d0-a079-
e46264bfd6c0</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-122/

```

```

</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV
(&lt;False&gt;), SOLUTIONS-DEV(&lt;False&gt;)</Networks>
    <Nics>SOLUTIONS-DEV
(&lt;false&gt;), SOLUTIONS-DEV(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned, unassigned
</NicIpaddresses>
    <hostName></hostName>
</host>
    <host>b16-sn-dv-esx-07.cisco.com
    <hostMor>host-1293</hostMor>
</ResourcePoolMor>
    <ResourcePoolMor>resgroup-287
</NumberOfDatastores>
    <NumberOfDatastores>1
</NumberOfBackingDisks>
    <NumberOfBackingDisks>1
    <NumberOfFiles>13</NumberOfFiles>
</CpuFeatureMaskSupported>
    <CpuFeatureMaskSupported>true
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-122/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-122/" logDir="[SN-DV-FC-A] B16-SN-DV-122/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-122/B16-SN-DV-122.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="1024"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-122.vmx</Name>
        <Size>3319</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-122.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-122.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-122.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>

```

```

<File Type="VmFileInfo">
  <Name>B16-SN-DV-122.vmdk</Name>
  <Size>16777216</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-74.log</Name>
  <Size>104055</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-78.log</Name>
  <Size>130916</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-73.log</Name>
  <Size>104079</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-77.log</Name>
  <Size>280653</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-76.log</Name>
  <Size>103333</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24316</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-75.log</Name>
  <Size>135232</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="8696735355" Uncommitted="9802457088"
Committed="8696735355">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-a1bc-b8fb-56d1-fdb34eb72842" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="16777216"

```



```

CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1e45418bc506315f5e03c37d48d9a60e" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-122/B16-SN-DV-122.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:c8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:e4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-220</Name>
    <Mor>vm-1396</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-220</Path>

```

```

<ParentMor>group-v1379</ParentMor>
<Annotation></Annotation>
<Version>vmx-09</Version>
<GuestId>winLonghorn64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>>true
</ChangeTrackingSupported>
<BootOptionsSupported>>true
</BootOptionsSupported>
<SwapPlacementSupported>>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:10:27.382092Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422403e4-d949-b64f-6eb8-
e6046ebab637</uuid>
<instanceUuid>5024af68-f9d9-0743-4ccc-
6e58c9eb3c9e</instanceUuid>
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.230</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-220.scc-dv.com
</hostName>
<host>b16-sn-dv-esx-08.cisco.com
</host>
<hostMor>host-1325</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-220/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-220/" logDir="[SN-DV-FC-A] B16-SN-DV-220/"

```

```

vmxPath="[SN-DV-FC-A] B16-SN-DV-220/B16-SN-DV-220.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="8192"
NumCPUs="4">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-220.vmx</Name>
    <Size>3092</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-220.vmx</Name>
    <Size>3046</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-220.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-220.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-220-aux.xml
  </Name>
    <Size>0</Size>
    <Type>snapshotManifestList
  </Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-220.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>144532</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24197</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>153246</Size>
    <Type>log</Type>
  </File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>117291</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>110126</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>203608</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>207085</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="11255341115" Uncommitted="83559358464"
Committed="11255341115">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-f3d9-b292-d246-094db61293d2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f5d0401ff65ace6836125bbcefe2cf83" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-220/B16-SN-DV-220.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:29:93" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-121</Name>
    <Mor>vm-1200</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-121</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName>Microsoft Windows
Server 2003, Standard Edition (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:32.486792Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dcec4-3ef6-aa95-a58a-
72dc66c5a913</uuid>
    <instanceUuid>502d7e04-5ee1-821b-938f-
c2aaf17976ec</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-121/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.131</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)

```

```

</Networks>
</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] B16-SN-DV-121/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-121/" logDir="[SN-DV-FC-A] B16-SN-DV-121/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-121/B16-SN-DV-121.vmx">
NumCPUs="2">
</VirtualMachineFileInfo>
</VirtualHardware MemoryMB="2048"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-121.vmx</Name>
  <Size>3181</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-121.vmx</Name>
  <Size>3044</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-121.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-121.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-121-aux.xml
</Name>

```

```

        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-121.vmdk</Name>
    <Size>31457280</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>102480</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24271</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>106154</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>188050</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>735053</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>709833308</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>352705</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="15270834690" Uncommitted="20044947456"
Committed="15270834690">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-d110-91bd-9ff1-9733f83b5665" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="31457280"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dbcd4eb35a8cb39e947bf7f1f20a0afa" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-121/B16-SN-DV-121.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:cb" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-003</Name>
    <Mor>vm-1212</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-003</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is re-imaged by
Chandra Babu M on 15-DEC-2011 for the user Satheesh Kumar S K on
account of Dec11skumarskSCC1617.</Annotation>
    <Version>vmx-09</Version>

```



```

        <GuestId>winXPPro64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:06:15.010464Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>420320a9-c3d7-1a6c-791b-
ele8f4a6db2e</uuid>
        <instanceUuid>524a6da2-7cab-1482-e685-
1841130c953f</instanceUuid>
        <vmxDir>[DEV-V5 (SATA)] SCC-BGL04-DV-
104</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.13</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>b16-sn-dv-003.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-05.cisco.com
</host>
        <hostMor>host-2873</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[DEV-V5 (SATA)] SCC-BGL04-DV-104/" suspendDir="[DEV-
V5 (SATA)] SCC-BGL04-DV-104/" logDir="[DEV-V5 (SATA)] SCC-BGL04-
DV-104/" vmxPath="[DEV-V5 (SATA)] SCC-BGL04-DV-104/SCC-BGL04-DV-
104.vmx">
        </VirtualMachineFileInfo>

```

```

NumCPUs="2">
    <VirtualHardware MemoryMB="4096"
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-104.vmx
    </Name>
        <Size>3336</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-104.vmx
    </Name>
        <Size>3082</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-104.nvram
    </Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-104.vmsd
    </Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-104.vmdk
    </Name>
        <Size>125853210</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>547685</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>749951952</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>115103</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>1525684876</Size>
        <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-29.log</Name>
            <Size>24403</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>181282</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-25.log</Name>
            <Size>379294</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="DEV-V5 (SATA)"
Unshared="103740259185" Uncommitted="31949981696"
Committed="103740259185">
            </StorageInfo>
            <Datastore Mor="datastore-834"
Url="/vmfs/volumes/4f6f7f20-d7955a13-11b5-0025b500018f"
Name="DEV-V5 (SATA)">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-9ca5-9d1e-25d7-a07e1c5e8895" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="125853210"
CompatibilityMode="" Mode="persistent" dsMor="datastore-834"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8332fb09f0ae44b39ed54e4cb9e6c215" Parent=""
Disk="[DEV-V5 (SATA)] SCC-BGL04-DV-104/SCC-BGL04-DV-104.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:11:23" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-221</Name>
    <Mor>vm-2020</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-221</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
17T13:50:31.078515Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422432dc-e468-a7b7-b282-
294b9c484d1f</uuid>
    <instanceUuid>5024f343-8d85-9c7c-c662-
f3340709aedc</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-221/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.231</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.231)
(fe80::250:56ff:fea4:201f)</NicIpaddresses>
    <hostName>B16-SN-DV-221</hostName>
    <host>b16-sn-dv-esx-05.cisco.com

```

```

</host>
<hostMor>host-2873</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-221/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-221/" logDir="[SN-DV-FC-B] B16-SN-DV-221/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-221/B16-SN-DV-221.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-221.vmx</Name>
  <Size>3433</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-221.vmx</Name>
  <Size>3432</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-221.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-221.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-221.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-221-
339040e2.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>

```

```

865091810-1.vswp</Name>
    <File Type="VmFileInfo">
        <Name>vmx-B16-SN-DV-221-
            <Size>113246208</Size>
            <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>732639268</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>548784</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>1482620606</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>24275</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>570421857</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>3036683</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>318795885</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="111668224763" Uncommitted="3222274048"
Committed="111668224763">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-b8d5-7de3-cf22-7ff0d53f15e3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```

```

Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c053dfe8c49b7396c0477935fd111503" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-221/B16-SN-DV-221.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:20:1f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-120</Name>
    <Mor>vm-1227</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-120</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>otherLinuxGuest</GuestId>
    <GuestOSAltName>Other Linux (32-bit)
</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported>      <BootOptionsSupported>true
</SwapPlacementSupported>    <SwapPlacementSupported>true
                               <SwapPlacement>inherit</SwapPlacement>
                               <ChangeVersion>2014-01-
13T06:52:49.222194Z</ChangeVersion>
                               <powerState>poweredOn</powerState>
                               <connectionState>connected
</connectionState>
                               <uuid>422d0907-a2e5-ef75-fc1f-
92c60811ce24</uuid>
                               <instanceUuid>502d98ce-51b7-07fb-25ae-
c11a4ddb62b8</instanceUuid>
</vmxDir>                     <vmxDir>[SN-DV-FC-A] B16-SN-DV-120/
                               <template>>false</template>
                               <IpAddress></IpAddress>
                               <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                               <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                               <NicIpaddresses>unassigned
</NicIpaddresses>
                               <hostName></hostName>
</host>                       <host>b16-sn-dv-esx-05.cisco.com
                               <hostMor>host-2873</hostMor>
</ResourcePoolMor>          <ResourcePoolMor>resgroup-287
                               <NumberOfDatastores>1
</NumberOfDatastores>
                               <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                               <NumberOfFiles>15</NumberOfFiles>
</CpuFeatureMaskSupported>  <CpuFeatureMaskSupported>true
                               <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                               <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-120/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-120/" logDir="[SN-DV-FC-A] B16-SN-DV-120/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-120/B16-SN-DV-120.vmx">
                               </VirtualMachineFileInfo>
                               <VirtualHardware MemoryMB="2048"
NumCPUs="2">
                               </VirtualHardware>
                               <File Type="VmFileInfo">
                                   <Name>B16-SN-DV-120.vmx</Name>
                                   <Size>3068</Size>
                                   <Type>config</Type>
                               </File>

```



```

<File Type="VmFileInfo">
  <Name>B16-SN-DV-120.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-120.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-120.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-120.vmdk</Name>
  <Size>33554432</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-120-
d3ec3478.vswp</Name>
  <Size>2147483648</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-120-
3555472504-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-38.log</Name>
  <Size>130347</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-39.log</Name>
  <Size>24319</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-42.log</Name>
  <Size>118700</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-40.log</Name>
  <Size>118289</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-37.log</Name>
            <Size>647088</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-41.log</Name>
            <Size>118034</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>97749</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="7823643238" Uncommitted="28781314048"
Committed="7823643238">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-1074-1d95-f375-517bd432505e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="33554432"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ffa96ed4a1b55815bdde47186e1b2a51" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-120/B16-SN-DV-120.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:95:17:0F" AddressType="manual"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"

```

```

Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-001</Name>
    <Mor>vm-1139</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-001</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
bpattana on 10-DEC-2010</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.530787Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dfc15-be7f-1cc9-ecf7-
2a4e87aa62e0</uuid>
    <instanceUuid>502d92c5-5eb9-53d6-73d1-
b96361fbeb2d</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-001/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.11</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>SCC-BGL04-DV-09.scc-dv.com
</hostName>

```

```

</host>
    <host>b16-sn-dv-esx-03.cisco.com
    </host>
    <hostMor>host-1174</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-001/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-001/" logDir="[SN-DV-FC-B] B16-SN-DV-001/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-001/SCC-BGL04-DV-09.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-09.vmx</Name>
        <Size>3238</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-09.vmx
</Name>
        <Size>3081</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-09.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-09.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-09.vmdk
</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-35.log</Name>
        <Size>163735</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-33.log</Name>
        <Size>702990</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>750330366</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-36.log</Name>
        <Size>24310</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-31.log</Name>
        <Size>210916</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>180579</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-32.log</Name>
        <Size>388785</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="84129537324" Uncommitted="26388832256"
Committed="84129537324">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-2739-2326-6ff7-309256daadac" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8a297ca36c4b20a515a4ded7c2ddcd9f" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-001/SCC-BGL04-DV-09.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"

```

```

Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:59:65" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-071</Name>
    <Mor>vm-1162</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-071</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This instance has been
requested for the setup of JouleX, a PoC.Please do not delete.
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:52.979644Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d9675-d230-1fc1-9dd7-
d2d3e49fc8c3</uuid>
    <instanceUuid>502d246e-29b5-b56d-d15e-
0b002178ff2e</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-071/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.81</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-071.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-07.cisco.com
</host>
    <hostMor>host-1293</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-071/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-071/" logDir="[SN-DV-FC-A] B16-SN-DV-071/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-071/SCC-DEV-VM-018.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-018.vmx</Name>
        <Size>3354</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-018.vmx</Name>

```

```

        <Size>3047</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-018.nvram
</Name>

        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-018.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-018-aux.xml
</Name>

    <Size>0</Size>
    <Type>snapshotManifestList
</Type>

</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-018.vmdk</Name>
    <Size>62914560</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>165627</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>24292</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>204866</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>879372</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>141140</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```



```

        <Name>vmware.log</Name>
        <Size>1225879</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>496322</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="16088308423" Uncommitted="52896288768"
Committed="16088308423">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-95ec-528f-3810-4a16930ee700" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d0cc605376b75d19ad7a1bad51146184" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-071/SCC-DEV-VM-018.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:57" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"

```

```

DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-070</Name>
    <Mor>vm-4515</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-070</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Verified, This VM
provisioned by Radha krishna</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:08:46.59878Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224b3c7-ecea-f25a-de57-
8b36fac3c7f2</uuid>
    <instanceUuid>502434c2-c6d4-8bca-f0da-
2377f3dfcb95</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-070_1/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.80</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.80)
(fe80::250:56ff:fea4:32f9)</NicIpaddresses>
    <hostName>B16-SN-DV-070</hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>

```

```

</NumberOfDatastores>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-070_1/" suspendDir="[SN-DV-
FC-B] B16-SN-DV-070_1/" logDir="[SN-DV-FC-B] B16-SN-DV-070_1/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-070_1/B16-SN-DV-070.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-070.vmx</Name>
        <Size>3422</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-070.vmx</Name>
        <Size>3433</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-070.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-070.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-070.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-070-
58829674.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-B16-SN-DV-070-
1484953204-1.vswp</Name>
        <Size>96468992</Size>

```

```

        <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>139466</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>107119</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>118738</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>24673</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>161415</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>573011479</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>1101095165</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="45748420026" Uncommitted="67691872256"
Committed="45748420026">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-cbf2-c499-4445-15080c51c8e2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8b75c1cef6b23d5c1ae1015a3b98f50" Parent="" Disk="[SN-

```

```

DV-FC-B] B16-SN-DV-070_1/B16-SN-DV-070.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:32:f9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-PAN</Name>
    <Mor>vm-5316</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-PAN</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>

```

```

                <SwapPlacement>inherit</SwapPlacement>
                <ChangeVersion>2014-01-
28T09:43:04.900266Z</ChangeVersion>
                <powerState>poweredOn</powerState>
                <connectionState>connected
</connectionState>
                <uuid>4224ea42-8fb2-c712-49f7-
45ca199e312a</uuid>
                <instanceUuid>5024f8d4-bd95-cd19-e763-
0dcf5f78c342</instanceUuid>
                <vmxDir>[SN-DV-FC-B] B16-SN-DV-PAN/
</vmxDir>
                <template>>false</template>
                <IpAddress>10.106.9.8</IpAddress>
                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                <NicIpaddresses>
(fe80::15f7:3a18:76dc:2e0c)(10.106.9.8)</NicIpaddresses>
                <hostName>B16-SN-DV-PAN.scc-dv.com
</hostName>
                <host>b16-sn-dv-esx-05.cisco.com
</host>
                <hostMor>host-2873</hostMor>
                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                <NumberOfDatastores>1
</NumberOfDatastores>
                <NumberOfBackingDisks>2
</NumberOfBackingDisks>
                <NumberOfFiles>18</NumberOfFiles>
                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-PAN/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-PAN/" logDir="[SN-DV-FC-B] B16-SN-DV-PAN/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-PAN/B16-SN-DV-PAN.vmx">
                </VirtualMachineFileInfo>
                <VirtualHardware MemoryMB="4096"
NumCPUs="4">
                </VirtualHardware>
                <File Type="VmFileInfo">
                    <Name>B16-SN-DV-PAN.vmx</Name>
                    <Size>3306</Size>
                    <Type>config</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>B16-SN-DV-PAN.vmx</Name>
                    <Size>3046</Size>

```

```

        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-PAN.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-PAN.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-PAN-aux.xml
</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-PAN.vmdk</Name>
    <Size>268435456</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-PAN_1.vmdk
</Name>
    <Size>10485760</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-PAN-
3390c28c.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-PAN-
865125004-1.vswp</Name>
    <Size>115343360</Size>
    <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>146058</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>198589</Size>
    <Type>log</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-4.log</Name>
      <Size>1312071</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-5.log</Name>
      <Size>201706</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-6.log</Name>
      <Size>30046</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-7.log</Name>
      <Size>268974</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>199331</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="29834359011" Uncommitted="260193648640"
Committed="29834359011">
      </StorageInfo>
      <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-398a-89b3-63ce-25b109ac1d38" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="268435456"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="786c0e2d9c1f375f6406c48adflc66c1" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-PAN/B16-SN-DV-PAN.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-539e-a4be-8de3-d7fdce988bc3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="10485760"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e08a3faf4d5e5243207cf428d99a5f39" Parent="" Disk="[SN-

```



```

DV-FC-B] B16-SN-DV-PAN/B16-SN-DV-PAN_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:32:a2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-032</Name>
    <Mor>vm-1338</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-032</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>+ Oct11vikumar3SCC2537 ::
Not able to Access Via VNC</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>

```

```

                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
07T07:30:00.420876Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>564d7395-5866-a666-c5e2-
a6936a80a6b6</uuid>
                                <instanceUuid>520c94b6-645a-fd2b-39b6-
a6962344034e</instanceUuid>
</vmxDir>
                                <template>>false</template>
                                <IpAddress>192.168.56.1</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV
(&lt;true&gt;),unassigned(&lt;true&gt;)</Nics>
                                <NicIpaddresses>(10.106.9.42),
(192.168.56.1)</NicIpaddresses>
</hostName>
                                <hostName>B16-SN-DV-032.scc-dv.com
</host>
                                <host>b16-sn-dv-esx-03.cisco.com
</host>
                                <hostMor>host-1174</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>16</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-032/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-032/" logDir="[SN-DV-FC-A] B16-SN-DV-032/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-032/SCC-BGL04-DV-24-VM.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">

```

```

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-24-VM.vmx
</Name>
  <Size>3258</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-24-VM.vmx
</Name>
  <Size>3049</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-24-VM.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-24-VM.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-24-VM-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-24-VM.vmdk
</Name>
  <Size>104872320</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-24-VM-
d3ec305a.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-BGL04-DV-24-VM-
3555471450-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-53.log</Name>

```

```

        <Size>159976</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-52.log</Name>
        <Size>150350</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-55.log</Name>
        <Size>24708</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-56.log</Name>
        <Size>221817</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-51.log</Name>
        <Size>174816</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-54.log</Name>
        <Size>139229</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>1788366053</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="33715245412" Uncommitted="79854698496"
Committed="33715245412">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-c0b3-898c-223a-899f2be152b5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104872320"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="36cafad3581fc27baaa7d9914ba75a07" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-032/SCC-BGL04-DV-24-VM.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:7c:12" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-DV-031</Name>
  <Mor>vm-1119</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-031</Path>
  <ParentMor>group-v1379</ParentMor>
  <Annotation></Annotation>
  <Version>vmx-09</Version>
  <GuestId>winLonghornGuest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-
22T10:48:19.822015Z</ChangeVersion>

```

```

        <powerState>poweredOn</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>564d0c84-1070-6c73-77fa-
4b75aea32ba5</uuid>
    <instanceUuid>52722dd6-a8e5-a844-d8cb-
d7442f6b3909</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-031/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.41</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt; )
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt; )
</Nics>
    <NicIpaddresses>
(fe80::e528:59b:8a3c:4966)(10.106.9.41)</NicIpaddresses>
    <hostName>B16-SN-DV-031.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-03.cisco.com
</host>
    <hostMor>host-1174</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-031/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-031/" logDir="[SN-DV-FC-A] B16-SN-DV-031/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-031/SCC-BGL04-DV-23-VM.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-23-VM.vmx
</Name>
        <Size>3355</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-23-VM.vmx
</Name>
        <Size>2747</Size>
        <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-23-VM.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-23-VM.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-23-VM-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-23-VM.vmdk
</Name>
  <Size>209728575</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-23-VM-
d3ec3059.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-BGL04-DV-23-VM-
3555471449-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-36.log</Name>
  <Size>156589</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-35.log</Name>
  <Size>615037</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-38.log</Name>
  <Size>199835</Size>
  <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-37.log</Name>
  <Size>154973</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-39.log</Name>
  <Size>24705</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>221178</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>217968</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="99207380431" Uncommitted="119947721728"
Committed="99207380431">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-1f6f-093e-c63f-265451f8bcae" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209728575"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3f194531142f825460536637edfc8ce8" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-031/SCC-BGL04-DV-23-VM.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:64:2e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
  </BackingNetwork>

```



```

        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-030</Name>
        <Mor>vm-1147</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-030</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>Microsoft Exchange Server
2010 SP2</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winLonghorn64Guest</GuestId>
        <GuestOSAltName>Microsoft Windows
Server 2008 (64-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T06:13:13.138317Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>420322a7-20e2-59b3-acc9-
53db3dd39c1b</uuid>
        <instanceUuid>5003cab6-b92b-dcc6-b08c-
b7f73deelca2</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-030/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.40</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt; )

```

```

</Networks>
</Nics>
    <NicIpaddresses>
    (fe80::78cb:767b:66fb:e765)(10.106.9.40)</NicIpaddresses>
    <hostName>SCC-BGL04-DV-19.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-03.cisco.com
</host>
    <hostMor>host-1174</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-030/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-030/" logDir="[SN-DV-FC-B] B16-SN-DV-030/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-030/SCC-BGL04-DV-19-VM.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-19-VM.vmx
</Name>
        <Size>3458</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-19-VM.vmx
</Name>
        <Size>3051</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-19-VM.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-19-VM.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-19-VM-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-19-VM.vmdk
</Name>
  <Size>314572800</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-19-VM-
33903880.vswp</Name>
  <Size>17179869184</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-BGL04-DV-19-VM-
865089664-1.vswp</Name>
  <Size>113246208</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-55.log</Name>
  <Size>582676</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-58.log</Name>
  <Size>24355</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-56.log</Name>
  <Size>492126533</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-57.log</Name>
  <Size>271889</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-54.log</Name>
  <Size>1138319</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-53.log</Name>
        <Size>761276</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>804605023</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="270815014544" Uncommitted="69900173312"
Committed="270815014544">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-3df4-ccf6-4b62-c8c8e5e4d3ae" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="314572800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="10f4d097dbeae246d36c2949d570fe16" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-030/SCC-BGL04-DV-19-VM.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:36:99" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"

```

```

DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-079</Name>
    <Mor>vm-5010</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-079</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
05T09:03:26.120024Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224aadf-2227-13c8-2d32-
682c42deff1b</uuid>
    <instanceUuid>50248ed2-3a91-a322-b49c-
760d70da43d9</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-079/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.89</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>
(fe80::59a7:3947:6871:4b39)(10.106.9.89)</NicIpaddresses>
    <hostName>B16-SN-DV-079.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>

```

```

        <NumberOfDatastores>1
    </NumberOfDatastores>
    <NumberOfBackingDisks>1
    </NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-079/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-079/" logDir="[SN-DV-FC-B] B16-SN-DV-079/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-079/B16-SN-DV-079.vmx">
        </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-079.vmx</Name>
        <Size>3087</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-079.vmx</Name>
        <Size>3047</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-079.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-079.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-079-aux.xml
    </Name>
        <Size>0</Size>
        <Type>snapshotManifestList
    </Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-079.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-079-
3390390d.vswp</Name>

```

```

        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-079-
865089805-1.vswp</Name>
        <Size>113246208</Size>
        <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>949896</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>525113469</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>243441</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>141168</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>24195</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>254838</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>220455</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="48929230440" Uncommitted="41905291264"
Committed="48929230440">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-ad36-704b-162a-85937ca3953f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="53fd3b016a12c5cfe0f39684ef82afdf" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-079/B16-SN-DV-079.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:73:d5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-078</Name>
    <Mor>vm-4574</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-078</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>

```



```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>>false
</ChangeTrackingSupported> <ChangeTrackingSupported>>true
</BootOptionsSupported> <BootOptionsSupported>>true
</SwapPlacementSupported> <SwapPlacementSupported>>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:04:53.209531Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42247a4e-d30f-8693-41da-
395bbbf0c067</uuid>
<instanceUuid>5024ddd7-6fd8-41dc-c7bb-
e8abf84e2f3a</instanceUuid>
<vmxDir>[SN-DV-FC-B] B16-SN-DV-078/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.88</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-078.scc-dv.com
</hostName>
<host>b16-sn-dv-esx-07.cisco.com
</host>
<hostMor>host-1293</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>11</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-078/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-078/" logDir="[SN-DV-FC-B] B16-SN-DV-078/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-078/B16-SN-DV-078.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>

```

```
<File Type="VmFileInfo">
  <Name>B16-SN-DV-078.vmx</Name>
  <Size>3006</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-078.vmx</Name>
  <Size>3047</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-078.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-078.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-078.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>746774</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>744540382</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>308048</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>174693</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24200</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="16806847426" Uncommitted="95870078976"
```

```

Committed="16806847426">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-ea2f-5b3f-1775-5a9651fe3ac9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3124bb72b22b1325508f16cf2c3b554d" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-078/B16-SN-DV-078.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:35:7a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">

```

```

        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-036</Name>
        <Mor>vm-3781</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-036</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:48.204558Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422432c7-a928-8089-bbfe-
57b3aaa8b9d9</uuid>
        <instanceUuid>5024f084-ee78-0828-37e7-
3e0a3b7c6f94</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-036/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.46</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-dv-esx-03.cisco.com
</host>
        <hostMor>host-1174</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>2
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-036/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-036/" logDir="[SN-DV-FC-B] B16-SN-DV-036/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-036/B16-SN-DV-036.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-036.vmx</Name>
            <Size>3121</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-036.vmx</Name>
            <Size>3475</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-036.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-036.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-036.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-036_1.vmdk
</Name>
            <Size>20971520</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>185749</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>111234</Size>
            <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>144489</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>129655</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>147223</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>149343</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>30032</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="41011768941" Uncommitted="70920261632"
Committed="41011768941">
  </StorageInfo>
  <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-28dd-308f-a4ad-fd0dcd075603" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="69ae81e9be66efe3d4abfde51d6332d3" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-036/B16-SN-DV-036.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-1a1d-1c57-bd9f-4fccalbd469f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="efcb8d166b39fa8f125a35c24a101db5" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-036/B16-SN-DV-036_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:49:17" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-035</Name>
    <Mor>vm-1155</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-035</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
30T08:10:48.861341Z</ChangeVersion>
</connectionState>
7006367aa010</uuid>
6a9ad620451f</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] B16-SN-DV-035/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-035/" logDir="[SN-DV-FC-A] B16-SN-DV-035/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-035/SCC-BGL04-DV-39.vmx">
NumCPUs="2">

```

```

<ChangeTrackingSupported>true
<BootOptionsSupported>true
<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:10:48.861341Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
<uuid>42033dd0-e0b3-7e2e-e742-
7006367aa010</uuid>
<instanceUuid>5003f0f9-789c-6196-46c0-
6a9ad620451f</instanceUuid>
<vmxDir>[SN-DV-FC-A] B16-SN-DV-035/
<template>>false</template>
<IpAddress>10.106.9.45</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
<NicIpaddresses>unassigned
<hostName>B16-SN-DV-035.scc-dv.com
<host>b16-sn-dv-esx-03.cisco.com
<hostMor>host-1174</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-035/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-035/" logDir="[SN-DV-FC-A] B16-SN-DV-035/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-035/SCC-BGL04-DV-39.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">

```



```

        <Name>SCC-BGL04-DV-39.vmx</Name>
        <Size>3356</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-39.vmx
</Name>
        <Size>3049</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-39.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-39.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-39.vmdk
</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-48.log</Name>
        <Size>24663</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-45.log</Name>
        <Size>404474</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-44.log</Name>
        <Size>359318</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-43.log</Name>
        <Size>153480</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-46.log</Name>
        <Size>896036</Size>
        <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>216398</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-47.log</Name>
            <Size>126166</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="64408879272" Uncommitted="47507152896"
Committed="64408879272">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-e2ce-eee1-0515-a584ab87ce52" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f29b19f03778b7f0f3bb3e3482d2b6f6" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-035/SCC-BGL04-DV-39.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:51:35" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-077</Name>
    <Mor>vm-1123</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-077</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is imaged by Amit
Saha on 14-MAR-2012 for the user Satheesh Kumar S K on account of
Mar12skumarskSCC1402.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.315376Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422da18d-dc7f-bc68-8221-
a2c8dec4b44c</uuid>
    <instanceUuid>502decf1-fca7-0150-5387-
579203bb7380</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-077/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.87</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-077</hostName>
    <host>b16-sn-dv-esx-03.cisco.com
</host>

```

```

        <hostMor>host-1174</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-077/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-077/" logDir="[SN-DV-FC-A] B16-SN-DV-077/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-077/SCC-DEV-VM-024.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-024.vmx</Name>
            <Size>3265</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-024.vmx</Name>
            <Size>3429</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-024.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-024.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-024.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>182313</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">

```

```

        <Name>vmware-24.log</Name>
        <Size>151197</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>155569</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>155485</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>763791</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>24291</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>137699</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="17446744635" Uncommitted="94468677632"
Committed="17446744635">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-ce8f-82ba-da7c-22c3b923b398" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ec53d63acc70de14b20c8b27a1a668a8" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-077/SCC-DEV-VM-024.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:39:c1" AddressType="assigned"

```

```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-034</Name>
    <Mor>vm-1221</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-034</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:14.902524Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d00b4-4646-7c33-2024-
a8a826cd7e96</uuid>
    <instanceUuid>52752d92-4ebb-3079-5ab6-

```

```

aea0924d7982</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-034/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.44</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-034.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-05.cisco.com
</host>
    <hostMor>host-2873</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-034/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-034/" logDir="[SN-DV-FC-B] B16-SN-DV-034/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-034/SCC-BGL04-DV-37.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-37.vmx</Name>
        <Size>3291</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-37.vmx
</Name>
        <Size>3049</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-37.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>

```

```

</Name>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-37.vmsd
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-37.vmdk
        <Size>125853210</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-47.log</Name>
        <Size>747782184</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-48.log</Name>
        <Size>1271297593</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-46.log</Name>
        <Size>854171</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-49.log</Name>
        <Size>24311</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-44.log</Name>
        <Size>105734</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>168879</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-45.log</Name>
        <Size>360906</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="130405108514" Uncommitted="9323808768"
Committed="130405108514">
    </StorageInfo>
    <Datastore Mor="datastore-837"

```



```

Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-c186-1433-61ff-5f5528c79981" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="125853210"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a046dc3527758a71959c8bc799d86ab9" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-034/SCC-BGL04-DV-37.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:3a:f8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-033</Name>
    <Mor>vm-1192</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-033</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is re-imaged by

```

Chandra Babu M on 15-DEC-2011 for the user Satheesh Kumar S K on account of Dec11skumarskSCC1617.</Annotation>

```

    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName>Microsoft Windows XP
Professional (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:32.486696Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42032e75-1c0c-23c9-6714-
e4454c6e23be</uuid>
    <instanceUuid>50039c4c-028a-c5e6-b364-
3b79b43df0a8</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.43</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-033.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>
    <hostMor>host-1209</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-033/" suspendDir="[SN-DV-FC-

```

```

B] B16-SN-DV-033/" logDir="[SN-DV-FC-B] B16-SN-DV-033/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-033/SCC-BGL04-DV-31.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-31.vmx</Name>
    <Size>3546</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-31.vmx
  </Name>
    <Size>3081</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-31.nvram
  </Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-31.vmsd
  </Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-31.vmdk
  </Name>
    <Size>125829120</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-39.log</Name>
    <Size>581409</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-40.log</Name>
    <Size>747973012</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>180880</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-41.log</Name>

```

```

        <Size>161260</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-37.log</Name>
        <Size>105252</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-42.log</Name>
        <Size>24309</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-38.log</Name>
        <Size>374840</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="74290245457" Uncommitted="59847843840"
Committed="74290245457">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-6c11-ee89-7d2b-43a298e4af39" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="125829120"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f2d05c460820abc522694461dd617827" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-033/SCC-BGL04-DV-31.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:7a:18" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-075</Name>
    <Mor>vm-1198</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-075</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is Provisioned by
Jayant on 5-MAR-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>otherLinuxGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:32.767879Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d74d3-51ba-ea0a-5ac4-
63b67970bb32</uuid>
    <instanceUuid>502dc412-6349-189c-0a47-
6808d80d33e8</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-075/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.85</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;false&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)

```

```

</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-075/" suspendDir="[SN-DV-FC-B] B16-SN-DV-075/" logDir="[SN-DV-FC-B] B16-SN-DV-075/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-075/SCC-DEV-VM-022.vmx">
NumCPUs="2">
</Name>

```

```

<NicIpaddresses>unassigned
<hostName>B16-SN-DV-075</hostName>
<host>b16-sn-dv-esx-04.cisco.com
<hostMor>host-1209</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-022.vmx</Name>
  <Size>3053</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-022.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-022.nvram
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-022.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-022.vmdk</Name>
  <Size>167772160</Size>
  <Type>diskDescriptor</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-28.log</Name>
      <Size>132688</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>24642</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-23.log</Name>
      <Size>102212</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-27.log</Name>
      <Size>532467</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-24.log</Name>
      <Size>85726</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-25.log</Name>
      <Size>101784</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-26.log</Name>
      <Size>333664</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="47076095864" Uncommitted="129263575040"
Committed="47076095864">
      </StorageInfo>
      <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-bba2-0af4-58d5-d86a17692436" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bfe24c0f511ec216ad16df9650432c9b" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-075/SCC-DEV-VM-022.vmdk"
AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:39:95" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-074</Name>
    <Mor>vm-6437</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-074</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.834992Z</ChangeVersion>

```



```

    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422431aa-54b7-5597-1233-
0ebdbdff669a</uuid>
    <instanceUuid>5024645b-b90a-51f6-7927-
c071e90e88d8</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-074/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.84</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-074</hostName>
    <host>b16-sn-dv-esx-03.cisco.com
</host>
    <hostMor>host-1174</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>7</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-074/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-074/" logDir="[SN-DV-FC-A] B16-SN-DV-074/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-074/B16-SN-DV-074.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-074.vmx</Name>
        <Size>3165</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-074.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-074.nvram</Name>

```

```

        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-074.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-074.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>298488601</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="7859781986" Uncommitted="104352555008"
Committed="7859781986">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-21b5-d4d6-1343-80aafb9e3e69" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a9dd53a9a3a0ecf30214440408806311" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-074/B16-SN-DV-074.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:21:f8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-073</Name>
    <Mor>vm-6435</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-073</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
06T10:17:30.19541Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422409a3-907c-c733-5ce1-
15bfcf8a7ff0</uuid>
    <instanceUuid>50244f63-4dad-a2e7-1d4f-
b39e00c30028</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-073/
</vmxDir>
    <template>>false</template>

```



```

        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-073-
d3ec30df.vswp</Name>

        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-073-
3555471583-1.vswp</Name>

        <Size>96468992</Size>
        <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>189965</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>285359</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>23958</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>241271</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>160366</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>973022383</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="13824237116" Uncommitted="98915319808"
Committed="13824237116">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-8adc-6176-54a7-814db7a4edc6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="41cbf380cce7cd11132f30cb9ed1d708" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-073/B16-SN-DV-073.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:43:b4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-DV-228</Name>
  <Mor>vm-9170</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Solutions

```

```

Development\B16-SN-DV-228</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
29T05:02:33.645995Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224844e-3aa4-6db5-d13c-
b6c4962c60b1</uuid>
    <instanceUuid>502421be-de4d-d20d-23b1-
a3c838c8e02a</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-228/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.6</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.6)
(fe80::250:56ff:fea4:1140)</NicIpaddresses>
    <hostName>B16-SN-DV-228</hostName>
    <host>b16-sn-dv-esx-03.cisco.com
</host>
    <hostMor>host-1174</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>9</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-228/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-228/" logDir="[SN-DV-FC-A] B16-SN-DV-228/"

```

```

vmxPath="[SN-DV-FC-A] B16-SN-DV-228/B16-SN-DV-228.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-228.vmx</Name>
    <Size>3073</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-228.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-228.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-228.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-228.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-228-
d3ec38c1.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-228-
3555473601-1.vswp</Name>
    <Size>96468992</Size>
    <Type>u.swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>13147729</Size>
    <Type>log</Type>
  </File>
  <StorageInfo Datastore="SN-DV-FC-A"
Unshared="53531429950" Uncommitted="58247348224"
Committed="53531429950">
  </StorageInfo>
  <Datastore Mor="datastore-836"

```



```

Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-8c9a-28b9-f225-0d1a7b944a2a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="723fdela77ea950bf84771b3c70bcfce" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-228/B16-SN-DV-228.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:11:40" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-038</Name>
    <Mor>vm-1286</Mor>
    <MorType>VirtualMachine</MorType>

```

```

Development\B16-SN-DV-038</Path>
<Path>\(DC)S+CC(DC)\vm\Solutions
<ParentMor>group-v1379</ParentMor>
<Annotation></Annotation>
<Version>vmx-09</Version>
<GuestId>winXPPro64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:04:52.728328Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>4203ae15-708a-df5f-c3c2-
b4b86f5f3175</uuid>
<instanceUuid>5003bad2-52b5-8628-c0ba-
59bd2019c5bd</instanceUuid>
</vmxDir>
<vmxDir>[SN-DV-FC-B] B16-SN-DV-038/
<template>>false</template>
<IpAddress>10.106.9.48</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-038.scc-dv.com
</hostName>
<host>b16-sn-dv-esx-07.cisco.com
</host>
<hostMor>host-1293</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo

```

```

snapshotDir="[SN-DV-FC-B] B16-SN-DV-038/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-038/" logDir="[SN-DV-FC-B] B16-SN-DV-038/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-038/SCC-BGL04-DV-43.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"

NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-43.vmx</Name>
    <Size>3354</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-43.vmx
</Name>
    <Size>3081</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-43.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-43.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-43.vmdk
</Name>
    <Size>62926605</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-41.log</Name>
    <Size>366117463</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-42.log</Name>
    <Size>139688</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-40.log</Name>
    <Size>581727</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">

```

```

        <Name>vmware.log</Name>
        <Size>863289</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-43.log</Name>
        <Size>24305</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-38.log</Name>
        <Size>104811</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-39.log</Name>
        <Size>344661</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="64769631831" Uncommitted="4575056896"
Committed="64769631831">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-483b-4327-9a50-78306383367c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62926605"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6d219e969e817bdd25c6f9142f4edce6" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-038/SCC-BGL04-DV-43.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:39:7e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-072</Name>
    <Mor>vm-1276</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-072</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM instance
provisioned by Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:53:49.753546Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d23a2-acbf-62c6-5af3-
41dd43535bbf</uuid>
    <instanceUuid>502d4e40-5605-d6c9-18c4-
8fb3e26d86ae</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-072/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.82</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>

```

```

</Nics>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
    <NicIpaddresses>(10.106.9.82)
(fe80::250:56ff:fead:c59)</NicIpaddresses>
    <hostName>B16-SN-DV-072</hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>
    <hostMor>host-1209</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-072/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-072/" logDir="[SN-DV-FC-A] B16-SN-DV-072/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-072/SCC-DEV-VM-019.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-019.vmx</Name>
        <Size>3170</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-019.vmx</Name>
        <Size>3429</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-019.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-019.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-019.vmdk</Name>
        <Size>52428800</Size>
        <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-019-
d3ec30de.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-DEV-VM-019-
3555471582-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>203578</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>24285</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>631835</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>135385</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>175001</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>375050</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>1101774443</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="52481461708" Uncommitted="6700400640"
Committed="52481461708">
</StorageInfo>

```

```

        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-e3f0-9fdc-dbae-b8a3584ce09b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8445e23931dedd3de5866d5fdf9e45a5" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-072/SCC-DEV-VM-019.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:59" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-129</Name>
        <Mor>vm-1165</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-129</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>1) Nov11asipradhSCC2922 :
This Machine was initially created

```



```

2) Changed the ownership to "sadeepak" on 5-Apr-13
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T08:27:25.02105Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d6d08-0465-cc83-8c2a-
6b607b59c724</uuid>
    <instanceUuid>502d8af5-7154-b1b6-e772-
8339bd588aa7</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-129/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.139</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.139)
</NicIpaddresses>
    <hostName>B16-SN-DV-129.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-07.cisco.com
</host>
    <hostMor>host-1293</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-129/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-129/" logDir="[SN-DV-FC-A] B16-SN-DV-129/"

```

```

vmxPath="[SN-DV-FC-A] B16-SN-DV-129/B16-SN-DV-129.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-129.vmx</Name>
    <Size>3779</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-129.vmx</Name>
    <Size>3044</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-129.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-129.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-129-aux.xml
  </Name>
    <Size>0</Size>
    <Type>snapshotManifestList
  </Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-129.vmdk</Name>
    <Size>31471335</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-129-
d3ec3481.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-129-
3555472513-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwsap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-36.log</Name>
    <Size>127009</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-40.log</Name>
        <Size>144174</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-37.log</Name>
        <Size>103020</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>551653</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-39.log</Name>
        <Size>866943</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-38.log</Name>
        <Size>24626</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>150319</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="36607771411" Uncommitted="12295168"
Committed="36607771411">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-2de4-5648-ab26-558b54081f5e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="31471335"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d32a0e5e0ebde0e8dfdc71c74f7eb5d9" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-129/B16-SN-DV-129.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:33:da" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
        <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="0" Key="9000" ControllerKey="400" Type="" Label="">
        </BackingSerialPort>
        <BackingSerialPort YieldOnPoll="false"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="1" Key="9001" ControllerKey="400" Type="" Label="">
        </BackingSerialPort>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-229</Name>
        <Mor>vm-5439</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-229</Path>
        <ParentMor>group-v1379</ParentMor>

```

```

                                <Annotation>This VM was created by
prasbr on 18-OCT-2013</Annotation>
                                <Version>vmx-09</Version>
                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
02T08:33:48.413959Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4224a84f-2892-aa33-b270-
e4c64de2e19b</uuid>
                                <instanceUuid>50240241-51d3-24fd-7108-
0cb3689640d5</instanceUuid>
</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>b16-sn-dv-esx-08.cisco.com
</host>
                                <hostMor>host-1325</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>14</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-229/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-229/" logDir="[SN-DV-FC-B] B16-SN-DV-229/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-229/B16-SN-DV-229.vmx">

```

```

</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-229.vmx</Name>
  <Size>3047</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-229.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-229.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-229.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-229.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-229-
339040ea.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-229-
865091818-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>148037</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>129982</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-3.log</Name>
        <Size>23954</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>154220</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>127714</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>134515</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="14413407273" Uncommitted="75878105088"
Committed="14413407273">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-908a-bb6e-867c-8d6b47afebd7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b4b3502c991ff95c3fb45df505520ba6" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-229/B16-SN-DV-229.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:61:03" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/linux.iso"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-128</Name>
    <Mor>vm-3562</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-128</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Verified, This VM
provisioned by Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:52.964646Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422468b8-0157-31ac-0cc2-
4ab34719aefa</uuid>
    <instanceUuid>5024204f-7cde-7ec1-f5dd-
a70ed580d9fe</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-128/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.138</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>

```



```

</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-128/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-128/" logDir="[SN-DV-FC-B] B16-SN-DV-128/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-128/B16-SN-DV-128.vmx">
NumCPUs="2">
</VirtualMachineFileInfo>
</VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-128.vmx</Name>
  <Size>3453</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-128.vmx</Name>
  <Size>3432</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-128.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-128.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-128.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>739299837</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>135932</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>507402004</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>24277</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="43995223987" Uncommitted="69165490176"
Committed="43995223987">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-0fa0-c681-5a24-b3f5c184507b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="89fa49dd0a1d3b050909186acefe096a" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-128/B16-SN-DV-128.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:2f:c8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-037</Name>
    <Mor>vm-1193</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-037</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
08T10:04:22.14238Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420326fd-341f-396a-0578-
5721841bd0fe</uuid>
    <instanceUuid>500329c2-b5c0-73a3-9cca-
2d5368853408</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-037/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.47</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>

```

```

        <NicIpaddresses>
(fe80::14e7:4f88:1456:847a)(10.106.9.47)</NicIpaddresses>
        <hostName>B16-SN-DV-037.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-04.cisco.com
</host>
        <hostMor>host-1209</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-037/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-037/" logDir="[SN-DV-FC-B] B16-SN-DV-037/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-037/SCC-BGL04-DV-42.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-42.vmx</Name>
            <Size>3413</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-42.vmx.f
</Name>
            <Size>3049</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-42.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-42.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-42-aux.xml
</Name>

```

```

        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-42.vmdk
</Name>
        <Size>62926605</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-42-
33903887.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-DV-42-
865089671-1.vswp</Name>
        <Size>113246208</Size>
        <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-48.log</Name>
    <Size>252493</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-47.log</Name>
    <Size>207032</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-46.log</Name>
    <Size>24305</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-45.log</Name>
    <Size>135507</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-43.log</Name>
    <Size>747673805</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-44.log</Name>
    <Size>1010273</Size>
    <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>245837579</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="69831024812" Uncommitted="9188352"
Committed="69831024812">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-8399-8b0d-5d59-46ae1903b9ed" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62926605"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b560d0ab0788fe323820ca5d77447756" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-037/SCC-BGL04-DV-42.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:53:50" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                                </BackingCdrom>

```

```

        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-008</Name>
        <Mor>vm-1275</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-008</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM was created by
sbyrappa on 25-APR-2011</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>true
    </ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
    </ChangeTrackingSupported>
        <BootOptionsSupported>true
    </BootOptionsSupported>
        <SwapPlacementSupported>true
    </SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:48.750481Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
        <uuid>42038f34-640f-c961-9298-
df306ef4920a</uuid>
        <instanceUuid>50038eb7-3405-1050-b9cc-
7650f9db738e</instanceUuid>
        <vmxDir>[DEV-V5 (SATA)] SCC-BGL04-DV-
120</vmxDir>
        <template>false</template>
        <IpAddress>10.106.9.18</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;false&gt;)
    </Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
    </Nics>
        <NicIpaddresses>unassigned
    </NicIpaddresses>
        <hostName>B16-SN-DV-008</hostName>
        <host>b16-sn-dv-esx-03.cisco.com
    </host>
        <hostMor>host-1174</hostMor>
        <ResourcePoolMor>resgroup-287
    </ResourcePoolMor>
        <NumberOfDatastores>1
    </NumberOfDatastores>
        <NumberOfBackingDisks>1
    </NumberOfBackingDisks>

```

```

</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[DEV-V5 (SATA)] SCC-BGL04-DV-120/" suspendDir="[DEV-
V5 (SATA)] SCC-BGL04-DV-120/" logDir="[DEV-V5 (SATA)] SCC-BGL04-
DV-120/" vmxPath="[DEV-V5 (SATA)] SCC-BGL04-DV-120/SCC-BGL04-DV-
120.vmx">
        </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-120.vmx
</Name>
        <Size>3467</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-120.vmx
</Name>
        <Size>3431</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-120.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-120.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-120.vmdk
</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-31.log</Name>
        <Size>24401</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-30.log</Name>

```



```

        <Size>137230</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>542038</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>108159</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>162965</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>139978</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>185961</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="DEV-V5 (SATA)"
Unshared="29687551450" Uncommitted="82227601408"
Committed="29687551450">
        </StorageInfo>
        <Datastore Mor="datastore-834"
Url="/vmfs/volumes/4f6f7f20-d7955a13-11b5-0025b500018f"
Name="DEV-V5 (SATA)">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-765b-825f-ef69-57ba74665431" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-834"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dab0e9cd8bd111ab9f6d4517dbb7cf18" Parent=""
Disk="[DEV-V5 (SATA)] SCC-BGL04-DV-120/SCC-BGL04-DV-120.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:48:ac" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-226</Name>
    <Mor>vm-3548</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-226</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:52.728446Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42245f40-d4d6-035f-eda0-
fac98abd8f86</uuid>
    <instanceUuid>502429eb-738e-f20b-6c27-
b84111e1f116</instanceUuid>

```

```

</vmxDir>                                <vmxDir>[SN-DV-FC-B] B16-SN-DV-226/
</Networks>                               <template>>false</template>
</Nics>                                   <IpAddress>10.106.9.236</IpAddress>
</NicIpaddresses>                         <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</host>                                   <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</ResourcePoolMor>                       <NicIpaddresses>unassigned
</NumberOfDatastores>                    <hostName>B16-SN-DV-226</hostName>
</NumberOfBackingDisks>                  <host>b16-sn-dv-esx-07.cisco.com
</CpuFeatureMaskSupported>               <hostMor>host-1293</hostMor>
</NumberOfFeatureMaskEntries>            <ResourcePoolMor>resgroup-287
                                           <NumberOfDatastores>1
                                           <NumberOfBackingDisks>1
                                           <NumberOfFiles>10</NumberOfFiles>
                                           <CpuFeatureMaskSupported>true
                                           <NumberOfFeatureMaskEntries>0
                                           <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-226/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-226/" logDir="[SN-DV-FC-B] B16-SN-DV-226/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-226/B16-SN-DV-226.vmx">
                                           </VirtualMachineFileInfo>
                                           <VirtualHardware MemoryMB="8192"
NumCPUs="2">
                                           </VirtualHardware>
                                           <File Type="VmFileInfo">
                                           <Name>B16-SN-DV-226.vmx</Name>
                                           <Size>3314</Size>
                                           <Type>config</Type>
                                           </File>
                                           <File Type="VmFileInfo">
                                           <Name>B16-SN-DV-226.vmx</Name>
                                           <Size>3433</Size>
                                           <Type>extendedConfig</Type>
                                           </File>
                                           <File Type="VmFileInfo">
                                           <Name>B16-SN-DV-226.nvram</Name>
                                           <Size>8684</Size>
                                           <Type>nvram</Type>
                                           </File>
                                           <File Type="VmFileInfo">
                                           <Name>B16-SN-DV-226.vmsd</Name>
                                           <Size>0</Size>
                                           <Type>snapshotList</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-226.vmdk</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>151310</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>163404</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>848382</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24270</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="9785465453" Uncommitted="63492149248"
Committed="9785465453">
  </StorageInfo>
  <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-6ac7-7f4e-4ed8-91e53c885622" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="625d7b63e7551072504129502c566e75" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-226/B16-SN-DV-226.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:43:2c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-127</Name>
    <Mor>vm-1272</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-127</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This Machine was created
Using the Base Template &quot; SCC-SDP-V1.0&quot; by Sandeep
Byrappa On 8-Aug-2011</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:52.955129Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>422daa95-7c7f-c748-6104-
8860222918e7</uuid>
    <instanceUuid>502d0f86-257e-62ca-4e22-
5a05b516b5eb</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-127/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.137</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>b16-sn-dv-127.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-07.cisco.com
</host>
    <hostMor>host-1293</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-127/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-127/" logDir="[SN-DV-FC-A] B16-SN-DV-127/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-127/B16-SN-DV-127.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="3072"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-127.vmx</Name>
        <Size>3665</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-127.vmx</Name>
        <Size>3044</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>B16-SN-DV-127.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-127.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-127-aux.xml
</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-127.vmdk</Name>
    <Size>62928614</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>404730</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-33.log</Name>
    <Size>563575</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>153923</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24273</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-34.log</Name>
    <Size>60002166</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-35.log</Name>
    <Size>145984</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-32.log</Name>
        <Size>338936</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="64418000980" Uncommitted="3548461056"
Committed="64418000980">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-2e66-cbe6-0dd4-cl2a4dab322e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62928614"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="46fb21ac5fe8249f32744572e59cfac1" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-127/B16-SN-DV-127.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:e1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>

```



```

        <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="0" Key="9000" ControllerKey="400" Type="" Label="">
        </BackingSerialPort>
        <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="1" Key="9001" ControllerKey="400" Type="" Label="">
        </BackingSerialPort>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-227</Name>
        <Mor>vm-5400</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-227</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T06:22:46.408623Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4224989c-e0e0-52a4-a40c-
281c7642f2d4</uuid>
        <instanceUuid>50247795-f50a-df8e-b840-
1a9382042a4a</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-227/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.7</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>

```

```

</Nics>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
    <NicIpaddresses>(10.106.9.7)
(fe80::250:56ff:fea4:2a5f)</NicIpaddresses>
    <hostName>B16-SN-DV-227</hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>
    <hostMor>host-1325</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-227/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-227/" logDir="[SN-DV-FC-B] B16-SN-DV-227/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-227/B16-SN-DV-227.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-227.vmx</Name>
        <Size>3006</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-227.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-227.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-227.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-227.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>

```

```

339040e8.vswp</Name>
    <File Type="VmFileInfo">
      <Name>B16-SN-DV-227-
        <Size>8589934592</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmx-B16-SN-DV-227-
        <Size>115343360</Size>
        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-1.log</Name>
      <Size>937038</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-2.log</Name>
      <Size>227211</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-3.log</Name>
      <Size>23908</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-4.log</Name>
      <Size>481015941</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>1101953501</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="20465877589" Uncommitted="75722915840"
Committed="20465877589">
      </StorageInfo>
      <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-e110-2330-3e6d-7a2f05f5d9dd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="cfe2e943117d4fc9e3eae637f050b996" Parent="" Disk="[SN-

```

```

DV-FC-B] B16-SN-DV-227/B16-SN-DV-227.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:2a:5f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-006</Name>
    <Mor>vm-1330</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-006</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
virkumar on 14-APR-2011</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>

```

```

        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:04:53.299042Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4203855e-3257-1257-e6db-
661c6d59e341</uuid>
        <instanceUuid>5003fb42-6e91-79c6-369e-
a605ee0d9bb4</instanceUuid>
        <vmxDir>[DEV-V5 (SATA)] SCC-BGL04-DV-
112</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.16</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>b16-sn-dv-006.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-07.cisco.com
</host>
        <hostMor>host-1293</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[DEV-V5 (SATA)] SCC-BGL04-DV-112/" suspendDir="[DEV-
V5 (SATA)] SCC-BGL04-DV-112/" logDir="[DEV-V5 (SATA)] SCC-BGL04-
DV-112/" vmxPath="[DEV-V5 (SATA)] SCC-BGL04-DV-112/SCC-BGL04-DV-
112.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-112.vmx
            <Size>3448</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">

```

```

</Name>
    <Name>SCC-BGL04-DV-112.vmx
    <Size>3082</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-112.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-112.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-112.vmdk
</Name>
    <Size>62926605</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-48.log</Name>
    <Size>24400</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-45.log</Name>
    <Size>109109</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-46.log</Name>
    <Size>749915497</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>160451</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-44.log</Name>
    <Size>583963</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-49.log</Name>
    <Size>135966</Size>
    <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-47.log</Name>
            <Size>1525522402</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="DEV-V5 (SATA)"
Unshared="65193124154" Uncommitted="6059840512"
Committed="65193124154">
            </StorageInfo>
            <Datastore Mor="datastore-834"
Url="/vmfs/volumes/4f6f7f20-d7955a13-11b5-0025b500018f"
Name="DEV-V5 (SATA)">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-f5d4-6eaa-1578-17bd99cdee85" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62926605"
CompatibilityMode="" Mode="persistent" dsMor="datastore-834"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="238b1d29f857cb67c95d54346c6b81a3" Parent=""
Disk="[DEV-V5 (SATA)] SCC-BGL04-DV-112/SCC-BGL04-DV-112.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:52:86" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD

```

```

drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-126</Name>
    <Mor>vm-1277</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-126</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:52.727321Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d6239-795c-99cb-6b32-
a2da638758a6</uuid>
    <instanceUuid>502d23ca-6370-f298-44a7-
8fd3430c8e5f</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-126/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.136</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-126.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-07.cisco.com
</host>
    <hostMor>host-1293</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1

```



```

</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-126/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-126/" logDir="[SN-DV-FC-A] B16-SN-DV-126/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-126/B16-SN-DV-126.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="1">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-126.vmx</Name>
        <Size>3441</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-126.vmx</Name>
        <Size>3044</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-126.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-126.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-126-aux.xml
</Name>
        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-126.vmdk</Name>
        <Size>31471335</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>100562</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-26.log</Name>
        <Size>181894412</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>101961</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24273</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>183949</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>614593</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>335596</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="22850337907" Uncommitted="11911871488"
Committed="22850337907">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-82b3-3895-15e0-9a36fad702a5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="31471335"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8cd45efaa9fa896aa10a9e5db2eca121" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-126/B16-SN-DV-126.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:d3" AddressType="assigned"

```

```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="0" Key="9000" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="1" Key="9001" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-224</Name>
    <Mor>vm-3544</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-224</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>

```

```

                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
07T10:03:16.245012Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>42246c82-d1ff-6545-1086-
e842d9045924</uuid>
                                <instanceUuid>5024e63e-671e-16a5-0f93-
f652dbe43650</instanceUuid>
                                <vmxDir>[TEMP] B16-SN-DV-224</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.9.234</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt; )
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;true&gt; )
</Nics>
                                <NicIpaddresses>(10.106.9.234)
(fe80::250:56ff:fea4:1050)</NicIpaddresses>
                                <hostName>B16-SN-DV-224</hostName>
                                <host>b16-sn-dv-esx-04.cisco.com
</host>
                                <hostMor>host-1209</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-SN-DV-224/" suspendDir="[TEMP] B16-SN-DV-
224/" logDir="[TEMP] B16-SN-DV-224/" vmxPath="[TEMP] B16-SN-DV-
224/B16-SN-DV-224.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="8192"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">

```

```

        <Name>B16-SN-DV-224.vmx</Name>
        <Size>3300</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-224.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-224.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-224.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-224.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-224-
702569a0.vswp</Name>
    <Size>8589934592</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-224-
1881500064-1.vswp</Name>
    <Size>113246208</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>156561</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>732341683</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>217422</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-4.log</Name>
        <Size>1509277762</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>24277</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>488436498</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>894694092</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="54062714455" Uncommitted="65639809024"
Committed="54062714455">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-7c42-3fee-05a4-e955bc49999e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0bd5ac0e80a2396bcdadee6e9ca2179d1" Parent=""
Disk="[TEMP] B16-SN-DV-224/B16-SN-DV-224.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:10:50" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-007</Name>
    <Mor>vm-1124</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-007</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
sbyrappa on 18-APR-2011</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
28T08:17:10.848616Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203ffdd-c44a-3cb6-5357-
9aeb606f45f6</uuid>
    <instanceUuid>500380a4-130d-846d-3deb-
56eccba9bd03</instanceUuid>

```

```

</vmxDir>                                <vmxDir>[SN-DV-FC-B] B16-SN-DV-007/
</Networks>                               <template>>false</template>
</Nics>                                    <IpAddress>10.106.9.17</IpAddress>
                                            <Networks>SOLUTIONS-DEV(&lt;True&gt;)
                                            <Nics>SOLUTIONS-DEV(&lt;true&gt;)
                                            <NicIpaddresses>(10.106.9.17)
(fe80::250:56ff:fe83:3040)</NicIpaddresses> <hostName>B16-SN-DV-007</hostName>
</host>                                    <host>b16-sn-dv-esx-03.cisco.com
                                            <hostMor>host-1174</hostMor>
</ResourcePoolMor>                       <ResourcePoolMor>resgroup-287
</NumberOfDatastores>                    <NumberOfDatastores>1
</NumberOfBackingDisks>                  <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>              <NumberOfFiles>15</NumberOfFiles>
</NumberOfFeatureMaskEntries>           <CpuFeatureMaskSupported>true
</VirtualMachineFileInfo>                <NumberOfFeatureMaskEntries>0
snapshotDir="[SN-DV-FC-B] B16-SN-DV-007/" <VirtualMachineFileInfo>
logDir="[SN-DV-FC-B] B16-SN-DV-007/"      <VirtualHardware MemoryMB="4096"
vmxPath="[SN-DV-FC-B] B16-SN-DV-007/SCC-BGL04-DV-113.vmx">
NumCPUs="2">                               </VirtualHardware>
                                            <File Type="VmFileInfo">
</Name>                                    <Name>SCC-BGL04-DV-113.vmx
                                            <Size>3271</Size>
                                            <Type>config</Type>
</File>                                    </File>
<File Type="VmFileInfo">                  <File Type="VmFileInfo">
<Name>SCC-BGL04-DV-113.vmx                <Name>SCC-BGL04-DV-113.vmx
</Name>                                    <Size>3370</Size>
                                            <Type>extendedConfig</Type>
</File>                                    </File>
<File Type="VmFileInfo">                  <File Type="VmFileInfo">
<Name>SCC-BGL04-DV-113.nvram              <Name>SCC-BGL04-DV-113.nvram
</Name>                                    <Size>8684</Size>
                                            <Type>nvram</Type>
</File>                                    </File>
<File Type="VmFileInfo">                  <File Type="VmFileInfo">

```



```

</Name>
    <Name>SCC-BGL04-DV-113.vmsd
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-113.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-113-
33903824.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-DV-113-
865089572-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-39.log</Name>
    <Size>24660</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-40.log</Name>
    <Size>197273</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-35.log</Name>
    <Size>181869</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-36.log</Name>
    <Size>127672</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-38.log</Name>
    <Size>135641</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-37.log</Name>
    <Size>287430</Size>
    <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>108430</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="37468795932" Uncommitted="9873391616"
Committed="37468795932">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-48cd-aa60-cec4-ea01c900c747" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="953c7673927de817583a0fbclca5f6bf" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-007/SCC-BGL04-DV-113.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:30:40" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>

```

```

        </VirtualMachine>
        <VirtualMachine>
            <Name>B16-SN-DV-225</Name>
            <Mor>vm-3546</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-225</Path>
            <ParentMor>group-v1379</ParentMor>
            <Annotation></Annotation>
            <Version>vmx-09</Version>
            <GuestId>rhel6_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>true
        </ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
        </ChangeTrackingSupported>
            <BootOptionsSupported>true
        </BootOptionsSupported>
            <SwapPlacementSupported>true
        </SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2013-12-
30T08:10:33.079242Z</ChangeVersion>
            <powerState>poweredOff</powerState>
            <connectionState>connected
        </connectionState>
            <uuid>42241c32-7fbc-8fc5-fb96-
4bf638f9e888</uuid>
            <instanceUuid>5024c391-68c4-36ec-04e0-
b51729b2c95c</instanceUuid>
            <vmxDir>[SN-DV-FC-A] B16-SN-DV-225/
        </vmxDir>
            <template>false</template>
            <IpAddress>10.106.9.235</IpAddress>
            <Networks>SOLUTIONS-DEV(&lt;False&gt;)
        </Networks>
            <Nics>SOLUTIONS-DEV(&lt;false&gt;)
        </Nics>
            <NicIpaddresses>unassigned
        </NicIpaddresses>
            <hostName>B16-SN-DV-225</hostName>
            <host>b16-sn-dv-esx-04.cisco.com
        </host>
            <hostMor>host-1209</hostMor>
            <ResourcePoolMor>resgroup-287
        </ResourcePoolMor>
            <NumberOfDatastores>1
        </NumberOfDatastores>
            <NumberOfBackingDisks>1
        </NumberOfBackingDisks>
            <NumberOfFiles>12</NumberOfFiles>
            <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-225/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-225/" logDir="[SN-DV-FC-A] B16-SN-DV-225/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-225/B16-SN-DV-225.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="8192"
NumCPUs="2">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-225.vmx</Name>
        <Size>3349</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-225.vmx</Name>
        <Size>3433</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-225.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-225.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-225.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>1486161263</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>6972376</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>449489</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">

```

```

        <Name>vmware-3.log</Name>
        <Size>725363855</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>24275</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>566059858</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="38790000694" Uncommitted="80221130752"
Committed="38790000694">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-5230-1546-dc5e-d373ea3fd875" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c698f1d81be4ed5aab62a241833887f6" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-225/B16-SN-DV-225.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:01:5d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[ ] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-124</Name>
        <Mor>vm-1341</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-124</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>winLonghornGuest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
    </ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
    </ChangeTrackingSupported>
        <BootOptionsSupported>true
    </BootOptionsSupported>
        <SwapPlacementSupported>true
    </SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:32.538252Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
        <uuid>422d0819-7801-a3af-470f-
a5c0520763b6</uuid>
        <instanceUuid>502ddf5a-fce8-2df6-6bd3-
9c5b4ce19f70</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SN-DV-124/
    </vmxDir>
        <template>false</template>
        <IpAddress>10.106.9.134</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;false&gt;)
    </Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)

```

```

</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] B16-SN-DV-124/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-124/" logDir="[SN-DV-FC-A] B16-SN-DV-124/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-124/B16-SN-DV-124.vmx">
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-124.vmx</Name>
  <Size>3181</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-124.vmx</Name>
  <Size>3045</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-124.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-124.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-124-aux.xml
  <Size>0</Size>
  <Type>snapshotManifestList

```

```

</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-124.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24270</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>875456</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>116959</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>473321</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>161903</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>195142</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>182775</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="13040038720" Uncommitted="76327264256"
Committed="13040038720">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-54bb-9ca9-3bbe-f53a70d82d59" ChangeId=""

```



```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="380ba735f4297fd14c263edc9728fb1f" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-124/B16-SN-DV-124.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:cc" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-004</Name>
    <Mor>vm-1309</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-004</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
sbyrappa on 27-OCT-2011</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
02T06:09:44.131689Z</ChangeVersion>
</connectionState>
3bdc887a8ff4</uuid>
f8d26e7a0906</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-004/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-004/" logDir="[SN-DV-FC-B] B16-SN-DV-004/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-004/SCC-BGL04-DV-105.vmx">
NumCPUs="2">

```

```

<ChangeTrackingSupported>true
<BootOptionsSupported>true
<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
02T06:09:44.131689Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
<uuid>422d95a6-9119-9e18-2fe7-
3bdc887a8ff4</uuid>
<instanceUuid>502dce2d-745b-2950-144b-
f8d26e7a0906</instanceUuid>
<vmxDir>[SN-DV-FC-B] B16-SN-DV-004/
<template>>false</template>
<IpAddress>10.106.9.14</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;True&gt;)
<Nics>SOLUTIONS-DEV(&lt;true&gt;)
<NicIpaddresses>(10.106.9.14)
<hostName>b16-sn-dv-004.scc-dv.com
<host>b16-sn-dv-esx-08.cisco.com
<hostMor>host-1325</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-004/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-004/" logDir="[SN-DV-FC-B] B16-SN-DV-004/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-004/SCC-BGL04-DV-105.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">

```

```

</Name>
    <Name>SCC-BGL04-DV-105.vmx
    <Size>3543</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-105.vmx
    <Size>3048</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-105.nvram
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-105.vmsd
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-105-aux.xml
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-105.vmdk
    <Size>209715200</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-105-
33903821.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-DV-105-
865089569-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-51.log</Name>
    <Size>721948</Size>
    <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-50.log</Name>
  <Size>1485362</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-52.log</Name>
  <Size>24324</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-53.log</Name>
  <Size>214983</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-54.log</Name>
  <Size>292397</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-49.log</Name>
  <Size>560714</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>249040</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="218117857803" Uncommitted="1025507328"
Committed="218117857803">
  </StorageInfo>
  <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-9762-f749-556f-1d8d562cdaba" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a8dd4057295ffc15fe8cf33126609dd6" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-004/SCC-BGL04-DV-105.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:59:63" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-005</Name>
    <Mor>vm-1182</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-005</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
sbyrappa on 06-APR-2011</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:32.778172Z</ChangeVersion>
    <powerState>poweredOff</powerState>

```

```

</connectionState>                                <connectionState>connected
ea03daca7001</uuid>                                <uuid>42039509-f7c8-8058-e02d-
a8f5b2d7e8f4</instanceUuid>                      <instanceUuid>5003b353-b7e5-a8d5-8520-
110/</vmxDir>                                       <vmxDir>[DEV-V5 (SATA)] SCC-BGL04-DV-
</Networks>                                       <template>>false</template>
</Nics>                                             <IpAddress>10.106.9.15</IpAddress>
</NicIpaddresses>                                  <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</hostName>                                         <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</host>                                             <NicIpaddresses>unassigned
</ResourcePoolMor>                                 <hostName>b16-sn-dv-005.scc-dv.com
</NumberOfDatastores>                             <host>b16-sn-dv-esx-04.cisco.com
</NumberOfBackingDisks>                           <hostMor>host-1209</hostMor>
</CpuFeatureMaskSupported>                       <ResourcePoolMor>resgroup-287
</NumberOfFeatureMaskEntries>                    <NumberOfDatastores>1
<VirtualMachineFileInfo                           <NumberOfBackingDisks>1
snapshotDir="[DEV-V5 (SATA)] SCC-BGL04-DV-110/" suspendDir="[DEV-
V5 (SATA)] SCC-BGL04-DV-110/" logDir="[DEV-V5 (SATA)] SCC-BGL04-
DV-110/" vmxPath="[DEV-V5 (SATA)] SCC-BGL04-DV-110/SCC-BGL04-DV-
110.vmx">                                         <NumberOfFiles>13</NumberOfFiles>
</VirtualMachineFileInfo>                         <CpuFeatureMaskSupported>true
<VirtualHardware MemoryMB="4096"                 <NumberOfFeatureMaskEntries>0
NumCPUs="2">                                       <VirtualMachineFileInfo
</VirtualHardware>                                <VirtualHardware MemoryMB="4096"
<File Type="VmFileInfo">                           <VirtualMachineFileInfo
<Name>SCC-BGL04-DV-110.vmx                         <VirtualMachineFileInfo
<Size>3448</Size>                                <VirtualMachineFileInfo
<Type>config</Type>                               <VirtualMachineFileInfo
</File>                                           <VirtualMachineFileInfo
<File Type="VmFileInfo">                           <VirtualMachineFileInfo
<Name>SCC-BGL04-DV-110.vmx                         <VirtualMachineFileInfo
<Size>3082</Size>                                <VirtualMachineFileInfo
<Type>extendedConfig</Type>                       <VirtualMachineFileInfo

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-110.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-110.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-110.vmdk
</Name>
  <Size>62926605</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>172935</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-41.log</Name>
  <Size>403045</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-44.log</Name>
  <Size>137556</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-43.log</Name>
  <Size>268097391</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-40.log</Name>
  <Size>106476</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-42.log</Name>
  <Size>592124</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-45.log</Name>
  <Size>24396</Size>

```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="DEV-V5 (SATA)"
Unshared="64706392657" Uncommitted="4539654144"
Committed="64706392657">
        </StorageInfo>
        <Datastore Mor="datastore-834"
Url="/vmfs/volumes/4f6f7f20-d7955a13-11b5-0025b500018f"
Name="DEV-V5 (SATA)">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-f77e-ea26-459f-150f72041aac" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="62926605"
CompatibilityMode="" Mode="persistent" dsMor="datastore-834"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="de8e3b1b3021262af4cfc7298b8391f" Parent=""
Disk="[DEV-V5 (SATA)] SCC-BGL04-DV-110/SCC-BGL04-DV-110.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:2b:ae" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>

```



```

        <Name>B16-SN-DV-190</Name>
        <Mor>vm-1204</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-190</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>Verified, This VM is
imaged by Chandra Babu M on 1-MAR-2012 for the user Ramkumar
Kuttuboyina on account of Feb12rkuttuboSCC3163.</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:32.75579Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42007260-c64f-078e-3d15-
62971466fb1d</uuid>
        <instanceUuid>5000ff58-5368-dac4-cb6e-
d6d890efb68a</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-190/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.200</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>b16-sn-dv-190.cisco.com
</hostName>
        <host>b16-sn-dv-esx-04.cisco.com
</host>
        <hostMor>host-1209</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-190/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-190/" logDir="[SN-DV-FC-B] B16-SN-DV-190/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-190/B16-SN-DV-190.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-190.vmx</Name>
            <Size>3475</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-190.vmx</Name>
            <Size>3433</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-190.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-190.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-190.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>24269</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>156352</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>147262</Size>
            <Type>log</Type>
        </File>
    </File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>331901</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>151502</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>641880</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>144327</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="28584746269" Uncommitted="18906193920"
Committed="28584746269">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-575a-6975-d396-cb4c15b81f73" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9a7baddelea868b32384009366f1de2b" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-190/B16-SN-DV-190.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:67:c0" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-194-BKP</Name>
    <Mor>vm-3444</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-194-BKP</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is created by
radkrishna on 15-MAR-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>debian6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:15.116364Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224483b-fdcd-f70c-e578-
b960c9207d7e</uuid>
    <instanceUuid>502431db-8bfc-25ac-67b1-
aa4df640acb5</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-194-
BKP</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)

```

```

</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-194-BKP/" suspendDir="[SN-DV-FC-B] B16-SN-DV-194-BKP/" logDir="[SN-DV-FC-B] B16-SN-DV-194-BKP/" vmxPath="[SN-DV-FC-B] B16-SN-DV-194-BKP/B16-SN-DV-194-BKP.vmx" >
NumCPUs="2">
</Name>
</Name>
</Name>
</Name>
</Name>

```

```

<NicIpaddresses>unassigned
<hostName></hostName>
<host>b16-sn-dv-esx-05.cisco.com
<hostMor>host-2873</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>6</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="2048"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-194-BKP.vmx
  <Size>2801</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-194-BKP.vmx
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-194-BKP.vmsd
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-194-BKP.vmdk
  <Size>52428800</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware.log</Name>
        <Size>24494</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="38478572191" Uncommitted="17600716800"
Committed="38478572191">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-1976-0789-0f9e-4ce87c17f93e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7fe4943d51ba6ec7d0120c357a1897a8" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-194-BKP/B16-SN-DV-194-BKP.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:54:70" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>
                <Name>B16-SN-DV-151</Name>

```

```

        <Mor>vm-5009</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-151</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:04:53.494268Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4224028b-921c-66bf-f485-
d447915a4092</uuid>
        <instanceUuid>50249990-ab3b-5efc-91c8-
1e64310947d0</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.161</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-151</hostName>
        <host>b16-sn-dv-esx-07.cisco.com
</host>
        <hostMor>host-1293</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```

```

        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-151/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-151/" logDir="[SN-DV-FC-B] B16-SN-DV-151/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-151/B16-SN-DV-151.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-151.vmx</Name>
            <Size>3299</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-151.vmx</Name>
            <Size>3428</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-151.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-151.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-151.vmdk</Name>
            <Size>62914560</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>140336</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>98825</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>102672</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>24619</Size>
            <Type>log</Type>

```



```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>138198</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>118551</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>112833</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="30555207509" Uncommitted="42704674816"
Committed="30555207509">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-e6d6-e4de-eb27-d305b17a899e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2241eec97161399e6cb34867f99db276" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-151/B16-SN-DV-151.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:38:a7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-152</Name>
    <Mor>vm-5432</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-152</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
prasbr on 18-OCT-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:27.161385Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224a4bd-e010-199f-fced-
cc0c97ca5a10</uuid>
    <instanceUuid>5024ee63-867f-9479-7b4d-
f7b89fe12e5b</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-152_1/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>

```

```

</Networks>                                <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Nics>                                      <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</NicIpaddresses>                           <NicIpaddresses>unassigned
</host>                                      <hostName></hostName>
                                              <host>b16-sn-dv-esx-08.cisco.com
</ResourcePoolMor>                          <hostMor>host-1325</hostMor>
                                              <ResourcePoolMor>resgroup-287
</NumberOfDatastores>                       <NumberOfDatastores>1
</NumberOfBackingDisks>                     <NumberOfBackingDisks>1
                                              <NumberOfFiles>15</NumberOfFiles>
</CpuFeatureMaskSupported>                  <CpuFeatureMaskSupported>true
                                              <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                              <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-152_1/" suspendDir="[SN-DV-
FC-A] B16-SN-DV-152_1/" logDir="[SN-DV-FC-A] B16-SN-DV-152_1/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-152_1/B16-SN-DV-152.vmx">
                                              </VirtualMachineFileInfo>
                                              <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                              </VirtualHardware>
                                              <File Type="VmFileInfo">
                                                  <Name>B16-SN-DV-152.vmx</Name>
                                                  <Size>3123</Size>
                                                  <Type>config</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                  <Name>B16-SN-DV-152.vmx</Name>
                                                  <Size>0</Size>
                                                  <Type>extendedConfig</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                  <Name>B16-SN-DV-152.nvram</Name>
                                                  <Size>8684</Size>
                                                  <Type>nvram</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                  <Name>B16-SN-DV-152.vmsd</Name>
                                                  <Size>0</Size>
                                                  <Type>snapshotList</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                  <Name>B16-SN-DV-152-000001.vmdk
</Name>

```

```

        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-152-
Snapshot1.vmsn</Name>

        <Size>28596</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>124514</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>153529</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>146440</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>25251</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>124748</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>163549</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>124287</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="17684256321" Uncommitted="90136842240"
Committed="17684256321">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-e083-a8d3-7ff2-6c824e263791" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="fdb05ff87748ca60892ef8d4e8814425" Parent="[SN-DV-FC-A]
B16-SN-DV-152_1/B16-SN-DV-152.vmdk" Disk="[SN-DV-FC-A] B16-SN-DV-
152_1/B16-SN-DV-152-000001.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:19:7a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <Snapshot>clone-temp-1382545982901426
</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-198</Name>
    <Mor>vm-5222</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-198</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>

```

```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>>false
</ChangeTrackingSupported> <ChangeTrackingSupported>>true
</BootOptionsSupported> <BootOptionsSupported>>true
</SwapPlacementSupported> <SwapPlacementSupported>>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
29T10:44:53.740199Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>42246dd5-76ff-cde3-022b-
7fe86dedb63e</uuid>
<instanceUuid>5024f426-013b-1a8e-8aaf-
758e90217cd8</instanceUuid>
<vmxDir>[SN-DV-FC-A] B16-SN-DV-198/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.208</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
<NicIpaddresses>(10.106.9.208)
(fe80::250:56ff:fea4:79a1)</NicIpaddresses>
<hostName>B16-SN-DV-198</hostName>
<host>b16-sn-dv-esx-05.cisco.com
</host>
<hostMor>host-2873</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-198/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-198/" logDir="[SN-DV-FC-A] B16-SN-DV-198/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-198/B16-SN-DV-198.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">

```

```

        <Name>B16-SN-DV-198.vmx</Name>
        <Size>3204</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-198.vmx</Name>
    <Size>3428</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-198.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-198.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-198.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-198-
d3ec3567.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-198-
3555472743-1.vswp</Name>
    <Size>96468992</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>736167814</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>168587</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>1481588711</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-4.log</Name>
        <Size>24195</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>394298482</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>107067</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="50162146044" Uncommitted="64215842816"
Committed="50162146044">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-a461-59b3-35f1-d84b107d7c02" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0aafb5410f73d1397de035f2cf637341" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-198/B16-SN-DV-198.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:79:a1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```



```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-150-13-Jan-14-DEL
</Name>
        <Mor>vm-4683</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-150-13-Jan-14-DEL</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
13T17:57:33.221029Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422451e8-649a-2c57-d361-
38c2d07e1087</uuid>
        <instanceUuid>50249d0e-f43b-4703-2585-
3649732f0800</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-150/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.9.160</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-150</hostName>
        <host>b16-sn-dv-esx-07.cisco.com
</host>

```

```

        <hostMor>host-1293</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-150/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-150/" logDir="[SN-DV-FC-B] B16-SN-DV-150/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-150/B16-SN-DV-150.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-150.vmx</Name>
        <Size>3387</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-150.vmx</Name>
        <Size>3432</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-150.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-150.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-150.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>738786141</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-1.log</Name>

```

```

        <Size>159642</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>1481134025</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>24275</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>571203033</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>160077</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>224577</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="106724463241" Uncommitted="7981080576"
Committed="106724463241">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-b77e-8df5-a72e-446bca162077" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="519882844fa398b99c2dcd7e9623cc72" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-150/B16-SN-DV-150.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:31:36" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-155</Name>
    <Mor>vm-1213</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-155</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.972384Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200f175-031d-e423-aa25-
54fcdc54c70f</uuid>
    <instanceUuid>5000b3eb-8274-3327-e103-
11820d6c1174</instanceUuid>

```



```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-155.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>24271</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>128639</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>195325</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>179574</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>158286</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>307717</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>178695</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="30780039104" Uncommitted="16710475776"
Committed="30780039104">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-a516-7a29-322f-df5b2a83133d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```

```

Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a9cd5d70638e6c6c38b82e436a83c1e0" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-155/B16-SN-DV-155.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:f1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-199</Name>
    <Mor>vm-1189</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-199</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is created by
prasbr on 23-MAR-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported>      <BootOptionsSupported>true
</SwapPlacementSupported>    <SwapPlacementSupported>true
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
24T06:32:07.988279Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>42003626-550e-0ad7-2282-
7e1fc57e2b59</uuid>
                                <instanceUuid>50006695-443a-3fb8-9031-
c2299ceb2e61</instanceUuid>
</vmxDir>                      <vmxDir>[SN-DV-FC-A] B16-SN-DV-199/
                                <template>>false</template>
                                <IpAddress>10.106.9.209</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.9.209)
(fe80::250:56ff:fe80:18c2)</NicIpaddresses>
                                <hostName>B16-SN-DV-199</hostName>
</host>                          <host>b16-sn-dv-esx-04.cisco.com
                                <hostMor>host-1209</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
</CpuFeatureMaskSupported>      <CpuFeatureMaskSupported>true
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-199/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-199/" logDir="[SN-DV-FC-A] B16-SN-DV-199/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-199/B16-SN-DV-199.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="8192"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-199.vmx</Name>
                                    <Size>3189</Size>
                                    <Type>config</Type>
                                </File>

```



```

<File Type="VmFileInfo">
  <Name>B16-SN-DV-199.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-199.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-199.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-199.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-199-
d3ec3568.vswp</Name>
  <Size>8589934592</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-199-
3555472744-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>24277</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>170095</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>180837</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>153066</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>302701</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>137865</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>110303</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="23804818221" Uncommitted="92256862208"
Committed="23804818221">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-e09f-8c72-402c-eaf4b917f895" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="642c1d3342e644408bb4f987b0ec8141" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-199/B16-SN-DV-199.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:18:c2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"

```

```

Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-156</Name>
    <Mor>vm-1202</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-156</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:32.487022Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200889c-1a66-b66a-4023-
8eafc8fb246e</uuid>
    <instanceUuid>5000f099-64c4-5394-d6f6-
fa70cbc9f159</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-156/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.166</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-156</hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>

```

```

        <hostMor>host-1209</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-156/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-156/" logDir="[SN-DV-FC-A] B16-SN-DV-156/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-156/B16-SN-DV-156.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-156.vmx</Name>
            <Size>3157</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-156.vmx</Name>
            <Size>3428</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-156.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-156.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-156.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>156907</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-10.log</Name>

```

```

        <Size>180299</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>24269</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>128464</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>168990</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>333391</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>574698</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="30671381711" Uncommitted="16819527680"
Committed="30671381711">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-3556-2c45-0de7-a8c280b2ca04" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="96e5742ae84bc6c7b19026e6b7f299ab" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-156/B16-SN-DV-156.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:f2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-153</Name>
    <Mor>vm-1329</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-153</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.308947Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420099ad-0203-dff6-5ff0-
5d55f13a04de</uuid>
    <instanceUuid>5000bd0f-d62f-80b6-2fe9-
fedc7129855f</instanceUuid>

```

```

</vmxDir>                                <vmxDir>[SN-DV-FC-A] B16-SN-DV-153/
</Networks>                               <template>>false</template>
</Nics>                                    <IpAddress>10.106.9.163</IpAddress>
</NicIpaddresses>                         <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</host>                                    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</ResourcePoolMor>                        <NicIpaddresses>unassigned
</NumberOfDatastores>                     <hostName>B16-SN-DV-153</hostName>
</NumberOfBackingDisks>                   <host>b16-sn-dv-esx-03.cisco.com
</CpuFeatureMaskSupported>                <hostMor>host-1174</hostMor>
</NumberOfFeatureMaskEntries>              <ResourcePoolMor>resgroup-287
                                             <NumberOfDatastores>1
                                             <NumberOfBackingDisks>1
                                             <NumberOfFiles>13</NumberOfFiles>
                                             <CpuFeatureMaskSupported>true
                                             <NumberOfFeatureMaskEntries>0
                                             <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-153/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-153/" logDir="[SN-DV-FC-A] B16-SN-DV-153/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-153/B16-SN-DV-153.vmx">
                                             </VirtualMachineFileInfo>
                                             <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                             </VirtualHardware>
                                             <File Type="VmFileInfo">
                                             <Name>B16-SN-DV-153.vmx</Name>
                                             <Size>3289</Size>
                                             <Type>config</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>B16-SN-DV-153.vmx</Name>
                                             <Size>3433</Size>
                                             <Type>extendedConfig</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>B16-SN-DV-153.nvram</Name>
                                             <Size>8684</Size>
                                             <Type>nvram</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>B16-SN-DV-153.vmsd</Name>
                                             <Size>0</Size>
                                             <Type>snapshotList</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-153.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>24619</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>126872045</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>110310</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>655601</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>180568</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>142754</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>127147</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="34524566978" Uncommitted="13110169600"
Committed="34524566978">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-a745-268c-2896-ce0524117301" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```



```

Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="fb291d7c80903d848f380baa6820ea4d" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-153/B16-SN-DV-153.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:27:03" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-197</Name>
    <Mor>vm-1323</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-197</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
subaig on 12-MAR-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>ubuntu64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported>          <BootOptionsSupported>true
</SwapPlacementSupported>        <SwapPlacementSupported>true
</SwapPlacementSupported>        <SwapPlacement>inherit</SwapPlacement>
30T08:10:26.712046Z</ChangeVersion> <ChangeVersion>2013-12-
</connectionState>               <powerState>poweredOff</powerState>
                                   <connectionState>connected
                                   <uuid>4200096c-d80a-6f35-2521-
b7238431acdc</uuid>              <instanceUuid>5000c2c0-e40d-53cf-16ac-
124835789a79</instanceUuid>      <vmxDir>[SN-DV-FC-B] B16-SN-DV-197/
</vmxDir>                         <template>false</template>
                                   <IpAddress>10.106.9.207</IpAddress>
                                   <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>                       <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>                            <NicIpaddresses>unassigned
</NicIpaddresses>                 <hostName>B16-SN-DV-197</hostName>
                                   <host>b16-sn-dv-esx-08.cisco.com
</host>                            <hostMor>host-1325</hostMor>
                                   <ResourcePoolMor>resgroup-287
</ResourcePoolMor>                <NumberOfDatastores>1
</NumberOfDatastores>             <NumberOfBackingDisks>1
</NumberOfBackingDisks>           <NumberOfFiles>13</NumberOfFiles>
                                   <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>     <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-197/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-197/" logDir="[SN-DV-FC-B] B16-SN-DV-197/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-197/B16-SN-DV-197.vmx">
                                   </VirtualMachineFileInfo>
                                   <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                   </VirtualHardware>
                                   <File Type="VmFileInfo">
                                       <Name>B16-SN-DV-197.vmx</Name>
                                       <Size>3123</Size>
                                       <Type>config</Type>
                                   </File>

```

```
<File Type="VmFileInfo">
  <Name>B16-SN-DV-197.vmx</Name>
  <Size>3436</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-197.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-197.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-197.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>24278</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>260811</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>154743</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>454596</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>137753</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>130175</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
```

```

        <Size>297945</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="42857825240" Uncommitted="69057486848"
Committed="42857825240">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-d302-4380-a8a5-887995c99e43" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ddl383f90f1b28f3da5513d8f555938b" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-197/B16-SN-DV-197.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:0f:f7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>
                <Name>B16-SN-DV-194</Name>

```

```

Development\B16-SN-DV-194</Path>
    <Mor>vm-3446</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
subaig on 5-APR-2013
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:26.913256Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42246d14-abcc-7352-4801-
35b321776fa3</uuid>
    <instanceUuid>5024de7c-1d49-ab1f-330a-
476e1bbbc403</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-194/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.204</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-194</hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>
    <hostMor>host-1325</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>10</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-194/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-194/" logDir="[SN-DV-FC-B] B16-SN-DV-194/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-194/B16-SN-DV-194.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-194.vmx</Name>
            <Size>3261</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-194.vmx</Name>
            <Size>3433</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-194.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-194.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-194.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>736381410</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>161818</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>461957634</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>

```

```

        <Size>24278</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="18609096422" Uncommitted="94520561664"
Committed="18609096422">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-bf4d-bcc0-1f0a-030cf1e6f5bf" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="af00a947816127f71594226c8dc23ff6" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-194/B16-SN-DV-194.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:74:9c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>
                <Name>B16-SN-DV-154</Name>

```

```

        <Mor>vm-1304</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-154</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:49.383888Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>420076a5-d801-c93b-19a3-
fa618f2b83b3</uuid>
        <instanceUuid>500003cf-50b0-6439-a541-
bdb1bb1aa681</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.164</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-154</hostName>
        <host>b16-sn-dv-esx-03.cisco.com
</host>
        <hostMor>host-1174</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```



```

        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-154/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-154/" logDir="[SN-DV-FC-A] B16-SN-DV-154/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-154/B16-SN-DV-154.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-154.vmx</Name>
            <Size>3224</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-154.vmx</Name>
            <Size>3433</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-154.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-154.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-154.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>99071</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>24619</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>204138</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>141398</Size>
            <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>164020</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>1925423</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>120195</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="41534692413" Uncommitted="18859511808"
Committed="41534692413">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-a620-5227-d631-d3d6f1af7a1c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="25877d7d560256a8a7afaf77fe399124" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-154/B16-SN-DV-154.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6c:06" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-195</Name>
    <Mor>vm-5220</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-195</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
23T10:50:18.748337Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42241277-6427-08e8-2803-
37a9bf2e481b</uuid>
    <instanceUuid>5024085c-45ef-4bb2-03e0-
b2bcb8cf6b6a</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-195/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.205</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.205)
(fe80::250:56ff:fea4:53b8)</NicIpaddresses>
    <hostName>B16-SN-DV-195</hostName>
    <host>b16-sn-dv-esx-08.cisco.com

```

```

</host>
<hostMor>host-1325</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-195/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-195/" logDir="[SN-DV-FC-B] B16-SN-DV-195/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-195/B16-SN-DV-195.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-195.vmx</Name>
  <Size>3076</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-195.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-195.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-195.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-195.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-195-
33903d8c.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>

```

```

865090956-1.vswp</Name>
    <File Type="VmFileInfo">
      <Name>vmx-B16-SN-DV-195-
        <Size>96468992</Size>
        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-2.log</Name>
      <Size>138510</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-1.log</Name>
      <Size>378824</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-4.log</Name>
      <Size>3041648220</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-3.log</Name>
      <Size>736340484</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-5.log</Name>
      <Size>24196</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-6.log</Name>
      <Size>441490589</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>245288183</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="113359941794" Uncommitted="2871001088"
Committed="113359941794">
      </StorageInfo>
      <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-baa8-6800-2fea-d6867e7b1a6b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```

```

Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9f194c2539217b8394cf240296a1529c" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-195/B16-SN-DV-195.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:53:b8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-159</Name>
    <Mor>vm-1201</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-159</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true

```

```

</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:15.128136Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200d9e1-79e2-6004-a53a-
ed98e7c05c07</uuid>
    <instanceUuid>500098fd-4b94-31f3-9f73-
9e3d295c91d3</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.169</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-159</hostName>
    <host>b16-sn-dv-esx-05.cisco.com
</host>
    <hostMor>host-2873</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>2
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-159/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-159/" logDir="[SN-DV-FC-A] B16-SN-DV-159/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-159/B16-SN-DV-159.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-159.vmx</Name>
        <Size>3387</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>B16-SN-DV-159.vmx</Name>
        <Size>3433</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-159.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-159.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-159.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-159_1.vmdk
</Name>
    <Size>4194304</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>147873</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>148245</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>107299</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>29835</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>265528</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>

```



```

        <Size>155428</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>587909</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="35266117077" Uncommitted="20831883264"
Committed="35266117077">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-7166-2147-ccd5-b244f08d2b2b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b2767c2cb5488786ec6136018756695b" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-159/B16-SN-DV-159.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-9636-f8dd-0fce-1d52f247818a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="4194304"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="37b93c3d0cff029ce22fb96dcdf4bbc5" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-159/B16-SN-DV-159_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:0e:71" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-157</Name>
    <Mor>vm-1170</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-157</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:52.728958Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200d60e-53bc-518a-1de2-
24a6210b390d</uuid>
    <instanceUuid>5000a4cd-aff8-8e9f-6035-
d8b276d7ce07</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-157/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.167</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;);
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;);
</Nics>

```

```

</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] B16-SN-DV-157/" suspendDir="[SN-DV-FC-A] B16-SN-DV-157/" logDir="[SN-DV-FC-A] B16-SN-DV-157/" vmxPath="[SN-DV-FC-A] B16-SN-DV-157/B16-SN-DV-157.vmx">
NumCPUs="2">
</VirtualMachineFileInfo>
</VirtualHardware MemoryMB="4096">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-157.vmx</Name>
  <Size>3093</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-157.vmx</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-157.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-157.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-157.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>

```

```

        <Size>24617</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>136532</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>386212</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>336670</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>103227</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>538077</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>112643</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="34858416580" Uncommitted="12649844736"
Committed="34858416580">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-ac6c-9112-0976-4502e7222b7d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="db4fe17caa170776f0c7637b8e5a0df0" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-157/B16-SN-DV-157.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:63:5c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-DV-158</Name>
  <Mor>vm-1298</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-158</Path>
  <ParentMor>group-v1379</ParentMor>
  <Annotation></Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel6_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T08:10:26.496022Z</ChangeVersion>
  <powerState>poweredOff</powerState>
  <connectionState>connected

```

```

</connectionState>
32e74bc641d4</uuid>
be9ab10f2b35</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] B16-SN-DV-158/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-158/" logDir="[SN-DV-FC-A] B16-SN-DV-158/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-158/B16-SN-DV-158.vmx">
NumCPUs="2">

```

<uuid>42003445-7667-4693-f362-  
 <instanceUuid>5000b327-14c1-22c0-1487-  
 <vmxDir>[SN-DV-FC-A] B16-SN-DV-158/  
 <template>>false</template>  
 <IpAddress>10.106.9.168</IpAddress>  
 <Networks>SOLUTIONS-DEV(&lt;False&gt; )  
 <Nics>SOLUTIONS-DEV(&lt;false&gt; )  
 <NicIpaddresses>unassigned  
 <hostName>B16-SN-DV-158</hostName>  
 <host>b16-sn-dv-esx-08.cisco.com  
 <hostMor>host-1325</hostMor>  
 <ResourcePoolMor>resgroup-287  
 <NumberOfDatastores>1  
 <NumberOfBackingDisks>1  
 <NumberOfFiles>12</NumberOfFiles>  
 <CpuFeatureMaskSupported>>true  
 <NumberOfFeatureMaskEntries>0  
 <VirtualMachineFileInfo  
 <Name>B16-SN-DV-158.vmx</Name>  
 <Size>3237</Size>  
 <Type>config</Type>  
 <VirtualHardware MemoryMB="4096"  
 </VirtualHardware>  
 <File Type="VmFileInfo">  
 <Name>B16-SN-DV-158.vmx</Name>  
 <Size>3237</Size>  
 <Type>config</Type>  
 </File>  
 <File Type="VmFileInfo">  
 <Name>B16-SN-DV-158.vmx</Name>  
 <Size>3433</Size>  
 <Type>extendedConfig</Type>  
 </File>  
 <File Type="VmFileInfo">  
 <Name>B16-SN-DV-158.nvram</Name>  
 <Size>8684</Size>  
 <Type>nvram</Type>

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-158.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-158.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>135976</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>181830</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>153165</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>265393</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>145062</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24272</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="15255604700" Uncommitted="32251924480"
Committed="15255604700">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-ec52-2c0e-0af9-6c281a79bb18" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```

```

Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="alf5765b429fa5ad803310ab2d3c7bf4" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-158/B16-SN-DV-158.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:7d:e0" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-213</Name>
    <Mor>vm-1136</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-213</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is created by
prashanth BR</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```



```

</BootOptionsSupported>      <BootOptionsSupported>true
</SwapPlacementSupported>    <SwapPlacementSupported>true
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
08T05:50:04.506989Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>42006bc4-227d-55ce-c8c4-
058151b86e82</uuid>
                                <instanceUuid>500052c4-546e-e92b-3e91-
ad62bc3f6623</instanceUuid>
</vmxDir>                      <vmxDir>[SN-DV-FC-B] B16-SN-DV-213/
                                <template>>false</template>
                                <IpAddress>10.106.9.223</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.9.223)
(fe80::250:56ff:fe80:28ca)</NicIpaddresses>
                                <hostName>B16-SN-DV-213</hostName>
</host>                          <host>b16-sn-dv-esx-03.cisco.com
                                <hostMor>host-1174</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>14</NumberOfFiles>
</CpuFeatureMaskSupported>      <CpuFeatureMaskSupported>true
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-213/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-213/" logDir="[SN-DV-FC-B] B16-SN-DV-213/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-213/B16-SN-DV-213.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-213.vmx</Name>
                                    <Size>3181</Size>
                                    <Type>config</Type>
                                </File>

```

```

<File Type="VmFileInfo">
  <Name>B16-SN-DV-213.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-213.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-213.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-213.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-213-
339040c3.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-213-
865091779-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>732730551</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>430914</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>1833606522</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>24269</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>218584851</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>858054773</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="38056662917" Uncommitted="12927893504"
Committed="38056662917">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-1d91-ac23-2ce0-f77cce7bbe18" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c5153d886078c16432d01806b3e04393" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-213/B16-SN-DV-213.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:28:ca" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"

```

```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-212</Name>
    <Mor>vm-1173</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-212</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is created by
radchin on 10-MAY-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:53.197025Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420030a2-e592-40bd-afe9-
6f5d013f2e87</uuid>
    <instanceUuid>5000f5d7-28e2-e5b3-9094-
b0dc5baf6aba</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-212/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.222</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-212</hostName>
    <host>b16-sn-dv-esx-07.cisco.com
</host>
    <hostMor>host-1293</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1

```

```

</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>11</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-212/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-212/" logDir="[SN-DV-FC-A] B16-SN-DV-212/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-212/B16-SN-DV-212.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-212.vmx</Name>
        <Size>2920</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-212.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-212.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-212.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-212.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>228310</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>263910</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-3.log</Name>
        <Size>104114</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>24622</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>858556</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="11645931024" Uncommitted="100269400064"
Committed="11645931024">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-3dc3-47d6-b86d-22a789052f3c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="81895e71d7af56e38121b838ffa8a0c5" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-212/B16-SN-DV-212.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:43:54" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[ ] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-113</Name>
        <Mor>vm-1317</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-113</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM provisioned by
Amit Saha.</Annotation>
        <Version>vmx-09</Version>
        <GuestId>windows7Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:06:18.233903Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d8e27-7f0c-3f98-114c-
f9e3846e4a2b</uuid>
        <instanceUuid>502dd6aa-ef5b-b8aa-a662-
d7d9457e9749</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SN-DV-113/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.9.123</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>

```

```

</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] B16-SN-DV-113/" suspendDir="[SN-DV-FC-A] B16-SN-DV-113/" logDir="[SN-DV-FC-A] B16-SN-DV-113/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-113/SCC-DEV-VM-064.vmx">
NumCPUs="2">
</VirtualMachineFileInfo>
</VirtualHardware MemoryMB="4096">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-064.vmx</Name>
  <Size>3296</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-064.vmx</Name>
  <Size>3048</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-064.nvram
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-064.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-064-aux.xml
</Name>

```



```

        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-064.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>119732</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>142873</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>5847950</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>142486</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>805003</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>249577</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>24291</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="49239038716" Uncommitted="62699425792"
Committed="49239038716">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-bf63-eb62-18a8-27a00c7b1634" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0077c1573b831a3fa5a9443902f983a4" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-113/SCC-DEV-VM-064.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:5f:9e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-110</Name>
        <Mor>vm-1129</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-110</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>Setup for Informacast

</Annotation>

        <Version>vmx-09</Version>
        <GuestId>winNetStandardGuest</GuestId>

```

```

    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
10T12:56:11.065403Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203e534-f77a-91e9-88ab-
444b720e5aca</uuid>
    <instanceUuid>50002ccd-b1b8-e46e-94a0-
fb0cd25b326d</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.120</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.120)
</NicIpaddresses>
    <hostName>B16-SN-DV-110</hostName>
    <host>b16-sn-dv-esx-03.cisco.com
</host>
    <hostMor>host-1174</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-110/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-110/" logDir="[SN-DV-FC-A] B16-SN-DV-110/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-110/SCC-BGL04-DV-36.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="2">
    </VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-36.vmx</Name>
  <Size>3362</Size>
  <Type>config</Type>
</File>
</Name>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-36.vmx
  <Size>2849</Size>
  <Type>extendedConfig</Type>
</File>
</Name>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-36.nvram
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
</Name>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-36.vmsd
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
</Name>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-36-aux.xml
  <Size>0</Size>
  <Type>snapshotManifestList
</File>
</Name>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-36.vmdk
  <Size>41961780</Size>
  <Type>diskDescriptor</Type>
</File>
d3ec3457.vswp</Name>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-36-
  <Size>2147483648</Size>
  <Type>swap</Type>
</File>
3555472471-1.vswp</Name>
<File Type="VmFileInfo">
  <Name>vmx-SCC-BGL04-DV-36-
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-36.log</Name>
  <Size>24656</Size>
  <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-33.log</Name>
  <Size>331518</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>146472</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-35.log</Name>
  <Size>140109</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-37.log</Name>
  <Size>169164</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-32.log</Name>
  <Size>179382</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>149367</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="16441778667" Uncommitted="28772192256"
Committed="16441778667">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-436b-15f9-35e3-bfe04b7a559a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ff4647529f732e24f0c3dd33d4c081e4" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-110/SCC-BGL04-DV-36.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:59" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-211</Name>
        <Mor>vm-1233</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-211</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM was created by
radhchin on 25-APR-2013</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:06:15.215725Z</ChangeVersion>
        <powerState>poweredOff</powerState>

```

```

</connectionState>                <connectionState>connected
283d08ed9425</uuid>                <uuid>42006de8-98b9-6107-d577-
40a8931946ba</instanceUuid>       <instanceUuid>5000435d-ab5f-8d39-ccf7-
<vmxDir>[TEMP] B16-SN-DV-211/</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.221</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-211</hostName>
<host>b16-sn-dv-esx-05.cisco.com
</host>
<hostMor>host-2873</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[TEMP] B16-SN-DV-211/" suspendDir="[TEMP] B16-SN-DV-
211/" logDir="[TEMP] B16-SN-DV-211/" vmxPath="[TEMP] B16-SN-DV-
211/B16-SN-DV-211.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-211.vmx</Name>
  <Size>3228</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-211.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-211.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-211.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-211.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>307130</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>155075</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>262049</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-0.log</Name>
  <Size>151715</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>134017</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>24274</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>169815</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="TEMP"
Unshared="14207323635" Uncommitted="97707728896"
Committed="14207323635">
  </StorageInfo>
  <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"

```



```

Name="TEMP">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-0a7d-44c1-79a6-190a0f5010b4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="be909cc5eb7d5bded607cb20b68c9217" Parent=""
Disk="[TEMP] B16-SN-DV-211/B16-SN-DV-211.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:1d:98" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-210</Name>
    <Mor>vm-1172</Mor>
    <MorType>VirtualMachine</MorType>

```

```

Development\B16-SN-DV-210</Path>
    <Path>\(DC)S+CC(DC)\vm\Solutions
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
    prasbr on 22-APR-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
13T14:59:22.172884Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200aedc-4c37-c535-4dee-
5f0bc4169d14</uuid>
    <instanceUuid>50007294-4636-5c36-a84f-
86c111a5db9f</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.220</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.220)
(fe80::250:56ff:fe80:61c8)</NicIpaddresses>
    <hostName>B16-SN-DV-210</hostName>
    <host>b16-sn-dv-esx-03.cisco.com
</host>
    <hostMor>host-1174</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo

```

```

snapshotDir="[SN-DV-FC-B] B16-SN-DV-210/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-210/" logDir="[SN-DV-FC-B] B16-SN-DV-210/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-210/B16-SN-DV-210.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"

NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-210.vmx</Name>
    <Size>3087</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-210.vmx</Name>
    <Size>3433</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-210.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-210.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-210.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-210-
339040c0.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-210-
865091776-1.vswp</Name>
    <Size>113246208</Size>
    <Type>uwsap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>460149</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>131055</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>603569</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>24620</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>208206</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>110837</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="29472830696" Uncommitted="60836282368"
Committed="29472830696">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-f251-36dd-da89-534be9740f59" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6aalf169f43c210cfc902ba3b5d82ba" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-210/B16-SN-DV-210.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:61:c8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">

```

```

        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SCC-ADEX-02-clone</Name>
        <Mor>vm-7584</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SCC-ADEX-02-clone</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>windows8Server64Guest
</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:33.264898Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4224b3e2-6571-efa9-af29-
cfb76d01ff11</uuid>
        <instanceUuid>50240e51-6600-23e5-1563-
a95a6a94c7e2</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SCC-ADEX-02-
clone/</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.10</IpAddress>
        <Networks>None</Networks>

```

```

</Nics>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
    <NicIpaddresses>
    (fe80::1f8:fea6:7f92:3da2)(10.106.9.10)</NicIpaddresses>
    <hostName>B16-SCC-ADEX-02.adex02.com
</hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>
    <hostMor>host-1209</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>8</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SCC-ADEX-02-clone/"
suspendDir="[SN-DV-FC-A] B16-SCC-ADEX-02-clone/" logDir="[SN-DV-
FC-A] B16-SCC-ADEX-02-clone/" vmxPath="[SN-DV-FC-A] B16-SCC-ADEX-
02-clone/B16-SCC-ADEX-02-clone.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
    <Name>B16-SCC-ADEX-02-clone.vmx
</Name>
    <Size>3254</Size>
    <Type>config</Type>
</File>
    <File Type="VmFileInfo">
    <Name>B16-SCC-ADEX-02-clone.vmx
</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
</File>
    <File Type="VmFileInfo">
    <Name>B16-SCC-ADEX-02-
clone.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
    <File Type="VmFileInfo">
    <Name>B16-SCC-ADEX-02-clone.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>B16-SCC-ADEX-02-clone.vmdk
</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>204461</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>24236</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="41531190267" Uncommitted="74757611520"
Committed="41531190267">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-ccbfb-a06b-9cf9-ab15be81d276" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="70368011004ce114e3d8ff124a94220d" Parent="" Disk="[SN-
DV-FC-A] B16-SCC-ADEX-02-clone/B16-SCC-ADEX-02-clone.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD

```

```

drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-138-CLONE</Name>
    <Mor>vm-7711</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-138-CLONE</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Verified, This VM
provisioned by Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:18.225105Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224f985-51b5-a358-47fb-
544a7ce20012</uuid>
    <instanceUuid>5024b874-88e3-4222-a89d-
ded09e71b824</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-138-
CLONE</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1

```



```

</NumberOfBackingDisks>
    <NumberOfFiles>6</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-138-CLONE/" suspendDir="[SN-
DV-FC-A] B16-SN-DV-138-CLONE/" logDir="[SN-DV-FC-A] B16-SN-DV-
138-CLONE/" vmxPath="[SN-DV-FC-A] B16-SN-DV-138-CLONE/B16-SN-DV-
138-CLONE.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
            </VirtualHardware>
            <File Type="VmFileInfo">
                <Name>B16-SN-DV-138-CLONE.vmx
</Name>
                    <Size>3087</Size>
                    <Type>config</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>B16-SN-DV-138-CLONE.vmx
</Name>
                    <Size>0</Size>
                    <Type>extendedConfig</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>B16-SN-DV-138-CLONE.nvram
</Name>
                    <Size>8684</Size>
                    <Type>nvram</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>B16-SN-DV-138-CLONE.vmsd
</Name>
                    <Size>0</Size>
                    <Type>snapshotList</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>B16-SN-DV-138-CLONE.vmdk
</Name>
                    <Size>104857600</Size>
                    <Type>diskDescriptor</Type>
            </File>
            <StorageInfo Datastore="SN-DV-FC-A"
Unshared="33843850747" Uncommitted="78069997568"
Committed="33843850747">
                </StorageInfo>
                <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-1c08-14cc-a559-2c9e8f1de494" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b303fb924fdccf41d908d4a93c2e11ce" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-138-CLONE/B16-SN-DV-138-CLONE.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:51:91" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-025-clone</Name>
    <Mor>vm-7594</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-025-clone</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>MS exchange 2010 server
</Annotation>

    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true

```

```

</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:10:49.147278Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422455a9-032d-f6b0-5e0f-
2f784024da23</uuid>
<instanceUuid>50240ced-ff69-ef24-c3da-
f63ee4cd618e</instanceUuid>
<vmxDir>[SN-DV-FC-B] B16-SN-DV-025-
clone</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-sn-dv-esx-03.cisco.com
</host>
<hostMor>host-1174</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>6</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-025-clone/" suspendDir="[SN-
DV-FC-B] B16-SN-DV-025-clone/" logDir="[SN-DV-FC-B] B16-SN-DV-
025-clone/" vmxPath="[SN-DV-FC-B] B16-SN-DV-025-clone/B16-SN-DV-
025-clone.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">

```

```

        <Name>B16-SN-DV-025-clone.vmx
</Name>
        <Size>3034</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-025-clone.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-025-clone.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-025-clone.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-025-clone.vmdk
</Name>
        <Size>62914560</Size>
        <Type>diskDescriptor</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="29929516486" Uncommitted="39034658816"
Committed="29929516486">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-d886-a2f8-6575-548351478784" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c033c191e8b487a862ce691553d88402" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-025-clone/B16-SN-DV-025-clone.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:5b:2e" AddressType="assigned"

```

```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-219</Name>
    <Mor>vm-1349</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-219</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:33.066082Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224a126-22c4-c533-c112-

```

```

3e352d8e6659</uuid>
                                <instanceUuid>5024ed27-cf89-6011-4f8c-
01fc39f8ef0e</instanceUuid>
                                <vmxDir>[SN-DV-FC-B] B16-SN-DV-219/
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.9.229</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName>B16-SN-DV-219</hostName>
                                <host>b16-sn-dv-esx-04.cisco.com
</host>
                                <hostMor>host-1209</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>12</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-219/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-219/" logDir="[SN-DV-FC-B] B16-SN-DV-219/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-219/B16-SN-DV-219.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16384"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-219.vmx</Name>
                                    <Size>2992</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-219.vmx</Name>
                                    <Size>268</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-219.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">

```

```

        <Name>B16-SN-DV-219.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-219.vmdk</Name>
        <Size>262144000</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>138391</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>539417</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>139296</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>116641</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>140569</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24623</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="35562517345" Uncommitted="250298605568"
Committed="35562517345">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-420a-0114-a249-f2b14bd27edd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="262144000"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a072dc02e626238c025330a12adc0135" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-219/B16-SN-DV-219.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:54:8b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-118</Name>
    <Mor>vm-1166</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-118</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM instance
provisioned by Amit Saha.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>

```



```

        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:33.285996Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422dff00-d280-078e-9f6c-
3ce2280a0228</uuid>
        <instanceUuid>502d7257-45f0-ff85-bfc5-
7886c9832a55</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.128</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-118.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-04.cisco.com
</host>
        <hostMor>host-1209</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-118/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-118/" logDir="[SN-DV-FC-A] B16-SN-DV-118/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-118/B16-SN-DV-118.vmx">
</VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">

```

```

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-118.vmx</Name>
  <Size>3262</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-118.vmx</Name>
  <Size>3047</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-118.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-118.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-118-aux.xml
  <Size>0</Size>
  <Type>snapshotManifestList
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-118.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>110168</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>438446</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>24632</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>109561</Size>
  <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-15.log</Name>
            <Size>187925</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-17.log</Name>
            <Size>745317</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-16.log</Name>
            <Size>415921</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="30075206643" Uncommitted="81857957888"
Committed="30075206643">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-88a9-a990-d54b-ab6e7d7a60f6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4ee3ef87f5cb7f929362b2dff2cffe7b" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-118/B16-SN-DV-118.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:b4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-119</Name>
    <Mor>vm-1288</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-119</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName>Microsoft Windows
Server 2003, Standard Edition (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:52.729015Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422df536-c9e1-7d7b-5be7-
798760de462e</uuid>
    <instanceUuid>502d89e3-6cea-468f-67a5-
b7a2fb7a586c</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-119/
</vmxDir>
    <template>false</template>
    <IpAddress>169.254.136.75</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;false&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned

```

```

</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] B16-SN-DV-119/" suspendDir="[SN-DV-FC-A] B16-SN-DV-119/" logDir="[SN-DV-FC-A] B16-SN-DV-119/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-119/B16-SN-DV-119.vmx">
NumCPUs="4">
</VirtualMachineFileInfo>
</VirtualHardware MemoryMB="4096">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-119.vmx</Name>
  <Size>3260</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-119.vmx</Name>
  <Size>3044</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-119.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-119.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-119-aux.xml
  <Size>0</Size>
  <Type>snapshotManifestList
</File>
</Name>
</Type>
</File>

```

```

<File Type="VmFileInfo">
  <Name>B16-SN-DV-119.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-38.log</Name>
  <Size>724795026</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-37.log</Name>
  <Size>311207</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>110597</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24271</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-33.log</Name>
  <Size>106275</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-35.log</Name>
  <Size>105444</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-36.log</Name>
  <Size>183182</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="10528788014" Uncommitted="37765947392"
Committed="10528788014">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-6630-4693-c98f-178f51627a21" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"

```

```

CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3c00deb4d2b1df9de090975b51501767" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-119/B16-SN-DV-119.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:c2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-218</Name>
    <Mor>vm-1208</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-218</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is created by
prasbr on 24-MAY-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true

```

```

</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:33.364683Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200ecb4-52de-441f-0063-
b2193002b05f</uuid>
    <instanceUuid>50009f9b-efba-d195-50d9-
c9a7b9c7ald2</instanceUuid>
    <vmxDir>[TEMP] B16-SN-DV-218/</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.228</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-218.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>
    <hostMor>host-1209</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[TEMP] B16-SN-DV-218/" suspendDir="[TEMP] B16-SN-DV-
218/" logDir="[TEMP] B16-SN-DV-218/" vmxPath="[TEMP] B16-SN-DV-
218/B16-SN-DV-218.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-218.vmx</Name>
    <Size>3276</Size>
    <Type>config</Type>

```



```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-218.vmx</Name>
  <Size>3079</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-218.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-218.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-218-aux.xml
  <Size>0</Size>
  <Type>snapshotManifestList
</File>
</Name>
</Type>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-218.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>199685</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>1394163</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-0.log</Name>
  <Size>165283</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>145828</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>24280</Size>
  <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>294047</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="TEMP"
Unshared="32634972021" Uncommitted="79298383872"
Committed="32634972021">
            </StorageInfo>
            <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-119d-f828-b879-bae75181d244" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3ba26ceafad8aa89f9df00ac12a2a6f9" Parent=""
Disk="[TEMP] B16-SN-DV-218/B16-SN-DV-218.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:48:c5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD

```

```

drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-217</Name>
    <Mor>vm-7701</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-217</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
prasbr on 18-OCT-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T09:16:36.016144Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224bdab-8b69-25e9-2ff8-
adcdcf5958ac</uuid>
    <instanceUuid>5024b3ac-cada-c675-0a38-
54ecf7c7919a</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-217_1/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>None</Nics>
    <NicIpaddresses></NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>
    <hostMor>host-1209</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>2
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>11</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-217_1/" suspendDir="[SN-DV-
FC-A] B16-SN-DV-217_1/" logDir="[SN-DV-FC-A] B16-SN-DV-217_1/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-217_1/B16-SN-DV-217.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-217.vmx</Name>
            <Size>3119</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-217.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-217.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-217.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-217.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-217-
7fdce8cf.vswp</Name>
            <Size>8589934592</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmx-B16-SN-DV-217-
2145183951-1.vswp</Name>
            <Size>96468992</Size>
            <Type>uwsap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>153508</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>107622</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>104455</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="27659715116" Uncommitted="66926411776"
Committed="27659715116">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                        </Datastore>
                        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-d3b2-238e-b189-4dd24ddcea4e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="686aelac06c251f13626c5101f34e1af" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-217_1/B16-SN-DV-217.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:1a:c9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                        </BackingNetwork>
                                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[SN-DV-FC-B] ISO/IEP-DEV-1.1.0-4.x86_64.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-837" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-MB01</Name>
    <Mor>vm-1375</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-MB01</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Media Broker 1 OVA, Please
don't change the root Credentials -ptirunag</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:15.147898Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224e85b-0bfa-769f-d875-
e1d093135f0a</uuid>
    <instanceUuid>5024ece9-56e9-d9f6-8093-
633579f54006</instanceUuid>
    <vmxDir>[SN-DV-FC-B] MediaBroker1.1/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>

```

```

</host>
    <host>b16-sn-dv-esx-05.cisco.com
    <hostMor>host-2873</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>11</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] MediaBroker1.1/" suspendDir="[SN-DV-FC-
B] MediaBroker1.1/" logDir="[SN-DV-FC-B] MediaBroker1.1/"
vmxPath="[SN-DV-FC-B] MediaBroker1.1/MediaBroker1.1.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>MediaBroker1.1.vmx</Name>
        <Size>3025</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>MediaBroker1.1.vmx</Name>
        <Size>3476</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>MediaBroker1.1.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>MediaBroker1.1.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>MediaBroker1.1.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>112264</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>66953810</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>105157</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>24358</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>133145</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="43017016879" Uncommitted="4636692480"
Committed="43017016879">
  </StorageInfo>
  <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-2ca7-d657-e888-62a6c7c328b1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="530ab46e2827d4ded80fb2bf4d164ca3" Parent="" Disk="[SN-
DV-FC-B] MediaBroker1.1/MediaBroker1.1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:1e:91" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
  </BackingNetwork>

```



```

        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD-ROM 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-216</Name>
        <Mor>vm-5226</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-216</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T09:17:07.169528Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42241a01-8a98-85e7-4ac1-
0af5e93867c0</uuid>
        <instanceUuid>5024de0d-eca6-9f6e-72c6-
274afabfbf768</instanceUuid>

```

```

</vmxDir>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-216/
    <template>>false</template>
    <IpAddress>10.106.9.226</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.226)
(fe80::250:56ff:fea4:2e46)</NicIpaddresses>
    <hostName>B16-SN-DV-216</hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>
    <hostMor>host-1325</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-216/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-216/" logDir="[SN-DV-FC-A] B16-SN-DV-216/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-216/B16-SN-DV-216.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-216.vmx</Name>
        <Size>3139</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-216.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-216.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-216.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-216.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-216-
d3ec389e.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-216-
3555473566-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>1515440773</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>130128</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>3426584172</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>24199</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>259456099</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>1094912959</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="26320167717" Uncommitted="91742011392"
Committed="26320167717">
</StorageInfo>

```

```

                                <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-92e3-99b0-cb54-18430aa27a26" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b67d74ccd515d56b4751e76b4afcac0a" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-216/B16-SN-DV-216.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:2e:46" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                                </VirtualMachine>
                                <VirtualMachine>
                                    <Name>B16-SN-DV-117</Name>
                                    <Mor>vm-1232</Mor>
                                    <MorType>VirtualMachine</MorType>
                                    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-117</Path>
                                    <ParentMor>group-v1379</ParentMor>
                                    <Annotation></Annotation>
                                    <Version>vmx-09</Version>

```

```

</GuestId>                                <GuestId>windows7Server64Guest
</ChangeTrackingEnabled>                  <GuestOSAltName></GuestOSAltName>
</ChangeTrackingSupported>                <ChangeTrackingEnabled>true
</BootOptionsSupported>                   <ChangeTrackingSupported>true
</SwapPlacementSupported>                 <BootOptionsSupported>true
</SwapPlacementSupported>                 <SwapPlacementSupported>true
30T08:06:14.602376Z</ChangeVersion>      <SwapPlacement>inherit</SwapPlacement>
</connectionState>                        <ChangeVersion>2013-12-
5945a068c7f5</uuid>                       <powerState>poweredOff</powerState>
1649a151faf2</instanceUuid>              <connectionState>connected
</vmxDir>                                  <uuid>422d65af-9b49-f9d7-7fa0-
</Networks>                               <instanceUuid>502d4857-57f7-b10c-03b6-
</Nics>                                    <vmxDir>[SN-DV-FC-A] B16-SN-DV-117/
</NicIpaddresses>                         <template>false</template>
</hostName>                               <IpAddress>10.106.9.127</IpAddress>
</host>                                    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</ResourcePoolMor>                        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</NumberOfDatastores>                     <NicIpaddresses>unassigned
</NumberOfBackingDisks>                   <hostName>B16-SN-DV-117.scc-dv.com
</CpuFeatureMaskSupported>                <host>b16-sn-dv-esx-05.cisco.com
</NumberOfFeatureMaskEntries>             <hostMor>host-2873</hostMor>
</VirtualMachineFileInfo>                 <ResourcePoolMor>resgroup-287
snapshotDir="[SN-DV-FC-A] B16-SN-DV-117/" <NumberOfDatastores>1
suspendDir="[SN-DV-FC-A] B16-SN-DV-117/"  <NumberOfBackingDisks>1
logDir="[SN-DV-FC-A] B16-SN-DV-117/"      <NumberOfFiles>14</NumberOfFiles>
vmxPath="[SN-DV-FC-A] B16-SN-DV-117/B16-SN-DV-117.vmx" <CpuFeatureMaskSupported>true
</VirtualMachineFileInfo>                 <NumberOfFeatureMaskEntries>0

```

NumCPUs="2">

```
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-117.vmx</Name>
  <Size>3271</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-117.vmx</Name>
  <Size>3046</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-117.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-117.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-117-aux.xml
  <Size>0</Size>
  <Type>snapshotManifestList
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-117.vmdk</Name>
  <Size>31457280</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>181976</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>265315</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>870998</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
```

```

        <Size>24274</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>138673</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>231969</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-17.log</Name>
        <Size>546625</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="18917537295" Uncommitted="17853927424"
Committed="18917537295">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-eb83-a24d-20f4-5334ad122b33" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="31457280"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b9d8f81acaee29f4f1cc5ff2d46eeb58" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-117/B16-SN-DV-117.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:b3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-215</Name>
    <Mor>vm-5224</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-215</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
23T09:40:37.626997Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42243ae6-ff21-0842-1127-
84bd57cd7613</uuid>
    <instanceUuid>50247f0e-5256-5a20-8813-
73d004938506</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-215/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.225</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt; )
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt; )
</Nics>

```



```

        <NicIpaddresses>(10.106.9.225)
(fe80::250:56ff:fea4:36ef)</NicIpaddresses>
        <hostName>B16-SN-DV-215</hostName>
        <host>b16-sn-dv-esx-07.cisco.com
</host>
        <hostMor>host-1293</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-215/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-215/" logDir="[SN-DV-FC-A] B16-SN-DV-215/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-215/B16-SN-DV-215.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-215.vmx</Name>
            <Size>3170</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-215.vmx</Name>
            <Size>268</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-215.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-215.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-215.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-215-

```

```

d3ec389d.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-215-
3555473565-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>147436</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>57129813</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>593410521</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>751608131</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>198177012</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>24197</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>247294769</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="59949400161" Uncommitted="53664022528"
Committed="59949400161">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-5797-4630-1b34-0ff38cab3583" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d9af27e58f65cf08caadb03454681468" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-215/B16-SN-DV-215.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:36:ef" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-114</Name>
        <Mor>vm-4676</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-114</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
30T08:04:53.202196Z</ChangeVersion>
</connectionState>
eld099d0a698</uuid>
cd92b6731de8</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-114/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-114/" logDir="[SN-DV-FC-B] B16-SN-DV-114/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-114/B16-SN-DV-114.vmx">
NumCPUs="2">

```

```

<ChangeTrackingSupported>true
<BootOptionsSupported>true
<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
<powerState>poweredOff</powerState>
<connectionState>connected
<uuid>4224d000-5d5d-0209-d76e-
<instanceUuid>502415f2-4db3-dbaf-5617-
<vmxDir>[SN-DV-FC-B] B16-SN-DV-114/
<template>>false</template>
<IpAddress>10.106.9.124</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
<NicIpaddresses>unassigned
<hostName>B16-SN-DV-114</hostName>
<host>b16-sn-dv-esx-07.cisco.com
<hostMor>host-1293</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="8192"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-114.vmx</Name>

```

```
        <Size>3397</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-114.vmx</Name>
    <Size>3433</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-114.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-114.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-114.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>24622</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>127113</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>109793</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>857773</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>103845</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>103217</Size>
    <Type>log</Type>
```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>104205</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="38851186882" Uncommitted="77376344064"
Committed="38851186882">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-bd64-cad2-93f7-b1d2740ddc70" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="68a79afb67cba910298e748ffe3650c4" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-114/B16-SN-DV-114.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:64:94" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                                </BackingFloppy>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-060</Name>
        <Mor>vm-1161</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-060</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM is provisioned by
bpattana on 9 -FEB-11</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winXPPro64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:48.675298Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42031264-76fa-29c7-a074-
f043b32b3623</uuid>
        <instanceUuid>5003079e-266d-d1e6-e17a-
de0fab2cc631</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SN-DV-060/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.9.70</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>SCC-BGL04-DV-85.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-03.cisco.com
</host>

```

```

        <hostMor>host-1174</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-060/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-060/" logDir="[SN-DV-FC-A] B16-SN-DV-060/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-060/SCC-BGL04-DV-85.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-85.vmx</Name>
            <Size>3297</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-85.vmx.f
</Name>
            <Size>3049</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-85.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-85.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-85.vmdk
</Name>
            <Size>104872320</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-45.log</Name>
            <Size>224036</Size>

```



```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-46.log</Name>
        <Size>192797</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-48.log</Name>
        <Size>123707</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-47.log</Name>
        <Size>482237</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-49.log</Name>
        <Size>24665</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>204651</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-44.log</Name>
        <Size>154774</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="37433487945" Uncommitted="74496843776"
Committed="37433487945">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-1231-add8-c858-2f9639565ec5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104872320"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c44b92456f15471e2c9852f1cfd9bb17" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-060/SCC-BGL04-DV-85.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:34:9c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-214</Name>
    <Mor>vm-1347</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-214</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is created by
prashanth BR</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T05:00:31.294473Z</ChangeVersion>

```

```

        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42003a08-1480-a217-c40f-
2e3545fc9783</uuid>
        <instanceUuid>500072e7-a00c-7c83-e7b9-
53eccdb2e8dc</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.224</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.9.224)
(fe80::250:56ff:fe80:7bf)</NicIpaddresses>
        <hostName>B16-SN-DV-214</hostName>
        <host>b16-sn-dv-esx-05.cisco.com
</host>
        <hostMor>host-2873</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-214/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-214/" logDir="[SN-DV-FC-A] B16-SN-DV-214/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-214/B16-SN-DV-214.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-214.vmx</Name>
            <Size>3181</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-214.vmx</Name>
            <Size>3428</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-214.nvram</Name>

```

```

        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-214.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-214.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-214-
d3ec389c.vswp</Name>
        <Size>8589934592</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-214-
3555473564-1.vswp</Name>
        <Size>96468992</Size>
        <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>112828</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>351102</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>987981165</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>732550198</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>24270</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>

```

```

        <Size>518318962</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>149885</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="35631406423" Uncommitted="18244173824"
Committed="35631406423">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-0fd7-987f-445c-5ec59dda6c27" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2875f5c135c14297d2af11c2b8bf48b0" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-214/B16-SN-DV-214.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:07:bf" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"

```

```

ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-DV-061</Name>
  <Mor>vm-1196</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-061</Path>
  <ParentMor>group-v1379</ParentMor>
  <Annotation>This VM is provisioned by
sbyrappa on 22-FEB-11</Annotation>
  <Version>vmx-09</Version>
  <GuestId>winXPPro64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T08:10:33.542061Z</ChangeVersion>
  <powerState>poweredOff</powerState>
  <connectionState>connected
</connectionState>
  <uuid>42035e66-04cd-0cc5-3ad9-
0fe3bel4062c</uuid>
  <instanceUuid>5003ebc1-ba9b-1ad3-d27e-
93ca1882fe0d</instanceUuid>
  <vmxDir>[SN-DV-FC-A] B16-SN-DV-061/
</vmxDir>
  <template>>false</template>
  <IpAddress>10.106.9.71</IpAddress>
  <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
  <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
  <NicIpaddresses>unassigned
</NicIpaddresses>
  <hostName>B16-SN-DV-061.scc-dv.com
</hostName>
  <host>b16-sn-dv-esx-04.cisco.com
</host>
  <hostMor>host-1209</hostMor>
  <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
  <NumberOfDatastores>1
</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-061/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-061/" logDir="[SN-DV-FC-A] B16-SN-DV-061/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-061/SCC-BGL04-DV-88.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-88.vmx</Name>
            <Size>3418</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-88.vmx
</Name>
            <Size>3081</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-88.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-88.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-88.vmdk
</Name>
            <Size>62926605</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-50.log</Name>
            <Size>367157</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-51.log</Name>
            <Size>403103</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-55.log</Name>
        <Size>24306</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-53.log</Name>
        <Size>390881499</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>172934</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-54.log</Name>
        <Size>168362</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-52.log</Name>
        <Size>781190</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="64801594534" Uncommitted="4567716864"
Committed="64801594534">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-65f3-5404-3885-4f49f6d8d064" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62926605"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4ebef53e76141d813c09bd24b134da43" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-061/SCC-BGL04-DV-88.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:67:4d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"

```



```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-173-test1</Name>
    <Mor>vm-6734</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-173-test1</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:53.205853Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42241b64-0f67-9ade-d946-
e0a4ba8a3a57</uuid>
    <instanceUuid>5024405a-ef37-6f59-b849-

```

```

33d76a85fa83</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-173-
test1/</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>None</Networks>
    <Nics>None</Nics>
    <NicIpaddresses></NicIpaddresses>
    <hostName>B16-SN-DV-173</hostName>
    <host>b16-sn-dv-esx-07.cisco.com
</host>
    <hostMor>host-1293</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>9</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-173-test1/" suspendDir="[SN-
DV-FC-A] B16-SN-DV-173-test1/" logDir="[SN-DV-FC-A] B16-SN-DV-
173-test1/" vmxPath="[SN-DV-FC-A] B16-SN-DV-173-test1/B16-SN-DV-
173-test1.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-173-test1.vmx
</Name>
        <Size>2975</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-173-test1.vmx
</Name>
        <Size>3434</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-173-test1.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-173-test1.vmsd

```

```

</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-173-test1.vmdk
</Name>
        <Size>62914560</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>256869</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>24574</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>140478</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="26483272470" Uncommitted="46776295424"
Committed="26483272470">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-b094-8055-28c9-ebfbe2761c56" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0d82c499478118a92eae3322f55df224" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-173-test1/B16-SN-DV-173-test1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[ ] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-062</Name>
        <Mor>vm-1194</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-062</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM is provisioned by
bpattana on 3-MAR-11</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winNetEnterpriseGuest
</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
09T04:41:23.334599Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d2116-4dc7-5dae-a090-
087677a3e7ff</uuid>
        <instanceUuid>502d9138-170f-4e8d-804a-
d3d472cbf7ad</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-062/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.9.72</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt; )

```

```

</Networks>
</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-062/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-062/" logDir="[SN-DV-FC-B] B16-SN-DV-062/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-062/SCC-BGL04-DV-93.vmx">
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-93.vmx</Name>
  <Size>3358</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-93.vmx.f
</Name>
  <Size>3046</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-93.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-93.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>

```

```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-93-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-93-
000001.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-93-
Snapshot3.vmsn</Name>
  <Size>4300460407</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-93-
339038e5.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-BGL04-DV-93-
865089765-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>397831</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>2676128</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-30.log</Name>
  <Size>593437505</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>623402</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-32.log</Name>
        <Size>1619794757</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-33.log</Name>
        <Size>25272</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>84641802</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="110295752832" Uncommitted="25739395072"
Committed="110295752832">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-40b1-9ccf-5ffd-fc16f9798c59" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="119bb4b2de8b95caa9befd2eed11e97d" Parent="[SN-DV-FC-B]
B16-SN-DV-062/SCC-BGL04-DV-93.vmdk" Disk="[SN-DV-FC-B] B16-SN-DV-
062/SCC-BGL04-DV-93-000001.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:2c:15" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
        <Snapshot>Feb12kavnatarSCC2071
</Snapshot>
        </VirtualMachine>
        <VirtualMachine>
        <Name>B16-SN-DV-063</Name>
        <Mor>vm-4492</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-063</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>windows7Server64Guest
</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:32.486836Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42241c3b-f740-87fb-5830-
c8acb6dcaa75</uuid>
        <instanceUuid>5024c1e2-7db0-6949-2f0c-
79b9c8e45a1a</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-063/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.73</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;false&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned

```



```

</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-063/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-063/" logDir="[SN-DV-FC-B] B16-SN-DV-063/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-063/B16-SN-DV-063.vmx">
NumCPUs="2">

```

```

<hostName>B16-SN-DV-063.scc-dv.com
<host>b16-sn-dv-esx-04.cisco.com
<hostMor>host-1209</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>11</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-063.vmx</Name>
  <Size>3030</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-063.vmx</Name>
  <Size>3046</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-063.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-063.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-063.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>

```

```

        <Size>139778</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>1010946</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>145480</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>174110</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24199</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="35423455129" Uncommitted="55034335232"
Committed="35423455129">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-5d8e-842e-84fa-2314237fe5ff" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="44ae0ac56bb50b05622802ae3945225c" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-063/B16-SN-DV-063.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:02:74" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network

```

```

adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-173-TEST</Name>
    <Mor>vm-6693</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-173-TEST</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T19:22:39.836711Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>

```

```

                                <uuid>4224e631-d742-c033-f2ad-
074970efb33b</uuid>
                                <instanceUuid>50247f2c-cb2f-69c5-260b-
8f5858cc1e93</instanceUuid>
                                <vmxDir>[SN-DV-FC-A] B16-SN-DV-173-
TEST/</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.9.3</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.9.3)
(fe80::250:56ff:fea4:3909)</NicIpaddresses>
                                <hostName>B16-SN-DV-173-TEST
</hostName>
                                <host>b16-sn-dv-esx-07.cisco.com
</host>
                                <hostMor>host-1293</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>10</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-173-TEST/" suspendDir="[SN-
DV-FC-A] B16-SN-DV-173-TEST/" logDir="[SN-DV-FC-A] B16-SN-DV-173-
TEST/" vmxPath="[SN-DV-FC-A] B16-SN-DV-173-TEST/B16-SN-DV-173-
TEST.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="8192"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-173-TEST.vmx
</Name>
                                        <Size>3284</Size>
                                        <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-173-TEST.vmx
</Name>
                                        <Size>0</Size>
                                        <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">

```

```

        <Name>B16-SN-DV-173-TEST.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-173-TEST.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-173-TEST.vmdk
</Name>
        <Size>62914560</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-173-TEST-
16d7f82d.vswp</Name>
        <Size>8589934592</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmx-B16-SN-DV-173-TEST-
383252525-1.vswp</Name>
        <Size>96468992</Size>
        <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>292210</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>151568</Size>
        <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="39954347074" Uncommitted="33157021696"
Committed="39954347074">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-0093-b020-e557-e815d131ae80" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d95c9ef2e4bb5bf0ef707d23173b5ea3" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-173-TEST/B16-SN-DV-173-TEST.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:39:09" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-064</Name>
    <Mor>vm-1128</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-064</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is created by
sandeep byrappa</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>

```

```

        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:32.537913Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d8ada-3ae8-33ac-daaa-
fc0722c93e89</uuid>
        <instanceUuid>502d4277-64f7-9c54-2edf-
7a912da9fe97</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.74</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-064</hostName>
        <host>b16-sn-dv-esx-04.cisco.com
</host>
        <hostMor>host-1209</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-064/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-064/" logDir="[SN-DV-FC-B] B16-SN-DV-064/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-064/SCC-BGL04-DV-97-NEW.vmx">
</VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="1">
</VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-97-NEW.vmx
</Name>
  <Size>3101</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-97-NEW.vmx
</Name>
  <Size>3434</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-97-NEW.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-97-NEW.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-97.vmdk
</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>636893</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>24313</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>150279</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>135620</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>

```



```

        <Size>103209</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>169207</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>381768</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="72530569852" Uncommitted="39345004544"
Committed="72530569852">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-ea4c-c2f0-be2f-654829a4bb53" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9c205dbbd7e0a24864544617e98f2b36" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-064/SCC-BGL04-DV-97.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:42" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-065</Name>
        <Mor>vm-1333</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-065</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM instance
provisioned by Amit Saha</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T06:51:47.877971Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d9411-29b2-561e-504f-
0b0cdb70ecc1</uuid>
        <instanceUuid>502d815e-186d-e1b8-987a-
95f14e0e2cc7</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-065/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.9.75</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.9.75)
(fe80::250:56ff:fead:32f1)</NicIpaddresses>
        <hostName>B16-SN-DV-065</hostName>
        <host>b16-sn-dv-esx-04.cisco.com
</host>
        <hostMor>host-1209</hostMor>

```

```

</ResourcePoolMor>                                <ResourcePoolMor>resgroup-287
</NumberOfDatastores>                             <NumberOfDatastores>1
</NumberOfBackingDisks>                           <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                        <NumberOfFiles>15</NumberOfFiles>
</NumberOfFeatureMaskEntries>                     <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries>                     <NumberOfFeatureMaskEntries>0
</VirtualMachineFileInfo>                         <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-065/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-065/" logDir="[SN-DV-FC-B] B16-SN-DV-065/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-065/SCC-BGL04-DV-202.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="6144"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-202.vmx
</Name>
  <Size>3144</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-202.vmx
</Name>
  <Size>3328</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-202.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-202.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-202.vmdk
</Name>
  <Size>52428800</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-202-
339038e8.vswp</Name>

```

```

        <Size>6442450944</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-DV-202-
865089768-1.vswp</Name>
        <Size>98566144</Size>
        <Type>uwsrap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>134336</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>131655</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>107719</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>256396</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>24315</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>172977</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>151599</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="53887314793" Uncommitted="6341787648"
Committed="53887314793">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-7bd6-33d6-0fd1-3a59d090510b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9e82f564e1454b638a386c3a0168a60f" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-065/SCC-BGL04-DV-202.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:f1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>RHEL-6-test-1</Name>
        <Mor>vm-6362</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\RHEL-6-test-1</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
    </ChangeTrackingEnabled>

```

```

    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:27.38161Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42243c18-73b8-55d4-f271-
f9f2af3ala66</uuid>
    <instanceUuid>5024cc80-71dc-8404-e042-
20737c938c68</instanceUuid>
    <vmxDir>[TEMP] RHEL-6-test-1/</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>
    <hostMor>host-1325</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>8</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[TEMP] RHEL-6-test-1/" suspendDir="[TEMP] RHEL-6-
test-1/" logDir="[TEMP] RHEL-6-test-1/" vmxPath="[TEMP] RHEL-6-
test-1/RHEL-6-test-1.vmx">
</VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
    <Name>RHEL-6-test-1.vmx</Name>
    <Size>3005</Size>
    <Type>config</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>RHEL-6-test-1.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>RHEL-6-test-1.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>RHEL-6-test-1.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>RHEL-6-test-1.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>139381</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>23954</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="TEMP"
Unshared="85899520944" Uncommitted="4556935168"
Committed="85899520944">
  </StorageInfo>
  <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-e757-e94b-c453-6b13e139e611" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f3346e5a92a46ba112a48ee7fffffff" Parent=""
Disk="[TEMP] RHEL-6-test-1/RHEL-6-test-1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4e:f1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="false"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-066</Name>
    <Mor>vm-1287</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-066</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM provisioned by
Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true

```



```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:32.486898Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422de777-0855-6d95-c68b-
2a07a38009e3</uuid>
    <instanceUuid>502d4934-f797-9c2f-e456-
3619c4ffc0c3</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-066/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.76</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-066.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>
    <hostMor>host-1209</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-066/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-066/" logDir="[SN-DV-FC-B] B16-SN-DV-066/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-066/SCC-DEV-VM-003.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-003.vmx</Name>
        <Size>3290</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-003.vmx</Name>

```

```
        <Size>3080</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-003.nvram
</Name>

    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-003.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-003.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>139476</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>24295</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>211954905</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>176897</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>398516</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>137359</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>261173</Size>
```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="52133348315" Uncommitted="59993595904"
Committed="52133348315">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-f863-909e-4359-023bebd1f626" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6c0874ba61545b8150c60ec68f5b0bdb" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-066/SCC-DEV-VM-003.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:53:33" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>

```

```

        <Name>B16-SN-DV-067</Name>
        <Mor>vm-1211</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-067</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM provisioned by
Amit Saha</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winXPPro64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T06:26:03.266231Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422dbab5-2dd2-c421-d554-
1b6aabcd6a2e</uuid>
        <instanceUuid>502d0f42-2a8f-70be-1821-
3b7188810853</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-067/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.77</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.9.77)
</NicIpaddresses>
        <hostName>B16-SN-DV-067.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-05.cisco.com
</host>
        <hostMor>host-2873</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-067/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-067/" logDir="[SN-DV-FC-B] B16-SN-DV-067/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-067/SCC-DEV-VM-004.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="4096"
NumCPUs="2">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-004.vmx</Name>
        <Size>3215</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-004.vmx</Name>
        <Size>3080</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-004.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-004.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-004.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-004-
339038ea.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmx-SCC-DEV-VM-004-
865089770-1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwsap</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>47210</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-36.log</Name>
        <Size>339320</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-33.log</Name>
        <Size>214482049</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-37.log</Name>
        <Size>24292</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-38.log</Name>
        <Size>304365</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>265084</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>296432</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="109919892003" Uncommitted="2061500416"
Committed="109919892003">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-8519-8b6a-9b27-52653e3dd405" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="82f449a4d553854aeccecbca9e593850" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-067/SCC-DEV-VM-004.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:7f:3f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-DV-068</Name>
  <Mor>vm-1197</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-068</Path>
  <ParentMor>group-v1379</ParentMor>
  <Annotation>This VM provisioned by
Amit Saha</Annotation>
  <Version>vmx-09</Version>
  <GuestId>winXPPro64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T08:04:52.978687Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>422d338d-7789-747b-dc1b-
49f36c2a2876</uuid>
    <instanceUuid>502de916-0989-fd32-8050-
811466b81aa9</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-068/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.78</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-068.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-07.cisco.com
</host>
    <hostMor>host-1293</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-068/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-068/" logDir="[SN-DV-FC-B] B16-SN-DV-068/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-068/SCC-DEV-VM-006.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-006.vmx</Name>
        <Size>3289</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-006.vmx</Name>
        <Size>3048</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">

```



```
</Name>
    <Name>SCC-DEV-VM-006.nvram
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-006.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-006.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-32.log</Name>
    <Size>239761704</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-34.log</Name>
    <Size>24290</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>20950836</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>855139</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>360927</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-33.log</Name>
    <Size>139793</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>302543</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="43747905549" Uncommitted="68428341248"
```

```

Committed="43747905549">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-b258-5fc8-3c15-8476708cb64d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a355672cf9c28a9d50fa018dd7a2865f" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-068/SCC-DEV-VM-006.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:53:35" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-069</Name>
    <Mor>vm-1315</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions

```

```

Development\B16-SN-DV-069</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM instance created
by Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:26.496348Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422de10d-2fe7-535c-5190-
26948dee33fc</uuid>
    <instanceUuid>502de084-3f35-9d03-ac7a-
1c3cf86ce74d</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-069/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.79</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-069.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>
    <hostMor>host-1325</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo

```

```

snapshotDir="[SN-DV-FC-A] B16-SN-DV-069/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-069/" logDir="[SN-DV-FC-A] B16-SN-DV-069/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-069/SCC-DEV-VM-014.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"

NumCPUs="2">

  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-014.vmx</Name>
    <Size>3194</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-014.vmx</Name>
    <Size>3080</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-014.nvram

</Name>

    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-014.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-DEV-VM-014.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>111564</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>184329197</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>147000</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>558982</Size>
    <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>174573</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-28.log</Name>
            <Size>24296</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-24.log</Name>
            <Size>373854</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="96196498712" Uncommitted="15903072256"
Committed="96196498712">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-4464-fa24-8128-0797fc004cbe" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="efe6a67b39c777f438bc81ba0c533d29" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-069/SCC-DEV-VM-014.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:54" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-180</Name>
    <Mor>vm-1282</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-180</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:27.01073Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42003da8-b5a4-ff37-f5d1-
b771989fe9e6</uuid>
    <instanceUuid>50006378-33da-f241-3131-
b7d80b8d345f</instanceUuid>
    <vmxDir>[DEV-V5 (SATA)] B16-SN-DV-180/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.190</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;);
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;);
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>

```

```

</host>
    <hostName>B16-SN-DV-180</hostName>
    <host>b16-sn-dv-esx-08.cisco.com

    <hostMor>host-1325</hostMor>
    <ResourcePoolMor>resgroup-287

    </ResourcePoolMor>
    <NumberOfDatastores>1

    </NumberOfDatastores>
    <NumberOfBackingDisks>1

    </NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true

    </CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0

    </NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[DEV-V5 (SATA)] B16-SN-DV-180/" suspendDir="[DEV-V5
(SATA)] B16-SN-DV-180/" logDir="[DEV-V5 (SATA)] B16-SN-DV-180/"
vmxPath="[DEV-V5 (SATA)] B16-SN-DV-180/B16-SN-DV-180.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"

    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-180.vmx</Name>
        <Size>3032</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-180.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-180.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-180.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-180.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>102637</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>169395</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>370841</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>157119</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>491083</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>136167</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>24272</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="DEV-V5 (SATA)"
Unshared="7742054690" Uncommitted="82698412032"
Committed="7742054690">
  </StorageInfo>
  <Datastore Mor="datastore-834"
Url="/vmfs/volumes/4f6f7f20-d7955a13-11b5-0025b500018f"
Name="DEV-V5 (SATA)">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-b6d5-5e72-7d05-dce30ec3f4a1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-834"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="811c50cc7406afcb56a232b17a6e5eaf" Parent=""
Disk="[DEV-V5 (SATA)] B16-SN-DV-180/B16-SN-DV-180.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""

```



```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:07:6d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-186</Name>
    <Mor>vm-1118</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-186</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is created by
prashanth BR</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
13T16:37:23.992212Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>

```

```

0d43b5656078</uuid>
                                <instanceUuid>50004da7-60c6-9e9a-86e8-
adab1555fed8</instanceUuid>
                                <vmxDir>[SN-DV-FC-B] B16-SN-DV-186/
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.9.196</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.9.196)
(fe80::250:56ff:fe80:5178)</NicIpaddresses>
                                <hostName>B16-SN-DV-186</hostName>
                                <host>b16-sn-dv-esx-03.cisco.com
</host>
                                <hostMor>host-1174</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-186/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-186/" logDir="[SN-DV-FC-B] B16-SN-DV-186/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-186/B16-SN-DV-186.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="8192"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-186.vmx</Name>
                                    <Size>3182</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-186.vmx</Name>
                                    <Size>0</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-186.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>

```

```

<File Type="VmFileInfo">
  <Name>B16-SN-DV-186.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-186.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-186-
33903d6c.vswp</Name>
  <Size>8589934592</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-186-
865090924-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>24617</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>170227</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>333550</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>141302</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>667277</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>138933</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>144206</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="30055917290" Uncommitted="21581791232"
Committed="30055917290">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-af38-3c59-2f85-4c75f91f19ff" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2767779dd37cfc9618a7a217a4c09f05" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-186/B16-SN-DV-186.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:51:78" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                            </VirtualMachine>

```

```

        <VirtualMachine>
            <Name>B16-SN-DV-189</Name>
            <Mor>vm-1240</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-189</Path>
            <ParentMor>group-v1379</ParentMor>
            <Annotation>This VM was created by
prasbr on 25-FEB-13</Annotation>
            <Version>vmx-09</Version>
            <GuestId>rhel6_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2014-01-
03T06:14:52.024759Z</ChangeVersion>
            <powerState>poweredOn</powerState>
            <connectionState>connected
</connectionState>
            <uuid>4200e9e0-6bad-a0db-e369-
1ce1fa97599d</uuid>
            <instanceUuid>50009746-4627-431f-fca8-
175c0b0a7077</instanceUuid>
            <vmxDir>[SN-DV-FC-A] B16-SN-DV-189/
</vmxDir>
            <template>false</template>
            <IpAddress>10.106.9.199</IpAddress>
            <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
            <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
            <NicIpaddresses>(10.106.9.199)
(fe80::250:56ff:fe80:1e5d)</NicIpaddresses>
            <hostName>B16-SN-DV-189</hostName>
            <host>b16-sn-dv-esx-05.cisco.com
</host>
            <hostMor>host-2873</hostMor>
            <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>15</NumberOfFiles>
            <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-189/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-189/" logDir="[SN-DV-FC-A] B16-SN-DV-189/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-189/B16-SN-DV-189.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="4096"
NumCPUs="2">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-189.vmx</Name>
        <Size>3432</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-189.vmx</Name>
        <Size>3433</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-189.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-189.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>rhel-server-6.3-x86_64-
Template.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-189-
d3ec3547.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmx-B16-SN-DV-189-
3555472711-1.vswp</Name>
        <Size>113246208</Size>
        <Type>uwsap</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>348103</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>143104</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>24838</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>208658</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>134985</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>290400</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>1060151686</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="89525480139" Uncommitted="23318233088"
Committed="89525480139">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-d7a2-d8d5-865a-5d8384aa41e7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8140eb51273098596b02d292a4c1f7cd" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-189/rhel-server-6.3-x86_64-Template.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:1e:5d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-188</Name>
        <Mor>vm-1203</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-188</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM is created by
prashanth BR
</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:32.7575Z</ChangeVersion>
        <powerState>poweredOff</powerState>

```



```

</connectionState>
1847e6d18a29</uuid>
082c49bcb6b3</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-188/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-188/" logDir="[SN-DV-FC-B] B16-SN-DV-188/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-188/B16-SN-DV-188.vmx">
NumCPUs="2">

```

```

<connectionState>connected
<uuid>4200fd2e-d0cb-f393-6b3d-
<instanceUuid>50004de6-5008-5907-c320-
<vmxDir>[SN-DV-FC-B] B16-SN-DV-188/
<template>>false</template>
<IpAddress>10.106.9.198</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
<NicIpaddresses>unassigned
<hostName>B16-SN-DV-188</hostName>
<host>b16-sn-dv-esx-04.cisco.com
<hostMor>host-1209</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>12</NumberOfFiles>
<CpuFeatureMaskSupported>>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-188/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-188/" logDir="[SN-DV-FC-B] B16-SN-DV-188/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-188/B16-SN-DV-188.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-188.vmx</Name>
  <Size>3224</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-188.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-188.nvram</Name>
  <Size>8684</Size>

```

```

        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-188.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-188.vmdk</Name>
        <Size>63963136</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>245530</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>333527</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>101408</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>147339</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>687766</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24272</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="31369706218" Uncommitted="42964721664"
Committed="31369706218">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-f0cf-3b4a-c219-05bdeabl0b5" ChangeId=""

```

```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="63963136"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="47115335fdb1ae36374e7514d6f248a0" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-188/B16-SN-DV-188.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:4e:09" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-183</Name>
    <Mor>vm-5305</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-183</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported>          <BootOptionsSupported>true
</SwapPlacementSupported>        <SwapPlacementSupported>true
                                   <SwapPlacement>inherit</SwapPlacement>
                                   <ChangeVersion>2013-12-
30T08:10:26.918841Z</ChangeVersion>
                                   <powerState>poweredOff</powerState>
                                   <connectionState>connected
</connectionState>
                                   <uuid>42240491-3e0e-3513-347c-
87e006829c3d</uuid>
                                   <instanceUuid>50244f43-2d6e-75a6-2255-
e452c6dd47a1</instanceUuid>
</vmxDir>                          <vmxDir>[SN-DV-FC-B] B16-SN-DV-183/
                                   <template>>false</template>
                                   <IpAddress>10.106.9.193</IpAddress>
                                   <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
                                   <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
                                   <NicIpaddresses>unassigned
</NicIpaddresses>
                                   <hostName>B16-SN-DV-183</hostName>
                                   <host>b16-sn-dv-esx-08.cisco.com
</host>
                                   <hostMor>host-1325</hostMor>
                                   <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                   <NumberOfDatastores>1
</NumberOfDatastores>
                                   <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                   <NumberOfFiles>12</NumberOfFiles>
                                   <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                   <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                   <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-183/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-183/" logDir="[SN-DV-FC-B] B16-SN-DV-183/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-183/B16-SN-DV-183.vmx">
                                   </VirtualMachineFileInfo>
                                   <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                   </VirtualHardware>
                                   <File Type="VmFileInfo">
                                       <Name>B16-SN-DV-183.vmx</Name>
                                       <Size>2970</Size>
                                       <Type>config</Type>
                                   </File>

```

```
<File Type="VmFileInfo">
  <Name>B16-SN-DV-183.vmx</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-183.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-183.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-183.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>131462</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>362017</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>116699</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>125274</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>24199</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>289942</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="5838487272" Uncommitted="106093694976"
```

```

Committed="5838487272">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-245d-a159-04fa-7d7a1891d5fa" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8d5ae9e812f466dca50e2a58fd29f41a" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-183/B16-SN-DV-183.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
            </BackingDisk>
            <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:7c:38" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                </BackingNetwork>
                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
                    </BackingDiskCtrlr>
                    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                        </BackingFloppy>
                        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>

```

```

        <VirtualMachine>
            <Name>B16-SN-DV-185</Name>
            <Mor>vm-1231</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-185</Path>
            <ParentMor>group-v1379</ParentMor>
            <Annotation>This VM is created by
prashanth BR</Annotation>
            <Version>vmx-09</Version>
            <GuestId>rhel5_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2014-01-
13T16:34:07.061033Z</ChangeVersion>
            <powerState>poweredOn</powerState>
            <connectionState>connected
</connectionState>
            <uuid>42004205-79ae-8c3d-400f-
e12f1114750e</uuid>
            <instanceUuid>5000dd8c-b817-20ed-5a0b-
d281e3fe6ffc</instanceUuid>
            <vmxDir>[SN-DV-FC-B] B16-SN-DV-185/
</vmxDir>
            <template>>false</template>
            <IpAddress>10.106.9.195</IpAddress>
            <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
            <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
            <NicIpaddresses>(10.106.9.195)
(fe80::250:56ff:fe80:5ea9)</NicIpaddresses>
            <hostName>B16-SN-DV-185</hostName>
            <host>b16-sn-dv-esx-05.cisco.com
</host>
            <hostMor>host-2873</hostMor>
            <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>15</NumberOfFiles>
            <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-185/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-185/" logDir="[SN-DV-FC-B] B16-SN-DV-185/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-185/B16-SN-DV-185.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="4096"
NumCPUs="2">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-185.vmx</Name>
        <Size>3179</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-185.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-185.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-185.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-185.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-185-
33903d6b.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmx-B16-SN-DV-185-
865090923-1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwsap</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>143175</Size>
        <Type>log</Type>

```



```

</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>170317</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>141194</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>687294</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>239662</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>24619</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>110506</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="34410553498" Uncommitted="12932087808"
Committed="34410553498">
  </StorageInfo>
  <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-8958-c5fe-99b7-8252181647e5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ba1795b1f182c338c7cdaf988d490137" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-185/B16-SN-DV-185.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:5e:a9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-184</Name>
    <Mor>vm-5309</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-184</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T04:44:22.957575Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42249d0c-0a66-de65-9824-

```

```

38cec30169b8</uuid>
<instanceUuid>50244087-df34-c012-e4b9-
bd4343648e76</instanceUuid>
<vmxDir>[SN-DV-FC-B] B16-SN-DV-184/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.194</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
<NicIpaddresses>
(fe80::4571:f674:3fe9:a48c)(10.106.9.194)</NicIpaddresses>
<hostName>B16-SN-DV-184.scc-dv.com
</hostName>
<host>b16-sn-dv-esx-07.cisco.com
</host>
<hostMor>host-1293</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-184/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-184/" logDir="[SN-DV-FC-B] B16-SN-DV-184/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-184/B16-SN-DV-184.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-DV-184.vmx</Name>
<Size>3128</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-DV-184.vmx</Name>
<Size>3047</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-DV-184.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>

```

```

<File Type="VmFileInfo">
  <Name>B16-SN-DV-184.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-184-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-184.vmdk</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-184-
33903d6a.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-184-
865090922-1.vswp</Name>
  <Size>113246208</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>132918</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>275512</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>514970</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>1029410</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>24193</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>798212</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>337030</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="67332192064" Uncommitted="1503657984"
Committed="67332192064">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-5eb5-4674-441e-1fd77c6366c3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="55fa76d237e495add3e5bbcc7bfff26fa" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-184/B16-SN-DV-184.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:6f:a9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                                        </BackingDiskCtrlr>
                                        <BackingCdrom UseAutoDetect="false"

```

```

FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-140</Name>
    <Mor>vm-4679</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-140</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
10T06:35:50.891853Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42247762-b0c5-538e-0955-
42450b62e04f</uuid>
    <instanceUuid>5024d22b-b56b-5e65-9189-
6ab1c2ed307b</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-140/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.150</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.150)
(fe80::250:56ff:fea4:61d1)</NicIpaddresses>
    <hostName>B16-SN-DV-140</hostName>
    <host>b16-sn-dv-esx-05.cisco.com
</host>
    <hostMor>host-2873</hostMor>

```

```

</ResourcePoolMor>                                <ResourcePoolMor>resgroup-287
</NumberOfDatastores>                              <NumberOfDatastores>1
</NumberOfBackingDisks>                            <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                         <NumberOfFiles>13</NumberOfFiles>
</NumberOfFeatureMaskEntries>                     <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries>                     <NumberOfFeatureMaskEntries>0
</VirtualMachineFileInfo>                          <VirtualMachineFileInfo>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-140/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-140/" logDir="[SN-DV-FC-B] B16-SN-DV-140/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-140/B16-SN-DV-140.vmx">
</VirtualMachineFileInfo>
NumCPUs="2">                                       <VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-140.vmx</Name>
  <Size>2867</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-140.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-140.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-140.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-140.vmdk</Name>
  <Size>52428800</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-140-
33903ce2.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-140-

```

```

865090786-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>2567875033</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>274363</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>24193</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>335768118</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>1553194666</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="15846783864" Uncommitted="46688894976"
Committed="15846783864">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-68ad-5297-de29-ae5611dec907" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="91540602232e238ea8046bf67375a3ba" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-140/B16-SN-DV-140.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:61:d1" AddressType="assigned"

```



```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-142</Name>
    <Mor>vm-3560</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-142</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Verified, This VM
provisioned by Radha krishna</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>

```

```

                                <ChangeVersion>2014-01-
02T05:03:50.687438Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4224d8fd-4eb2-49ba-2335-
91790df9726a</uuid>
                                <instanceUuid>50246a7f-60af-c057-aeal-
022523716e63</instanceUuid>
                                <vmxDir>[SN-DV-FC-B] B16-SN-DV-142/
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.9.152</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.9.152)
(fe80::250:56ff:fea4:16a5)</NicIpaddresses>
                                <hostName>B16-SN-DV-142</hostName>
                                <host>b16-sn-dv-esx-03.cisco.com
</host>
                                <hostMor>host-1174</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>14</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-142/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-142/" logDir="[SN-DV-FC-B] B16-SN-DV-142/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-142/B16-SN-DV-142.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-142.vmx</Name>
                                    <Size>3420</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-142.vmx</Name>
                                    <Size>3432</Size>
                                    <Type>extendedConfig</Type>
                                </File>

```

```

<File Type="VmFileInfo">
  <Name>B16-SN-DV-142.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-142.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-142.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-142-
33903ce4.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-142-
865090788-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>738899570</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>343661</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>1533356947</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>24277</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>518709955</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>1102050024</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="53620019618" Uncommitted="62038999040"
Committed="53620019618">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-e320-7fba-5dc4-51536ealc9d7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8a4dd43ed039559c36dc012f4c60ee96" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-142/B16-SN-DV-142.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:16:a5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                            </VirtualMachine>

```

```

    <VirtualMachine>
      <Name>B16-SN-DV-141</Name>
      <Mor>vm-4681</Mor>
      <MorType>VirtualMachine</MorType>
      <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-141</Path>
      <ParentMor>group-v1379</ParentMor>
      <Annotation>This VM was created by
prasbr on 25-FEB-13</Annotation>
      <Version>vmx-09</Version>
      <GuestId>rhel6_64Guest</GuestId>
      <GuestOSAltName></GuestOSAltName>
      <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
      <ChangeTrackingSupported>true
</ChangeTrackingSupported>
      <BootOptionsSupported>true
</BootOptionsSupported>
      <SwapPlacementSupported>true
</SwapPlacementSupported>
      <SwapPlacement>inherit</SwapPlacement>
      <ChangeVersion>2014-01-
02T05:33:15.744073Z</ChangeVersion>
      <powerState>poweredOn</powerState>
      <connectionState>connected
</connectionState>
      <uuid>4224902b-6c56-2996-09d5-
e21cef0f8183</uuid>
      <instanceUuid>50247646-2110-ec0c-7b4d-
602f377de0f9</instanceUuid>
      <vmxDir>[SN-DV-FC-B] B16-SN-DV-141/
</vmxDir>
      <template>false</template>
      <IpAddress>10.106.9.151</IpAddress>
      <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
      <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
      <NicIpaddresses>(10.106.9.151)
(fe80::250:56ff:fea4:6d79)</NicIpaddresses>
      <hostName>B16-SN-DV-141</hostName>
      <host>b16-sn-dv-esx-08.cisco.com
</host>
      <hostMor>host-1325</hostMor>
      <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
      <NumberOfDatastores>1
</NumberOfDatastores>
      <NumberOfBackingDisks>1
</NumberOfBackingDisks>
      <NumberOfFiles>14</NumberOfFiles>
      <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-141/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-141/" logDir="[SN-DV-FC-B] B16-SN-DV-141/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-141/B16-SN-DV-141.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="4096"
NumCPUs="2">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-141.vmx</Name>
        <Size>3415</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-141.vmx</Name>
        <Size>3433</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-141.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-141.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-141.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-DV-141-
33903ce3.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmx-B16-SN-DV-141-
865090787-1.vswp</Name>
        <Size>113246208</Size>
        <Type>uwsap</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>161695</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>184222</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>600079743</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>24278</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>259377768</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>1103403464</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="90390709358" Uncommitted="23354933248"
Committed="90390709358">
  </StorageInfo>
  <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-8c0f-893b-366f-3935d2def04f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="34fcc4fe8a8e933f3a9bb08328ae83d8" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-141/B16-SN-DV-141.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:6d:79" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-144</Name>
    <Mor>vm-1279</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-144</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This vm is created by
prashanth(prasbr)</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:52.727942Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200bc67-a7f4-9aa0-1656-
09d7e4f8f037</uuid>
    <instanceUuid>5000d017-83da-f944-3421-
138c14a19753</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-144/

```



```

</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.154</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-144</hostName>
<host>b16-sn-dv-esx-07.cisco.com
</host>
<hostMor>host-1293</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-144/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-144/" logDir="[SN-DV-FC-B] B16-SN-DV-144/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-144/B16-SN-DV-144.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-144.vmx</Name>
  <Size>3188</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-144.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-144.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-144.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>B16-SN-DV-144.vmdk</Name>
      <Size>83886080</Size>
      <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-6.log</Name>
      <Size>529042</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-9.log</Name>
      <Size>24619</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-7.log</Name>
      <Size>141197</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-10.log</Name>
      <Size>865922</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-11.log</Name>
      <Size>128686</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>163890</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-8.log</Name>
      <Size>161815</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="24850135943" Uncommitted="65590894592"
Committed="24850135943">
      </StorageInfo>
      <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-fcf9-6f8b-11c3-d3ac2ce820f1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"

```

```

CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9750d70beb0bdff2b7a138e855ac514a" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-144/B16-SN-DV-144.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:ea" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-143</Name>
    <Mor>vm-1342</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-143</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>The VM has been
provisioned by ptirunag on Oct12rekolliSCC1087</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true

```

```

</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:49:15.27858Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200f45b-6ce6-985a-6025-
7f267b38bc87</uuid>
    <instanceUuid>500001bb-clf7-ad83-b184-
6e38715a465a</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-143/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.153</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.153)
(fe80::250:56ff:fe80:6fc0)</NicIpaddresses>
    <hostName>b16-sn-dv-143.cisco.com
</hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-143/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-143/" logDir="[SN-DV-FC-B] B16-SN-DV-143/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-143/B16-SN-DV-143.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-143.vmx</Name>
        <Size>3160</Size>
        <Type>config</Type>
    </File>

```

```

<File Type="VmFileInfo">
  <Name>B16-SN-DV-143.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-143.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-143.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-143.vmdk</Name>
  <Size>52428800</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-143-
33903ce5.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-143-
865090789-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>184177</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>24619</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>105433</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>386856</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>104197</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>529110</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>149261</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="20442439469" Uncommitted="37637586944"
Committed="20442439469">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-112a-58f7-6ca3-968423d58afb" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d969ac47dce895b96c9fed2ddae9674a" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-143/B16-SN-DV-143.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:c0" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"

```

```

Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-101</Name>
    <Mor>vm-1271</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-101</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is created by
ahsaha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:18.079008Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422da68b-7fa6-dc1b-6637-
4cfca8dce5c7</uuid>
    <instanceUuid>502d63c6-10a4-703a-016e-
1a166124c7c7</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-101/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.111</IpAddress>
    <Networks>SOLUTIONS-DEV
(&lt;False&gt;), SOLUTIONS-DEV(&lt;False&gt;)</Networks>
    <Nics>SOLUTIONS-DEV
(&lt;false&gt;), SOLUTIONS-DEV(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned, unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-101.scc-dv.com
</hostName>

```





```

        <Size>62914560</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>114215</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>456903</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>24289</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>216370</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>119755</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>803106</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>267771</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="30300621183" Uncommitted="38665560064"
Committed="30300621183">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-de8f-8148-d0a3-d2495c5f4bd2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="caff594c7f9ab41e514c74d98dbc3fbc" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-101/SCC-DEV-VM-035.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0f:a3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:10:8d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-200</Name>
    <Mor>vm-1235</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-200</Path>

```

```

subaig on 5-APR-2013
</Annotation>
<ParentMor>group-v1379</ParentMor>
<Annotation>This VM was created by
</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel6_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:06:14.907943Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>420015e8-e1d5-2de0-912b-
0a9552d4c0ba</uuid>
<instanceUuid>50009263-1e53-e656-c717-
1f8fd9eda7dc</instanceUuid>
<vmxDir>[SN-DV-FC-A] B16-SN-DV-200/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.210</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-200</hostName>
<host>b16-sn-dv-esx-05.cisco.com
</host>
<hostMor>host-2873</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-200/" suspendDir="[SN-DV-FC-

```

```

A] B16-SN-DV-200/" logDir="[SN-DV-FC-A] B16-SN-DV-200/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-200/B16-SN-DV-200.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"

NumCPUs="2">

  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-200.vmx</Name>
    <Size>3163</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-200.vmx</Name>
    <Size>3433</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-200.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-200.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-200.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>386370</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>396188</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>153995</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>576483</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">

```

```

        <Name>vmware-5.log</Name>
        <Size>140056</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>24277</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>169733</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="95862680302" Uncommitted="16070299648"
Committed="95862680302">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-4061-1682-5147-c7567b6ce2d0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="03f4d767e925cef905aa5335ac4d11e3" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-200/B16-SN-DV-200.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6e:e4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-100</Name>
        <Mor>vm-1344</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-100</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM is created by
sandeep byrappa</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T05:39:11.512792Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d9ce2-9d04-5b8f-66ed-
27d30c1bffe8</uuid>
        <instanceUuid>502d4eef-dd3c-8d23-187e-
4709534e472b</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SN-DV-100/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.9.110</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.9.110)
(fe80::250:56ff:fead:c4c)</NicIpaddresses>
        <hostName>B16-SN-DV-100</hostName>
        <host>b16-sn-dv-esx-04.cisco.com
</host>

```

```

        <hostMor>host-1209</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-100/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-100/" logDir="[SN-DV-FC-A] B16-SN-DV-100/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-100/SCC-BGL04-DV-92-NEW.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="2048"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-92-NEW.vmx
</Name>
            <Size>3096</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-92-NEW.vmx
</Name>
            <Size>3373</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-92-NEW.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-92-NEW.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-92.vmdk
</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-92-NEW-

```

```

d3ec3436.vswp</Name>
    <Size>2147483648</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-DV-92-NEW-
3555472438-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>342294</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>144058</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>24660</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>107462</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>179696</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>116141</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>150407</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="44134595135" Uncommitted="1060110336"
Committed="44134595135">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">

```



```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-fd3d-f994-a3cc-be99a157738c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2c221e4096619ae4a5ad4e6cdc756001" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-100/SCC-BGL04-DV-92.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:4c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-021</Name>
        <Mor>vm-1284</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-021</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>

```

```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>true
</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:10:49.153004Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42035c5e-b24e-d0b3-8afa-
1d064063086c</uuid>
<instanceUuid>5003fd5e-bbbd-f6d8-2965-
3885abf222a9</instanceUuid>
<vmxDir>[SN-DV-FC-A] B16-SN-DV-021/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.31</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>b16-sn-dv-021</hostName>
<host>b16-sn-dv-esx-03.cisco.com
</host>
<hostMor>host-1174</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-021/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-021/" logDir="[SN-DV-FC-A] B16-SN-DV-021/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-021/SCC-BGL04-DV-155.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="2048"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">

```

```

</Name>
    <Name>SCC-BGL04-DV-155.vmx
    <Size>3360</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-155.vmx
    <Size>3431</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-155.nvram
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-155.vmsd
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-155.vmdk
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-32.log</Name>
    <Size>118221</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-33.log</Name>
    <Size>106530</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>184407</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>491680</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>170902</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>24319</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>370880</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="33030577838" Uncommitted="76737257472"
Committed="33030577838">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-dba4-a8d4-28ad-c847bb6fe3af" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b7c8ac06cd05e5a56d01b7906dfeb64f" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-021/SCC-BGL04-DV-155.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:3c:6d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"

```

```

FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-146</Name>
    <Mor>vm-1321</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-146</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This vm is created by
prashanth(prasbr)</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetEnterprise64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:26.736887Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420016ad-5d70-734b-6930-
1bf94650d2b9</uuid>
    <instanceUuid>5000778d-395b-9968-2a76-
f397eac34ff9</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-146/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.156</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>b16-sn-dv-146.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>

```

```

        <hostMor>host-1325</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-146/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-146/" logDir="[SN-DV-FC-B] B16-SN-DV-146/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-146/B16-SN-DV-146.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-146.vmx</Name>
            <Size>3378</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-146.vmx</Name>
            <Size>268</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-146.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-146.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-146-aux.xml
</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-146.vmdk</Name>
            <Size>62914560</Size>
            <Type>diskDescriptor</Type>
        </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>24282</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-3.log</Name>
      <Size>514696</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-2.log</Name>
      <Size>155673</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-4.log</Name>
      <Size>503349</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-6.log</Name>
      <Size>758151359</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-5.log</Name>
      <Size>585933</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-7.log</Name>
      <Size>198063504</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="24980887286" Uncommitted="44941287424"
Committed="24980887286">
      </StorageInfo>
      <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-b4af-6036-2a6e-39003e550ef5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="aac79e6a45f3f1892c1b78cada43dbcb" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-146/B16-SN-DV-146.vmdk"
AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:2e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
    <BackingUsbCtrlr HotAddRemove="false"
EhciEnabled="false" AutoConnect="true" ControllerUnitNumber="-1"
SharedBus="" BackingType="" FileName="" DeviceName="USB
controller " BusNum="22" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="22" Key="7000"
ControllerKey="100" Type="" Label="">
    </BackingUsbCtrlr>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-201</Name>
    <Mor>vm-1171</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-201</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
subaig on 5-APR-2013
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>

```



```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>true
</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:10:48.531854Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42005dc8-3613-b8d5-87a1-
a55aa665ae7e</uuid>
<instanceUuid>5000563f-ea89-1eef-d285-
53b5861b39a2</instanceUuid>
<vmxDir>[SN-DV-FC-A] B16-SN-DV-201/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.211</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-201</hostName>
<host>b16-sn-dv-esx-03.cisco.com
</host>
<hostMor>host-1174</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-201/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-201/" logDir="[SN-DV-FC-A] B16-SN-DV-201/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-201/B16-SN-DV-201.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">

```

```

        <Name>B16-SN-DV-201.vmx</Name>
        <Size>3165</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-201.vmx</Name>
    <Size>3433</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-201.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-201.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-201.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>261205</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>376058</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>151111</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>655331</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>139364</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>24277</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>169272</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="48371554204" Uncommitted="63561355264"
Committed="48371554204">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-ae54-66a8-1eae-007a824ff54a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="761ab7d5d382d4844af0ee880972b2ca" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-201/B16-SN-DV-201.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:4c:ad" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">

```

```

        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-103</Name>
        <Mor>vm-1122</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-103</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM provisioned by
Amit Saha.</Annotation>
        <Version>vmx-09</Version>
        <GuestId>windows7_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:48.323554Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422db60a-ae97-403c-bf56-
510df309590d</uuid>
        <instanceUuid>502ddae-df54-21f9-3e50-
116e5bfcfa65</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SN-DV-103/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.9.113</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-103.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-03.cisco.com
</host>
        <hostMor>host-1174</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1

```

```

</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-103/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-103/" logDir="[SN-DV-FC-A] B16-SN-DV-103/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-103/SCC-DEV-VM-056.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-056.vmx</Name>
        <Size>3323</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-056.vmx</Name>
        <Size>3048</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-056.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-056.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-056-aux.xml
</Name>
        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-056.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>861453</Size>
        <Type>log</Type>
    </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-24.log</Name>
      <Size>142790</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-21.log</Name>
      <Size>409186</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-20.log</Name>
      <Size>365765</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-25.log</Name>
      <Size>24293</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>252230</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-23.log</Name>
      <Size>199739</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="55892419887" Uncommitted="56040968192"
Committed="55892419887">
      </StorageInfo>
      <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-b923-a866-8a74-251c18c18ba5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3a6c2dfdb6e732b3ca640b56b9e93dc2" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-103/SCC-DEV-VM-056.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```

```

MacAddress="00:50:56:ad:10:90" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-022</Name>
    <Mor>vm-1300</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-022</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>1) Jul11kaloganaSCC950 :
Initial Installation
2) Dec11kaloganaSCC523 : Connectivity Issue
3) May12jtsubramSCC3217 :Change in POC as the user left he
company</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-

```

```

30T08:10:26.706818Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d6927-e0d0-3d6f-70c9-
94a558f432ab</uuid>
    <instanceUuid>525081e8-de58-92c4-80c1-
7879655d1d59</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-022/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.32</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>b16-sn-dv-022.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>
    <hostMor>host-1325</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-022/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-022/" logDir="[SN-DV-FC-A] B16-SN-DV-022/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-022/SCC-BGL04-DV-159_1.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="1">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-159_1.vmx
</Name>
        <Size>3355</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-159_1.vmx
</Name>
        <Size>3049</Size>

```



```

        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-159.nvram
</Name>

    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-159_1.vmsd
</Name>

    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-159_1-aux.xml
</Name>

    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-159_1.vmdk
</Name>

    <Size>52547712</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>186427002</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>169478</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>181227</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>24351</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>372591</Size>
    <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-25.log</Name>
            <Size>143501</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-22.log</Name>
            <Size>179830</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="53648111852" Uncommitted="2700550144"
Committed="53648111852">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-27b7-ec4f-389d-494a97c94860" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52547712"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bbfa46bc8b1df5e5ccd466368526587e" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-022/SCC-BGL04-DV-159_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:60" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"

```

```

dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-145</Name>
    <Mor>vm-1179</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-145</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This new vm is created by
prashanth(prasbr)</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:32.537805Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200dabb-bb54-8475-1333-
70d57700110a</uuid>
    <instanceUuid>5000e82a-08d0-3a9a-8235-
847f3b75b19c</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-145/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.155</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-145</hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>
    <hostMor>host-1209</hostMor>
    <ResourcePoolMor>resgroup-287

```

```

</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-145/" suspendDir="[SN-DV-FC-B] B16-SN-DV-145/" logDir="[SN-DV-FC-B] B16-SN-DV-145/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-145/B16-SN-DV-145.vmx">
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-145.vmx</Name>
  <Size>3259</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-145.vmx</Name>
  <Size>3431</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-145.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-145.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-145.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>1283630122</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>738898670</Size>
  <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>24277</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>616473</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>768524681</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>105225</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>336943</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="19116382933" Uncommitted="95606886400"
Committed="19116382933">
  </StorageInfo>
  <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-94d1-1829-cc83-14675add281f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ee3f1b99fc47346fedf5292ef7bb5a82" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-145/B16-SN-DV-145.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:ec" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrl HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrl>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-202</Name>
    <Mor>vm-1117</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-202</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
subaig on 5-APR-2013
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T09:14:44.307742Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42002ba3-4253-daa5-693c-
66c045624d70</uuid>
    <instanceUuid>500044dd-80d4-2b38-1b3a-
e0c1fec28a19</instanceUuid>

```

```

</vmxDir>                                <vmxDir>[SN-DV-FC-B] B16-SN-DV-202/
</Networks>                               <template>>false</template>
</Nics>                                    <IpAddress>10.106.9.212</IpAddress>
                                            <Networks>SOLUTIONS-DEV(&lt;True&gt;)
                                            <Nics>SOLUTIONS-DEV(&lt;true&gt;)
                                            <NicIpaddresses>(10.106.9.212)
                                            <hostName>B16-SN-DV-202</hostName>
                                            <host>b16-sn-dv-esx-03.cisco.com
</host>
                                            <hostMor>host-1174</hostMor>
                                            <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                            <NumberOfDatastores>1
</NumberOfDatastores>
                                            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                            <NumberOfFiles>15</NumberOfFiles>
                                            <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                            <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                            <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-202/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-202/" logDir="[SN-DV-FC-B] B16-SN-DV-202/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-202/B16-SN-DV-202.vmx">
                                            </VirtualMachineFileInfo>
                                            <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                            </VirtualHardware>
                                            <File Type="VmFileInfo">
                                                <Name>B16-SN-DV-202.vmx</Name>
                                                <Size>3262</Size>
                                                <Type>config</Type>
                                            </File>
                                            <File Type="VmFileInfo">
                                                <Name>B16-SN-DV-202.vmx</Name>
                                                <Size>3433</Size>
                                                <Type>extendedConfig</Type>
                                            </File>
                                            <File Type="VmFileInfo">
                                                <Name>B16-SN-DV-202.nvram</Name>
                                                <Size>8684</Size>
                                                <Type>nvram</Type>
                                            </File>
                                            <File Type="VmFileInfo">
                                                <Name>B16-SN-DV-202.vmsd</Name>
                                                <Size>0</Size>
                                                <Type>snapshotList</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-202.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
339040a1.vswp</Name>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-202-
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
865091745-1.vswp</Name>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-202-
  <Size>113246208</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>336967</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>625147048</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>692373</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>3360944221</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>24277</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>710682036</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>2188844406</Size>
  <Type>log</Type>

```



```

        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="38224429043" Uncommitted="80444653568"
Committed="38224429043">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-ab7c-2cfb-af84-db79f91c734c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e3f4b11d9e0f173776da6f99b0f304c5" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-202/B16-SN-DV-202.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:4c:cf" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-102</Name>
        <Mor>vm-1335</Mor>
        <MorType>VirtualMachine</MorType>

```

```

Development\B16-SN-DV-102</Path>
<Path>\(DC)S+CC(DC)\vm\Solutions
<ParentMor>group-v1379</ParentMor>
<Annotation>This VM provisioned by
Amit Saha</Annotation>
<Version>vmx-09</Version>
<GuestId>windows7_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
02T06:27:34.545931Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>422db7d3-3e34-5826-823e-
6c9ff0d22680</uuid>
<instanceUuid>502d50f9-8e5d-a32d-92ab-
a3624574677f</instanceUuid>
<vmxDir>[SN-DV-FC-A] B16-SN-DV-102/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.112</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;true&gt; )
</Nics>
<NicIpaddresses>(10.106.9.112)
</NicIpaddresses>
<hostName>B16-SN-DV-102.scc-dv.com
</hostName>
<host>b16-sn-dv-esx-05.cisco.com
</host>
<hostMor>host-2873</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```

```

                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-102/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-102/" logDir="[SN-DV-FC-A] B16-SN-DV-102/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-102/SCC-DEV-VM-055.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-DEV-VM-055.vmx</Name>
                                    <Size>3283</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-DEV-VM-055.vmx</Name>
                                    <Size>3048</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-DEV-VM-055.nvram
</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-DEV-VM-055.vmsd</Name>
                                    <Size>0</Size>
                                    <Type>snapshotList</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-DEV-VM-055-aux.xml
</Name>
                                    <Size>0</Size>
                                    <Type>snapshotManifestList
</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-DEV-VM-055.vmdk</Name>
                                    <Size>104857600</Size>
                                    <Type>diskDescriptor</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-DEV-VM-055-
d3ec3438.vswp</Name>
                                    <Size>4294967296</Size>
                                    <Type>swap</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmx-SCC-DEV-VM-055-
3555472440-1.vswp</Name>
                                    <Size>113246208</Size>
                                    <Type>uwsap</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>144272</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>184577</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>740268</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>208119543</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>24294</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>253357</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>230703</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="63386416029" Uncommitted="48605691904"
Committed="63386416029">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-5007-e879-5718-b2e04e43fb77" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e9f04c4e3c3a1bc9ac75e0a8069b9280" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-102/SCC-DEV-VM-055.vmdk"

```

```

AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:10:8e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-148</Name>
    <Mor>vm-1219</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-148</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
subaig on 1-DEC-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>

```

```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
03T07:22:46.442587Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42000a20-51af-f3af-fdcb-
b766b34436c0</uuid>
        <instanceUuid>500073f0-6968-0812-a0a9-
092e2c44c1a8</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.158</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>
(fe80::597c:c4d2:e961:6242)(10.106.9.158)</NicIpaddresses>
        <hostName>B16-SN-DV-148</hostName>
        <host>b16-sn-dv-esx-05.cisco.com
</host>
        <hostMor>host-2873</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>16</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-148/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-148/" logDir="[SN-DV-FC-A] B16-SN-DV-148/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-148/B16-SN-DV-148.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-148.vmx</Name>
            <Size>3270</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-148.vmx</Name>

```

```

        <Size>3046</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-148.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-148.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-148-aux.xml
</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-148.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-148-
d3ec34c2.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-148-
3555472578-1.vswp</Name>
    <Size>113246208</Size>
    <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>312857</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>205629</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>1101858</Size>
    <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-10.log</Name>
            <Size>290871806</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-12.log</Name>
            <Size>24276</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>959094</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>245384</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="47574027744" Uncommitted="43027267584"
Committed="47574027744">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-d81d-afb6-cacd-9a5f5e2b0318" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="47006865b30606786e138a0f8c11267f" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-148/B16-SN-DV-148.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:94" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```



```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-203</Name>
    <Mor>vm-1112</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-203</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
subaig on 5-APR-2013
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T09:15:05.882029Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42002901-5266-dc12-c9af-
72bf46db07fd</uuid>
    <instanceUuid>500018a0-92d8-839d-979b-
496f76f8d9a2</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-203/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.213</IpAddress>

```

```

</Networks>                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Nics>                                     <Nics>SOLUTIONS-DEV(&lt;true&gt;)
                                             <NicIpaddresses>(10.106.9.213)
(fe80::250:56ff:fe80:598a)</NicIpaddresses> <hostName>B16-SN-DV-203</hostName>
                                             <host>b16-sn-dv-esx-08.cisco.com
</host>                                     <hostMor>host-1325</hostMor>
                                             <ResourcePoolMor>resgroup-287
</ResourcePoolMor>                         <NumberOfDatastores>1
</NumberOfDatastores>                     <NumberOfBackingDisks>1
</NumberOfBackingDisks>                   <NumberOfFiles>15</NumberOfFiles>
                                             <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>             <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-203/"  suspendDir="[SN-DV-FC-
B] B16-SN-DV-203/" logDir="[SN-DV-FC-B] B16-SN-DV-203/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-203/B16-SN-DV-203.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-203.vmx</Name>
  <Size>3262</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-203.vmx</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-203.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-203.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-203.vmdk</Name>
  <Size>104857600</Size>

```

```

        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-203-
339040a2.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-203-
865091746-1.vswp</Name>
        <Size>113246208</Size>
        <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>163803</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>143035</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>993468</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>164712</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>24626</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>217742</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>2193225001</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="29838556854" Uncommitted="84138786816"
Committed="29838556854">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-eeca-ce4f-653e-ddb4delabcdf" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3d150306c7ac3216064cabfla68f5cc8" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-203/B16-SN-DV-203.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:59:8a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-147</Name>
        <Mor>vm-1327</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-147</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This vm is created by

```

```

prydumna (ptirunag)</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
03T02:28:59.656458Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200dc85-0ad3-01a4-5685-
4f4c22d7d2cd</uuid>
    <instanceUuid>50009cab-f2dd-abeb-f826-
87c9e3fc71c7</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-147/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.157</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.157)
(fe80::250:56ff:fe80:707b)</NicIpaddresses>
    <hostName>B16-SN-DV-147</hostName>
    <host>b16-sn-dv-esx-03.cisco.com
</host>
    <hostMor>host-1174</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-147/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-147/" logDir="[SN-DV-FC-B] B16-SN-DV-147/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-147/B16-SN-DV-147.vmx">
    </VirtualMachineFileInfo>

```

NumCPUs="2">

```
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-147.vmx</Name>
  <Size>3062</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-147.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-147.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-147.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-147.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-147-
33903ce9.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-147-
865090793-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>229937</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>350238</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
```

```

        <Size>235469</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>685717</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>136652</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>24617</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>1065825655</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="44331749219" Uncommitted="4076863488"
Committed="44331749219">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-96b3-5506-0068-d3bd7bfac570" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6f9220e6401e67b4a8dda545d04ddc11" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-147/B16-SN-DV-147.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:7b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network

```

```

adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-138-TEST</Name>
    <Mor>vm-7731</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-138-TEST</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Verified, This VM
provisioned by Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:49.173269Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422421d5-c007-cd39-6d76-
11206a501482</uuid>
    <instanceUuid>50244502-cb23-c969-2e16-
5880382a4768</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-138-
TEST</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>

```



```

        <Networks>None</Networks>
        <Nics>None</Nics>
        <NicIpaddresses></NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-dv-esx-03.cisco.com
</host>

        <hostMor>host-1174</hostMor>
        <ResourcePoolMor>resgroup-287

</ResourcePoolMor>

        <NumberOfDatastores>1

</NumberOfDatastores>

        <NumberOfBackingDisks>1

</NumberOfBackingDisks>

        <NumberOfFiles>6</NumberOfFiles>
        <CpuFeatureMaskSupported>true

</CpuFeatureMaskSupported>

        <NumberOfFeatureMaskEntries>0

</NumberOfFeatureMaskEntries>

        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-138-TEST/" suspendDir="[SN-
DV-FC-B] B16-SN-DV-138-TEST/" logDir="[SN-DV-FC-B] B16-SN-DV-138-
TEST/" vmxPath="[SN-DV-FC-B] B16-SN-DV-138-TEST/B16-SN-DV-138-
TEST.vmx">

        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"

NumCPUs="2">

        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-138-TEST.vmx

</Name>

            <Size>2921</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-138-TEST.vmx

</Name>

            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-138-TEST.vmsd

</Name>

            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-138-TEST.vmdk

</Name>

            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">

```

```

        <Name>vmware.log</Name>
        <Size>24158</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="21819845063" Uncommitted="90094018560"
Committed="21819845063">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-c8bd-0712-b5e0-a4f6e17b7099" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d0014261af0c19e742e74c4b5604d3f4" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-138-TEST/B16-SN-DV-138-TEST.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-149</Name>
        <Mor>vm-1168</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-149</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>Clone of 10.106.9.77 -
ptirunag</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winXPPro64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
30T08:10:27.158616Z</ChangeVersion>
</connectionState>
1cad03e26553</uuid>
eac462ff0c49</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] B16-SN-DV-149/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-149/" logDir="[SN-DV-FC-A] B16-SN-DV-149/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-149/B16-SN-DV-149.vmx">
NumCPUs="2">

```

```

<ChangeTrackingSupported>true
<BootOptionsSupported>true
<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:10:27.158616Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
<uuid>42001f0e-d803-a0ea-aa28-
1cad03e26553</uuid>
<instanceUuid>5000bad9-0239-b890-0e1a-
eac462ff0c49</instanceUuid>
<vmxDir>[SN-DV-FC-A] B16-SN-DV-149/
<template>>false</template>
<IpAddress>10.106.9.159</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
<NicIpaddresses>unassigned
<hostName>B16-SN-DV-149.scc-dv.com
<host>b16-sn-dv-esx-08.cisco.com
<hostMor>host-1325</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-149/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-149/" logDir="[SN-DV-FC-A] B16-SN-DV-149/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-149/B16-SN-DV-149.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">

```

```

        <Name>B16-SN-DV-149.vmx</Name>
        <Size>3273</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-149.vmx</Name>
    <Size>3047</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-149.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-149.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-149.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-35.log</Name>
    <Size>103522</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-34.log</Name>
    <Size>118586</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-36.log</Name>
    <Size>24634</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>166980</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>111839</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-33.log</Name>
    <Size>646048</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-32.log</Name>
        <Size>370668</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="63225447201" Uncommitted="48689946624"
Committed="63225447201">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-2671-91ae-09fe-1ed86c68f7a2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7b6821e55368721632b02ca195160a26" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-149/B16-SN-DV-149.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:99" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"

```

```

UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-091</Name>
    <Mor>vm-5501</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-091</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T07:22:55.922074Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42245be5-9a68-4a96-0dc5-
cb4f67c7a58d</uuid>
    <instanceUuid>5024f922-69ee-fd36-af88-
859998fe7d50</instanceUuid>
    <vmxDir>[SN-DV-FC-A] New Virtual
Machine_1</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.101</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>
(fe80::3417:de27:3eb2:55d0)(10.106.9.101)</NicIpaddresses>
    <hostName>B16-SN-DV-091.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>
    <hostMor>host-1209</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>12</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] New Virtual Machine_1/"
suspendDir="[SN-DV-FC-A] New Virtual Machine_1/" logDir="[SN-DV-
FC-A] New Virtual Machine_1/" vmxPath="[SN-DV-FC-A] New Virtual
Machine_1/New Virtual Machine.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.vmx
</Name>
            <Size>2840</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.vmx
</Name>
            <Size>2856</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine-
aux.xml</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.vmdk
</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>

```

```

      </File>
      <File Type="VmFileInfo">
        <Name>New Virtual Machine-
8e31d810.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmx-New Virtual Machine-
2385631248-1.vswp</Name>
        <Size>113246208</Size>
        <Type>uwswap</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>24552</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>1566437</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>236484</Size>
        <Type>log</Type>
      </File>
      <StorageInfo Datastore="SN-DV-FC-A"
Unshared="44145842877" Uncommitted="46163558400"
Committed="44145842877">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
          </Datastore>
          <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-41ad-9755-3aa3-2df45cb36daf" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="538b2b56a8c40d19b9f675dbdf391992" Parent="" Disk="[SN-
DV-FC-A] New Virtual Machine_1/New Virtual Machine.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
            </BackingDisk>
            <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:06:ca" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```



```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-090</Name>
    <Mor>vm-8503</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-090</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>

```

```

                <ChangeVersion>2014-01-
20T11:44:06.014413Z</ChangeVersion>
                <powerState>poweredOn</powerState>
                <connectionState>connected
</connectionState>
                <uuid>42246254-6d41-4604-471d-
fc75e28dc904</uuid>
                <instanceUuid>50246a46-5c6f-595a-aa43-
f4d0ec860903</instanceUuid>
</vmxDir>
                <template>>false</template>
                <IpAddress>10.106.9.100</IpAddress>
                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                <NicIpaddresses>(10.106.9.100)
(fe80::250:56ff:fea4:300b)</NicIpaddresses>
                <hostName>B16-SN-DV-090</hostName>
                <host>b16-sn-dv-esx-03.cisco.com
</host>
                <hostMor>host-1174</hostMor>
                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                <NumberOfDatastores>1
</NumberOfDatastores>
                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                <NumberOfFiles>9</NumberOfFiles>
                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-090/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-090/" logDir="[SN-DV-FC-A] B16-SN-DV-090/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-090/B16-SN-DV-090.vmx">
                </VirtualMachineFileInfo>
                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                </VirtualHardware>
                <File Type="VmFileInfo">
                    <Name>B16-SN-DV-090.vmx</Name>
                    <Size>3038</Size>
                    <Type>config</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>B16-SN-DV-090.vmx</Name>
                    <Size>0</Size>
                    <Type>extendedConfig</Type>
                </File>

```

```

    <File Type="VmFileInfo">
      <Name>B16-SN-DV-090.nvram</Name>
      <Size>8684</Size>
      <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>B16-SN-DV-090.vmsd</Name>
      <Size>0</Size>
      <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>B16-SN-DV-090.vmdk</Name>
      <Size>104857600</Size>
      <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>B16-SN-DV-090-
d3ec311e.vswp</Name>
      <Size>4294967296</Size>
      <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmx-B16-SN-DV-090-
3555471646-1.vswp</Name>
      <Size>96468992</Size>
      <Type>uwsnap</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>363240255</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="105749334281" Uncommitted="6379536384"
Committed="105749334281">
      </StorageInfo>
      <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-8c9a-28b9-f225-0d1a7b944a2a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a9dd13c96d4f97ef15db7d868dd4d46a" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-090/B16-SN-DV-090.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:30:0b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-225-clone</Name>
        <Mor>vm-3790</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-225-clone</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>

```

```

        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:06:14.603613Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42242b2f-40ea-557a-b7e3-
8bbcf6663b0f</uuid>
        <instanceUuid>5024949c-b328-8d42-af9f-
6aabba7c5fab</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-225-
clone</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.184</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-225</hostName>
        <host>b16-sn-dv-esx-05.cisco.com
</host>
        <hostMor>host-2873</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>9</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-225-clone/" suspendDir="[SN-
DV-FC-B] B16-SN-DV-225-clone/" logDir="[SN-DV-FC-B] B16-SN-DV-
225-clone/" vmxPath="[SN-DV-FC-B] B16-SN-DV-225-clone/B16-SN-DV-
225-clone.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-225-clone.vmx
</Name>
            <Size>3246</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-225-clone.vmx

```

```

</Name>
        <Size>3378</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-225-clone.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-225-clone.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-DV-225-clone.vmdk
</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>277347</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>256820</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24869</Size>
        <Type>log</Type>
</File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="11165811592" Uncommitted="105060847616"
Committed="11165811592">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-5d44-77d5-2c51-5d1d43c2f229" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="617e034eba5b045c57b54faa4c531f8e" Parent="" Disk="[SN-

```

```

DV-FC-B] B16-SN-DV-225-clone/B16-SN-DV-225-clone.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:10:00" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-096</Name>
    <Mor>vm-1345</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-096</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is created by
bpattanna on 11-MAR-11</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
02T07:26:18.698419Z</ChangeVersion>
</connectionState>
2e74eb3c2019</uuid>
4d423974757f</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] B16-SN-DV-096/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-096/" logDir="[SN-DV-FC-A] B16-SN-DV-096/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-096/SCC-BGL04-DV-98.vmx">
NumCPUs="2">

```

```

<ChangeTrackingSupported>true
<BootOptionsSupported>true
<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
02T07:26:18.698419Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
<uuid>4203f0d2-c509-80ae-94f7-
2e74eb3c2019</uuid>
<instanceUuid>50038e1f-e074-aba6-6440-
4d423974757f</instanceUuid>
<vmxDir>[SN-DV-FC-A] B16-SN-DV-096/
<template>>false</template>
<IpAddress>10.106.9.106</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;True&gt;)
<Nics>SOLUTIONS-DEV(&lt;true&gt;)
<NicIpaddresses>(10.106.9.106)
<hostName>B16-SN-DV-096.scc-dv.com
<host>b16-sn-dv-esx-08.cisco.com
<hostMor>host-1325</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-096/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-096/" logDir="[SN-DV-FC-A] B16-SN-DV-096/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-096/SCC-BGL04-DV-98.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">

```



```

        <Name>SCC-BGL04-DV-98.vmx</Name>
        <Size>3412</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-98.vmx
    </Name>
        <Size>3081</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-98.nvram
    </Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-98.vmsd
    </Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-98.vmdk
    </Name>
        <Size>62926605</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-98-
d3ec3124.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-SCC-BGL04-DV-98-
3555471652-1.vswp</Name>
        <Size>96468992</Size>
        <Type>u.swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-59.log</Name>
        <Size>656160</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-60.log</Name>
        <Size>147324</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-62.log</Name>

```

```

        <Size>144050</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-64.log</Name>
        <Size>172975</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-61.log</Name>
        <Size>151662</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-63.log</Name>
        <Size>24308</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>152183</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="68790146591" Uncommitted="39597056"
Committed="68790146591">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-b4f7-84b5-6d83-622e6ed86e59" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62926605"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="fa02823311d2f26dad7a6aelbd763b8d" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-096/SCC-BGL04-DV-98.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:3b:2b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network

```

```

adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-099</Name>
    <Mor>vm-1120</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-099</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This Machine was Created
using the Base template &quot;SCC-SDP-V1.0&quot; By Sandeep
Byrappa on 8-AUG-2011</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T05:11:51.009447Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dc806-95c8-5979-63ff-
59bb7ba1d63d</uuid>
    <instanceUuid>502db8d8-7c6f-edda-d877-
be9e2e748b7a</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-099/

```

```

</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.109</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
<NicIpaddresses>(10.106.9.109)
</NicIpaddresses>
<hostName>B16-SN-DV-099</hostName>
<host>b16-sn-dv-esx-03.cisco.com
</host>
<hostMor>host-1174</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-099/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-099/" logDir="[SN-DV-FC-A] B16-SN-DV-099/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-099/SCC-DEV-VM-013.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-013.vmx</Name>
  <Size>3826</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-013.vmx</Name>
  <Size>3080</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-013.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-013.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-013-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-013.vmdk</Name>
  <Size>63033472</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-013-
d3ec3127.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-DEV-VM-013-
3555471655-2.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-43.log</Name>
  <Size>24290</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-42.log</Name>
  <Size>976902087</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-45.log</Name>
  <Size>160685</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-44.log</Name>
  <Size>172172</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-46.log</Name>
  <Size>129499</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>

```

```

        <Size>1332555950</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-47.log</Name>
        <Size>134732</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="70979240093" Uncommitted="268566528"
Committed="70979240093">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-2e66-cbe6-0dd4-cl2a4dab322e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="63033472"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9dfcd45ad179a884b567bdda390d275a" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-099/SCC-DEV-VM-013.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4c:9e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"

```

```

AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="0" Key="9000" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="1" Key="9001" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-098</Name>
    <Mor>vm-1301</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-098</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:26.713544Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422db93f-bee5-8898-f13a-
88db13068701</uuid>
    <instanceUuid>502d188e-4415-47de-2dc1-
5ee3d2943aa6</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-098/

```

```

</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.108</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-098</hostName>
<host>b16-sn-dv-esx-08.cisco.com
</host>
<hostMor>host-1325</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-098/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-098/" logDir="[SN-DV-FC-A] B16-SN-DV-098/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-098/SCC-DEV-VM-067.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-067.vmx</Name>
  <Size>3216</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-067.vmx</Name>
  <Size>3429</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-067.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-067.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>

```



```

</File>
<File Type="VmFileInfo">
  <Name>SCC-DEV-VM-067.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>648147</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>24293</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>170048</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>106949</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>178798</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>136831</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>371929</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="19990656612" Uncommitted="91924832256"
Committed="19990656612">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-1a3d-f2fb-f3eb-1a78e3580d9c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```

```

Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8d96bc512d18845a0a2e6c3734bf6f29" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-098/SCC-DEV-VM-067.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:b0" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-092</Name>
    <Mor>vm-1319</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-092</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>new mediator for PVO
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>otherLinuxGuest</GuestId>
    <GuestOSAltName>Other Linux (32-bit)
</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true

```

```

</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:26.697156Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42034e0a-c570-e7ce-a6a9-
7f9c88f9a1c0</uuid>
    <instanceUuid>52473edf-3c1c-0248-1c24-
153bffe9a033</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-092/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>
    <hostMor>host-1325</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-092/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-092/" logDir="[SN-DV-FC-A] B16-SN-DV-092/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-092/SCC-BGL04-Dev-NBMM-04.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-Dev-NBMM-04.vmx
</Name>
        <Size>3292</Size>

```

```

        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-Dev-NBMM-04.vmx
</Name>

    <Size>0</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-Dev-NBMM-
04.nvram</Name>

    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-Dev-NBMM-04.vmsd
</Name>

    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-Dev-NBMM-04.vmdk
</Name>

    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-39.log</Name>
    <Size>645827</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-40.log</Name>
    <Size>138020</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-41.log</Name>
    <Size>135929</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-42.log</Name>
    <Size>24440</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-43.log</Name>
    <Size>166282</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-44.log</Name>
        <Size>125094</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>124817</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="3299143905" Uncommitted="42044071936"
Committed="3299143905">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-c6db-6565-1d22-8f38111bf58b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ff4cb5f2593575a96a02d0f4bed544ee" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-092/SCC-BGL04-Dev-NBMM-04.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:62:25" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"

```

```

StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-DV-095</Name>
  <Mor>vm-1318</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-095</Path>
  <ParentMor>group-v1379</ParentMor>
  <Annotation>This VM is created by
sandeep byrappa</Annotation>
  <Version>vmx-09</Version>
  <GuestId>winXPPro64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-
13T08:44:23.864022Z</ChangeVersion>
  <powerState>poweredOn</powerState>
  <connectionState>connected
</connectionState>
  <uuid>422d47c4-0103-b1ba-6658-
659dd4b65699</uuid>
  <instanceUuid>502d48fa-fd5f-ce84-bfd3-
9e1b538675af</instanceUuid>
  <vmxDir>[SN-DV-FC-B] B16-SN-DV-095/
</vmxDir>
  <template>>false</template>
  <IpAddress>10.106.9.105</IpAddress>
  <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
  <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
  <NicIpaddresses>(10.106.9.105)
</NicIpaddresses>
  <hostName>B16-SN-DV-095.scc-dv.com
</hostName>
  <host>b16-sn-dv-esx-08.cisco.com
</host>
  <hostMor>host-1325</hostMor>
  <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
  <NumberOfDatastores>1

```

```

</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-095/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-095/" logDir="[SN-DV-FC-B] B16-SN-DV-095/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-095/SCC-BGL04-DV-30.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-30.vmx</Name>
        <Size>3346</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-30.vmx
</Name>
        <Size>3081</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-30.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-30.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-30.vmdk
</Name>
        <Size>268435456</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-30-
3390394b.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">

```

```

865089867-1.vswp</Name>
    <Name>vmx-SCC-BGL04-DV-30-
    <Size>96468992</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-42.log</Name>
    <Size>148835</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-40.log</Name>
    <Size>794883</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-39.log</Name>
    <Size>403210</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-43.log</Name>
    <Size>24311</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-41.log</Name>
    <Size>241066482</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-44.log</Name>
    <Size>180705</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>211568</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="197751571889" Uncommitted="81760616448"
Committed="197751571889">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-e8cd-f494-1a7e-61096fb72a7c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="268435456"

```



```

CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="784aca27c7567b00065f0cb2de025414" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-095/SCC-BGL04-DV-30.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:1a:64" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-109</Name>
    <Mor>vm-1320</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-109</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>-Tridium | New Host Name
: B16-SN-DV-109
New IP address : 10.106.9.119
POC : Parthasarathy Kesavaraj\
Sikkandar Nawabjan</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>

```

```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>true
</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:10:26.495718Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422df00d-c847-f71e-4078-
144e87f7b195</uuid>
<instanceUuid>502d644e-bba9-ace3-8523-
c8ab22a9323c</instanceUuid>
<vmxDir>[SN-DV-FC-A] B16-SN-DV-109/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.119</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-109.scc-dv.com
</hostName>
<host>b16-sn-dv-esx-08.cisco.com
</host>
<hostMor>host-1325</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-109/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-109/" logDir="[SN-DV-FC-A] B16-SN-DV-109/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-109/SCC-BGL04-DV-170.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-170.vmx
</Name>
  <Size>3431</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-170.vmx
</Name>
  <Size>3048</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-170.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-170.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-170-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-170.vmdk
</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>887381</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>266828</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>195766</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-31.log</Name>
            <Size>1532519733</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-30.log</Name>
            <Size>759956756</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-32.log</Name>
            <Size>24321</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-28.log</Name>
            <Size>553652</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="35626553488" Uncommitted="35632029696"
Committed="35626553488">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-b471-8435-88c0-0a040a312278" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4e73d7c6a561d4ac5bf3091ff387608b" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-109/SCC-BGL04-DV-170.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:51" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-028</Name>
    <Mor>vm-1183</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-028</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>VM has been re
provisioned.. -ptirunag</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
08T10:52:41.019849Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422deeee-a2d9-17ad-5f1f-
62d1c731f5af</uuid>
    <instanceUuid>502de291-4be2-7099-47b1-
9b7d532d3ffc</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-028-
FREE</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.38</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)

```

```

</Networks>
</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-028-FREE/" suspendDir="[SN-
DV-FC-B] B16-SN-DV-028-FREE/" logDir="[SN-DV-FC-B] B16-SN-DV-028-
FREE/" vmxPath="[SN-DV-FC-B] B16-SN-DV-028-FREE/SCC-BGL04-DV-
196.vmx">
NumCPUs="2">
</Name>
</Name>
</Name>
</Name>
</Name>

```

```

<Nics>SOLUTIONS-DEV(&lt;false&gt;)
<NicIpaddresses>unassigned
<hostName>B16-SN-DV-028.scc-dv.com
<host>b16-sn-dv-esx-04.cisco.com
<hostMor>host-1209</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-196.vmx
  <Size>3449</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-196.vmx
  <Size>3082</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-196.nvram
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-196.vmsd
  <Size>0</Size>

```

```

        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-196-aux.xml
</Name>

    <Size>0</Size>
    <Type>snapshotManifestList
</Type>

</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-028-FREE.vmdk
</Name>

    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>120565</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>288516</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>138654</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>209938</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>24478</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>217869721</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>217483</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="51959818714" Uncommitted="60190183424"

```

```

Committed="51959818714">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-4e8c-67b1-2cd7-88e6e084c9ab" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2bddf534a8ecb7a22573f8c9274e7102" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-028-FREE/B16-SN-DV-028-FREE.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:cf" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-209</Name>
    <Mor>vm-1291</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions

```



```

Development\B16-SN-DV-209</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
03T08:38:50.921156Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200c63c-313b-c9ec-d7f7-
c581cc5861ae</uuid>
    <instanceUuid>50007f13-152a-c051-0ffc-
38218e647b17</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-209/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.219</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-209.cisco.com
</hostName>
    <host>b16-sn-dv-esx-07.cisco.com
</host>
    <hostMor>host-1293</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-209/" suspendDir="[SN-DV-FC-

```

```

B] B16-SN-DV-209/" logDir="[SN-DV-FC-B] B16-SN-DV-209/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-209/B16-SN-DV-209.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="16384"
NumCPUs="12">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-209.vmx</Name>
    <Size>2936</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-209.vmx</Name>
    <Size>3379</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-209.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-209.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-209.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-DV-209-
339040a8.vswp</Name>
    <Size>17179869184</Size>
    <Type>swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-209-
865091752-1.vswp</Name>
    <Size>106954752</Size>
    <Type>uwsap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>137458</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>150379</Size>
    <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>625791</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>858768</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>24625</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>137216</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>158606</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="124663114178" Uncommitted="0" Committed="124663114178">
  </StorageInfo>
  <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-e20d-bb9b-490f-681fda6bf0db" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="alaacb7476781ade1713d099ab79ad94" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-209/B16-SN-DV-209.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
      </BackingDisk>
      <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:60:73" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"

```

```

StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[SN-DV-FC-B] ISO/IEM-2.0.0-1.9.19-7587-40.x86_64.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-837" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-094</Name>
    <Mor>vm-1278</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-094</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:52.72861Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422df2ac-4ed6-b749-56b5-
1ce8491d96bd</uuid>
    <instanceUuid>502d9480-cec8-84bb-3a4e-
9e9bc120ee11</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-094/
</vmxDir>
    <template>>false</template>

```



```

        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>137369</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>362606</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>814741</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>24322</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>643968</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>134737</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>102359</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="7135694451" Uncommitted="104780374016"
Committed="7135694451">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-c694-4760-21a0-03f27edf1e90" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="348612cdc925aeaeb9e1a3c0727a485f" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-094/B16-SN-DV-094.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:ec" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-108</Name>
    <Mor>vm-1237</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-108</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
ahsaha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
15T04:57:31.963285Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d34f9-293d-eb95-79cd-
dcad48347dea</uuid>
    <instanceUuid>502d1f54-9284-e814-a7b7-
912e831cb9bb</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-108/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.76.97.68</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.76.97.68)
(10.106.9.118)</NicIpaddresses>
    <hostName>B16-SN-DV-108</hostName>
    <host>b16-sn-dv-esx-05.cisco.com
</host>
    <hostMor>host-2873</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-108/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-108/" logDir="[SN-DV-FC-A] B16-SN-DV-108/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-108/SCC-DEV-VM-036.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-036.vmx</Name>
        <Size>3562</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-DEV-VM-036.vmx</Name>
        <Size>3046</Size>

```



```

        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-036.nvram
</Name>

    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-036.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-036-aux.xml
</Name>

    <Size>0</Size>
    <Type>snapshotManifestList
</Type>

</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-036.vmdk</Name>
    <Size>125829120</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-DEV-VM-036-
d3ec343e.vswp</Name>

    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-DEV-VM-036-
3555472446-1.vswp</Name>

    <Size>96468992</Size>
    <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-32.log</Name>
    <Size>567266</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>899751</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>359552</Size>
    <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-33.log</Name>
            <Size>295478</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-34.log</Name>
            <Size>3245849</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-31.log</Name>
            <Size>24644</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>533988227</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="122221397979" Uncommitted="11558453248"
Committed="122221397979">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-77c1-b85f-490e-10e7167f4fa7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="125829120"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5002bf4f548c86f570ae22921e013e78" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-108/SCC-DEV-VM-036.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0f:fb" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/char/serial/uart0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="0" Key="9000" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
    <BackingSerialPort YieldOnPoll="false"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/char/serial/uart0"
AllowGuestControl="true" StartConnected="true" Connected="true"
UnitNum="1" Key="9001" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-029</Name>
    <Mor>vm-1311</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-029</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This is an ALC Setup.
Currently being used only by IB team.This is used by many teams â
€" not to be deleted ever.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true

```

```

</BootOptionsSupported>
</SwapPlacementSupported>
    <SwapPlacementSupported>true
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:26.730882Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422df502-025f-d1e0-9647-
422e2b5df740</uuid>
    <instanceUuid>502d9d37-db68-9e4e-afab-
06f082833283</instanceUuid>
</vmxDir>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-029/
    <template>>false</template>
    <IpAddress>10.106.9.39</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-029.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>
    <hostMor>host-1325</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-029/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-029/" logDir="[SN-DV-FC-B] B16-SN-DV-029/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-029/SCC-BGL04-DV-198.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-198.vmx
</Name>
        <Size>3389</Size>
        <Type>config</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-198.vmx
</Name>
  <Size>3049</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-198.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-198.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-198-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-198.vmdk
</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>727906896</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>86656</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24324</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>881670</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-17.log</Name>
            <Size>185252</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-19.log</Name>
            <Size>128390</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-20.log</Name>
            <Size>603826</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="32699865800" Uncommitted="37011410944"
Committed="32699865800">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-f555-550e-f44d-a3bd33cfb46c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3c6307363f92fdf85448f73488592456" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-029/SCC-BGL04-DV-198.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:8b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"

```

```

Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-027-CLONE</Name>
    <Mor>vm-7716</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-027-CLONE</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This vm is created by
prashanth(prasbr)</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:18.403782Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224a5f9-2515-d1d3-25a3-
4513a3b75113</uuid>
    <instanceUuid>502446af-e97e-196b-e34a-
6de35c1c68df</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-027-
CLONE</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>

```

```

</host>
    <hostName></hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>6</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-027-CLONE/" suspendDir="[SN-
DV-FC-B] B16-SN-DV-027-CLONE/" logDir="[SN-DV-FC-B] B16-SN-DV-
027-CLONE/" vmxPath="[SN-DV-FC-B] B16-SN-DV-027-CLONE/B16-SN-DV-
027-CLONE.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-027-CLONE.vmx
</Name>
        <Size>2891</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-027-CLONE.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-027-CLONE.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-027-CLONE.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-027-CLONE.vmdk
</Name>
        <Size>83886080</Size>

```



```

        <Type>diskDescriptor</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="22584241463" Uncommitted="67854770176"
Committed="22584241463">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-3d96-ea52-ccf4-5aa5d26847ed" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d4fed2e8b7235ad25cdf399b3226ab30" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-027-CLONE/B16-SN-DV-027-CLONE.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:35:49" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                    </VirtualMachine>
                </VirtualMachine>
                <Name>B16-SN-DV-050</Name>
                <Mor>vm-1127</Mor>
                <MorType>VirtualMachine</MorType>

```

```

        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-050</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM is provisioned by
sbyrappa on 31-DEC-10</Annotation>
        <Version>vmx-09</Version>
        <GuestId>windows7Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:48.531688Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42036cf2-a7ad-4540-5032-
eb3a2d0e90e7</uuid>
        <instanceUuid>520a2c4e-bb2a-91a3-1066-
a86d947b5a35</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.60</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-050.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-03.cisco.com
</host>
        <hostMor>host-1174</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```

```

        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-050/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-050/" logDir="[SN-DV-FC-B] B16-SN-DV-050/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-050/SCC-BGL04-DV-65.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="1">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-65.vmx</Name>
            <Size>3465</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-65.vmx
</Name>
            <Size>3049</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-65.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-65.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-65-aux.xml
</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-65.vmdk
</Name>
            <Size>167772160</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>443844</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-33.log</Name>
            <Size>140945</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>144944</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>24660</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-31.log</Name>
        <Size>442921</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-32.log</Name>
        <Size>752949</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-30.log</Name>
        <Size>569428</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="84796681705" Uncommitted="91521601536"
Committed="84796681705">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-5c41-b7ae-87e3-195d3024a24e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="412e0dd3a74301d4d5b405f62a8b1137" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-050/SCC-BGL04-DV-65.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:0c:68" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-204</Name>
    <Mor>vm-1236</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-204</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
subaig on 5-APR-2013
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T09:13:46.022236Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200b85f-1d21-ac4b-cf93-

```

```

ceb529742d50</uuid>
<instanceUuid>50004bdb-1c04-fb43-f0fd-
f8e40d4cec79</instanceUuid>
<vmxDir>[SN-DV-FC-B] B16-SN-DV-204/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.214</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
<NicIpaddresses>(10.106.9.214)
(fe80::250:56ff:fe80:1259)</NicIpaddresses>
<hostName>B16-SN-DV-204</hostName>
<host>b16-sn-dv-esx-05.cisco.com
</host>
<hostMor>host-2873</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-204/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-204/" logDir="[SN-DV-FC-B] B16-SN-DV-204/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-204/B16-SN-DV-204.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-DV-204.vmx</Name>
<Size>3261</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-DV-204.vmx</Name>
<Size>0</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-DV-204.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>B16-SN-DV-204.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-204.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-204-
339040a3.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-204-
865091747-1.vswp</Name>
    <Size>113246208</Size>
    <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>129351</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>170880</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>128372</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>128277</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>138932</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>24624</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware.log</Name>
        <Size>299615</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="66028814140" Uncommitted="45754613760"
Committed="66028814140">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-95bb-5e52-dbac-5be931bde1be" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="05869360887e168903b1f87dff340473" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-204/B16-SN-DV-204.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:12:59" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="true" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>

```



```

        <Name>B16-SN-DV-105</Name>
        <Mor>vm-1216</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-105</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM provisioned by
Amit Saha.</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:06:14.602944Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d5738-4ad2-7ed1-f5e0-
de8a06a4954a</uuid>
        <instanceUuid>502d20c2-ef48-1d8a-0ba1-
cc170362fc33</instanceUuid>
        <vmxDir>[SN-DV-FC-A] B16-SN-DV-105/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.115</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-105</hostName>
        <host>b16-sn-dv-esx-05.cisco.com
</host>
        <hostMor>host-2873</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-105/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-105/" logDir="[SN-DV-FC-A] B16-SN-DV-105/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-105/SCC-DEV-VM-063.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-063.vmx</Name>
            <Size>3240</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-063.vmx</Name>
            <Size>3429</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-063.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-063.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-DEV-VM-063.vmdk</Name>
            <Size>62914560</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-13.log</Name>
            <Size>564250</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>169960</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-15.log</Name>
            <Size>138609</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">

```

```

        <Name>vmware-11.log</Name>
        <Size>104759</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>24283</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>157536</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>332147</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="25215565393" Uncommitted="48045072384"
Committed="25215565393">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-9657-a3c2-8651-83164f4f13c4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4e5aabc9c1b2710e3b4e7fc9822694b2" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-105/SCC-DEV-VM-063.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:5f:9d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-024</Name>
    <Mor>vm-1113</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-024</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:27.184103Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d3c05-f632-7a52-f2e9-
59cbf232cb26</uuid>
    <instanceUuid>502d23ea-3588-c0cd-6404-
efdfaec5819a</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-024/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.34</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;);
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;);
</Nics>
    <NicIpaddresses>unassigned

```

```

</NicIpaddresses>
<hostName>B16-SN-DV-024</hostName>
<host>b16-sn-dv-esx-08.cisco.com
</host>
<hostMor>host-1325</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-024/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-024/" logDir="[SN-DV-FC-A] B16-SN-DV-024/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-024/SCC-BGL04-DV-184-NEW.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-DV-184-NEW.vmx
</Name>
<Size>3163</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-DV-184-NEW.vmx
</Name>
<Size>3435</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-DV-184-NEW.nvram
</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-DV-184-NEW.vmsd
</Name>
<Size>0</Size>
<Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-DV-184.vmdk
</Name>
<Size>209715200</Size>

```

```

        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>24333</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>490763234</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>625414</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>156093</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>108588</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>138838</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>382604</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="80342325362" Uncommitted="139517665280"
Committed="80342325362">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-28cb-7aea-ba2d-8265336c7aa8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e66814c59f74f960a67f873f2ee0fd5e" Parent="" Disk="[SN-

```

```

DV-FC-A] B16-SN-DV-024/SCC-BGL04-DV-184.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:4a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-025</Name>
    <Mor>vm-1337</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-025</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>MS exchange 2010 server
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>

```

```

        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T11:25:47.461835Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d1d56-c409-ce27-98b7-
ebce598b5e4f</uuid>
        <instanceUuid>502d8154-4357-2b68-e4d7-
a49cc0e40081</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-025/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.35</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.9.35)
</NicIpaddresses>
        <hostName>b16-sn-dv-025.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-08.cisco.com
</host>
        <hostMor>host-1325</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>16</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-025/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-025/" logDir="[SN-DV-FC-B] B16-SN-DV-025/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-025/SCC-BGL04-DV-185.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-185.vmx
</Name>
            <Size>3295</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-185.vmx

```



```

</Name>
    <Size>3048</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-185.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-185.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-185-aux.xml
</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-185.vmdk
</Name>
    <Size>62914560</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-185-
33903864.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-DV-185-
865089636-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-59.log</Name>
    <Size>24321</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-55.log</Name>
    <Size>748701627</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-56.log</Name>
        <Size>504726649</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-57.log</Name>
        <Size>206918</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-58.log</Name>
        <Size>209779</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-60.log</Name>
        <Size>328396</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>245601</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="36506534862" Uncommitted="33563869184"
Committed="36506534862">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-4694-eaed-736d-f940625b4c24" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2637ca64adbc783338dda31f7eb3c6d1" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-025/SCC-BGL04-DV-185.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:79:e9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrl HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrl>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-205</Name>
    <Mor>vm-1134</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-205</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
subaig on 5-APR-2013
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T09:17:40.693164Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200b250-b3bc-408d-ab85-
323664534779</uuid>
    <instanceUuid>50003022-b0a9-d80f-5f92-
6e0f0d02db40</instanceUuid>

```

```

</vmxDir>                                <vmxDir>[SN-DV-FC-B] B16-SN-DV-205/
</Networks>                               <template>>false</template>
</Nics>                                    <IpAddress>10.106.9.215</IpAddress>
                                             <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Nics>                                    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
                                             <NicIpaddresses>(10.106.9.215)
(fe80::250:56ff:fe80:36cb)</NicIpaddresses> <hostName>B16-SN-DV-205</hostName>
</host>                                    <host>b16-sn-dv-esx-03.cisco.com
                                             <hostMor>host-1174</hostMor>
</ResourcePoolMor>                       <ResourcePoolMor>resgroup-287
</NumberOfDatastores>                   <NumberOfDatastores>1
</NumberOfBackingDisks>                 <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>             <NumberOfFiles>15</NumberOfFiles>
</NumberOfFeatureMaskEntries>          <CpuFeatureMaskSupported>true
</VirtualMachineFileInfo>              <NumberOfFeatureMaskEntries>0
snapshotDir="[SN-DV-FC-B] B16-SN-DV-205/" <VirtualMachineFileInfo>
logDir="[SN-DV-FC-B] B16-SN-DV-205/"      <VirtualHardware MemoryMB="4096"
vmxPath="[SN-DV-FC-B] B16-SN-DV-205/B16-SN-DV-205.vmx">
NumCPUs="2">                             </VirtualHardware>
                                             <File Type="VmFileInfo">
                                             <Name>B16-SN-DV-205.vmx</Name>
                                             <Size>3322</Size>
                                             <Type>config</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>B16-SN-DV-205.vmx</Name>
                                             <Size>3433</Size>
                                             <Type>extendedConfig</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>B16-SN-DV-205.nvram</Name>
                                             <Size>8684</Size>
                                             <Type>nvram</Type>
                                             </File>
                                             <File Type="VmFileInfo">
                                             <Name>B16-SN-DV-205.vmsd</Name>
                                             <Size>0</Size>
                                             <Type>snapshotList</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-205.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
339040a4.vswp</Name>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-205-
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
865091748-1.vswp</Name>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-205-
  <Size>113246208</Size>
  <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>24277</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>371487154</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>404670</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>152279</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>203113</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>139413</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>1094777855</Size>
  <Type>log</Type>

```

```

        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="94288200296" Uncommitted="18961399808"
Committed="94288200296">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-71b1-77e2-997b-8aff9eb8c2dd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="385ef9f1dbba49332b656688dcbe740b" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-205/B16-SN-DV-205.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:36:cb" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-052</Name>
        <Mor>vm-1273</Mor>
        <MorType>VirtualMachine</MorType>

```

```

Development\B16-SN-DV-052</Path>
    <Path>\(DC)S+CC(DC)\vm\Solutions
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is provisioned by
Bibhutibhusan Pattanaik</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.671218Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203b89a-d0d6-3269-1910-
5f772e58ca39</uuid>
    <instanceUuid>52c73179-2af3-63fa-d868-
4a6a997241ad</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.62</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-052</hostName>
    <host>b16-sn-dv-esx-03.cisco.com
</host>
    <hostMor>host-1174</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```

```

        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-052/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-052/" logDir="[SN-DV-FC-A] B16-SN-DV-052/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-052/SCC-BGL04-DV-70.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="4">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-70.vmx</Name>
            <Size>3375</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-70.vmx
</Name>
            <Size>3430</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-70.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-70.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-70.vmdk
</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-32.log</Name>
            <Size>1823786161</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-30.log</Name>
            <Size>202882051</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-29.log</Name>
            <Size>268039</Size>
            <Type>log</Type>
        </File>

```



```

        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>186166</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-33.log</Name>
            <Size>24307</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-31.log</Name>
            <Size>658275801</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-28.log</Name>
            <Size>184055</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="9200424757" Uncommitted="105478791168"
Committed="9200424757">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-4f18-6bc5-b6ad-2543167934e1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="060cba3578d7808dbd3708e9823b55d3" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-052/SCC-BGL04-DV-70.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:40:3b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-051</Name>
    <Mor>vm-1339</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-051</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.927741Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42032371-516e-216c-029c-
abcfdd2fa81a</uuid>
    <instanceUuid>500309ce-6040-d64c-a7c9-
7002b8714966</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-051/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.61</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;);
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;);
</Nics>

```

```

</NicIpaddresses>                                <NicIpaddresses>unassigned
</hostName>                                       <hostName>B16-SN-DV-051.scc-dv.com
</host>                                           <host>b16-sn-dv-esx-03.cisco.com
</ResourcePoolMor>                               <hostMor>host-1174</hostMor>
</NumberOfDatastores>                           <ResourcePoolMor>resgroup-287
</NumberOfBackingDisks>                         <NumberOfDatastores>1
</CpuFeatureMaskSupported>                      <NumberOfBackingDisks>1
</NumberOfFeatureMaskEntries>                  <NumberOfFiles>13</NumberOfFiles>
<VirtualMachineFileInfo                          <CpuFeatureMaskSupported>true
snapshotDir="[SN-DV-FC-B] B16-SN-DV-051/"      <NumberOfFeatureMaskEntries>0
suspendDir="[SN-DV-FC-B] B16-SN-DV-051/"
logDir="[SN-DV-FC-B] B16-SN-DV-051/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-051/SCC-BGL04-DV-69.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-69.vmx</Name>
  <Size>3354</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-69.vmx
</Name>
  <Size>3049</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-69.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-69.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-69.vmdk
</Name>

```

```

        <Size>62926605</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-51.log</Name>
    <Size>162293</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-52.log</Name>
    <Size>113223</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-53.log</Name>
    <Size>105737</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-50.log</Name>
    <Size>593137</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-49.log</Name>
    <Size>423117</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-54.log</Name>
    <Size>215346</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24307</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="64399947287" Uncommitted="4578202624"
Committed="64399947287">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-39f3-0c6d-80af-b98c339001bf" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62926605"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="03a4430cc93319986944347e04d92afb" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-051/SCC-BGL04-DV-69.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:10:51" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-206</Name>
    <Mor>vm-1205</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-206</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
subaig on 5-APR-2013
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported>      <BootOptionsSupported>true
</SwapPlacementSupported>    <SwapPlacementSupported>true
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
02T09:15:57.374914Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4200dea2-elbf-c111-fb51-
d29e2738cf93</uuid>
                                <instanceUuid>5000a34d-5a11-ec59-5357-
c8e096dc76d9</instanceUuid>
</vmxDir>                     <vmxDir>[SN-DV-FC-B] B16-SN-DV-206/
                                <template>>false</template>
                                <IpAddress>10.106.9.216</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.9.216)
(fe80::250:56ff:fe80:2c81)</NicIpaddresses>
                                <hostName>B16-SN-DV-206</hostName>
</host>                       <host>b16-sn-dv-esx-04.cisco.com
                                <hostMor>host-1209</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
</CpuFeatureMaskSupported>    <CpuFeatureMaskSupported>true
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-206/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-206/" logDir="[SN-DV-FC-B] B16-SN-DV-206/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-206/B16-SN-DV-206.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-206.vmx</Name>
                                    <Size>3261</Size>
                                    <Type>config</Type>
                                </File>

```

```

<File Type="VmFileInfo">
  <Name>B16-SN-DV-206.vmx</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-206.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-206.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-206.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-206-
339040a5.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-206-
865091749-1.vswp</Name>
  <Size>113246208</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>232066</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>163353</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>143568</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>636579</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>138957</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>24624</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>1098394267</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="65905939896" Uncommitted="46976204800"
Committed="65905939896">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-edcc-d98b-ac44-9174f3aecabb" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7319245d6271bce9b5df9133b3edc121" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-206/B16-SN-DV-206.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:2c:81" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"

```



```

Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-107</Name>
    <Mor>vm-1153</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-107</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
bpattana</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T08:35:10.689921Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42036aea-6c21-8163-efad-
5e991147e663</uuid>
    <instanceUuid>5003b1ad-c0f5-a84c-5c85-
d61f9d2482df</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-107/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.117</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.117)
</NicIpaddresses>
    <hostName>B16-SN-DV-107.scc-dv.com
</hostName>

```

```

</host>
<host>b16-sn-dv-esx-04.cisco.com
</host>
<hostMor>host-1209</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-107/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-107/" logDir="[SN-DV-FC-A] B16-SN-DV-107/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-107/SCC-BGL04-DV-41.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-41.vmx</Name>
  <Size>3401</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-41.vmx
</Name>
  <Size>3049</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-41.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-41.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-41.vmdk
</Name>
  <Size>62926605</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">

```

```

d3ec343d.vswp</Name>
    <Name>SCC-BGL04-DV-41-
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-DV-41-
3555472445-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-53.log</Name>
    <Size>128574</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-54.log</Name>
    <Size>24659</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-50.log</Name>
    <Size>147779</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-55.log</Name>
    <Size>176035</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-52.log</Name>
    <Size>929436</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-51.log</Name>
    <Size>103066</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>148596</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="68800841791" Uncommitted="29111296"
Committed="68800841791">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-

```

```

DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-d1ba-0e63-ad8b-396714298785" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62926605"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ab6417fb160b4c09d46c76dd879b92bd" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-107/SCC-BGL04-DV-41.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:73:ac" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-026</Name>
    <Mor>vm-1285</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-026</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>

```

```

        <GuestId>winLonghorn64Guest</GuestId>
        <GuestOSAltName>Microsoft Windows
Server 2008 (64-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:26.943741Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4203091b-0b3b-6216-c49f-
d54446c302be</uuid>
        <instanceUuid>5003c77f-0228-6edb-0d19-
c243f73bc9eb</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.36</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-026.exch2k7.scc-
dv.com</hostName>
        <host>b16-sn-dv-esx-08.cisco.com
</host>
        <hostMor>host-1325</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-026/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-026/" logDir="[SN-DV-FC-A] B16-SN-DV-026/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-026/SCC-BGL04-DV-18-VM.vmx">
        </VirtualMachineFileInfo>

```

```

NumCPUs="2">
    <VirtualHardware MemoryMB="4096"
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-18-VM.vmx
    </Name>
        <Size>3406</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-18-VM.vmx
    </Name>
        <Size>3084</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-18-VM.nvram
    </Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-18-VM.vmsd
    </Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-18-VM-aux.xml
    </Name>
        <Size>0</Size>
        <Type>snapshotManifestList
    </Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-18-VM.vmdk
    </Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>273285</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-41.log</Name>
        <Size>104169</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-46.log</Name>

```

```

        <Size>24354</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-45.log</Name>
        <Size>1505889181</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-44.log</Name>
        <Size>748547870</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-43.log</Name>
        <Size>780733</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-42.log</Name>
        <Size>553104</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="31971783134" Uncommitted="82215522304"
Committed="31971783134">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-cb15-09c0-b2d3-a96768ed1255" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="583d663afe5147b7f6d9137930f18deb" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-026/SCC-BGL04-DV-18-VM.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:5b:52" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network

```

```

adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-054</Name>
    <Mor>vm-8591</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-054</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
24T07:08:12.327723Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224d263-970b-09b5-8a11-
565041e6d57e</uuid>
    <instanceUuid>50240d05-c69f-0d5d-b782-
602160b90f7b</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-054/
</vmxDir>
    <template>>false</template>

```



```

</Networks>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt; )
</Networks>
    <Nics>None</Nics>
    <NicIpaddresses></NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-01.cisco.com
</host>
    <hostMor>host-1098</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>9</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-054/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-054/" logDir="[SN-DV-FC-A] B16-SN-DV-054/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-054/B16-SN-DV-054.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-054.vmx</Name>
        <Size>2695</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-054.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-054.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-054.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-054.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-054-
d3ec309e.vswp</Name>
                <Size>4294967296</Size>
                <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmx-B16-SN-DV-054-
3555471518-1.vswp</Name>
                <Size>113246208</Size>
                <Type>uwsnap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>165609</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="111782572892" Uncommitted="0" Committed="111782572892">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-c2bc-ea42-00e4-305fa03ba175" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="49af3efb4f87ff2d9265edd0ffffffe" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-054/B16-SN-DV-054.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:2f:e1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-027</Name>
    <Mor>vm-3573</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-027</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This vm is created by
prashanth(prasbr)</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:26.496602Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422446ef-86a8-bd4c-7271-
6a09f4659acd</uuid>
    <instanceUuid>502419c3-1d1e-d4a2-4bd8-
8841cf04a778</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-027/
</vmxDir>
    <template>>false</template>

```

```

<IpAddress>10.106.9.37</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-027</hostName>
<host>b16-sn-dv-esx-08.cisco.com
</host>
<hostMor>host-1325</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>11</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-027/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-027/" logDir="[SN-DV-FC-B] B16-SN-DV-027/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-027/B16-SN-DV-027.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-027.vmx</Name>
  <Size>3186</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-027.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-027.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-027.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-027.vmdk</Name>

```

```

        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>1519378058</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>189189</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>727916705</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>24272</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>1688166169</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="26519919579" Uncommitted="67854770176"
Committed="26519919579">
    </StorageInfo>
    <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-3588-f804-cfc7-48d10f435899" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e36ea91d798ad01a3bf4beb7fe6426bc" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-027/B16-SN-DV-027.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:25:3f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-207</Name>
    <Mor>vm-1135</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-207</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Created for JT as per
Apr13jtsubramSCC1414, later on withdrawn the request, ready to
provision to any user
OS: WIN server 2k8</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.540227Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>

```

```

aa2f6b67df55</uuid>
1da55baf6f3f</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] B16-SN-DV-207/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-207/" logDir="[SN-DV-FC-A] B16-SN-DV-207/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-207/B16-SN-DV-207.vmx">
NumCPUs="2">

```

```

<uuid>42008a8f-5fee-3e31-babd-
<instanceUuid>500034d8-c4dc-7768-4663-
<vmxDir>[SN-DV-FC-A] B16-SN-DV-207/
<template>>false</template>
<IpAddress>10.106.9.217</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
<NicIpaddresses>unassigned
<hostName>B16-SN-DV-207</hostName>
<host>b16-sn-dv-esx-03.cisco.com
<hostMor>host-1174</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-207/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-207/" logDir="[SN-DV-FC-A] B16-SN-DV-207/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-207/B16-SN-DV-207.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-207.vmx</Name>
  <Size>3351</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-207.vmx</Name>
  <Size>3046</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-207.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>

```

```

<File Type="VmFileInfo">
  <Name>B16-SN-DV-207.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-207-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-207.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>762421</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>282937</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>203260</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>498188</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>148758</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24275</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="7614596680" Uncommitted="39893946368"
Committed="7614596680">
</StorageInfo>
<Datastore Mor="datastore-836"

```



```

Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-a98d-e22b-8be7-ffcadf43e7e1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9e5449cfbe7ea2a9e89f381f11b23cfe" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-207/B16-SN-DV-207.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:5f:b7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-106</Name>
    <Mor>vm-1228</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-106</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Windows 2003 Standard, VM

```

```

created from the template prepared by Srinivasa Rao Aravilli.
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
22T11:29:21.543314Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d6cdb-a8a0-e54d-651a-
2626b86c8cd1</uuid>
    <instanceUuid>5239cab2-a991-0b6c-cd2c-
bb996e7c6511</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-106/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.116</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.116)
</NicIpaddresses>
    <hostName>B16-SN-DV-106.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-05.cisco.com
</host>
    <hostMor>host-2873</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>20</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-106/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-106/" logDir="[SN-DV-FC-A] B16-SN-DV-106/"

```

```

vmxPath="[SN-DV-FC-A] B16-SN-DV-106/SCC-BGL04-DV-07-VM.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-07-VM.vmx
  </Name>
    <Size>3637</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-07-VM.vmx
  </Name>
    <Size>3049</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-07-VM.nvram
  </Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-07-VM.vmsd
  </Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-07-VM-aux.xml
  </Name>
    <Size>0</Size>
    <Type>snapshotManifestList
  </Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-Dev-VM-07-
000003.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-Dev-VM-07-
Snapshot1.vmsn</Name>
    <Size>4300441331</Size>
    <Type>snapshotData</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-07-VM-
d3ec343c.vswp</Name>
    <Size>4294967296</Size>

```

```

        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-DV-07-VM-
3555472444-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-37.log</Name>
    <Size>2564921</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-36.log</Name>
    <Size>1650028</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-40.log</Name>
    <Size>25701</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-41.log</Name>
    <Size>506180076</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-39.log</Name>
    <Size>140386</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-38.log</Name>
    <Size>147639</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>610339</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="137116270383" Uncommitted="105092272128"
Committed="137116270383">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C291-4406-5f83-d670-fd46d9958cc0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2473025bab721d2fe0c64f03c0f539e1" Parent="[SN-DV-FC-A]
B16-SN-DV-106/SCC-BGL04-Dev-VM-07-000002.vmdk" Disk="[SN-DV-FC-A]
B16-SN-DV-106/SCC-BGL04-Dev-VM-07-000003.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:55:c7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="9000" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"

```

```

dsMor="Uninitialized" DeviceName="/dev/ttyS1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="1" Key="9001" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
    <Snapshot>dv-07-1</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-053</Name>
    <Mor>vm-1313</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-053</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is created by
sandeep byrappa</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel4_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 4 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:18.231026Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42039fda-e134-d6e6-315e-
ca9aa1366eb1</uuid>
    <instanceUuid>527b22aa-665b-5515-20d9-
98522169c922</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-053/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.63</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-053</hostName>
    <host>b16-sn-dv-esx-06.cisco.com
</host>
    <hostMor>host-1269</hostMor>
    <ResourcePoolMor>resgroup-287

```

```

</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-053/" suspendDir="[SN-DV-FC-B] B16-SN-DV-053/"
logDir="[SN-DV-FC-B] B16-SN-DV-053/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-053/SCC-BGL04-DV-71.vmx">
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-71.vmx</Name>
  <Size>3344</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-71.vmx
  <Size>3473</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-71.nvram
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-71.vmsd
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-71.vmdk
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-40.log</Name>
  <Size>142538</Size>
  <Type>log</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-41.log</Name>
      <Size>130580</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-42.log</Name>
      <Size>118120</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-44.log</Name>
      <Size>24652</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>143836</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-43.log</Name>
      <Size>106878</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-39.log</Name>
      <Size>385838</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="34464615335" Uncommitted="77530046464"
Committed="34464615335">
      </StorageInfo>
      <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-235a-0349-7165-11d85e669646" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1e19ffd7dcc0e138819abeef97410714" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-053/SCC-BGL04-DV-71.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```



```

MacAddress="00:50:56:83:48:e2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/linux.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-056</Name>
    <Mor>vm-1157</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-056</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is created by
sandeep byrappa</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
05T09:02:58.281233Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected

```

```

</connectionState>
                                <uuid>4203ffa1-9c2a-4bee-14f0-
0ee1259e6a10</uuid>
                                <instanceUuid>52ad27fb-3474-3c73-b123-
bf1a83924f82</instanceUuid>
                                <vmxDir>[SN-DV-FC-B] B16-SN-DV-056/
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.9.66</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.9.66)
</NicIpaddresses>
                                <hostName>B16-SN-DV-056.scc-dv.com
</hostName>
                                <host>b16-sn-dv-esx-08.cisco.com
</host>
                                <hostMor>host-1325</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-056/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-056/" logDir="[SN-DV-FC-B] B16-SN-DV-056/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-056/SCC-BGL04-DV-75.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-BGL04-DV-75.vmx</Name>
                                    <Size>3256</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-BGL04-DV-75.vmx
</Name>
                                    <Size>3049</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-BGL04-DV-75.nvram

```

```

</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-75.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-75.vmdk
</Name>
        <Size>104872320</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-75-
339038c8.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmx-SCC-BGL04-DV-75-
865089736-1.vswp</Name>
        <Size>96468992</Size>
        <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-31.log</Name>
        <Size>24665</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-32.log</Name>
        <Size>173462</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-30.log</Name>
        <Size>99739</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-33.log</Name>
        <Size>175325</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>111084</Size>
        <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-28.log</Name>
            <Size>320659</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>150297</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="104060703884" Uncommitted="7721058304"
Committed="104060703884">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-25dd-d8fe-ded3-9e7264857e66" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104872320"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="22bf9f376eea71799255fdcac417a948" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-056/SCC-BGL04-DV-75.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:7a:ba" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-058</Name>
    <Mor>vm-1158</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-058</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is provisioned by
bpattana on 31-JAN-11</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.153923Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203fc9e-177d-d261-3af7-
9d652f5c0614</uuid>
    <instanceUuid>5299cf52-f497-16d3-1336-
8985a33836cb</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-058/
</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-03.cisco.com
</host>

```

```

        <hostMor>host-1174</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-058/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-058/" logDir="[SN-DV-FC-A] B16-SN-DV-058/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-058/SCC-BGL04-DV-77.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-77.vmx</Name>
            <Size>3295</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-77.vmx
</Name>
            <Size>374</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-77.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-77.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-77-
000001.vmdk</Name>
            <Size>146800640</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-77-
Snapshot1.vmsn</Name>

```

```

        <Size>17185580934</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-49.log</Name>
        <Size>154171</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-48.log</Name>
        <Size>2488786</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-50.log</Name>
        <Size>137041</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-46.log</Name>
        <Size>103367</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>400723</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-51.log</Name>
        <Size>25320</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-47.log</Name>
        <Size>963657</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="156540664688" Uncommitted="138589319168"
Committed="156540664688">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-eb8b-c1ca-f19a-f679e4b32746" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="146800640"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="60bbced775cb9e373be427c054d2f7b9" Parent="[SN-DV-FC-A]
B16-SN-DV-058/SCC-BGL04-DV-77.vmdk" Disk="[SN-DV-FC-A] B16-SN-DV-
058/SCC-BGL04-DV-77-000001.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:64:23" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>lavy_18-1-2012</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-057</Name>
    <Mor>vm-1332</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-057</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM is updated byamith
shah</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>

```



```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:33.072178Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d76d4-c5ee-8d63-31ea-
7d5c6038f73f</uuid>
        <instanceUuid>502dda1d-ee86-7569-d857-
5ec5c383d540</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.67</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-057.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-04.cisco.com
</host>
        <hostMor>host-1209</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-057/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-057/" logDir="[SN-DV-FC-A] B16-SN-DV-057/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-057/New Virtual Machine.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.vmx
</Name>
            <Size>3211</Size>
            <Type>config</Type>
        </File>

```

```

</Name>
    <File Type="VmFileInfo">
        <Name>New Virtual Machine.vmx
        <Size>3085</Size>
        <Type>extendedConfig</Type>
    </File>
</Name>
    <File Type="VmFileInfo">
        <Name>New Virtual Machine.nvram
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
</Name>
    <File Type="VmFileInfo">
        <Name>New Virtual Machine.vmsd
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
</Name>
    <File Type="VmFileInfo">
        <Name>New Virtual Machine.vmdk
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-37.log</Name>
        <Size>1527848521</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>153961</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>180806</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-36.log</Name>
        <Size>745793577</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>507339</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-38.log</Name>
        <Size>24368</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-33.log</Name>
        <Size>429153</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="74857383425" Uncommitted="39348686848"
Committed="74857383425">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-c683-dd53-ae05-307ab0ccfb73" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8f1f89c05cff56181f352ff820671314" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-057/New Virtual Machine.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:7e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"

```

```

UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-059</Name>
    <Mor>vm-3564</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-059</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Verified, This VM
provisioned by Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T05:28:12.088174Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42249b24-c72e-9c79-b02a-
560b1b2bf416</uuid>
    <instanceUuid>50243631-f5ba-5b70-27ed-
bc867016ebc6</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-059/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.69</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.69)
(fe80::250:56ff:fea4:2de6)</NicIpaddresses>
    <hostName>B16-SN-DV-059</hostName>
    <host>b16-sn-dv-esx-07.cisco.com
</host>
    <hostMor>host-1293</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-059/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-059/" logDir="[SN-DV-FC-B] B16-SN-DV-059/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-059/B16-SN-DV-059.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-059.vmx</Name>
            <Size>3416</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-059.vmx</Name>
            <Size>3432</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-059.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-059.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-059.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-059-
339038cb.vswp</Name>
            <Size>4294967296</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmx-B16-SN-DV-059-
865089739-1.vswp</Name>
            <Size>96468992</Size>
            <Type>uwsap</Type>
        </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-2.log</Name>
      <Size>174343</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-1.log</Name>
      <Size>355715</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-3.log</Name>
      <Size>139773</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-4.log</Name>
      <Size>24274</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-5.log</Name>
      <Size>841685</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>1103607691</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="76364604261" Uncommitted="36506173440"
Committed="76364604261">
      </StorageInfo>
      <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-f100-7570-afd7-318005372307" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="320548c8cb8a1a0d3058469c2b3b07ea" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-059/B16-SN-DV-059.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```

```

MacAddress="00:50:56:a4:2d:e6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-VSM</Name>
    <Mor>vm-5315</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-VSM</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
28T09:25:19.196948Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224a877-41a9-0c68-f75c-
300a5c1c7950</uuid>

```

```

3df5b3e9e4eb</instanceUuid>
    <instanceUuid>5024979e-4525-dfaf-6f63-
    <vmxDir>[TEMP] B16-SN-DV-VSM/</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.9</IpAddress>
    <Networks>SOLUTIONS-DEV
    (&lt;True&gt;),VM Network(&lt;False&gt;)</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;),VM
    Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>(10.106.9.9),
</NicIpaddresses>
    <hostName>B16-SN-DV-VSM</hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>
    <hostMor>host-1209</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>2
</NumberOfBackingDisks>
    <NumberOfFiles>17</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
    snapshotDir="[TEMP] B16-SN-DV-VSM/" suspendDir="[TEMP] B16-SN-DV-
    VSM/" logDir="[TEMP] B16-SN-DV-VSM/" vmxPath="[TEMP] B16-SN-DV-
    VSM/B16-SN-DV-VSM.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="11264"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-VSM.vmx</Name>
        <Size>3539</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-VSM.vmx</Name>
        <Size>3367</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-VSM.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-VSM.vmsd</Name>
        <Size>0</Size>

```



```

        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-VSM.vmdk</Name>
    <Size>209715200</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-VSM_1.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-VSM-
7026071e.vswp</Name>
    <Size>536870912</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-VSM-
1881540382-1.vswp</Name>
    <Size>98566144</Size>
    <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>146435</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>89982</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>135772</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>24543</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>242306</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>

```

```

        <Size>133996</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>113282</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="32077890322" Uncommitted="226256486400"
Committed="32077890322">
        </StorageInfo>
        <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-1688-f015-3d7c-1542eea5f857" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="23e0017d4aaa5f01bfdaf2a148db0f39" Parent=""
Disk="[TEMP] B16-SN-DV-VSM/B16-SN-DV-VSM.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-03d0-2770-7aab-cfc392dca79e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="71bfcl17899eb3f021e436140ffffffe" Parent=""
Disk="[TEMP] B16-SN-DV-VSM/B16-SN-DV-VSM_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:3e:15" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:10:34" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD/DVD drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-171</Name>
    <Mor>vm-1234</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-171</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>

```

```

                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
02T05:39:34.140021Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>420048a9-0149-cac7-810a-
525afca191e0</uuid>
                                <instanceUuid>50002bd3-f0ca-04e7-bdd1-
cc93f002ec28</instanceUuid>
                                <vmxDir>[SN-DV-FC-A] B16-SN-DV-171/
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.9.181</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.9.181)
(fe80::250:56ff:fe80:56f4)</NicIpaddresses>
                                <hostName>B16-SN-DV-171</hostName>
                                <host>b16-sn-dv-esx-05.cisco.com
</host>
                                <hostMor>host-2873</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-171/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-171/" logDir="[SN-DV-FC-A] B16-SN-DV-171/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-171/B16-SN-DV-171.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="8192"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-171.vmx</Name>
                                    <Size>3115</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-171.vmx</Name>
                                    <Size>3428</Size>
                                    <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-171.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-171.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-171.vmdk</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-171-
d3ec351e.vswp</Name>
  <Size>8589934592</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-171-
3555472670-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>24270</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>178964</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>108465</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>154289</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>300628</Size>
  <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>178474</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>149088</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="36171738525" Uncommitted="36940283904"
Committed="36171738525">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-d8be-4f03-e11e-09571062245e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bc8da9e0994bb2dd6bee8745072b3a93" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-171/B16-SN-DV-171.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:56:f4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingFloppy UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-228-Del-29-1-14</Name>
    <Mor>vm-5410</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-228-Del-29-1-14</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
prasbr on 18-OCT-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
29T02:27:21.141383Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422451d1-77e5-8b8c-4d11-
0cf2bd5elda3</uuid>
    <instanceUuid>502436b7-de0a-949d-3cdd-
022461c16c6c</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-228/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>None</Nics>
    <NicIpaddresses></NicIpaddresses>
    <hostName></hostName>

```

```

</host>
    <host>b16-sn-dv-esx-07.cisco.com
    <hostMor>host-1293</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>17</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-228/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-228/" logDir="[SN-DV-FC-B] B16-SN-DV-228/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-228/B16-SN-DV-228.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-228.vmx</Name>
        <Size>3057</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-228.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-228.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-228.vmsd</Name>
        <Size>1074</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-228-000002.vmdk
</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-228-
Snapshot1.vmsn</Name>
        <Size>28644</Size>

```



```

        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-228-
Snapshot2.vmsn</Name>
        <Size>28651</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>159618</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>238086</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>25930</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>919188</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>125554</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>198176</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>171238</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="24071257276" Uncommitted="84180930560"
Committed="24071257276">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C29a-45db-2383-dd5c-d8d3fbd3f753" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8755d1489aab8e18e22cac7770731365" Parent="[SN-DV-FC-B]
B16-SN-DV-228/B16-SN-DV-228-000001.vmdk" Disk="[SN-DV-FC-B] B16-
SN-DV-228/B16-SN-DV-228-000002.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:1c:6b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>clone-temp-1385624482067225
</Snapshot>
    <Snapshot>clone-temp-1385630192941440
</Snapshot>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-176</Name>
        <Mor>vm-1214</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-176</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>

```

```

        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:06:14.910306Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200c7d1-33e6-bed5-cf58-
f52809285001</uuid>
        <instanceUuid>5000d218-2bd5-1fd5-fd83-
81e623542dcc</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.186</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-176</hostName>
        <host>b16-sn-dv-esx-05.cisco.com
</host>
        <hostMor>host-2873</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-176/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-176/" logDir="[SN-DV-FC-A] B16-SN-DV-176/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-176/B16-SN-DV-176.vmx">
</VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>

```

```
<File Type="VmFileInfo">
  <Name>B16-SN-DV-176.vmx</Name>
  <Size>3194</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-176.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-176.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-176.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-176.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>139428</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>179621</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>154641</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>301533</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>138177</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
```

```

        <Size>24277</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>169794</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="16830767577" Uncommitted="95084191744"
Committed="16830767577">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-2b31-a16d-428c-43e2904866ea" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b3db47bdaled3bb754608eafa818b26f" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-176/B16-SN-DV-176.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6c:37" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"

```

```

ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>RHEL-6-test</Name>
  <Mor>vm-6127</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Solutions
Development\RHEL-6-test</Path>
  <ParentMor>group-v1379</ParentMor>
  <Annotation></Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel6_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-
03T17:50:59.183252Z</ChangeVersion>
  <powerState>poweredOn</powerState>
  <connectionState>connected
</connectionState>
  <uuid>42241934-b772-8eb6-6825-
a7fc1ac3a2eb</uuid>
  <instanceUuid>5024f677-b8a7-41cd-3235-
08207068a371</instanceUuid>
  <vmxDir>[TEMP] New Virtual Machine_2/
</vmxDir>
  <template>>false</template>
  <IpAddress></IpAddress>
  <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
  <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
  <NicIpaddresses>unassigned
</NicIpaddresses>
  <hostName></hostName>
  <host>b16-sn-dv-esx-08.cisco.com
</host>
  <hostMor>host-1325</hostMor>
  <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
  <NumberOfDatastores>1
</NumberOfDatastores>
  <NumberOfBackingDisks>1
</NumberOfBackingDisks>

```

```

        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[TEMP] New Virtual Machine_2/" suspendDir="[TEMP]
New Virtual Machine_2/" logDir="[TEMP] New Virtual Machine_2/"
vmxPath="[TEMP] New Virtual Machine_2/New Virtual Machine.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.vmx
</Name>
                <Size>2827</Size>
                <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.vmx
</Name>
                <Size>0</Size>
                <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.nvram
</Name>
                <Size>8684</Size>
                <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.vmsd
</Name>
                <Size>0</Size>
                <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.vmdk
</Name>
                <Size>83886080</Size>
                <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine-
f2f33bf4.vswp</Name>
                <Size>4294967296</Size>
                <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmx-New Virtual Machine-
4076026868-1.vswp</Name>

```

```

        <Size>113246208</Size>
        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>126290</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>24536</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-17.log</Name>
        <Size>226336</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>121818</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>123550</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>185713</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>138294</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="TEMP"
Unshared="90308517472" Uncommitted="0" Committed="90308517472">
    </StorageInfo>
    <Datastore Mor="datastore-415"
Url="/vmfs/volumes/50320759-02413464-3a54-1025b500005f"
Name="TEMP">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-5d8a-13df-77b5-3d7ed1533c26" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-415"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c5e90159c980c0925d1d51eb2d0171c3" Parent=""

```



```

Disk="[TEMP] New Virtual Machine_2/New Virtual Machine.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:02:05" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-177</Name>
    <Mor>vm-1305</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-177</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Clone of B16-SN-DV-169
(10.106.9.179) -ptirunag</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
30T08:10:26.496124Z</ChangeVersion>
</connectionState>
bdbd1483b04e</uuid>
4ca12768e563</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-A] B16-SN-DV-177/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-177/" logDir="[SN-DV-FC-A] B16-SN-DV-177/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-177/B16-SN-DV-177.vmx">
NumCPUs="2">

```

<ChangeTrackingSupported>true  
 <BootOptionsSupported>true  
 <SwapPlacementSupported>true  
 <SwapPlacement>inherit</SwapPlacement>  
 <ChangeVersion>2013-12-  
 <powerState>poweredOff</powerState>  
 <connectionState>connected  
 <uuid>4200f51e-2c76-ca99-61a5-  
 <instanceUuid>500067ff-a786-c45c-0916-  
 <vmxDir>[SN-DV-FC-A] B16-SN-DV-177/  
 <template>>false</template>  
 <IpAddress>10.106.9.187</IpAddress>  
 <Networks>SOLUTIONS-DEV(&lt;False&gt; ; )  
 <Nics>SOLUTIONS-DEV(&lt;false&gt; ; )  
 <NicIpaddresses>unassigned  
 <hostName>B16-SN-DV-177.scc-dv.com  
 <host>b16-sn-dv-esx-08.cisco.com  
 <hostMor>host-1325</hostMor>  
 <ResourcePoolMor>resgroup-287  
 <NumberOfDatastores>1  
 <NumberOfBackingDisks>1  
 <NumberOfFiles>14</NumberOfFiles>  
 <CpuFeatureMaskSupported>true  
 <NumberOfFeatureMaskEntries>0  
 <VirtualMachineFileInfo  
 <VirtualHardware MemoryMB="4096"  
 </VirtualHardware>  
 <File Type="VmFileInfo">

```

        <Name>B16-SN-DV-177.vmx</Name>
        <Size>3229</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-177.vmx</Name>
    <Size>3047</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-177.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-177.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-177-aux.xml
</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-177.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>417754</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>253822</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>142281798</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>376083</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-5.log</Name>
        <Size>150292</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>24281</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>249359</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="80148019997" Uncommitted="31926865920"
Committed="80148019997">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-4f37-b38b-d094-0b9ce16598f6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="66cafb4a9952a81d1ae034345027f7de" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-177/B16-SN-DV-177.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:14:c2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-178</Name>
    <Mor>vm-1290</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-178</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:33.069605Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200d26a-6d49-2ad3-8ef7-
alf70a55ec69</uuid>
    <instanceUuid>5000aef2-1b44-c3ff-5827-
866e2420765d</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-178/
</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-04.cisco.com

```

```

</host>
<hostMor>host-1209</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-178/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-178/" logDir="[SN-DV-FC-B] B16-SN-DV-178/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-178/B16-SN-DV-178.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-178.vmx</Name>
  <Size>2995</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-178.vmx</Name>
  <Size>3079</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-178.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-178.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-178-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-178.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>4657547</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>8939080</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>3268717</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>24270</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>6113643</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>2359208</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>38775039</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-B"
Unshared="42830324422" Uncommitted="4740435968"
Committed="42830324422">
  </StorageInfo>
  <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-5164-27ec-dlad-bda11a350136" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2792820c689a531a38d1a2da0365a276" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-178/B16-SN-DV-178.vmdk"

```

```

AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:7d:85" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-172</Name>
    <Mor>vm-1142</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-172</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>

```



```

                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
02T05:49:03.694492Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4200e332-2902-2d7c-27a7-
6cbe8d6ed390</uuid>
                                <instanceUuid>500088ac-ac9b-e35b-c556-
49a74064b093</instanceUuid>
                                <vmxDir>[SN-DV-FC-A] B16-SN-DV-172/
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.9.182</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.9.182)
(fe80::250:56ff:fe80:166e)</NicIpaddresses>
                                <hostName>b16-sn-dv-172</hostName>
                                <host>b16-sn-dv-esx-03.cisco.com
</host>
                                <hostMor>host-1174</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-172/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-172/" logDir="[SN-DV-FC-A] B16-SN-DV-172/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-172/B16-SN-DV-172.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="8192"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-172.vmx</Name>
                                    <Size>3002</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-172.vmx</Name>
                                    <Size>3475</Size>
                                    <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-172.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-172.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-172.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-172-
d3ec351f.vswp</Name>
  <Size>8589934592</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-172-
3555472671-1.vswp</Name>
  <Size>113246208</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>103216</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>104141</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>107043</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>142125</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>24622</Size>
  <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>170922</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>150029</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-A"
Unshared="28098459755" Uncommitted="87979720704"
Committed="28098459755">
            </StorageInfo>
            <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-7e82-f610-7555-846aca9635d5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="34bc43f69574998da5639d2412ac394b" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-172/B16-SN-DV-172.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:16:6e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingFloppy UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-173</Name>
    <Mor>vm-1150</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-173</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T05:45:41.130533Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420031e5-7d66-e9bc-aa01-
25efdb03b7d6</uuid>
    <instanceUuid>50008a11-da76-dea1-f63c-
0966bc8fffa2</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-173/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.183</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.183)
(fe80::250:56ff:fe80:cb2)</NicIpaddresses>

```

```

</host>
    <hostName>B16-SN-DV-173</hostName>
    <host>b16-sn-dv-esx-07.cisco.com

    <hostMor>host-1293</hostMor>
    <ResourcePoolMor>resgroup-287

    </ResourcePoolMor>
    <NumberOfDatastores>1

    </NumberOfDatastores>
    <NumberOfBackingDisks>1

    </NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true

    </CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0

    </NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-173/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-173/" logDir="[SN-DV-FC-A] B16-SN-DV-173/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-173/B16-SN-DV-173.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"

    NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-173.vmx</Name>
        <Size>2974</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-173.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-173.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-173.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-173.vmdk</Name>
        <Size>62914560</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-173-
d3ec3520.vswp</Name>
        <Size>8589934592</Size>

```

```

        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-B16-SN-DV-173-
3555472672-1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>141130</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>332441</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>104912</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>803475</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>24617</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>907159</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>148128</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="40484850580" Uncommitted="32628539392"
Committed="40484850580">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C29a-c0b0-f9a8-462d-88948234c30d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0d033b2d4204f9a8b673ece003dd2b20" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-173/B16-SN-DV-173.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:0c:b2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-174</Name>
    <Mor>vm-1133</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-174</Path>
    <ParentMor>group-v1379</ParentMor>

```

```

<Annotation></Annotation>
<Version>vmx-09</Version>
<GuestId>rhel6_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
02T05:53:00.662645Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>420076e0-e6e1-8dc1-f460-
96318a4fa8cb</uuid>
<instanceUuid>500044e3-6752-037d-aecb-
75febb085c11</instanceUuid>
<vmxDir>[SN-DV-FC-A] B16-SN-DV-174/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.184</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
<NicIpaddresses>(10.106.9.184)
(fe80::250:56ff:fe80:23f8)</NicIpaddresses>
<hostName>B16-SN-DV-174</hostName>
<host>b16-sn-dv-esx-04.cisco.com
</host>
<hostMor>host-1209</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-174/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-174/" logDir="[SN-DV-FC-A] B16-SN-DV-174/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-174/B16-SN-DV-174.vmx">
</VirtualMachineFileInfo>

```



NumCPUs="2">

```
<VirtualHardware MemoryMB="8192"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-174.vmx</Name>
  <Size>3375</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-174.vmx</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-174.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-174.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-174.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-174-
d3ec3521.vswp</Name>
  <Size>8589934592</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-174-
3555472673-1.vswp</Name>
  <Size>113246208</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>736727501</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>119507</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
```

```

        <Size>1532644915</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>24275</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>519564363</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>141851</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>1104232781</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="56154498525" Uncommitted="63816335360"
Committed="56154498525">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-5885-2784-08f4-778d08efb6e1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="aefa40blcf469eealccd4fad8e34a87e" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-174/B16-SN-DV-174.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:23:f8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network

```

```

adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-175</Name>
    <Mor>vm-1343</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-175</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:52.979455Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42007e2e-025f-e325-911f-
ce0d77a72487</uuid>

```

```

<instanceUuid>5000add0-408b-5f87-fd9e-
3ce6febcccc91</instanceUuid>
<vmxDir>[SN-DV-FC-A] B16-SN-DV-175_1/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.185</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-DV-175</hostName>
<host>b16-sn-dv-esx-07.cisco.com
</host>
<hostMor>host-1293</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-175_1/" suspendDir="[SN-DV-
FC-A] B16-SN-DV-175_1/" logDir="[SN-DV-FC-A] B16-SN-DV-175_1/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-175_1/B16-SN-DV-175.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-175.vmx</Name>
  <Size>3197</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-175.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-175.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-175.vmsd</Name>

```

```

        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-175.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>846311</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>376605</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>146567</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>536588</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>137831</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>155094</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>24328</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="24271530153" Uncommitted="87644545024"
Committed="24271530153">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C292-1283-cee6-b9f3-a167de658726" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="64e20811a789a52cd92adb771d720bb2" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-175_1/B16-SN-DV-175.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:0d:33" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-217-16-Dec-13-DEL
</Name>
    <Mor>vm-5300</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-217-16-Dec-13-DEL</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>

```

```

    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:26.69509Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422440d2-fa8e-c26b-7892-
fe282574d642</uuid>
    <instanceUuid>5024c65f-069d-708b-8506-
e8496b2624f3</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-08.cisco.com
</host>
    <hostMor>host-1325</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>10</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-217/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-217/" logDir="[SN-DV-FC-A] B16-SN-DV-217/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-217/B16-SN-DV-217.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-217.vmx</Name>
        <Size>2971</Size>

```

```

        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-217.vmx</Name>
    <Size>268</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-217.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-217.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-217.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>757669954</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>229386</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>1713396285</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24199</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="38068389795" Uncommitted="76334059520"
Committed="38068389795">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-c0af-7b30-ff7d-168f47e935f9" ChangeId=""

```



```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0ab0e4533016aed745e46939f0c751fd" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-217/B16-SN-DV-217.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:1a:cc" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-130</Name>
    <Mor>vm-1225</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-130</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by

```

```

sbyrappa on 20-NOV-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T06:45:09.78115Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d01d4-3cc7-0c88-c22a-
c81e5d946b7d</uuid>
    <instanceUuid>502d6a00-51f2-f72a-c45a-
7d1a67721083</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-130/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.140</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.9.140)
</NicIpaddresses>
    <hostName>B16-SN-DV-130.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-05.cisco.com
</host>
    <hostMor>host-2873</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-130/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-130/" logDir="[SN-DV-FC-A] B16-SN-DV-130/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-130/B16-SN-DV-130.vmx">

```

```

</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-130.vmx</Name>
  <Size>3761</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-130.vmx</Name>
  <Size>3044</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-130.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-130.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-130-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-130.vmdk</Name>
  <Size>125829120</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-130-
d3ec3499.vswp</Name>
  <Size>8589934592</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-130-
3555472537-1.vswp</Name>
  <Size>98566144</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-43.log</Name>
  <Size>214919514</Size>
  <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-39.log</Name>
  <Size>490576</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-40.log</Name>
  <Size>45441027</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-42.log</Name>
  <Size>24278</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-38.log</Name>
  <Size>107440</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-41.log</Name>
  <Size>150739</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>893712361</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="64934496624" Uncommitted="73757884416"
Committed="64934496624">
  </StorageInfo>
  <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-2de4-5648-ab26-558b54081f5e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="125829120"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f17cd8acb4451db7dad5e1b3dec0f1c8" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-130/B16-SN-DV-130.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:68:de" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="0" Key="9000" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
    <BackingSerialPort YieldOnPoll="false"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="1" Key="9001" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-131</Name>
    <Mor>vm-1218</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-131</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>

```

```

                                <Version>vmx-09</Version>
                                <GuestId>winNetStandardGuest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
02T05:36:31.779563Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>422d2371-8f5c-2dd2-405d-
fe45249e9b9b</uuid>
                                <instanceUuid>502d25a5-d580-fb80-61ae-
afa9dcc6b450</instanceUuid>
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.9.141</IpAddress>
                                <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.9.141)
</NicIpaddresses>
                                <hostName>scc-sdp-4.scc-dv.com
</hostName>
                                <host>b16-sn-dv-esx-05.cisco.com
</host>
                                <hostMor>host-2873</hostMor>
                                <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>16</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-131/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-131/" logDir="[SN-DV-FC-A] B16-SN-DV-131/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-131/B16-SN-DV-131.vmx">
                                </VirtualMachineFileInfo>

```

```

NumCPUs="2">
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-131.vmx</Name>
  <Size>3450</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-131.vmx</Name>
  <Size>3044</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-131.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-131.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-131-aux.xml
  <Size>0</Size>
  <Type>snapshotManifestList
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-131-
d3ec349a.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-131-
3555472538-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-36.log</Name>
  <Size>208329718</Size>
  <Type>log</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-35.log</Name>
      <Size>209954826</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-37.log</Name>
      <Size>24275</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-33.log</Name>
      <Size>341639</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-34.log</Name>
      <Size>220191</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-32.log</Name>
      <Size>186425</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>1050458248</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="58450198916" Uncommitted="1112251392"
Committed="58450198916">
      </StorageInfo>
      <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-c586-c1b3-d1ff-c33b84711154" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52442855"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="76a85b222f82c26b8f00393e086be367" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-131/B16-SN-DV-131.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```



```

MacAddress="00:50:56:ad:09:df" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="0" Key="9000" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
    <BackingSerialPort YieldOnPoll="false"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="1" Key="9001" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-132</Name>
    <Mor>vm-1302</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-132</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>

```

```

    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:06:15.114943Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d5ba1-967e-e835-567e-
a547e378ea43</uuid>
    <instanceUuid>502dd5c2-2e7f-1617-53bb-
78c88499f0ca</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.142</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-132.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-05.cisco.com
</host>
    <hostMor>host-2873</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-132/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-132/" logDir="[SN-DV-FC-A] B16-SN-DV-132/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-132/B16-SN-DV-132.vmx">
</VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"

```

NumCPUs="2">

```
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-132.vmx</Name>
  <Size>3385</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-132.vmx</Name>
  <Size>3044</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-132.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-132.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-132-aux.xml
  <Size>0</Size>
  <Type>snapshotManifestList
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-132.vmdk</Name>
  <Size>31471335</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-32.log</Name>
  <Size>121261</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>155752</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>24627</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>163862</Size>
```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-33.log</Name>
        <Size>149190</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-30.log</Name>
        <Size>633447</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>340115</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="31193593639" Uncommitted="3426827264"
Committed="31193593639">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-9af5-0093-f53a-1d9317ac5e2b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="31471335"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9abec6a75234973fe77ca81e9e3daa38" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-132/B16-SN-DV-132.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:b7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-133</Name>
    <Mor>vm-1167</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-133</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This Machine was Created
using the Base template &quot;SCC-SDP-V1.0&quot; By Sandeep
Byrappa on 8-AUG-2011</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:01:45.706486Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d406e-e765-83c3-d28e-
a88c63230a0b</uuid>
    <instanceUuid>502db5da-3d03-90cf-fcbd-
a92d57b9bf69</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-133/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.143</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt;)

```

```

</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-133/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-133/" logDir="[SN-DV-FC-B] B16-SN-DV-133/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-133/B16-SN-DV-133.vmx">
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-133.vmx</Name>
  <Size>3794</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-133.vmx</Name>
  <Size>3044</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-133.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-133.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-133-aux.xml
  <Size>0</Size>
  <Type>snapshotManifestList

```

</Type>

```
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-133.vmdk</Name>
  <Size>63033472</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-133-
33903cc4.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-133-
865090756-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-32.log</Name>
  <Size>1295317</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-35.log</Name>
  <Size>171663</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>256644</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>24627</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-33.log</Name>
  <Size>107069</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-36.log</Name>
  <Size>227464</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>154633</Size>
```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="68365213835" Uncommitted="574750720"
Committed="68365213835">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-2e66-cbe6-0dd4-cl2a4dab322e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="63033472"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9d2f4e0c004c26ef41fe8642d7a6d28b" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-133/B16-SN-DV-133.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:09:aa" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
                            </BackingCdrom>
                            <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""

```



```

FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="0" Key="9000" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/ttyS0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="1" Key="9001" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-134</Name>
    <Mor>vm-4673</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-134</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
prasbr on 20-AUG-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:10:48.320264Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42240d56-dc00-9920-b853-
68e3ceb679e6</uuid>
    <instanceUuid>50249dbe-8e67-5298-a8e9-
f39b96ca3f9c</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-134/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.144</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;false&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)

```

```

</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-134/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-134/" logDir="[SN-DV-FC-B] B16-SN-DV-134/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-134/B16-SN-DV-134.vmx">
NumCPUs="2">

```

```

<NicIpaddresses>unassigned
<hostName>B16-SN-DV-134</hostName>
<host>b16-sn-dv-esx-03.cisco.com
<hostMor>host-1174</hostMor>
<ResourcePoolMor>resgroup-287
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>12</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-134/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-134/" logDir="[SN-DV-FC-B] B16-SN-DV-134/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-134/B16-SN-DV-134.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-134.vmx</Name>
  <Size>3102</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-134.vmx</Name>
  <Size>3330</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-134.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-134.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-134.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-2.log</Name>
        <Size>152691067</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>1283396508</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>2055684246</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>751525609</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>24190</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>162556</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="10532858140" Uncommitted="84166922240"
Committed="10532858140">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-966d-7b1e-f8f0-e715a6db3f6a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1627a3887e060ca2bf33f6072de0dbab" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-134/B16-SN-DV-134.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:5b:72" AddressType="assigned"

```

```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-011</Name>
    <Mor>vm-1125</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-011</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
sbyrappa on 12-MAY-2011</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
03T11:27:43.231679Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d1bfe-fa43-1b66-0607-
78dfc2c0edd5</uuid>

```

```

<instanceUuid>502d1840-3f0e-0d37-0583-
b52587f49ce7</instanceUuid>
<vmxDir>[SN-DV-FC-B] B16-SN-DV-011/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.21</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
<NicIpaddresses>(10.106.9.21)
</NicIpaddresses>
<hostName>b16-sn-dv-011.scc-dv.com
</hostName>
<host>b16-sn-dv-esx-03.cisco.com
</host>
<hostMor>host-1174</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-011/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-011/" logDir="[SN-DV-FC-B] B16-SN-DV-011/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-011/SCC-BGL04-DV-127-NEW.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-DV-127-NEW.vmx
</Name>
<Size>3444</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-DV-127-NEW.vmx
</Name>
<Size>3054</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-DV-127-NEW.nvram
</Name>
<Size>8684</Size>

```

```

        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-127-NEW.vmsd
</Name>

    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-127-NEW.vmdk
</Name>

    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-DV-127-NEW-
3390383f.vswp</Name>

    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-DV-127-NEW-
865089599-1.vswp</Name>

    <Size>96468992</Size>
    <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-38.log</Name>
    <Size>171697</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-40.log</Name>
    <Size>24737</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-37.log</Name>
    <Size>130894</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-36.log</Name>
    <Size>640817</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-41.log</Name>
    <Size>238281</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-39.log</Name>
        <Size>162355</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>173046</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="101059117585" Uncommitted="10708058112"
Committed="101059117585">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-3754-0054-d8be-75c29f729579" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9352ec2d610dac686e4416f43c9936f8" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-011/SCC-BGL04-DV-127-NEW.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:59" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"

```

```

DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-208-13-Jan-14-DEL
</Name>
    <Mor>vm-1206</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-208-13-Jan-14-DEL</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM was created by
radchin on 12-APR-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
13T18:01:51.24709Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420087bb-b44f-e7d3-8629-
e75be69d3b0a</uuid>
    <instanceUuid>5000b777-02ec-8b5d-4f96-
7993cc60a7fe</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-208/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.218</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-208.scc-dv.com
</hostName>
    <host>b16-sn-dv-esx-04.cisco.com
</host>

```



```

        <hostMor>host-1209</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-208/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-208/" logDir="[SN-DV-FC-B] B16-SN-DV-208/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-208/B16-SN-DV-208.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-208.vmx</Name>
            <Size>3235</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-208.vmx</Name>
            <Size>3047</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-208.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-208.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-208-aux.xml
</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-208.vmdk</Name>
            <Size>125829120</Size>
            <Type>diskDescriptor</Type>
        </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-8.log</Name>
      <Size>281563062</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-7.log</Name>
      <Size>1628487</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-11.log</Name>
      <Size>249420</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-10.log</Name>
      <Size>24281</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-6.log</Name>
      <Size>185291</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>206224</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-9.log</Name>
      <Size>143282</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="83227425189" Uncommitted="50462543872"
Committed="83227425189">
      </StorageInfo>
      <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-2785-86e8-c98f-8f5fcb0a2512" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="125829120"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0879e82167582e37f0364e37ad6af836" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-208/B16-SN-DV-208.vmdk"
AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:44:1d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-010</Name>
    <Mor>vm-1220</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-010</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Can you please transfer
the ownership to the below mentioned VMs to jtsubram, this is
currently owned by mushekha but he has been released from the
team.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>

```

```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
10T12:54:19.096678Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>564d524b-4db3-4466-ee65-
ed27a0c1fe7e</uuid>
        <instanceUuid>52ca6143-3fad-061f-bed0-
59390bdf508e</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-010/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.20</IpAddress>
        <Networks>SOLUTIONS-DEV
(&lt;True&gt;), SOLUTIONS-DEV(&lt;True&gt;)</Networks>
        <Nics>SOLUTIONS-DEV
(&lt;true&gt;), SOLUTIONS-DEV(&lt;true&gt;)</Nics>
        <NicIpaddresses>(10.106.9.20)
(fe80::250:56ff:fead:32b7), (fe80::250:56ff:fead:1092)
</NicIpaddresses>
        <hostName>B16-SN-DV-010</hostName>
        <host>b16-sn-dv-esx-05.cisco.com
</host>
        <hostMor>host-2873</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-010/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-010/" logDir="[SN-DV-FC-B] B16-SN-DV-010/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-010/SCC-BGL04-DV-123_1.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="4">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-123_1.vmx
</Name>
            <Size>3531</Size>
            <Type>config</Type>
        </File>

```

```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-123_1.vmx
</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-123.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-123_1.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-123_1.vmdk
</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-123_1-
3390383e.vswp</Name>
  <Size>8589934592</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-BGL04-DV-123_1-
865089598-1.vswp</Name>
  <Size>98566144</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-30.log</Name>
  <Size>158824</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>628518</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>140867</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-28.log</Name>
        <Size>183757</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-33.log</Name>
        <Size>176182</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-32.log</Name>
        <Size>24350</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>153438</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="75611151216" Uncommitted="40453013504"
Committed="75611151216">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-c171-4ae1-4032-7687ebe0be7a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="eda347d2339243alcefe484eb655e9ee" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-010/SCC-BGL04-DV-123_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:b7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```

```

MacAddress="00:50:56:ad:10:92" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-135</Name>
    <Mor>vm-1149</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-135</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This vm is created by
chandra babu(chbabu)</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
13T14:59:17.835079Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dc682-bc90-7d34-c4c5-

```

```

2fc86acb0b19</uuid>
<instanceUuid>5000becf-0706-094d-0845-
8cd1cd8f03d9</instanceUuid>
<vmxDir>[SN-DV-FC-A] B16-SN-DV-135/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.9.145</IpAddress>
<Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
<NicIpaddresses>(10.106.9.145)
</NicIpaddresses>
<hostName>B16-SN-DV-135.scc-dv.com
</hostName>
<host>b16-sn-dv-esx-03.cisco.com
</host>
<hostMor>host-1174</hostMor>
<ResourcePoolMor>resgroup-287
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-135/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-135/" logDir="[SN-DV-FC-A] B16-SN-DV-135/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-135/B16-SN-DV-135.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-135.vmx</Name>
  <Size>3536</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-135.vmx</Name>
  <Size>3045</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-135.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>

```



```

<File Type="VmFileInfo">
  <Name>B16-SN-DV-135.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-135-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-135.vmdk</Name>
  <Size>62926605</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-DV-135-
d3ec349e.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-DV-135-
3555472542-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>383746</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-30.log</Name>
  <Size>24627</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>146802</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>149671</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>418351</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>259109</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>187691</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="62723207278" Uncommitted="6106657792"
Committed="62723207278">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-02c9-c233-dc71-79c64e563183" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62926605"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="55957fb2766746450c003964f6af206b" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-135/B16-SN-DV-135.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:5a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"

```

```

FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3000" ControllerKey="200" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
    <BackingSerialPort YieldOnPoll="true"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/char/serial/uart0"
AllowGuestControl="true" StartConnected="true" Connected="false"
UnitNum="0" Key="9000" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
    <BackingSerialPort YieldOnPoll="false"
NoRxLoss="false" UseAutoDetect="false" Endpoint="" PipeName=""
FileName=""
BackingType="Vim25Api.VirtualSerialPortDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/char/serial/uart0"
AllowGuestControl="true" StartConnected="true" Connected="true"
UnitNum="1" Key="9001" ControllerKey="400" Type="" Label="">
    </BackingSerialPort>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-013</Name>
    <Mor>vm-1181</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-013</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Require a new VM - for
hosting a Oracle DB..

```

Details of the VM configuration given below:

RHEL 5.5 VM

4 GB RAM  
2.5 Ghz or higher  
40 GB HDD Space  
64 Bit </Annotation>

```

    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true

```

```

</BootOptionsSupported>
</SwapPlacementSupported>
28T08:17:19.418206Z</ChangeVersion>
</connectionState>
8c044421fa9d</uuid>
a96e3f63c416</instanceUuid>
</vmxDir>
</Networks>
</Nics>
(fe80::250:56ff:fe83:4694)</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-013/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-013/" logDir="[SN-DV-FC-B] B16-SN-DV-013/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-013/SCC-BGL04-DV-135.vmx">
NumCPUs="2">
</Name>

```

```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-135.vmx
</Name>
  <Size>3431</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-135.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-135.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-135.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-DV-135-
33903841.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-BGL04-DV-135-
865089601-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-32.log</Name>
  <Size>24315</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-33.log</Name>
  <Size>171013</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>413917</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-29.log</Name>
        <Size>396756</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-31.log</Name>
        <Size>148361</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-30.log</Name>
        <Size>263647</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>108350</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="25123325707" Uncommitted="22219325440"
Committed="25123325707">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-a13b-f566-e01f-9191504bba4e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bce3f946880d1f83b41110ec58d13a2c" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-013/SCC-BGL04-DV-135.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:46:94" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-136</Name>
    <Mor>vm-1111</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-136</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:04:51.985893Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d69b7-0947-8ecf-e127-
e1b34e986811</uuid>
    <instanceUuid>502d995d-2201-2351-adfc-
85e610812016</instanceUuid>
    <vmxDir>[SN-DV-FC-A] B16-SN-DV-136/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.9.146</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;True&gt; )
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;true&gt; )
</Nics>
    <NicIpaddresses>(10.106.9.146)

```

```

(fe80::250:56ff:fead:ecc)</NicIpaddresses>
    <hostName>B16-SN-DV-136</hostName>
    <host>b16-sn-dv-esx-07.cisco.com
</host>
    <hostMor>host-1293</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>2
</NumberOfBackingDisks>
    <NumberOfFiles>17</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-136/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-136/" logDir="[SN-DV-FC-A] B16-SN-DV-136/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-136/B16-SN-DV-136.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-136.vmx</Name>
        <Size>3353</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-136.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-136.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-136.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-136.vmdk</Name>
        <Size>87031808</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-136_1.vmdk
</Name>

```



```

        <Size>26214400</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-136-
d3ec349f.vswp</Name>
        <Size>8589934592</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-136-
3555472543-1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>1584475</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>30170</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>113957</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>142802</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>131862</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>177743</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>1102303676</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-DV-FC-A"
Unshared="71655839158" Uncommitted="54099181568"

```

```

Committed="71655839158">
    </StorageInfo>
    <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-902a-20d8-7f09-6dcf295487d3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="87031808"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6b11fc4d76496f6baf583fa236e2a198" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-136/B16-SN-DV-136.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-bd91-7d37-e1e4-301867331838" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="71b3071a9156ef3ee03d9c8afffffffe" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-136/B16-SN-DV-136_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0e:cc" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"

```

```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-030-clone</Name>
    <Mor>vm-7598</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-030-clone</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>Microsoft Exchange Server
2010 SP2</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName>Microsoft Windows
Server 2008 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:04:53.492103Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224a073-dbaa-67f0-12d6-
3724a127ad2c</uuid>
    <instanceUuid>50247cce-cb0d-d06f-b8b5-
aa1cb0b67d81</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-030-
clone</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-dv-esx-07.cisco.com
</host>
    <hostMor>host-1293</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>

```

```

</NumberOfDatastores>          <NumberOfDatastores>1
</NumberOfBackingDisks>       <NumberOfBackingDisks>1
                                <NumberOfFiles>7</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries> <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-030-clone/" suspendDir="[SN-
DV-FC-B] B16-SN-DV-030-clone/" logDir="[SN-DV-FC-B] B16-SN-DV-
030-clone/" vmxPath="[SN-DV-FC-B] B16-SN-DV-030-clone/B16-SN-DV-
030-clone.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16384"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-030-clone.vmx
</Name>
                                    <Size>3102</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-030-clone.vmx
</Name>
                                    <Size>0</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-030-clone.nvram
</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-030-clone.vmsd
</Name>
                                    <Size>0</Size>
                                    <Type>snapshotList</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-DV-030-clone.vmdk
</Name>
                                    <Size>314572800</Size>
                                    <Type>diskDescriptor</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware.log</Name>
                                    <Size>24234</Size>
                                    <Type>log</Type>

```

```

        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="251431783604" Uncommitted="88132636672"
Committed="251431783604">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-5866-87a6-662c-ac37af8a0882" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="314572800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6b15791f3a4ac689d989e7d986fed0a0" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-030-clone/B16-SN-DV-030-clone.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:2f:78" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-DV-137</Name>

```

```

        <Mor>vm-4678</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-137</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:33.065866Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4224e914-0726-66a4-4a28-
b9c752e0b2d0</uuid>
        <instanceUuid>50246915-f9a5-4f4b-ad78-
c9cb7f9a66db</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.147</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-DV-137</hostName>
        <host>b16-sn-dv-esx-04.cisco.com
</host>
        <hostMor>host-1209</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>11</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```

```

        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-137/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-137/" logDir="[SN-DV-FC-B] B16-SN-DV-137/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-137/B16-SN-DV-137.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-137.vmx</Name>
            <Size>3388</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-137.vmx</Name>
            <Size>3433</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-137.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-137.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-137.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>150269</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>209110</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>144933</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>144512</Size>
            <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>24275</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-DV-FC-B"
Unshared="26630324700" Uncommitted="89596448768"
Committed="26630324700">
            </StorageInfo>
            <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-6ab8-3f13-71a4-604e72f7e37c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="87df8e4db2da5e5b2b1f2951dad17b40" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-137/B16-SN-DV-137.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:7e:00" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                                </BackingFloppy>

```



```

        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-DV-012</Name>
        <Mor>vm-1154</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-012</Path>
        <ParentMor>group-v1379</ParentMor>
        <Annotation>This VM was created by
sbyrappa on 24-MAY-2011</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winXPPro64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:10:48.153562Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42033b1f-f7d8-b6b1-f795-
ce2feb8ad2b0</uuid>
        <instanceUuid>500321e8-b89f-6b1b-97ca-
1200fa30df60</instanceUuid>
        <vmxDir>[SN-DV-FC-B] B16-SN-DV-012/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.9.22</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>b16-sn-dv-012.scc-dv.com
</hostName>
        <host>b16-sn-dv-esx-03.cisco.com
</host>

```

```

</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-DV-FC-B] B16-SN-DV-012/" suspendDir="[SN-DV-FC-B] B16-SN-DV-012/" logDir="[SN-DV-FC-B] B16-SN-DV-012/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-012/SCC-BGL04-DV-133.vmx">
  <VirtualMachineFileInfo
    <VirtualHardware MemoryMB="4096"
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>SCC-BGL04-DV-133.vmx
          <Size>3421</Size>
          <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
          <Name>SCC-BGL04-DV-133.vmx
            <Size>3082</Size>
            <Type>extendedConfig</Type>
          </File>
          <File Type="VmFileInfo">
            <Name>SCC-BGL04-DV-133.nvram
              <Size>8684</Size>
              <Type>nvram</Type>
            </File>
            <File Type="VmFileInfo">
              <Name>SCC-BGL04-DV-133.vmsd
                <Size>0</Size>
                <Type>snapshotList</Type>
              </File>
              <File Type="VmFileInfo">
                <Name>SCC-BGL04-DV-133.vmdk
                  <Size>62926605</Size>
                  <Type>diskDescriptor</Type>
                </File>
                <File Type="VmFileInfo">
                  <Name>vmware.log</Name>

```

```

        <Size>173131</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-42.log</Name>
        <Size>24322</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-40.log</Name>
        <Size>712891002</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-37.log</Name>
        <Size>179306</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-38.log</Name>
        <Size>126842</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-41.log</Name>
        <Size>141138</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-39.log</Name>
        <Size>265324</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="65102674108" Uncommitted="4587639808"
Committed="65102674108">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-1701-df2d-bcf1-898fec8a3b1a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62926605"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2ff959788d33fa918d1f360f7ac3092d" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-012/SCC-BGL04-DV-133.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:3f:56" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-DV-138</Name>
  <Mor>vm-3566</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-138</Path>
  <ParentMor>group-v1379</ParentMor>
  <Annotation>Verified, This VM
provisioned by Amit Saha</Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-

```

```

30T08:10:48.853679Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224aa23-8332-8099-5a23-
7785c1fb1ac7</uuid>
    <instanceUuid>502411fa-4e82-395a-a182-
101d9ea79811</instanceUuid>
    <vmxDir>[SN-DV-FC-B] B16-SN-DV-138/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.9.148</IpAddress>
    <Networks>SOLUTIONS-DEV(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-DEV(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-DV-138</hostName>
    <host>b16-sn-dv-esx-03.cisco.com
</host>
    <hostMor>host-1174</hostMor>
    <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>11</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-B] B16-SN-DV-138/" suspendDir="[SN-DV-FC-
B] B16-SN-DV-138/" logDir="[SN-DV-FC-B] B16-SN-DV-138/"
vmxPath="[SN-DV-FC-B] B16-SN-DV-138/B16-SN-DV-138.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-138.vmx</Name>
        <Size>3417</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-138.vmx</Name>
        <Size>3432</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>B16-SN-DV-138.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-138.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-138.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>739047431</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>137630</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>1564294714</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>24277</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>487859609</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-B"
Unshared="36635218170" Uncommitted="78069997568"
Committed="36635218170">
        </StorageInfo>
        <Datastore Mor="datastore-837"
Url="/vmfs/volumes/508df3a5-f100ca0d-50b7-1025b500001f" Name="SN-
DV-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-c8ba-e0d1-0564-25ec6cb9ac34" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-837"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ce9a520507a66867ac317fa314e6dae4" Parent="" Disk="[SN-
DV-FC-B] B16-SN-DV-138/B16-SN-DV-138.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:24:8b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-DV-139</Name>
    <Mor>vm-1131</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions
Development\B16-SN-DV-139</Path>
    <ParentMor>group-v1379</ParentMor>
    <Annotation>This VM instance
provisioned by Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>

```

```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T06:53:20.080728Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422df71e-c461-45e5-fadf-
1032cb581dd3</uuid>
        <instanceUuid>502d92cd-0c35-c1c4-5cfd-
33663e71ac6a</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.9.149</IpAddress>
        <Networks>SOLUTIONS-DEV(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-DEV(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.9.149)
(fe80::250:56ff:fead:18c5)</NicIpaddresses>
        <hostName>B16-SN-DV-139</hostName>
        <host>b16-sn-dv-esx-03.cisco.com
</host>
        <hostMor>host-1174</hostMor>
        <ResourcePoolMor>resgroup-287
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-DV-FC-A] B16-SN-DV-139/" suspendDir="[SN-DV-FC-
A] B16-SN-DV-139/" logDir="[SN-DV-FC-A] B16-SN-DV-139/"
vmxPath="[SN-DV-FC-A] B16-SN-DV-139/B16-SN-DV-139.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-139.vmx</Name>
            <Size>3195</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-139.vmx</Name>

```



```

        <Size>3428</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-139.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-139.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-139.vmdk</Name>
    <Size>52428800</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-DV-139-
d3ec34a2.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-DV-139-
3555472546-1.vswp</Name>
    <Size>96468992</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>168412</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>47040</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>24618</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>185068</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>

```

```

        <Size>615098</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>356856</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>149925</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-DV-FC-A"
Unshared="52636931796" Uncommitted="5443158016"
Committed="52636931796">
        </StorageInfo>
        <Datastore Mor="datastore-836"
Url="/vmfs/volumes/50431904-435d29f6-8062-1025b500005f" Name="SN-
DV-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-5801-509a-416a-22bfb08f8904" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-836"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d01e1a8688e0898c35870ac8cda49078" Parent="" Disk="[SN-
DV-FC-A] B16-SN-DV-139/B16-SN-DV-139.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:c5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-DEV" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
</Folder>
<Folder>
    <Name>Solutions QA</Name>
    <Mor>group-v1378</Mor>
    <MorType>Folder</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA</Path>
    <ParentMor>group-v282</ParentMor>
    <NumberOfFolders>0</NumberOfFolders>
    <NumberOfVMs>189</NumberOfVMs>
    <NumberOfHosts>0</NumberOfHosts>
    <NumberOfVApps>0</NumberOfVApps>
    <NumberOfDatastores>0</NumberOfDatastores>
    <NumberOfStoragePods>0
</NumberOfStoragePods>
    <NumberOfNetworks>0</NumberOfNetworks>
<VirtualMachine>
    <Name>B16-SN-QA-108</Name>
    <Mor>vm-769</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-108</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM instance
has provisioned by Bibhutibhusan Pattanaik</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghornGuest</GuestId>
    <GuestOSAltName>Microsoft Windows
Server 2008 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.585589Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203c9b4-25c9-39bc-c294-
56dd3acbc2be</uuid>

```

```

<instanceUuid>52a3b660-3631-a26c-97ce-
8d8e8dd33e21</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-108/
</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-sn-qa-esx-01.cisco.com
</host>
<hostMor>host-592</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-108/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-108/" logDir="[SN-QA-FC-A] B16-SN-QA-108/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-108/SCC-BGL04-QA-67.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-67.vmx</Name>
<Size>3506</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-67.vmx
</Name>
<Size>3047</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-67.nvram
</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>

```

```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-67.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-67-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-67.vmdk
</Name>
  <Size>104872320</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>160812</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24306</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-35.log</Name>
  <Size>292515</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-32.log</Name>
  <Size>261204</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-36.log</Name>
  <Size>162966</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-33.log</Name>
  <Size>613733</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>184329</Size>

```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="47396301726" Uncommitted="64534323200"
Committed="47396301726">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-292f-5469-b7ab-945c688b8aae" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104872320"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="938a0c6279ad1d5b3b0f763fc9c4de20" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-108/SCC-BGL04-QA-67.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:58:46" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>

```

```

<Name>B16-SN-QA-109</Name>
<Mor>vm-828</Mor>
<MorType>VirtualMachine</MorType>
<Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-109</Path>
<ParentMor>group-v1378</ParentMor>
<Annotation>Verified, This VM instance
has provisioned by Bibhutibhusan Pattanaik</Annotation>
<Version>vmx-09</Version>
<GuestId>winLonghornGuest</GuestId>
<GuestOSAltName>Microsoft Windows
Server 2008 (32-bit)</GuestOSAltName>
<ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:25:32.140306Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42032270-e05a-14db-9af6-
5a57b90a93e3</uuid>
<instanceUuid>5003eaa5-67cd-befd-31db-
77alb0995a3c</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-109/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.119</IpAddress>
<Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>SCC-BGL04-QA-68.scc-qa.com
</hostName>
<host>b16-sn-qa-esx-03.cisco.com
</host>
<hostMor>host-640</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-109/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-109/" logDir="[SN-QA-FC-A] B16-SN-QA-109/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-109/SCC-BGL04-QA-68.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-68.vmx</Name>
            <Size>3507</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-68.vmx
        </Name>
            <Size>3047</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-68.nvram
        </Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-68.vmsd
        </Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-68-aux.xml
        </Name>
            <Size>0</Size>
            <Type>snapshotManifestList
        </Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-68.vmdk
        </Name>
            <Size>104872320</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-48.log</Name>
            <Size>192658</Size>
            <Type>log</Type>

```



```

    </File>
    <File Type="VmFileInfo">
      <Name>vmware-49.log</Name>
      <Size>183220</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-47.log</Name>
      <Size>377249</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-51.log</Name>
      <Size>24303</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>328236</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-46.log</Name>
      <Size>238229</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-50.log</Name>
      <Size>235568</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="72280986957" Uncommitted="39649517568"
Committed="72280986957">
      </StorageInfo>
      <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-d24e-afd7-c13d-e75e5af033a0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104872320"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bbb5a65b9b72e9f96f746afaeabb2190b" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-109/SCC-BGL04-QA-68.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:5d:0d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-104</Name>
    <Mor>vm-720</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-104</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This machine has
been created by Amit Saha (ahsaha) on 18 Aug 2011</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:34.819275Z</ChangeVersion>
    <powerState>poweredOff</powerState>

```



```

        <Name>SCC-BGL04-QA-125.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-125.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-125.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>216303</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>377504</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>24310</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>212328</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>179388</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>155035</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>108716</Size>
        <Type>log</Type>
</File>

```

```

        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="19846638313" Uncommitted="27677532160"
Committed="19846638313">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-de7d-f44d-72cb-826d7a567d74" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0b03c0958be4ff676f4bd209ba76e9c6" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-104/SCC-BGL04-QA-125.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:35" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-105</Name>
        <Mor>vm-802</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA

```

```

\B16-SN-QA-105</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This machine is
created by Amit Saha on 18-AUG-2011.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.644994Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d3b83-f6a6-f655-11ee-
a4e73ec435b3</uuid>
    <instanceUuid>502d3fd8-7351-5009-d5a9-
12179a5270a3</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-105/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.115</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-105</hostName>
    <host>b16-sn-qa-esx-02.cisco.com
</host>
    <hostMor>host-616</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-105/" suspendDir="[SN-QA-FC-

```

```

A] B16-SN-QA-105/" logDir="[SN-QA-FC-A] B16-SN-QA-105/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-105/SCC-BGL04-QA-126.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4128"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-126.vmx
</Name>
        <Size>3166</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-126.vmx
</Name>
        <Size>3370</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-126.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-126.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-126.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-38.log</Name>
        <Size>24658</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>213299</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>185768</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-36.log</Name>
        <Size>299761</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>102979</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-37.log</Name>
        <Size>144170</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-33.log</Name>
        <Size>218360</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="12611379191" Uncommitted="34912706560"
Committed="12611379191">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-949b-88f3-fb9c-0d8680e7e8f2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5e34e9c1681d46d42cece8df33326195" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-105/SCC-BGL04-QA-126.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:36" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```



```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-106</Name>
    <Mor>vm-747</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-106</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM was
created by bpattana</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghornGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.647765Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203844e-796b-0bba-94c3-
f2451361698c</uuid>
    <instanceUuid>50036ae4-6e4e-ea26-63a9-
8cb93a53ca84</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-106/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.116</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>

```

```

</NicIpaddresses>                                <NicIpaddresses>unassigned
</hostName>                                       <hostName>B16-SN-QA-106.scc-qa.com
</host>                                           <host>b16-sn-qa-esx-02.cisco.com
</ResourcePoolMor>                               <hostMor>host-616</hostMor>
</NumberOfDatastores>                           <ResourcePoolMor>resgroup-291
</NumberOfBackingDisks>                         <NumberOfDatastores>1
</CpuFeatureMaskSupported>                     <NumberOfBackingDisks>1
</NumberOfFeatureMaskEntries>                  <NumberOfFiles>14</NumberOfFiles>
<VirtualMachineFileInfo                         <CpuFeatureMaskSupported>true
snapshotDir="[SN-QA-FC-A] B16-SN-QA-106/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-106/" logDir="[SN-QA-FC-A] B16-SN-QA-106/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-106/SCC-BGL04-QA-52.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-52.vmx</Name>
    <Size>3443</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-52.vmx
  </Name>
    <Size>2851</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-52.nvram
  </Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-52.vmsd
  </Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-52-aux.xml
  </Name>

```

```

        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-52.vmdk
</Name>
        <Size>41961780</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-53.log</Name>
        <Size>103373</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-55.log</Name>
        <Size>180129</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-57.log</Name>
        <Size>145892</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-56.log</Name>
        <Size>454935</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>295548</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-58.log</Name>
        <Size>24652</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-54.log</Name>
        <Size>298549</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="41476893160" Uncommitted="6033141760"
Committed="41476893160">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-48da-072b-7ef7-57d8310b003a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="195d1bd1148f3789861e4bbde6033aee" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-106/SCC-BGL04-QA-52.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:21:6a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-107</Name>
    <Mor>vm-737</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-107</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM was
created by bpattana</Annotation>
    <Version>vmx-09</Version>

```

```

        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:25:34.819488Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4203f7ab-a38e-6c53-0328-
355b4e9986dd</uuid>
        <instanceUuid>52f49a64-02f5-3ae0-9d58-
c28fda7c33ad</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.117</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-107</hostName>
        <host>b16-sn-qa-esx-04.cisco.com
</host>
        <hostMor>host-668</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-107/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-107/" logDir="[SN-QA-FC-A] B16-SN-QA-107/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-107/SCC-BGL04-QA-53.vmx">
</VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"

```

NumCPUs=" 2">

```
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-53.vmx</Name>
  <Size>3371</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-53.vmx
  <Size>3430</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-53.nvram
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-53.vmsd
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-53.vmdk
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-30.log</Name>
  <Size>413957</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-32.log</Name>
  <Size>177618</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>155161</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>106595</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
```

```

        <Name>vmware-33.log</Name>
        <Size>24293</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>267952</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>309493</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="31622328410" Uncommitted="15868469248"
Committed="31622328410">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-c1bf-a515-56bb-603fb95f1eee" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c03c38582761f6e1d7225edf67d2156c" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-107/SCC-BGL04-QA-53.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:7b:9e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-001</Name>
    <Mor>vm-658</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-001</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM is created by
sbyrappa 22-DEC-11</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.466405Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d2cd6-ecc2-f1a6-9b3e-
ba9d2a321b71</uuid>
    <instanceUuid>500324b9-5d13-8416-ef53-
c0786bbf8b6f</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-001/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.11</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-001</hostName>
    <host>b16-sn-qa-esx-02.cisco.com

```



```

</host>
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-001/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-001/" logDir="[SN-QA-FC-A] B16-SN-QA-001/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-001/SCC-BGL04-QA-01.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-01.vmx</Name>
  <Size>3506</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-01.vmx
</Name>
  <Size>3435</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-01.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-01.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-01.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-35.log</Name>

```

```

        <Size>416044</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-36.log</Name>
        <Size>151874</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-38.log</Name>
        <Size>24295</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>169065</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-37.log</Name>
        <Size>179179</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>295080</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-33.log</Name>
        <Size>108213</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="20401405455" Uncommitted="39974182912"
Committed="20401405455">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-d42d-49a4-45ac-f4a908df1411" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4226cd0c18bf128b1937213bb6bc9838" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-001/SCC-BGL04-QA-01.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:65:83" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-QA-003</Name>
  <Mor>vm-9176</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-003</Path>
  <ParentMor>group-v1378</ParentMor>
  <Annotation></Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-
29T10:24:44.771911Z</ChangeVersion>
  <powerState>poweredOn</powerState>
  <connectionState>connected

```

```

</connectionState>
<uuid>422478ff-39b0-d127-fd3d-
c799e5634b3f</uuid>
<instanceUuid>50243f2a-7dc0-eefb-1bf0-
d714af14118c</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-003/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.13</IpAddress>
<Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
<NicIpaddresses>(10.106.13.13)
(fe80::250:56ff:fea4:60f6)</NicIpaddresses>
<hostName>B16-SN-QA-003</hostName>
<host>b16-sn-qa-esx-04.cisco.com
</host>
<hostMor>host-668</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>9</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-003/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-003/" logDir="[SN-QA-FC-A] B16-SN-QA-003/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-003/B16-SN-QA-003.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-QA-003.vmx</Name>
<Size>3128</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-003.vmx</Name>
<Size>0</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-003.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-003.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-003.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-003-
7f2ed1cf.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-QA-003-
2133774799-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>139487</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="56190193411" Uncommitted="55575576576"
Committed="56190193411">
  </StorageInfo>
  <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-9adf-4889-b1b0-9665a8c31b30" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="085a1cdad18f647ff5a17fe4cb2b22f2" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-003/B16-SN-QA-003.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:60:f6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-002</Name>
    <Mor>vm-9174</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-002</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
29T09:05:10.937442Z</ChangeVersion>

```

```

        <powerState>poweredOn</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>42247d34-e046-564e-886b-
dd1552f5cb4c</uuid>
    <instanceUuid>50240eb9-c64f-9b7c-008f-
61d5bcad7f5c</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-002/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.12</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.13.12)
(fe80::250:56ff:fea4:1b1b)</NicIpaddresses>
    <hostName>B16-SN-QA-002</hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>9</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-002/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-002/" logDir="[SN-QA-FC-A] B16-SN-QA-002/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-002/B16-SN-QA-002.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-002.vmx</Name>
        <Size>3128</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-002.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-002.nvram</Name>

```

```

        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-002.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-002.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-002-
7f2ed1ce.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-B16-SN-QA-002-
2133774798-1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwsap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>6781046</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="56196834970" Uncommitted="55575576576"
Committed="56196834970">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-c0d4-851e-8c22-2b55d4efb6bd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="84299f045fca216c988411f01ee3bdf3" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-002/B16-SN-QA-002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```



```

MacAddress="00:50:56:a4:1b:1b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-195-Old</Name>
    <Mor>vm-699</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-195-Old</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Deployed VM, as per
CASE:Feb13nthirumaSCC2209.-ptirunag</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>

```

```

                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
07T09:47:56.50455Z</ChangeVersion>
                                <powerState>poweredOff</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>42006009-2148-c623-8ead-
c7a57707f921</uuid>
                                <instanceUuid>500076c5-d779-4a20-0697-
3ee135efb12b</instanceUuid>
                                <vmxDir>[SN-QA-FC-B] B16-SN-QA-195/
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.13.205</IpAddress>
                                <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
                                <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName>B16-SN-QA-195</hostName>
                                <host>b16-sn-qa-esx-03.cisco.com
</host>
                                <hostMor>host-640</hostMor>
                                <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>13</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>2
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFeatureMask level="-
2147483647" edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="">
                                </VirtualMachineFeatureMask>
                                <VirtualMachineFeatureMask level="-
2147483647" edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="amd">
                                </VirtualMachineFeatureMask>
                                <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-195/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-195/" logDir="[SN-QA-FC-B] B16-SN-QA-195/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-195/B16-SN-QA-195.vmx">
                                </VirtualMachineFileInfo>

```

NumCPUs="2">

```
<VirtualHardware MemoryMB="8192"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-195.vmx</Name>
  <Size>3761</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-195.vmx</Name>
  <Size>268</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-195.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-195.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-195.vmdk</Name>
  <Size>20971520</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>144261</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>24613</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>138946</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>129713</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>129369</Size>
  <Type>log</Type>
```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>295649</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>300250</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-B"
Unshared="10675679194" Uncommitted="19634954240"
Committed="10675679194">
            </StorageInfo>
            <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-4411-4e39-6d35-aa5da9ce2e51" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3efab95df537298b39828b7212f9bc78" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-195/B16-SN-QA-195.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:14:8e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SCC-ADEX-03</Name>
  <Mor>vm-3821</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SCC-ADEX-03</Path>
  <ParentMor>group-v1378</ParentMor>
  <Annotation></Annotation>
  <Version>vmx-09</Version>
  <GuestId>windows8Server64Guest
</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
  <BootOptionsSupported>>true
</BootOptionsSupported>
  <SwapPlacementSupported>>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T11:08:13.956832Z</ChangeVersion>
  <powerState>poweredOn</powerState>
  <connectionState>connected
</connectionState>
  <uuid>42241133-7f91-6d00-997e-
42f7965a0d4e</uuid>
  <instanceUuid>5024c564-5021-bf64-f8dc-
02674e13d705</instanceUuid>
  <vmxDir>[SN-QA-FC-A] B16-SCC-ADEX-03/
</vmxDir>
  <template>>false</template>
  <IpAddress>10.106.13.10</IpAddress>
  <Networks>None</Networks>
  <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
  <NicIpaddresses>
(fe80::d63:14a1:eabe:44ac)(10.106.13.10)</NicIpaddresses>
  <hostName>B16-SCC-ADEX-03.adex03.com
</hostName>
  <host>b16-sn-qa-esx-08.cisco.com
</host>
  <hostMor>host-803</hostMor>
  <ResourcePoolMor>resgroup-291
</ResourcePoolMor>

```

```

        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SCC-ADEX-03/" suspendDir="[SN-QA-
FC-A] B16-SCC-ADEX-03/" logDir="[SN-QA-FC-A] B16-SCC-ADEX-03/"
vmxPath="[SN-QA-FC-A] B16-SCC-ADEX-03/B16-SCC-ADEX-03.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="4">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SCC-ADEX-03.vmx</Name>
            <Size>3217</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SCC-ADEX-03.vmx.f
</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SCC-ADEX-03.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SCC-ADEX-03.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SCC-ADEX-03-aux.xml
</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SCC-ADEX-03.vmdk
</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SCC-ADEX-03-
da5e90a7.vswp</Name>
  <Size>8589934592</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SCC-ADEX-03-
3663630503-1.vswp</Name>
  <Size>98566144</Size>
  <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>917677</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>5846417224</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>24284</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>114437877</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="66332523587" Uncommitted="55691968512"
Committed="66332523587">
  </StorageInfo>
  <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-6ed1-af0e-69b2-52de701ecfc5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1c15eb72057134db52c9d25411253cf3" Parent="" Disk="[SN-
QA-FC-A] B16-SCC-ADEX-03/B16-SCC-ADEX-03.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingDiskCtrl HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-QA-235</Name>
  <Mor>vm-6332</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-235</Path>
  <ParentMor>group-v1378</ParentMor>
  <Annotation></Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-
02T06:16:55.807419Z</ChangeVersion>
  <powerState>poweredOn</powerState>
  <connectionState>connected
</connectionState>
  <uuid>422438b3-f444-5475-ae0f-
d0e0cd63a57e</uuid>
  <instanceUuid>50247575-a409-fb5d-6c30-
817c41d5549d</instanceUuid>
  <vmxDir>[SN-QA-FC-B] B16-SN-QA-235/
</vmxDir>
  <template>>false</template>
  <IpAddress>10.106.13.245</IpAddress>

```



```

</Networks>
</Nics>
(NicIpAddresses>(10.106.13.245)
(fe80::250:56ff:fea4:4264)</NicIpAddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-B] B16-SN-QA-235/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-235/" logDir="[SN-QA-FC-B] B16-SN-QA-235/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-235/B16-SN-QA-235.vmx">
NumCPUs="2">
</VirtualMachineFileInfo>
</VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-235.vmx</Name>
  <Size>3033</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-235.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-235.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-235.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-235.vmdk</Name>
  <Size>104857600</Size>

```

```

        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-235-
debf5a15.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-B16-SN-QA-235-
3737082389-1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwsnap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>155019</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>196126</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>24258</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>1102088337</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="13200948773" Uncommitted="99667148800"
Committed="13200948773">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-d17d-5092-48c7-c7af832e46e9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d64681274edbc5c7ac56a53d2ccf85d1" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-235/B16-SN-QA-235.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"

```

```

Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:42:64" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-234</Name>
    <Mor>vm-6328</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-234</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true

```

```

</BootOptionsSupported>
</SwapPlacementSupported>
    <SwapPlacementSupported>true
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:16:41.71612Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224ed19-64ff-d9ee-1722-
839d3eae3f7f</uuid>
    <instanceUuid>5024214c-9bd4-63d7-4220-
0b76db158816</instanceUuid>
</vmxDir>
    <vmxDir>[SN-QA-FC-B] B16-SN-QA-234/
    <template>>false</template>
    <IpAddress>10.106.13.244</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.13.244)
(fe80::250:56ff:fea4:d46)</NicIpaddresses>
    <hostName>B16-SN-QA-234</hostName>
    <host>b16-sn-qa-esx-08.cisco.com
</host>
    <hostMor>host-803</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-234/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-234/" logDir="[SN-QA-FC-B] B16-SN-QA-234/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-234/B16-SN-QA-234.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-234.vmx</Name>
        <Size>2866</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>B16-SN-QA-234.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-234.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-234.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-234.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-234-
debf5a14.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-QA-234-
3737082388-1.vswp</Name>
    <Size>96468992</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>271561</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>131457</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>24541</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>195637</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware.log</Name>
        <Size>1102234192</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="26575929134" Uncommitted="86292561920"
Committed="26575929134">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-51b6-e7ec-002b-46a586ba330a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2290332d49004e038678fb2ce20d2a32" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-234/B16-SN-QA-234.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:0d:46" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                            </BackingFloppy>
                            <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"

```

```

BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-QA-009</Name>
  <Mor>vm-776</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-009</Path>
  <ParentMor>group-v1378</ParentMor>
  <Annotation>Verified, This VM is
imaged by Chandra Babu M on 5-JAN-2012 for the user Ramkumar
Kuttuboyina on account of Jan12rkuttuboSCC123.</Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T10:26:21.622186Z</ChangeVersion>
  <powerState>poweredOff</powerState>
  <connectionState>connected
</connectionState>
  <uuid>4203dc7e-5efd-1ddf-c4a7-
03a1317602bf</uuid>
  <instanceUuid>50030e5c-afe9-61d4-f73a-
a9f84846a27f</instanceUuid>
  <vmxDir>[SN-QA-FC-A] B16-SN-QA-009/
</vmxDir>
  <template>>false</template>
  <IpAddress></IpAddress>
  <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
  <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
  <NicIpaddresses>unassigned
</NicIpaddresses>
  <hostName></hostName>
  <host>b16-sn-qa-esx-01.cisco.com
</host>
  <hostMor>host-592</hostMor>

```

```

</ResourcePoolMor>                                <ResourcePoolMor>resgroup-291
</NumberOfDatastores>                             <NumberOfDatastores>1
</NumberOfBackingDisks>                           <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                        <NumberOfFiles>13</NumberOfFiles>
</NumberOfFeatureMaskEntries>                     <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries>                     <NumberOfFeatureMaskEntries>0
</VirtualMachineFileInfo>                          <VirtualMachineFileInfo>
snapshotDir="[SN-QA-FC-A] B16-SN-QA-009/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-009/" logDir="[SN-QA-FC-A] B16-SN-QA-009/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-009/SCC-BGL04-QA-105.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-105.vmx
</Name>
  <Size>3400</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-105.vmx
</Name>
  <Size>374</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-105.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-105.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-105.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-33.log</Name>
  <Size>24663</Size>

```



```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>186509</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-32.log</Name>
        <Size>133261</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-31.log</Name>
        <Size>186245</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>138196</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>302082</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-30.log</Name>
        <Size>144775</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="15030367997" Uncommitted="32460087296"
Committed="15030367997">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-17b5-8dbb-54b7-9bcbe65f638c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c0a8b1c2650dal6d6a090b755084feea" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-009/SCC-BGL04-QA-105.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:3a:ba" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/linux.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-QA-008</Name>
  <Mor>vm-612</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-008</Path>
  <ParentMor>group-v1378</ParentMor>
  <Annotation>Verified, This machine was
created by sbyrapp@cisco.com</Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-

```

```

30T10:26:21.815773Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203930a-2d4a-b7f9-6eba-
d5fd70ec8716</uuid>
    <instanceUuid>5003d994-f479-2cad-8ce5-
d44538fd7337</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-008/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.18</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-008</hostName>
    <host>b16-sn-qa-esx-01.cisco.com
</host>
    <hostMor>host-592</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-008/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-008/" logDir="[SN-QA-FC-A] B16-SN-QA-008/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-008/SCC-BGL04-QA-104.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-104.vmx
</Name>
        <Size>3358</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-104.vmx
</Name>
        <Size>3431</Size>
        <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-104.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-104.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-104.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>108242</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>319862</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>184530</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>179768</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>155467</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>212550</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-30.log</Name>
  <Size>24315</Size>

```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="14354108495" Uncommitted="33136418816"
Committed="14354108495">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-b996-54bc-966a-eb7368becf70" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="efee89e19387c024434c36d19548f519" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-008/SCC-BGL04-QA-104.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:1e:d6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>
                <Name>B16-SN-QA-231</Name>
                <Mor>vm-6207</Mor>

```

```

\B16-SN-QA-231</Path>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
    <ParentMor>group-v1378</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
06T09:18:26.558356Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422497a4-4dd9-c453-2446-
33c2403fd9fc</uuid>
    <instanceUuid>50244d3a-d67a-f21b-c79c-
87f963baa0fd</instanceUuid>
    <vmxDir>[SN-QA-FC-B] B16-SN-QA-231/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.241</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-231</hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>12</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo

```

```

snapshotDir="[SN-QA-FC-B] B16-SN-QA-231/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-231/" logDir="[SN-QA-FC-B] B16-SN-QA-231/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-231/B16-SN-QA-231.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="8192"

NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-231.vmx</Name>
    <Size>3156</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-231.vmx</Name>
    <Size>3433</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-231.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-231.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-231.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-231-
debf5a11.vswp</Name>
    <Size>8589934592</Size>
    <Type>swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmx-B16-SN-QA-231-
3737082385-1.vswp</Name>
    <Size>113246208</Size>
    <Type>uwsap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>162975</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>178935</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>24329</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>935769135</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="46306985591" Uncommitted="6282018816"
Committed="46306985591">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-e0ee-e5da-d1f6-9c841ec34977" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0f1a5095e4f4a0bc2c6f7581228d7464" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-231/B16-SN-QA-231.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:14:e2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
                                        </BackingDiskCtrlr>
                                        <BackingCdrom UseAutoDetect="false"

```



```

FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-230</Name>
    <Mor>vm-6205</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-230</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
subaig on 16-JAN-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
08T06:31:37.012866Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422404d7-4687-bde3-6388-
dc2ed683ffda</uuid>
    <instanceUuid>5024a567-974b-4ece-ae2b-
9ffa4a8c637c</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-230/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.240</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.13.240)
(fe80::250:56ff:fea4:2f13)</NicIpaddresses>
    <hostName>B16-SN-QA-230</hostName>
    <host>b16-sn-qa-esx-08.cisco.com
</host>
    <hostMor>host-803</hostMor>
    <ResourcePoolMor>resgroup-291

```

```

</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-A] B16-SN-QA-230/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-230/" logDir="[SN-QA-FC-A] B16-SN-QA-230/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-230/B16-SN-QA-230.vmx">
NumCPUs="2">
7f2edab1.vswp</Name>
2133777073-1.vswp</Name>
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="8192"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-230.vmx</Name>
  <Size>3188</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-230.vmx</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-230.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-230.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-230.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-230-
  <Size>8589934592</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-QA-230-

```

```

        <Size>113246208</Size>
        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>168719</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>106475</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>24617</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>293121658</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>1018359</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>859592221</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="46557388154" Uncommitted="6249512960"
Committed="46557388154">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-ee85-18ef-049a-70ae23d759fb" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bd7e96f29e1375f72cbc9b52d9efbad1" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-230/B16-SN-QA-230.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:2f:13" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-QA-005</Name>
  <Mor>vm-667</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-005</Path>
  <ParentMor>group-v1378</ParentMor>
  <Annotation>Verified,This machine was
created by Virendra</Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T10:26:30.630988Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>420316a0-c2f5-fc4b-3a17-
9e7d26bc4cc0</uuid>
    <instanceUuid>50036eb4-4ff3-662f-155b-
5bdef75818f5</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-005/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.15</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-005</hostName>
    <host>b16-sn-qa-esx-02.cisco.com
</host>
    <hostMor>host-616</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-005/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-005/" logDir="[SN-QA-FC-A] B16-SN-QA-005/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-005/SCC-BGL04-QA-101.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-101.vmx
</Name>
        <Size>3347</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-101.vmx
</Name>
        <Size>3431</Size>
        <Type>extendedConfig</Type>
    </File>

```

```

</Name>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-QA-101.nvram
    </Name>
      <Size>8684</Size>
      <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-QA-101.vmsd
    </Name>
      <Size>0</Size>
      <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-QA-101.vmdk
    </Name>
      <Size>41943040</Size>
      <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-26.log</Name>
      <Size>24312</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-24.log</Name>
      <Size>155097</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-25.log</Name>
      <Size>179563</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>212787</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-23.log</Name>
      <Size>300215</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-21.log</Name>
      <Size>128269</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-22.log</Name>
      <Size>187214</Size>
      <Type>log</Type>

```

```

        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="22985988839" Uncommitted="24504541184"
Committed="22985988839">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-1a79-7321-c3df-4a34998d129b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f9346e4ad3b8f040827ffeb1c1b4d699" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-005/SCC-BGL04-QA-101.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:48:07" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-233</Name>
        <Mor>vm-6213</Mor>
        <MorType>VirtualMachine</MorType>

```

```

\B16-SN-QA-233</Path>
<Path>\(DC)S+CC(DC)\vm\Solutions QA
<ParentMor>group-v1378</ParentMor>
<Annotation>Verified, This VM is
imaged by Chandra Babu M on 1-MAR-2012 for the user Ramkumar
Kuttuboyina on account of Feb12rkuttuboSCC3163.</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
06T09:24:25.186601Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>4224c69a-d64c-1b05-e5f0-
024162ef24f9</uuid>
<instanceUuid>502444fc-9ccb-9ee3-7a0e-
033dd8d95bc0</instanceUuid>
<vmxDir>[SN-QA-FC-B] B16-SN-QA-233/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.243</IpAddress>
<Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-233</hostName>
<host>b16-sn-qa-esx-08.cisco.com
</host>
<hostMor>host-803</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>12</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```



```

        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-233/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-233/" logDir="[SN-QA-FC-B] B16-SN-QA-233/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-233/B16-SN-QA-233.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-233.vmx</Name>
            <Size>3402</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-233.vmx</Name>
            <Size>3433</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-233.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-233.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-233.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-233-
debf5a13.vswp</Name>
            <Size>4294967296</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmx-B16-SN-QA-233-
3737082387-1.vswp</Name>
            <Size>96468992</Size>
            <Type>uwsnap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>157583</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>

```

```

        <Size>178132</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>24329</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>231898</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="42726933733" Uncommitted="4614782976"
Committed="42726933733">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-fae8-d09a-97e5-5355f1453ba1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="442c95002a1ec8b0a80bf0d537c8a1ba" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-233/B16-SN-QA-233.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:72:ab" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                        </BackingDiskCtrlr>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-062</Name>
        <Mor>vm-634</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-062</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>Verified, This VM was
created by sandeep</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:21.092431Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4203ae58-1b3e-bd1e-befd-
54ea51e7e2ac</uuid>
        <instanceUuid>5003e5f2-740a-d63f-8738-
333b46f56cf5</instanceUuid>
        <vmxDir>[SN-QA-FC-A] B16-SN-QA-062/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.13.72</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-062</hostName>
        <host>b16-sn-qa-esx-01.cisco.com
</host>

```

```

        <hostMor>host-592</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-062/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-062/" logDir="[SN-QA-FC-A] B16-SN-QA-062/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-062/SCC-BGL04-QA-78.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-78.vmx</Name>
            <Size>3304</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-78.vmx.f
</Name>
            <Size>3430</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-78.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-78.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-78.vmdk
</Name>
            <Size>26214400</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-25.log</Name>
            <Size>103111</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>375407</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>562721645</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>155109</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-30.log</Name>
        <Size>24298</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>229458</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>217969</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="21788069231" Uncommitted="10158972928"
Committed="21788069231">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-b836-787b-e103-7427777ec328" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="fbfbe881eb8870f70e97b2a8564530e9" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-062/SCC-BGL04-QA-78.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:25:d2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-061</Name>
        <Mor>vm-831</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-061</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>Verified, This VM was
created by sandeep</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T08:57:54.14229Z</ChangeVersion>
        <powerState>poweredOn</powerState>

```

```

</connectionState>
      <connectionState>connected
      <uuid>4203bd4d-9369-1e3b-f33c-
84249fbbb625</uuid>
      <instanceUuid>500364c7-5401-2de7-db6a-
8513367970b6</instanceUuid>
      <vmxDir>[SN-QA-FC-B] B16-SN-QA-061/
</vmxDir>
      <template>>false</template>
      <IpAddress>10.106.13.71</IpAddress>
      <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
      <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
      <NicIpaddresses>(10.106.13.71)
(fe80::250:56ff:fe83:775f)</NicIpaddresses>
      <hostName>B16-SN-QA-061</hostName>
      <host>b16-sn-qa-esx-03.cisco.com
</host>
      <hostMor>host-640</hostMor>
      <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
      <NumberOfDatastores>1
</NumberOfDatastores>
      <NumberOfBackingDisks>1
</NumberOfBackingDisks>
      <NumberOfFiles>15</NumberOfFiles>
      <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-061/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-061/" logDir="[SN-QA-FC-B] B16-SN-QA-061/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-061/SCC-BGL04-QA-77.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="4096"
NumCPUs="2">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-77.vmx</Name>
        <Size>3306</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-77.vmx
</Name>
        <Size>3430</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-77.nvram

```

```

</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-77.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-77.vmdk
</Name>
        <Size>26214400</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-77-
debf51f2.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-QA-77-
3737080306-1.vswp</Name>
        <Size>96468992</Size>
        <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-32.log</Name>
    <Size>24295</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>187826</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>259617</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>155523</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>177950</Size>
    <Type>log</Type>

```



```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-33.log</Name>
            <Size>212333</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>191917</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-B"
Unshared="25447018673" Uncommitted="5789188096"
Committed="25447018673">
            </StorageInfo>
            <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-ac7d-f924-1682-0de4bb0f22e3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e3b738441d290fcala3050f4e1650a4d" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-061/SCC-BGL04-QA-77.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:77:5f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"

```

```

BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-004</Name>
    <Mor>vm-619</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-004</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This machine was
created by Virendra</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:30:59.075485Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42031cdd-4487-3d02-77bb-
f398662cd94c</uuid>
    <instanceUuid>5003891e-2811-d9ca-a2d8-
a46228ec9459</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-004/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.14</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-004</hostName>
    <host>b16-sn-qa-esx-08.cisco.com
</host>
    <hostMor>host-803</hostMor>
    <ResourcePoolMor>resgroup-291

```

```

</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-A] B16-SN-QA-004/" suspendDir="[SN-QA-FC-A] B16-SN-QA-004/" logDir="[SN-QA-FC-A] B16-SN-QA-004/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-004/SCC-BGL04-QA-100.vmx">
  <VirtualMachineFileInfo
    <VirtualHardware MemoryMB="4096"
  NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-QA-100.vmx
    </Name>
      <Size>3349</Size>
      <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-QA-100.vmx
    </Name>
      <Size>3431</Size>
      <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-QA-100.nvram
    </Name>
      <Size>8684</Size>
      <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-QA-100.vmsd
    </Name>
      <Size>0</Size>
      <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-QA-100.vmdk
    </Name>
      <Size>41943040</Size>
      <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-24.log</Name>
      <Size>340881</Size>
      <Type>log</Type>

```

```

    </File>
    <File Type="VmFileInfo">
      <Name>vmware-26.log</Name>
      <Size>180942</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-25.log</Name>
      <Size>196186</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-27.log</Name>
      <Size>24312</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>170263</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-22.log</Name>
      <Size>103783</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-23.log</Name>
      <Size>242868</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="41911808843" Uncommitted="5578792960"
Committed="41911808843">
      </StorageInfo>
      <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-553f-dad5-d9b2-6273d016cad0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="686cca6024e12789d34c2d343c77cb90" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-004/SCC-BGL04-QA-100.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:7e:d6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-232</Name>
    <Mor>vm-6209</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-232</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM is
imaged by Chandra Babu M on 1-MAR-2012 for the user Ramkumar
Kuttuboyina on account of Feb12rkuttuboSCC3163.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
06T09:20:41.435845Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected

```

```

</connectionState>
                                <uuid>4224f5d1-96a7-17ae-636a-
fe4d262d65c8</uuid>
                                <instanceUuid>50241fc7-20e2-b734-7057-
6d82dcbbae37</instanceUuid>
</vmxDir>                        <vmxDir>[SN-QA-FC-B] B16-SN-QA-232/
                                <template>>false</template>
                                <IpAddress>10.106.13.242</IpAddress>
                                <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName>B16-SN-QA-232</hostName>
                                <host>b16-sn-qa-esx-05.cisco.com
</host>
                                <hostMor>host-706</hostMor>
                                <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>12</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-232/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-232/" logDir="[SN-QA-FC-B] B16-SN-QA-232/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-232/B16-SN-QA-232.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-QA-232.vmx</Name>
                                    <Size>3280</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-QA-232.vmx</Name>
                                    <Size>3433</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-QA-232.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-232.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-232.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-232-
debf5a12.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-QA-232-
3737082386-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>160970</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>178054</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>24327</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>190304</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-B"
Unshared="43733528284" Uncommitted="3608150016"
Committed="43733528284">
  </StorageInfo>
  <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C293-7452-7721-b3f0-261859e7204a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="916ele62d2411781373d73589377565c" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-232/B16-SN-QA-232.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:2c:c3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-060</Name>
    <Mor>vm-764</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-060</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM was
created by sandeep</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true

```



```

</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
02T08:51:39.574709Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>42035ae9-7985-3be2-8531-
f53dba7f672a</uuid>
<instanceUuid>500313d6-0538-6324-acca-
6c6b53e1b849</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-060/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.70</IpAddress>
<Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
<NicIpaddresses>(10.106.13.70)
(fe80::250:56ff:fe83:24ea)</NicIpaddresses>
<hostName>B16-SN-QA-060</hostName>
<host>b16-sn-qa-esx-08.cisco.com
</host>
<hostMor>host-803</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-060/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-060/" logDir="[SN-QA-FC-A] B16-SN-QA-060/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-060/SCC-BGL04-QA-76.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-76.vmx</Name>

```

```

        <Size>3280</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-76.vmx
</Name>
        <Size>3430</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-76.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-76.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-76.vmdk
</Name>
        <Size>26214400</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-76-
7f2ed292.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-QA-76-
2133774994-1.vswp</Name>
        <Size>96468992</Size>
        <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>165961</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>379840</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>104398</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>106169</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>24645</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-30.log</Name>
        <Size>224697</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>234547</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="26390767843" Uncommitted="4845469696"
Committed="26390767843">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-691e-0e67-2616-2d9dbdcccce6f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5faf0ee9bf96e1d18c9d723579407ac0" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-060/SCC-BGL04-QA-76.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:24:ea" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">

```

```

        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-006</Name>
    <Mor>vm-625</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-006</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified,This machine was
created by Virendra</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.230749Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203f7d5-799e-b030-f412-
b7974fac2cde</uuid>
    <instanceUuid>5003ee53-2489-d3ae-3c5f-
0c8ab02a7788</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-006/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.16</IpAddress>

```

```

</Networks>                                <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Nics>                                       <Nics>SOLUTIONS-QA(&lt;false&gt;)
</NicIpaddresses>                             <NicIpaddresses>unassigned
</host>                                       <hostName>B16-SN-QA-006</hostName>
                                                <host>b16-sn-qa-esx-01.cisco.com
</ResourcePoolMor>                             <hostMor>host-592</hostMor>
                                                <ResourcePoolMor>resgroup-291
</NumberOfDatastores>                         <NumberOfDatastores>1
</NumberOfBackingDisks>                       <NumberOfBackingDisks>1
                                                <NumberOfFiles>13</NumberOfFiles>
</CpuFeatureMaskSupported>                   <CpuFeatureMaskSupported>true
                                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                                <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-006/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-006/" logDir="[SN-QA-FC-A] B16-SN-QA-006/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-006/SCC-BGL04-QA-102.vmx">
                                                </VirtualMachineFileInfo>
                                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                                </VirtualHardware>
                                                <File Type="VmFileInfo">
                                                    <Name>SCC-BGL04-QA-102.vmx
</Name>
                                                    <Size>3348</Size>
                                                    <Type>config</Type>
                                                </File>
                                                <File Type="VmFileInfo">
                                                    <Name>SCC-BGL04-QA-102.vmx
</Name>
                                                    <Size>3431</Size>
                                                    <Type>extendedConfig</Type>
                                                </File>
                                                <File Type="VmFileInfo">
                                                    <Name>SCC-BGL04-QA-102.nvram
</Name>
                                                    <Size>8684</Size>
                                                    <Type>nvram</Type>
                                                </File>
                                                <File Type="VmFileInfo">
                                                    <Name>SCC-BGL04-QA-102.vmsd
</Name>
                                                    <Size>0</Size>
                                                    <Type>snapshotList</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-102.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>417262</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>179480</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>24313</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>218537</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>212544</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>155359</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>107406</Size>
  <Type>log</Type>
</File>
  <StorageInfo Datastore="SN-QA-FC-A"
Unshared="18226629820" Uncommitted="29264027648"
Committed="18226629820">
    </StorageInfo>
    <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
      </Datastore>
      <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-113e-4ad7-e172-10528a5159dc" ChangeId=""

```

```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="141bee87ef02b4d72a40531119fe8a67" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-006/SCC-BGL04-QA-102.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:01:5c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-065</Name>
    <Mor>vm-708</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-065</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This machine was
created by sbyrapp@cisco.com</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>

```

```

    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:34.819878Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203f304-41fa-7833-fa6f-
3f6baf1cb3f9</uuid>
    <instanceUuid>525f6f16-ccdd-51de-d124-
6f27cd8c4de7</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.75</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-065</hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-065/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-065/" logDir="[SN-QA-FC-A] B16-SN-QA-065/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-065/SCC-BGL04-QA-87.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-87.vmx</Name>
        <Size>3258</Size>

```



```

        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-87.vmx
</Name>
    <Size>3430</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-87.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-87.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-87.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>105202</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>299164</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>176098</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>177558</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>152859</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-25.log</Name>
        <Size>413829</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>24294</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="10272166296" Uncommitted="37218525184"
Committed="10272166296">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-28d4-a6ab-203c-dfdd86a80b43" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="444ce688a1bf478bd46aadf821b8d480" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-065/SCC-BGL04-QA-87.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:0d:85" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"

```

```

StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-QA-141</Name>
  <Mor>vm-726</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-141</Path>
  <ParentMor>group-v1378</ParentMor>
  <Annotation>This VM was created by
ptirung on 13-DEC-12</Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-
02T06:35:04.446371Z</ChangeVersion>
  <powerState>poweredOn</powerState>
  <connectionState>connected
</connectionState>
  <uuid>4200e898-8f03-093e-6eca-
6295e5f26c5a</uuid>
  <instanceUuid>5000d835-f941-d1d2-5c0e-
a7b896e7de6f</instanceUuid>
  <vmxDir>[SN-QA-FC-A] B16-SN-QA-141/
</vmxDir>
  <template>>false</template>
  <IpAddress>10.106.13.151</IpAddress>
  <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
  <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
  <NicIpaddresses>(10.106.13.151)
(fe80::250:56ff:fe80:70f3)</NicIpaddresses>
  <hostName>B16-SN-QA-141</hostName>
  <host>b16-sn-qa-esx-04.cisco.com
</host>
  <hostMor>host-668</hostMor>
  <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
  <NumberOfDatastores>1
</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>3
</NumberOfBackingDisks>
        <NumberOfFiles>19</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-141/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-141/" logDir="[SN-QA-FC-A] B16-SN-QA-141/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-141/B16-SN-QA-141.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="12">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-141.vmx</Name>
            <Size>3386</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-141.vmx</Name>
            <Size>3372</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-141.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-141.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-141.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-141_1.vmdk
</Name>
            <Size>20971520</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-141_2.vmdk
</Name>
            <Size>20971520</Size>
            <Type>diskDescriptor</Type>
        </File>

```

```

7f2ed692.vswp</Name>
    <File Type="VmFileInfo">
      <Name>B16-SN-QA-141-
        <Size>17179869184</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmx-B16-SN-QA-141-
        <Size>106954752</Size>
        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-23.log</Name>
      <Size>249262</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-22.log</Name>
      <Size>143328</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-20.log</Name>
      <Size>177039</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-24.log</Name>
      <Size>447298</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-21.log</Name>
      <Size>143971</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-19.log</Name>
      <Size>140598</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>522594</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="52297470380" Uncommitted="50890539008"
Committed="52297470380">
    </StorageInfo>
    <Datastore Mor="datastore-416"

```

Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-QA-FC-A">

</Datastore>

<BackingDisk LunUuid="" DeviceName=""  
DiskUuid="6000C291-cbb7-e0be-fd73-78f99b94be54" ChangeId=""  
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"  
Thin="true" Split="false" CapacityKB="41943040"  
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"  
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"  
ContentId="a6fcb8313cd691ca7e96a53650f03339" Parent="" Disk="[SN-QA-FC-A] B16-SN-QA-141/B16-SN-QA-141.vmdk"  
AllowGuestControl="false" StartConnected="false"  
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"  
Type="" Label="Hard disk 1">

</BackingDisk>

<BackingDisk LunUuid="" DeviceName=""  
DiskUuid="6000C292-7d4b-bf1d-5594-dfb0600c0a67" ChangeId=""  
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"  
Thin="true" Split="false" CapacityKB="20971520"  
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"  
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"  
ContentId="cfe1bd4b6cb0b858568231dce4b9cae5" Parent="" Disk="[SN-QA-FC-A] B16-SN-QA-141/B16-SN-QA-141\_1.vmdk"  
AllowGuestControl="false" StartConnected="false"  
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"  
Type="" Label="Hard disk 2">

</BackingDisk>

<BackingDisk LunUuid="" DeviceName=""  
DiskUuid="6000C292-418f-1020-0c92-49cb77d9c3ca" ChangeId=""  
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"  
Thin="true" Split="false" CapacityKB="20971520"  
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"  
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"  
ContentId="69145b638d2b258b2e5b5693ffffffe" Parent="" Disk="[SN-QA-FC-A] B16-SN-QA-141/B16-SN-QA-141\_2.vmdk"  
AllowGuestControl="false" StartConnected="false"  
Connected="false" UnitNum="2" Key="2002" ControllerKey="1000"  
Type="" Label="Hard disk 3">

</BackingDisk>

<BackingNetwork SwitchUuid=""  
PortKey="" PortgroupKey="" ConnectionCookie="-1"  
MacAddress="00:50:56:80:70:f3" AddressType="assigned"  
UseAutoDetect="false" InPassthroughMode="false"  
WakeOnLanEnabled="true"  
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"  
NetName="SOLUTIONS-QA" AllowGuestControl="true"  
StartConnected="true" Connected="true" UnitNum="7" Key="4000"  
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network adapter 1">

</BackingNetwork>

<BackingDiskCtrlr HotAddRemove="true"  
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-064</Name>
    <Mor>vm-700</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-064</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This machine was
created by sbyrapp@cisco.com</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
15T09:51:41.939929Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203d0ec-a05b-9401-638b-
cf3c2c0f8d6c</uuid>
    <instanceUuid>52b43b3f-b359-dd2d-692a-
7f39d2c36188</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-064/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.74</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)

```

```

</Nics>
    <NicIpaddresses>(10.106.13.74)
(fe80::250:56ff:fe83:44f6)</NicIpaddresses>
    <hostName>B16-SN-QA-064</hostName>
    <host>b16-sn-qa-esx-03.cisco.com
</host>
    <hostMor>host-640</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-064/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-064/" logDir="[SN-QA-FC-A] B16-SN-QA-064/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-064/SCC-BGL04-QA-86.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-86.vmx</Name>
        <Size>3291</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-86.vmx.f
</Name>
        <Size>3430</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-86.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-86.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-86.vmdk
</Name>

```



```

        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-86-
7f2ed296.vswp</Name>

        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-QA-86-
2133774998-1.vswp</Name>

        <Size>96468992</Size>
        <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>152937</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>24297</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>346995</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>416418</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>224111</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>178113</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>149529</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="27819180509" Uncommitted="19523436544"

```

```

Committed="27819180509">
    </StorageInfo>
    <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-e3d4-43d0-c8d3-029c56d02407" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="19d13d6df9b8a8060c5096b1ba30c9b1" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-064/SCC-BGL04-QA-86.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:44:f6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-142</Name>
    <Mor>vm-610</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-142</Path>
    <ParentMor>group-v1378</ParentMor>

```

```

                                <Annotation>This VM was created by
ptirung 13-DEC-12</Annotation>
                                <Version>vmx-09</Version>
                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>true
</BootOptionsSupported>
                                <SwapPlacementSupported>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
02T06:36:24.491979Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4200eea5-b7c7-3416-ace0-
9f2b1803b72c</uuid>
                                <instanceUuid>5000000d-6733-f03c-e32d-
3a5434a06ddb</instanceUuid>
</vmxDir>
                                <template>false</template>
                                <IpAddress>10.106.13.152</IpAddress>
                                <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.13.152)
(fe80::250:56ff:fe80:70f4)</NicIpaddresses>
                                <hostName>B16-SN-QA-142</hostName>
                                <host>b16-sn-qa-esx-02.cisco.com
</host>
                                <hostMor>host-616</hostMor>
                                <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-142/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-142/" logDir="[SN-QA-FC-B] B16-SN-QA-142/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-142/B16-SN-QA-142.vmx">

```

```

</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-142.vmx</Name>
  <Size>3307</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-142.vmx</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-142.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-142.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-142.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-142-
debf55f2.vswp</Name>
  <Size>17179869184</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-QA-142-
3737081330-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>106833</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>168582</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-14.log</Name>
        <Size>183738</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>150327</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>178037</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-17.log</Name>
        <Size>24267</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>233162</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="48797593106" Uncommitted="11429478400"
Committed="48797593106">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-7f7f-29dc-55d6-e75c72f272de" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="32782fc9c395fc3c01f01538c21c5d01" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-142/B16-SN-QA-142.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:f4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-143</Name>
    <Mor>vm-823</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-143</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
ptirung on 13-DEC-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:35:36.625241Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200c6ab-f14e-13b8-16d3-
bfde7d0327da</uuid>
    <instanceUuid>5000718d-8c05-2ce3-a4b0-
18193d11472c</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-143/
</vmxDir>
    <template>>false</template>

```

```

        <IpAddress>10.106.13.153</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.13.153)
(fe80::250:56ff:fe80:7100)</NicIpaddresses>
        <hostName>B16-SN-QA-143</hostName>
        <host>b16-sn-qa-esx-04.cisco.com
</host>
        <hostMor>host-668</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-143/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-143/" logDir="[SN-QA-FC-A] B16-SN-QA-143/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-143/B16-SN-QA-143.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-143.vmx</Name>
            <Size>3464</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-143.vmx</Name>
            <Size>3475</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-143.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-143.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-143.vmdk</Name>

```

```

        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-143-
7f2ed694.vswp</Name>

        <Size>17179869184</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-QA-143-
2133776020-1.vswp</Name>

        <Size>96468992</Size>
        <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>146234</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>178941</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>299717</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>141933</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>211636</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-13.log</Name>
    <Size>24615</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>192112</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="36026087867" Uncommitted="24201134080"

```



```

Committed="36026087867">
    </StorageInfo>
    <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-b5ac-686a-b6af-1ab957bbce86" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7d675e2653e6af13048725d25892fed2" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-143/B16-SN-QA-143.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:71:00" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-063</Name>
    <Mor>vm-621</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-063</Path>
    <ParentMor>group-v1378</ParentMor>

```

```

                                <Annotation>Verified, This machine was
created by sbyrapp@cisco.com</Annotation>
                                <Version>vmx-09</Version>
                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
                                <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>true
</BootOptionsSupported>
                                <SwapPlacementSupported>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
07T07:58:03.089946Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4203e343-fa13-5d37-ed3a-
5be22395b4c2</uuid>
                                <instanceUuid>500326ec-d563-510b-fbde-
767021971b30</instanceUuid>
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.13.73</IpAddress>
                                <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.13.73)
(fe80::250:56ff:fe83:74b5)</NicIpaddresses>
                                <hostName>B16-SN-QA-063</hostName>
                                <host>b16-sn-qa-esx-08.cisco.com
</host>
                                <hostMor>host-803</hostMor>
                                <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-063/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-063/" logDir="[SN-QA-FC-A] B16-SN-QA-063/"

```

```

vmxPath="[SN-QA-FC-A] B16-SN-QA-063/SCC-BGL04-QA-85.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="2048"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-85.vmx</Name>
    <Size>3353</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-85.vmx
</Name>
    <Size>3430</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-85.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-85.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-85.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-85-
7f2ed295.vswp</Name>
    <Size>2147483648</Size>
    <Type>swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-QA-85-
2133774997-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwsnap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>661849192</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">

```

```

        <Name>vmware-27.log</Name>
        <Size>1516909188</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>404327</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>226576</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>24297</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>220275</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>192491</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="42545823509" Uncommitted="4827643904"
Committed="42545823509">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-a2dd-b8ef-e553-4867631bed9e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="35a432425c2d082239d8cc9676d204d7" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-063/SCC-BGL04-QA-85.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:74:b5" AddressType="assigned"

```

```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-144</Name>
    <Mor>vm-635</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-144</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
ptirunag 13-DEC-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:36:46.319278Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200b351-c8d6-c2b7-0208-
b291c50378c0</uuid>

```

```

<instanceUuid>5000e383-f1c8-add2-6bfe-
4256a27c9c2c</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-144/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.154</IpAddress>
<Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
<NicIpaddresses>(10.106.13.154)
(fe80::250:56ff:fe80:70f6)</NicIpaddresses>
<hostName>B16-SN-QA-144</hostName>
<host>b16-sn-qa-esx-01.cisco.com
</host>
<hostMor>host-592</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-144/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-144/" logDir="[SN-QA-FC-A] B16-SN-QA-144/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-144/B16-SN-QA-144.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-QA-144.vmx</Name>
<Size>3216</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-144.vmx</Name>
<Size>3428</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-144.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-144.vmsd</Name>

```

```

        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-144.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-144-
7f2ed695.vswp</Name>
  <Size>17179869184</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-QA-144-
2133776021-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>154432</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>24268</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>397877</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>177458</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>101827</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>663452698</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>

```

```

        <Size>1101980662</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="42080906022" Uncommitted="19911409664"
Committed="42080906022">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-ee8b-a7ed-bc52-f99abfd88614" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ed81ba8e0a930b43e581403e4ece2860" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-144/B16-SN-QA-144.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:f6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>
                <Name>B16-SN-QA-145</Name>

```



```

<Mor>vm-795</Mor>
<MorType>VirtualMachine</MorType>
<Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-145</Path>
<ParentMor>group-v1378</ParentMor>
<Annotation>This VM was created by
radchin 13-DEC-12</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:26:30.939874Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42003d23-c39d-fae7-ecab-
d41b6f588ffe</uuid>
<instanceUuid>50005776-c946-631d-1322-
ac2c408c0499</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-145/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.155</IpAddress>
<Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-145</hostName>
<host>b16-sn-qa-esx-02.cisco.com
</host>
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0

```

```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-145/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-145/" logDir="[SN-QA-FC-A] B16-SN-QA-145/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-145/B16-SN-QA-145.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-145.vmx</Name>
        <Size>3144</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-145.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-145.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-145.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-145.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>425743</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>147359</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>213455</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>24615</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>109024</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>104195</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>300459</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="23898383986" Uncommitted="23672037376"
Committed="23898383986">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-c4bd-e22f-f67b-e4f1c8bc5620" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4f11d114aa3f8b40980b5b336d4aba2b" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-145/B16-SN-QA-145.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:f8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-189</Name>
    <Mor>vm-628</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-189</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
radchin 22-JAN-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.136783Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200f5dd-b09b-e6d0-851c-
7a2f15b13700</uuid>
    <instanceUuid>500092db-8b8e-e58e-7706-
046bd7815cb0</instanceUuid>
    <vmxDir>[SN-QA-FC-B] B16-SN-QA-189/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>

```

```

</host>
    <hostName></hostName>
    <host>b16-sn-qa-esx-01.cisco.com
</host>
    <hostMor>host-592</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-189/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-189/" logDir="[SN-QA-FC-B] B16-SN-QA-189/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-189/B16-SN-QA-189.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-189.vmx</Name>
        <Size>3207</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-189.vmx</Name>
        <Size>3367</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-189.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-189.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-189.vmdk</Name>
        <Size>20971520</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24268</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>376075</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>155052</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>100731</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>102827</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>218735</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>138314</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-B"
Unshared="14433731324" Uncommitted="11581890560"
Committed="14433731324">
  </StorageInfo>
  <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-320b-e7c6-996e-263f0395cef0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f73ea547374be20870281a6803f36579" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-189/B16-SN-QA-189.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:0f:fa" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-146</Name>
        <Mor>vm-824</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-146</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Dec12sasravinSCC1616
VM has been re-imaged with RHEL 6.3 as per Feb13sasravinSCC1981-
ptirunag</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true

```

```

</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:43:39.700631Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200d94d-998b-d748-6b63-
335d9b953e5c</uuid>
    <instanceUuid>50002ecc-a9d8-77c3-2047-
42a7f608feel</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.156</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-146</hostName>
    <host>b16-sn-qa-esx-08.cisco.com
</host>
    <hostMor>host-803</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] b16-sn-qa-146/" suspendDir="[SN-QA-FC-
A] b16-sn-qa-146/" logDir="[SN-QA-FC-A] b16-sn-qa-146/"
vmxPath="[SN-QA-FC-A] b16-sn-qa-146/b16-sn-qa-146.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="4">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>b16-sn-qa-146.vmx</Name>
        <Size>3440</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">

```



```

        <Name>b16-sn-qa-146.vmx</Name>
        <Size>3433</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>b16-sn-qa-146.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>b16-sn-qa-146.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>b16-sn-qa-146.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>b16-sn-qa-146-
cfc0e737.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-b16-sn-qa-146-
3485525815-1.vswp</Name>
    <Size>98566144</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>181315</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>153768</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>213453</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>24269</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-7.log</Name>
        <Size>148905</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>188921</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>192196</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="38283579568" Uncommitted="9060745216"
Committed="38283579568">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-b7a7-d0ae-46e4-054a7d4d02c7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1f6b32f5f332f1b70af45a1a2ccd10e1" Parent="" Disk="[SN-
QA-FC-A] b16-sn-qa-146/b16-sn-qa-146.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:16:54" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                </BackingNetwork>
                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-147</Name>
    <Mor>vm-630</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-147</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Decl2sasravinSCC1616</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:39:51.491497Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200673b-8e64-b920-0004-
072e5cf98fea</uuid>
    <instanceUuid>5000f8a3-e8db-6019-2e61-
1b136ba0dc28</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-147/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.157</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-147</hostName>
    <host>b16-sn-qa-esx-01.cisco.com
</host>

```

```

        <hostMor>host-592</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-147/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-147/" logDir="[SN-QA-FC-A] B16-SN-QA-147/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-147/B16-SN-QA-147.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="4">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-147.vmx</Name>
            <Size>3365</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-147.vmx</Name>
            <Size>3372</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-147.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-147.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-147.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-147-
7f2ed698.vswp</Name>
            <Size>17179869184</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">

```

```

                <Name>vmx-B16-SN-QA-147-
2133776024-1.vswp</Name>
                <Size>98566144</Size>
                <Type>uwswap</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-9.log</Name>
                <Size>220917</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-12.log</Name>
                <Size>181509</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-11.log</Name>
                <Size>145069</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-13.log</Name>
                <Size>24618</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-10.log</Name>
                <Size>423983</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-14.log</Name>
                <Size>171490</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware.log</Name>
                <Size>234714</Size>
                <Type>log</Type>
            </File>
            <StorageInfo Datastore="SN-QA-FC-A"
Unshared="49147126265" Uncommitted="11082399744"
Committed="49147126265">
                </StorageInfo>
                <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-9015-3dda-f07f-63a55e179fe8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"

```

```

CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a31aec9cd0600fa4867c13c4a42e4953" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-147/B16-SN-QA-147.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:59:1a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-019-clone</Name>
    <Mor>vm-7600</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-019-clone</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>(new exchg)</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName>Microsoft Windows
Server 2008 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true

```

```

</BootOptionsSupported>
</SwapPlacementSupported>
30T10:25:32.417421Z</ChangeVersion>
</connectionState>
23d3324e30e4</uuid>
c285ca5035cb</instanceUuid>
clone</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-B] B16-SN-QA-019-clone/" suspendDir="[SN-
QA-FC-B] B16-SN-QA-019-clone/" logDir="[SN-QA-FC-B] B16-SN-QA-
019-clone/" vmxPath="[SN-QA-FC-B] B16-SN-QA-019-clone/B16-SN-QA-
019-clone.vmx">
NumCPUs="2">
</Name>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-019-clone.vmx
        </Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-019-clone.nvram
        </Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-019-clone.vmsd
        </Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-019-clone.vmdk
        </Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-B"
Unshared="103661186493" Uncommitted="8252661760"
Committed="103661186493">
            </StorageInfo>
            <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-40cc-2179-4ee8-ec202b9b7334" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7e74b9592f5076e05c682d55bc3a3d99" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-019-clone/B16-SN-QA-019-clone.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:57:6c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"

```



```

StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-148</Name>
    <Mor>vm-606</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-148</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Decl2sasravinSCC1616</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.137287Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200d46e-331c-bdc1-dfd4-
1bb439951ec2</uuid>
    <instanceUuid>50009dc6-066a-d728-1425-
9274aa48262e</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-148/
</vmxDir>

```

```

<template>>false</template>
<IpAddress>10.106.13.158</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-148</hostName>
<host>b16-sn-qa-esx-01.cisco.com
</host>
<hostMor>host-592</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-148/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-148/" logDir="[SN-QA-FC-A] B16-SN-QA-148/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-148/B16-SN-QA-148.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-148.vmx</Name>
  <Size>3363</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-148.vmx</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-148.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-148.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>B16-SN-QA-148.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>284309</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>180830</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>187399</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>153905</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>24270</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>109285</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>170762</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="34303192928" Uncommitted="26151919616"
Committed="34303192928">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-0f1d-008e-df41-0d667aelb9b8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bae6a3af37a189929c28b1b4a6ba9e3c" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-148/B16-SN-QA-148.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:7f:ba" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-149</Name>
    <Mor>vm-6369</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-149</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Decl2sasravinSCC1616</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>

```

```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T06:37:38.889347Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4224dcda-9674-c46a-8875-
69929b1ff78b</uuid>
        <instanceUuid>50246fbc-b626-1c89-8fc5-
ec616aldbe94</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.159</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-149</hostName>
        <host>b16-sn-qa-esx-01.cisco.com
</host>
        <hostMor>host-592</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>2
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-149/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-149/" logDir="[SN-QA-FC-A] B16-SN-QA-149/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-149/B16-SN-QA-149.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="12">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-149.vmx</Name>
            <Size>3497</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-149.vmx</Name>

```

```

        <Size>3433</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-149.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-149.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-149.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-149_1.vmdk
</Name>
    <Size>20971520</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-149-
7f2ed69a.vswp</Name>
    <Size>17179869184</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-QA-149-
2133776026-1.vswp</Name>
    <Size>106954752</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>264592</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>29891</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>225393</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-4.log</Name>
        <Size>237198</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>381160</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="65187978040" Uncommitted="80949018624"
Committed="65187978040">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-97e1-caa9-45b5-caefe86d4ede" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="463bbe0784c6b4b324c5502253af3c42" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-149/B16-SN-QA-149.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-c6aa-6119-3ac8-5bc68ecfc575" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3004b91b27997c8399c836f05b245d98" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-149/B16-SN-QA-149_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:30:a8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>

```

```

        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-CS01-02</Name>
        <Mor>vm-404</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-CS01-02</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
07T07:52:44.288573Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200ccd7-3685-7a6d-1584-
34f5a0e1beac</uuid>
        <instanceUuid>5000b8e7-b4f5-fddb-486f-
90f6002d5c68</instanceUuid>
        <vmxDir>[STG-SATA-A-NEW] B16-SN-QA-
CS01-02/</vmxDir>
        <template>false</template>
        <IpAddress>10.106.6.58</IpAddress>
        <Networks>STG-304_10.106.6.0/26
(&lt;True&gt;)</Networks>
        <Nics>STG-304_10.106.6.0/26

```



```

(&lt;true&gt;)</Nics>
      <NicIpaddresses>(10.106.6.58)
(fe80::250:56ff:fe80:158c)</NicIpaddresses>
      <hostName>B16-SN-QA-CS01-02</hostName>
      <host>b16-stg-esx-06.cisco.com</host>
      <hostMor>host-382</hostMor>
      <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
      <NumberOfDatastores>1
</NumberOfDatastores>
      <NumberOfBackingDisks>1
</NumberOfBackingDisks>
      <NumberOfFiles>15</NumberOfFiles>
      <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-02/"
suspendDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-02/" logDir="[STG-
SATA-A-NEW] B16-SN-QA-CS01-02/" vmxPath="[STG-SATA-A-NEW] B16-SN-
QA-CS01-02/B16-SN-QA-180.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="16384"
NumCPUs="2">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-180.vmx</Name>
        <Size>3150</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-180.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-180.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-180.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-180.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">

```

```

c431db3c.vswp</Name>
    <Name>B16-SN-QA-180-
    <Size>17179869184</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-QA-180-
3291601724-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>107585</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>578459776</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>1273554938</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>305626</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>24569</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-13.log</Name>
    <Size>210287</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>234574</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="36048024553" Uncommitted="26030899200"
Committed="36048024553">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"

```

```

Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-945a-bdd1-2c17-f6a0cac177c5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a54657d53edd021428415ed20fd43bcc" Parent=""
Disk="[STG-SATA-A-NEW] B16-SN-QA-CS01-02/B16-SN-QA-180.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:15:8c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-304_10.106.6.0/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-CS01-01</Name>
    <Mor>vm-399</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-CS01-01</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>

```

```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>true
</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
07T07:52:37.275562Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>420010f4-c350-d4b0-d144-
0f6587013110</uuid>
<instanceUuid>50000b5a-610c-0632-f088-
c9214d146e6a</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] B16-SN-QA-
CS01-01_2/</vmxDir>
<template>>false</template>
<IpAddress>10.106.6.57</IpAddress>
<Networks>STG-304_10.106.6.0/26
(&lt;True&gt;)</Networks>
<Nics>STG-304_10.106.6.0/26
(&lt;true&gt;)</Nics>
<NicIpaddresses>(10.106.6.57)
(fe80::250:56ff:fe80:509b)</NicIpaddresses>
<hostName>B16-SN-QA-CS01-01</hostName>
<host>b16-stg-esx-01.cisco.com</host>
<hostMor>host-297</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>17</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-01_2/"
suspendDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-01_2/" logDir="[STG-
SATA-A-NEW] B16-SN-QA-CS01-01_2/" vmxPath="[STG-SATA-A-NEW] B16-
SN-QA-CS01-01_2/B16-SN-QA-179.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">

```

```

        <Name>B16-SN-QA-179.vmx</Name>
        <Size>3159</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-179.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-179.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-179.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-179-000001.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-179-
Snapshot3.vmsn</Name>
        <Size>28309</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-179-
9815a26c.vswp</Name>
        <Size>17179869184</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-B16-SN-QA-179-
2551554668-1.vswp</Name>
        <Size>96468992</Size>
        <Type>u.swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>665010</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>140311</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>864376</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>422421</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>39902</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>25407</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>1181394</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="41516895382" Uncommitted="21927735296"
Committed="41516895382">
  </StorageInfo>
  <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-b8ec-c01f-6b23-85cc850cb6d8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="60ac0ab73b0ac377452d903e8e36fa62" Parent="[STG-SATA-A-
NEW] B16-SN-QA-CS01-01_2/B16-SN-QA-179.vmdk" Disk="[STG-SATA-A-
NEW] B16-SN-QA-CS01-01_2/B16-SN-QA-179-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:50:9b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-304_10.106.6.0/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>clone-temp-1358425573046129
</Snapshot>
    </VirtualMachine>
    <VirtualMachine>
    <Name>B16-SN-QA-CS01-06</Name>
    <Mor>vm-397</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-CS01-06</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:13:34.097121Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200b1fc-6983-886c-7995-
fe89257a8327</uuid>
    <instanceUuid>50002af6-232d-cc4d-b169-

```

```

5842d2e2896f</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] B16-SN-QA-
CS01-06/</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>STG-304_10.106.6.0/26
(&lt;False&gt;)</Networks>
<Nics>STG-304_10.106.6.0/26
(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-stg-esx-07.cisco.com</host>
<hostMor>host-393</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>12</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-06/"
suspendDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-06/" logDir="[STG-
SATA-A-NEW] B16-SN-QA-CS01-06/" vmxPath="[STG-SATA-A-NEW] B16-SN-
QA-CS01-06/B16-SN-QA-184.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-QA-184.vmx</Name>
<Size>3154</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-184.vmx</Name>
<Size>3428</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-184.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-184.vmsd</Name>
<Size>0</Size>

```



```

        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-184-000001.vmdk
</Name>

    <Size>0</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>197229</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>26120</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>239304</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>106854</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>302258</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>49427</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>260460</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="18060150" Uncommitted="60357365760"
Committed="18060150">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="" ChangeId="" EagerlyScrub="false"
UseAutoDetect="false" WriteThru="false" Thin="false"
Split="false" CapacityKB="0" CompatibilityMode=""
Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="" Parent="" Disk="[STG-SATA-A-NEW] B16-SN-QA-CS01-
06/B16-SN-QA-184-000001.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:71:c6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-304_10.106.6.0/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-CS01-05</Name>
    <Mor>vm-398</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-CS01-05</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:13:34.116631Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>4200c242-c19c-dbc6-af82-
66cda8a33f46</uuid>
<instanceUuid>50000022-683c-c808-34db-
9607adc3705d</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] B16-SN-QA-
CS01-05/</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>STG-304_10.106.6.0/26
(&lt;False&gt;)</Networks>
<Nics>STG-304_10.106.6.0/26
(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-stg-esx-07.cisco.com</host>
<hostMor>host-393</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-05/"
suspendDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-05/" logDir="[STG-
SATA-A-NEW] B16-SN-QA-CS01-05/" vmxPath="[STG-SATA-A-NEW] B16-SN-
QA-CS01-05/B16-SN-QA-183.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-QA-183.vmx</Name>
<Size>3149</Size>
<Type>config</Type>
</File>

```

```
<File Type="VmFileInfo">
  <Name>B16-SN-QA-183.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-183.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-183.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-183.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>195690</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>151331</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>179992</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>239547</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>222033</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>106873</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
```

```

        <Size>301955</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24569</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="4229295683" Uncommitted="56146370560"
Committed="4229295683">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-cad6-f414-508c-3978fd936eb0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="31b44ed5aa4f41798dc13beb48d99826" Parent=""
Disk="[STG-SATA-A-NEW] B16-SN-QA-CS01-05/B16-SN-QA-183.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:3d:be" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-304_10.106.6.0/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"

```

```

ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-QA-CS01-04</Name>
  <Mor>vm-369</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-CS01-04</Path>
  <ParentMor>group-v1378</ParentMor>
  <Annotation></Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-
07T07:53:01.344061Z</ChangeVersion>
  <powerState>poweredOn</powerState>
  <connectionState>connected
</connectionState>
  <uuid>4200bab4-bd99-59b4-bba5-
386424d870e0</uuid>
  <instanceUuid>50009947-7f04-d8dc-8ff5-
1c4e6dfb78e2</instanceUuid>
  <vmxDir>[STG-SATA-A-NEW] B16-SN-QA-
CS01-04</vmxDir>
  <template>false</template>
  <IpAddress>10.106.6.60</IpAddress>
  <Networks>STG-304_10.106.6.0/26
(&lt;True&gt;)</Networks>
  <Nics>STG-304_10.106.6.0/26
(&lt;true&gt;)</Nics>
  <NicIpaddresses>(10.106.6.60)
(fe80::250:56ff:fe80:4c59)</NicIpaddresses>
  <hostName>B16-SN-QA-CS01-04</hostName>
  <host>b16-stg-esx-05.cisco.com</host>
  <hostMor>host-373</hostMor>
  <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
  <NumberOfDatastores>1
</NumberOfDatastores>
  <NumberOfBackingDisks>1
</NumberOfBackingDisks>
  <NumberOfFiles>15</NumberOfFiles>

```

```

                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>2
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFeatureMask level="-
2147483647" edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="">
                                </VirtualMachineFeatureMask>
                                <VirtualMachineFeatureMask level="-
2147483647" edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="amd">
                                </VirtualMachineFeatureMask>
                                <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-04/"
suspendDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-04/" logDir="[STG-
SATA-A-NEW] B16-SN-QA-CS01-04/" vmxPath="[STG-SATA-A-NEW] B16-SN-
QA-CS01-04/B16-SN-QA-CS01-04.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="8192"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-QA-CS01-04.vmx
</Name>
                                    <Size>3708</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-QA-CS01-04.vmx
</Name>
                                    <Size>3432</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-QA-CS01-04.nvram
</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-QA-CS01-04.vmsd
</Name>
                                    <Size>0</Size>
                                    <Type>snapshotList</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SN-QA-CS01-04.vmdk
</Name>

```

```

        <Size>20971520</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-CS01-04-
c431db3e.vswp</Name>

        <Size>8589934592</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-QA-CS01-04-
3291601726-1.vswp</Name>

        <Size>96468992</Size>
        <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>143496</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>125315</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>141537</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>110754</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>138958</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>24976</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>898493184</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="20267441340" Uncommitted="10792992768"

```



```

Committed="20267441340">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-a9d2-6abb-7016-a8bd52f89066" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e8970d737638bef35eefff063a82e3fb" Parent=""
Disk="[STG-SATA-A-NEW] B16-SN-QA-CS01-04/B16-SN-QA-CS01-04.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:4c:59" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-304_10.106.6.0/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>

```

```

    <VirtualMachine>
      <Name>B16-SN-QA-CS01-03</Name>
      <Mor>vm-381</Mor>
      <MorType>VirtualMachine</MorType>
      <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-CS01-03</Path>
      <ParentMor>group-v1378</ParentMor>
      <Annotation></Annotation>
      <Version>vmx-09</Version>
      <GuestId>rhel5_64Guest</GuestId>
      <GuestOSAltName></GuestOSAltName>
      <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
      <ChangeTrackingSupported>true
</ChangeTrackingSupported>
      <BootOptionsSupported>true
</BootOptionsSupported>
      <SwapPlacementSupported>true
</SwapPlacementSupported>
      <SwapPlacement>inherit</SwapPlacement>
      <ChangeVersion>2014-01-
07T07:52:51.934002Z</ChangeVersion>
      <powerState>poweredOn</powerState>
      <connectionState>connected
</connectionState>
      <uuid>42007448-8f00-11b2-334b-
ac4da0818f8e</uuid>
      <instanceUuid>500052ef-1d9e-1818-c134-
79ae3df2b061</instanceUuid>
      <vmxDir>[STG-SATA-A-NEW] B16-SN-QA-
CS01-03</vmxDir>
      <template>false</template>
      <IpAddress>10.106.6.59</IpAddress>
      <Networks>STG-304_10.106.6.0/26
(&lt;True&gt;)</Networks>
      <Nics>STG-304_10.106.6.0/26
(&lt;true&gt;)</Nics>
      <NicIpaddresses>(10.106.6.59)
(fe80::250:56ff:fe80:5476)</NicIpaddresses>
      <hostName>B16-SN-QA-CS01-03</hostName>
      <host>b16-stg-esx-06.cisco.com</host>
      <hostMor>host-382</hostMor>
      <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
      <NumberOfDatastores>1
</NumberOfDatastores>
      <NumberOfBackingDisks>1
</NumberOfBackingDisks>
      <NumberOfFiles>15</NumberOfFiles>
      <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>2

```

```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFeatureMask level="-
2147483647" edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="">
    </VirtualMachineFeatureMask>
    <VirtualMachineFeatureMask level="-
2147483647" edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="amd">
    </VirtualMachineFeatureMask>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-03/"
suspendDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-03/" logDir="[STG-
SATA-A-NEW] B16-SN-QA-CS01-03/" vmxPath="[STG-SATA-A-NEW] B16-SN-
QA-CS01-03/B16-SN-QA-CS01-03.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-CS01-03.vmx
</Name>
        <Size>3710</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-CS01-03.vmx
</Name>
        <Size>3432</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-CS01-03.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-CS01-03.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-CS01-03.vmdk
</Name>
        <Size>20971520</Size>
        <Type>diskDescriptor</Type>
    </File>

```

```

c431db3d.vswp</Name>
    <File Type="VmFileInfo">
      <Name>B16-SN-QA-CS01-03-
        <Size>8589934592</Size>
        <Type>swap</Type>
      </File>
    <File Type="VmFileInfo">
      <Name>vmx-B16-SN-QA-CS01-03-
        <Size>96468992</Size>
        <Type>uwswap</Type>
      </File>
    <File Type="VmFileInfo">
      <Name>vmware-3.log</Name>
      <Size>126826</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-6.log</Name>
      <Size>138152</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-5.log</Name>
      <Size>156247</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-4.log</Name>
      <Size>107923</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-7.log</Name>
      <Size>24429</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-8.log</Name>
      <Size>534596905</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>897235171</Size>
      <Type>log</Type>
    </File>
  <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="20798551623" Uncommitted="10795089920"
Committed="20798551623">
    </StorageInfo>
  <Datastore Mor="datastore-3657"

```

```

Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-cff1-c152-1c7a-b12244a1c616" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9dc61ad7f2e48fade0a0e63810038dab" Parent=""
Disk="[STG-SATA-A-NEW] B16-SN-QA-CS01-03/B16-SN-QA-CS01-03.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:54:76" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-304_10.106.6.0/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-CS01-08</Name>
    <Mor>vm-402</Mor>

```

```

    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-CS01-08</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:04.748262Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42001119-c333-c345-2b95-
79c83d04c780</uuid>
    <instanceUuid>5000dd44-3786-1bd6-d939-
38912569a51c</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-SN-QA-
CS01-08/</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>STG-302_10.106.6.128/26
(&lt;False&gt;)</Networks>
    <Nics>STG-302_10.106.6.128/26
(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-stg-esx-06.cisco.com</host>
    <hostMor>host-382</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-08/"

```

```
suspendDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-08/" logDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-08/" vmxPath="[STG-SATA-A-NEW] B16-SN-QA-CS01-08/B16-SN-QA-186.vmx">
```

```
</VirtualMachineFileInfo>  
<VirtualHardware MemoryMB="16384"
```

```
NumCPUs="2">
```

```
</VirtualHardware>  
<File Type="VmFileInfo">  
  <Name>B16-SN-QA-186.vmx</Name>  
  <Size>3150</Size>  
  <Type>config</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>B16-SN-QA-186.vmx</Name>  
  <Size>3428</Size>  
  <Type>extendedConfig</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>B16-SN-QA-186.nvram</Name>  
  <Size>8684</Size>  
  <Type>nvram</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>B16-SN-QA-186.vmsd</Name>  
  <Size>0</Size>  
  <Type>snapshotList</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>B16-SN-QA-186.vmdk</Name>  
  <Size>41943040</Size>  
  <Type>diskDescriptor</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-10.log</Name>  
  <Size>39877</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-9.log</Name>  
  <Size>196125</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware.log</Name>  
  <Size>24373</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-6.log</Name>  
  <Size>239144</Size>  
  <Type>log</Type>  
</File>
```

```

        <File Type="VmFileInfo">
            <Name>vmware-11.log</Name>
            <Size>222599</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>106864</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>302060</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="5060525504" Uncommitted="55314849792"
Committed="5060525504">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-05eb-aecd-e25a-24934e99af03" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9a17f8563d9dbbc3f5c925a61f4e2f22" Parent=""
Disk="[STG-SATA-A-NEW] B16-SN-QA-CS01-08/B16-SN-QA-186.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:39:24" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-302_10.106.6.128/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"

```



```

Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-CS01-07</Name>
    <Mor>vm-403</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-CS01-07</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:13:34.096814Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42000a8d-ed25-3dbd-f9b0-
67adaaa2f125</uuid>
    <instanceUuid>50008d1d-97e1-ce54-8541-
b0e647110ab1</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-SN-QA-
CS01-07/</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>STG-302_10.106.6.128/26
(&lt;False&gt;)</Networks>
    <Nics>STG-302_10.106.6.128/26
(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-stg-esx-07.cisco.com</host>
    <hostMor>host-393</hostMor>

```

```

</ResourcePoolMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-07/"
suspendDir="[STG-SATA-A-NEW] B16-SN-QA-CS01-07/" logDir="[STG-
SATA-A-NEW] B16-SN-QA-CS01-07/" vmxPath="[STG-SATA-A-NEW] B16-SN-
QA-CS01-07/B16-SN-QA-185.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-185.vmx</Name>
        <Size>3152</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-185.vmx</Name>
        <Size>372</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-185.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-185.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-185.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>228201</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>

```

```

        <Size>24418</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>129379</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>243132</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>219898</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>107472</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>321679</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="22649479411" Uncommitted="37726035968"
Committed="22649479411">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-2e98-3ad8-0211-c4alc8575f9a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="29dabee8f07d2e71b678e1769dab6b28" Parent=""
Disk="[STG-SATA-A-NEW] B16-SN-QA-CS01-07/B16-SN-QA-185.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:02:11" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-302_10.106.6.128/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-228</Name>
    <Mor>vm-5435</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-228</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
prasbr on 18-OCT-2013</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
06T10:06:51.601146Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42245a24-6fe5-6055-6e05-
46820db358a9</uuid>
    <instanceUuid>502474fa-9a38-976e-e2b6-

```

```

0fcede5e77d0</instanceUuid>
</vmxDir>      <vmxDir>[SN-QA-FC-A] B16-SN-QA-228/
</vmxDir>      <template>>false</template>
                <IpAddress></IpAddress>
                <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
</Nics>        <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
</NicIpaddresses> <NicIpaddresses>unassigned
</NicIpaddresses>
                <hostName></hostName>
                <host>b16-sn-qa-esx-01.cisco.com
</host>
                <hostMor>host-592</hostMor>
                <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
                <NumberOfDatastores>1
</NumberOfDatastores>
                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                <NumberOfFiles>15</NumberOfFiles>
                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-228/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-228/" logDir="[SN-QA-FC-A] B16-SN-QA-228/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-228/B16-SN-QA-228.vmx">
                </VirtualMachineFileInfo>
                <VirtualHardware MemoryMB="16384"
NumCPUs="2">
                </VirtualHardware>
                <File Type="VmFileInfo">
                    <Name>B16-SN-QA-228.vmx</Name>
                    <Size>2984</Size>
                    <Type>config</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>B16-SN-QA-228.vmx</Name>
                    <Size>0</Size>
                    <Type>extendedConfig</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>B16-SN-QA-228.nvram</Name>
                    <Size>8684</Size>
                    <Type>nvram</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>B16-SN-QA-228.vmsd</Name>
                    <Size>0</Size>

```

```

        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-228.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
</File>
7f2eda98.vswp</Name>
    <Size>17179869184</Size>
    <Type>swap</Type>
</File>
2133777048-1.vswp</Name>
    <Name>vmx-B16-SN-QA-228-
    <Size>96468992</Size>
    <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>123417</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>176564</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>160769</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>123651</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>24238</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>154552</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>198522</Size>

```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="28510706245" Uncommitted="74665951232"
Committed="28510706245">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-e083-a8d3-7ff2-6c824e263791" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="08275a299ec56fbec9bde5040226fc" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-228/B16-SN-QA-228.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:70:a0" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>
                <Name>B16-SN-QA-229</Name>
                <Mor>vm-5437</Mor>

```

```

        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-229</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>This VM was created by
prasbr on 18-OCT-2013</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:30.391323Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42245a84-16ae-36bf-872a-
646d309a256b</uuid>
        <instanceUuid>5024de80-f75e-9a14-65c0-
bbb998714f8f</instanceUuid>
        <vmxDir>[SN-QA-FC-A] B16-SN-QA-229/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-qa-esx-02.cisco.com
</host>
        <hostMor>host-616</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>11</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```



```

        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-229/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-229/" logDir="[SN-QA-FC-A] B16-SN-QA-229/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-229/B16-SN-QA-229.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-229.vmx</Name>
            <Size>2958</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-229.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-229.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-229.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-229.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>151630</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>147646</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>130401</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>24235</Size>
            <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>154466</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="9675830772" Uncommitted="93648691200"
Committed="9675830772">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-3659-fe59-c6ad-b983d52e7a5f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c6c157f585d2e1c26d6a90d2161710c0" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-229/B16-SN-QA-229.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:03:0f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>

```

```

        </VirtualMachine>
        <VirtualMachine>
            <Name>B16-SN-QA-224</Name>
            <Mor>vm-5399</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-224</Path>
            <ParentMor>group-v1378</ParentMor>
            <Annotation></Annotation>
            <Version>vmx-09</Version>
            <GuestId>rhel5_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2014-01-
02T05:57:47.643198Z</ChangeVersion>
            <powerState>poweredOn</powerState>
            <connectionState>connected
</connectionState>
            <uuid>4224586b-9f2d-ad04-8e74-
cfd33b44048f</uuid>
            <instanceUuid>50242aeb-f0f3-e01a-6ced-
27298761a448</instanceUuid>
            <vmxDir>[SN-QA-FC-A] B16-SN-QA-224/
</vmxDir>
            <template>>false</template>
            <IpAddress>10.106.13.234</IpAddress>
            <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
            <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
            <NicIpaddresses>(10.106.13.234)
(fe80::250:56ff:fea4:59d7)</NicIpaddresses>
            <hostName>B16-SN-QA-224</hostName>
            <host>b16-sn-qa-esx-04.cisco.com
</host>
            <hostMor>host-668</hostMor>
            <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>13</NumberOfFiles>
            <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-224/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-224/" logDir="[SN-QA-FC-A] B16-SN-QA-224/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-224/B16-SN-QA-224.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="4096"
NumCPUs="2">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-224.vmx</Name>
        <Size>3066</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-224.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-224.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-224.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-224.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-224-
7f2eda94.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmx-B16-SN-QA-224-
2133777044-1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwsap</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>1674802212</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>440364135</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>23907</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>376390703</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>1102866758</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="59785550153" Uncommitted="55574528000"
Committed="59785550153">
  </StorageInfo>
  <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-8c9a-28b9-f225-0d1a7b944a2a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f32c642a6926a072959340ea4c24989b" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-224/B16-SN-QA-224.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:59:d7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
  </BackingNetwork>

```

```

        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-225</Name>
        <Mor>vm-5408</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-225</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>This VM was created by
prasbr on 18-OCT-2013</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:30.803667Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4224b32e-3570-a630-b3dd-
f49ffbe5b867</uuid>
        <instanceUuid>5024c974-31e3-325f-0540-

```

```

4cf57d597cda</instanceUuid>
</vmxDir>      <vmxDir>[SN-QA-FC-A] B16-SN-QA-225/
                <template>>false</template>
                <IpAddress></IpAddress>
                <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
</Nics>        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
</NicIpaddresses> <NicIpaddresses>unassigned
                <hostName></hostName>
                <host>b16-sn-qa-esx-02.cisco.com
</host>
                <hostMor>host-616</hostMor>
                <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
                <NumberOfDatastores>1
</NumberOfDatastores>
                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                <NumberOfFiles>11</NumberOfFiles>
                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-225/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-225/" logDir="[SN-QA-FC-A] B16-SN-QA-225/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-225/B16-SN-QA-225.vmx">
                </VirtualMachineFileInfo>
                <VirtualHardware MemoryMB="16384"
NumCPUs="2">
                </VirtualHardware>
                <File Type="VmFileInfo">
                    <Name>B16-SN-QA-225.vmx</Name>
                    <Size>2996</Size>
                    <Type>config</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>B16-SN-QA-225.vmx</Name>
                    <Size>0</Size>
                    <Type>extendedConfig</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>B16-SN-QA-225.nvram</Name>
                    <Size>8684</Size>
                    <Type>nvram</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>B16-SN-QA-225.vmsd</Name>
                    <Size>0</Size>

```

```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-225.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>155046</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>103395</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>111275</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>24235</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>155124</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="9206009459" Uncommitted="94118453248"
Committed="9206009459">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-e4c2-10ff-f04c-e0ef8f64e990" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="859d3fe9719c86631af5936e6a841f9f" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-225/B16-SN-QA-225.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>

```



```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:3a:d5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-226</Name>
        <Mor>vm-5411</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-226</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T08:44:32.66891Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>

```

```

        <uuid>4224e4c1-6ffa-0cb5-bd36-
b91ee6c20a4e</uuid>
        <instanceUuid>5024c33e-ae91-bf32-80e2-
d5e26aa9dbf0</instanceUuid>
        <vmxDir>[SN-QA-FC-A] B16-SN-QA-226/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.236</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.13.236)
(fe80::250:56ff:fea4:38f1)</NicIpaddresses>
        <hostName>B16-SN-QA-226</hostName>
        <host>b16-sn-qa-esx-04.cisco.com
</host>
        <hostMor>host-668</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-226/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-226/" logDir="[SN-QA-FC-A] B16-SN-QA-226/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-226/B16-SN-QA-226.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-226.vmx</Name>
            <Size>2902</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-226.vmx</Name>
            <Size>268</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-226.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>

```

```

<File Type="VmFileInfo">
  <Name>B16-SN-QA-226.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-226.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-226-
7f2eda96.vswp</Name>
  <Size>17179869184</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-QA-226-
2133777046-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>308405</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>106128</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>24250</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>184567</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>209596</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="26880041984" Uncommitted="33346813952"
Committed="26880041984">
</StorageInfo>
<Datastore Mor="datastore-416"

```

```

Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-0c00-5635-bc66-c684577f3347" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0972e6ba83762fe5e576a6f9168d5655" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-226/B16-SN-QA-226.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:38:f1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-227</Name>
    <Mor>vm-5427</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-227</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>

```

```

                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
02T08:56:45.922962Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>42245fed-2c11-55a8-0cfb-
b1443f8ed457</uuid>
                                <instanceUuid>5024e49d-05e8-8250-7b36-
0cff97583eba</instanceUuid>
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.13.237</IpAddress>
                                <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>(10.106.13.237)
(fe80::250:56ff:fea4:6bd2)</NicIpaddresses>
                                <hostName>B16-SN-QA-227</hostName>
                                <host>b16-sn-qa-esx-04.cisco.com
</host>
                                <hostMor>host-668</hostMor>
                                <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>13</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-227/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-227/" logDir="[SN-QA-FC-A] B16-SN-QA-227/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-227/B16-SN-QA-227.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16384"
NumCPUs="2">
                                </VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>B16-SN-QA-227.vmx</Name>
  <Size>3000</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-227.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-227.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-227.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-227.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-227-
7f2eda97.vswp</Name>
  <Size>17179869184</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-QA-227-
2133777047-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>108435</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>196638</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>24250</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>184704</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>182278</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="22992833941" Uncommitted="37233885184"
Committed="22992833941">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-66a4-b67d-5b0c-80ee8cbe7820" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3a68f31d7e1cc6923102fbd1cd5f00c" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-227/B16-SN-QA-227.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:6b:d2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"

```

```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-098</Name>
    <Mor>vm-723</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-098</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:34.819664Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42006174-f933-59c2-d1e0-
4e467f23eed5</uuid>
    <instanceUuid>50009cc2-6dac-c8fd-c00f-
e4b3bf7ebe2b</instanceUuid>
    <vmxDir>[PF-QA-FC-A] B16-SN-QA-098/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.108</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-098</hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1

```



```

</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-QA-FC-A] B16-SN-QA-098/" suspendDir="[PF-QA-FC-
A] B16-SN-QA-098/" logDir="[PF-QA-FC-A] B16-SN-QA-098/"
vmxPath="[PF-QA-FC-A] B16-SN-QA-098/B16-SN-QA-098.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-098.vmx</Name>
        <Size>3125</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-098.vmx</Name>
        <Size>3372</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-098.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-098.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-098.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>178718</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>141385</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-9.log</Name>
        <Size>263763</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>39829</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>40024</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>210783</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>24613</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-QA-FC-A"
Unshared="41910399864" Uncommitted="5579841536"
Committed="41910399864">
        </StorageInfo>
        <Datastore Mor="datastore-414"
Url="/vmfs/volumes/502f4a43-25e56874-a137-1025b500000d" Name="PF-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-a55c-799a-c010-63b61aff919b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-414"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="67712adfd8c6484028301e7f213ce4d8" Parent="" Disk="[PF-
QA-FC-A] B16-SN-QA-098/B16-SN-QA-098.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:33:dd" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-220</Name>
    <Mor>vm-639</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-220</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
ptirung 24-APR-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:30:59.441479Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200f370-e7b5-5e30-1bc2-
8dc66bdba574</uuid>
    <instanceUuid>5000b1ec-39f1-5aab-3886-
f9c24d043816</instanceUuid>
    <vmxDir>[SN-QA-FC-B] B16-SN-QA-220/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.230</IpAddress>

```

```

</Networks>                                <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Nics>                                     <Nics>SOLUTIONS-QA(&lt;false&gt;)
</NicIpaddresses>                           <NicIpaddresses>unassigned
</host>                                     <hostName>B16-SN-QA-220</hostName>
                                              <host>b16-sn-qa-esx-08.cisco.com
</ResourcePoolMor>                          <hostMor>host-803</hostMor>
                                              <ResourcePoolMor>resgroup-291
</NumberOfDatastores>                       <NumberOfDatastores>1
</NumberOfBackingDisks>                     <NumberOfBackingDisks>1
                                              <NumberOfFiles>13</NumberOfFiles>
</CpuFeatureMaskSupported>                  <CpuFeatureMaskSupported>true
                                              <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                              <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-220/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-220/" logDir="[SN-QA-FC-B] B16-SN-QA-220/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-220/B16-SN-QA-220.vmx">
                                              </VirtualMachineFileInfo>
                                              <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                              </VirtualHardware>
                                              <File Type="VmFileInfo">
                                                  <Name>B16-SN-QA-220.vmx</Name>
                                                  <Size>3176</Size>
                                                  <Type>config</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                  <Name>B16-SN-QA-220.vmx</Name>
                                                  <Size>3469</Size>
                                                  <Type>extendedConfig</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                  <Name>B16-SN-QA-220.nvram</Name>
                                                  <Size>8684</Size>
                                                  <Type>nvram</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                  <Name>B16-SN-QA-220.vmsd</Name>
                                                  <Size>0</Size>
                                                  <Type>snapshotList</Type>
                                              </File>
                                              <File Type="VmFileInfo">
                                                  <Name>B16-SN-QA-220.vmdk</Name>
                                                  <Size>41943040</Size>

```

```

        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>156007</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24269</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>136456</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>178694</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>224838</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>297953</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>223440</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="7879208474" Uncommitted="39611375616"
Committed="7879208474">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-6258-5677-447a-d4397abe91f7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5b5b5655579e742754c78b8009ccdf86" Parent="" Disk="[SN-

```

```

QA-FC-B] B16-SN-QA-220/B16-SN-QA-220.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:2e:ed" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-099</Name>
    <Mor>vm-817</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-099</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>

```

```

        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:25:35.105186Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422df449-0eca-201e-d406-
62e28f7a5ce7</uuid>
        <instanceUuid>502d0e1d-d4a7-2f9b-fe04-
8887a91e68e8</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.109</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-099</hostName>
        <host>b16-sn-qa-esx-04.cisco.com
</host>
        <hostMor>host-668</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-099/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-099/" logDir="[SN-QA-FC-A] B16-SN-QA-099/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-099/SCC-QA-VM-040.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-QA-VM-040.vmx</Name>
            <Size>3206</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-QA-VM-040.vmx</Name>
            <Size>3372</Size>
            <Type>extendedConfig</Type>

```

```
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-040.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-040.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-040.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>142873</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>155813</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>213158</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>301742</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>169216</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>24615</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>296903</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
```



```

Unshared="40912560798" Uncommitted="6578085888"
Committed="40912560798">
    </StorageInfo>
    <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-8046-75e8-bf2d-a47a52a881a6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3a384862832dccf9932f90bfef35dd62" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-099/SCC-QA-VM-040.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:71" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-221</Name>
    <Mor>vm-4630</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-221</Path>

```

```

        <ParentMor>group-v1378</ParentMor>
        <Annotation>This VM was created by
prasbr 12-AUG-13</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:30.338815Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42249cb6-dbda-1a9c-acd7-
d8ca46047f7b</uuid>
        <instanceUuid>5024ef3d-5bad-897e-27d3-
0d01a16dd2bc</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.231</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-221</hostName>
        <host>b16-sn-qa-esx-02.cisco.com
</host>
        <hostMor>host-616</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-221/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-221/" logDir="[SN-QA-FC-A] B16-SN-QA-221/"

```

```

vmxPath="[SN-QA-FC-A] B16-SN-QA-221/B16-SN-QA-221.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-221.vmx</Name>
    <Size>3032</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-221.vmx</Name>
    <Size>3432</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-221.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-221.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-221.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>195733</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>111721</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>85288</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>106145</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-4.log</Name>

```

```

        <Size>221722</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>101952</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>24542</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="11707164715" Uncommitted="100224815104"
Committed="11707164715">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-345b-b2c4-5214-bc7c0b2aec72" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="51a8cc9bb3b944515e14f3016ffe4e63" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-221/B16-SN-QA-221.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:7f:99" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-096</Name>
        <Mor>vm-623</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-096</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>This VM imaged by Chandra
Babu M</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:30:59.31386Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>564d5385-9258-7128-31a4-
71c978a5d8ba</uuid>
        <instanceUuid>502d92dc-b4c5-5996-8e0b-
b393e7f231f2</instanceUuid>
        <vmxDir>[QA-V5 (SATA)] SCC-QA-VM-033/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.13.106</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-096</hostName>
        <host>b16-sn-qa-esx-08.cisco.com
</host>
        <hostMor>host-803</hostMor>

```

```

</ResourcePoolMor>                                <ResourcePoolMor>resgroup-291
</NumberOfDatastores>                             <NumberOfDatastores>1
</NumberOfBackingDisks>                           <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                        <NumberOfFiles>13</NumberOfFiles>
</NumberOfFeatureMaskEntries>                     <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries>                     <NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo                           <VirtualMachineFileInfo
snapshotDir="[QA-V5 (SATA)] SCC-QA-VM-033/" suspendDir="[QA-V5
(SATA)] SCC-QA-VM-033/" logDir="[QA-V5 (SATA)] SCC-QA-VM-033/"
vmxPath="[QA-V5 (SATA)] SCC-QA-VM-033/SCC-QA-VM-033.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-033.vmx</Name>
  <Size>3198</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-033.vmx</Name>
  <Size>3367</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-033.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-033.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-033.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>104548</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>141496</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>179440</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>24617</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>212458</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>218886</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>415419</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="QA-V5 (SATA)"
Unshared="26140214641" Uncommitted="21350424576"
Committed="26140214641">
        </StorageInfo>
        <Datastore Mor="datastore-413"
Url="/vmfs/volumes/4f6dc0da-22e4c4b9-19c7-0025777400bf" Name="QA-
V5 (SATA)">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-53ff-d7f6-eaab-50e637f777fc" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-413"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e17d5e561fcff69203eca1809b13ecea" Parent="" Disk="[QA-
V5 (SATA)] SCC-QA-VM-033/SCC-QA-VM-033.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:47" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-222</Name>
    <Mor>vm-4632</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-222</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
prasbr 12-AUG-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:30:59.313872Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42249dc2-fba6-8c6c-3ee6-
1c20825a526c</uuid>
    <instanceUuid>5024f6f0-32fd-579d-a217-
ff9eceec9b72</instanceUuid>

```



```

</vmxDir>                                <vmxDir>[SN-QA-FC-A] B16-SN-QA-222/
</Networks>                               <template>>false</template>
</Nics>                                    <IpAddress>10.106.13.232</IpAddress>
</NicIpaddresses>                         <Networks>SOLUTIONS-QA(&lt;False&gt;)
</host>                                    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</ResourcePoolMor>                       <NicIpaddresses>unassigned
</NumberOfDatastores>                    <hostName>B16-SN-QA-222</hostName>
</NumberOfBackingDisks>                  <host>b16-sn-qa-esx-08.cisco.com
</CpuFeatureMaskSupported>               <hostMor>host-803</hostMor>
</NumberOfFeatureMaskEntries>            <ResourcePoolMor>resgroup-291
                                           <NumberOfDatastores>1
                                           <NumberOfBackingDisks>1
                                           <NumberOfFiles>12</NumberOfFiles>
                                           <CpuFeatureMaskSupported>true
                                           <NumberOfFeatureMaskEntries>0
                                           <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-222/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-222/" logDir="[SN-QA-FC-A] B16-SN-QA-222/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-222/B16-SN-QA-222.vmx">
                                           </VirtualMachineFileInfo>
                                           <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                           </VirtualHardware>
                                           <File Type="VmFileInfo">
                                           <Name>B16-SN-QA-222.vmx</Name>
                                           <Size>3206</Size>
                                           <Type>config</Type>
                                           </File>
                                           <File Type="VmFileInfo">
                                           <Name>B16-SN-QA-222.vmx</Name>
                                           <Size>268</Size>
                                           <Type>extendedConfig</Type>
                                           </File>
                                           <File Type="VmFileInfo">
                                           <Name>B16-SN-QA-222.nvram</Name>
                                           <Size>8684</Size>
                                           <Type>nvram</Type>
                                           </File>
                                           <File Type="VmFileInfo">
                                           <Name>B16-SN-QA-222.vmsd</Name>
                                           <Size>0</Size>
                                           <Type>snapshotList</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-222.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>578619914</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>137729</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>334777629</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>126868</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>24195</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>776256521</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="8092560070" Uncommitted="105528512512"
Committed="8092560070">
  </StorageInfo>
  <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-7616-5fc7-6b75-83abf6a8c8df" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="68860c582408e7cb93e20151da6b108c" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-222/B16-SN-QA-222.vmdk"

```

```

AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:65:63" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-097</Name>
    <Mor>vm-725</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-097</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Imaged by Chandra Babu M.
Sandeep asked me to create VM for Jayant Kohl through mail
communication. </Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:34.81854Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d34e4-c371-7744-60a5-
dc3ab539018e</uuid>
    <instanceUuid>502d82df-6219-c764-79eb-
906ec097fb87</instanceUuid>
    <vmxDir>[QA-V5 (SATA)] SCC-QA-VM-035/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.107</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>WIN-RLE00Q754TG</hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[QA-V5 (SATA)] SCC-QA-VM-035/" suspendDir="[QA-V5
(SATA)] SCC-QA-VM-035/" logDir="[QA-V5 (SATA)] SCC-QA-VM-035/"
vmxPath="[QA-V5 (SATA)] SCC-QA-VM-035/SCC-QA-VM-035.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-QA-VM-035.vmx</Name>
        <Size>3285</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-QA-VM-035.vmx</Name>
        <Size>3046</Size>

```

```

        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-QA-VM-035.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-QA-VM-035.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-QA-VM-035-aux.xml
</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-QA-VM-035.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>199543</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>553265</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>24273</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>267923</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>155367</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>196481</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>447838</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="QA-V5 (SATA)"
Unshared="7484498041" Uncommitted="40023969792"
Committed="7484498041">
        </StorageInfo>
        <Datastore Mor="datastore-413"
Url="/vmfs/volumes/4f6dc0da-22e4c4b9-19c7-0025777400bf" Name="QA-
V5 (SATA)">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-d89d-5bf7-6879-c7b3d7971fd8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-413"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dc833fdcc8c222ce77fbc8204bf0b3a6" Parent="" Disk="[QA-
V5 (SATA)] SCC-QA-VM-035/SCC-QA-VM-035.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:3d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"

```

```

UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-223</Name>
    <Mor>vm-5397</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-223</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:35.428821Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224ae5c-e3c6-97d8-cbf8-
a594b1745214</uuid>
    <instanceUuid>5024072a-c51d-e662-ecce-
4d82e9d82583</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-223/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.233</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-223</hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1

```

```

</NumberOfBackingDisks>
    <NumberOfFiles>10</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-223/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-223/" logDir="[SN-QA-FC-A] B16-SN-QA-223/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-223/B16-SN-QA-223.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-223.vmx</Name>
        <Size>2815</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-223.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-223.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-223.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-223.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>440673116</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>587005615</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>23908</Size>

```



```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>376377859</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="12423580609" Uncommitted="100894351360"
Committed="12423580609">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-20a3-f2b4-77d7-2dd2cfdedfec" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="00c7c5de7847e0ac88b557a3ab5a4d5a" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-223/B16-SN-QA-223.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:49:cc" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">

```

```

        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-050</Name>
    <Mor>vm-8587</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-050</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
23T15:47:02.502233Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42243a07-f79c-7ef1-0b51-
c2732926968d</uuid>
    <instanceUuid>5024a3dd-71dd-f09f-3bb2-
276a716f431c</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-050/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.60</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
    <NicIpaddresses>
(fe80::2152:e325:33f6:dca5)(10.106.13.60)</NicIpaddresses>
    <hostName>B16-SN-QA-050.adex03.com
</hostName>
    <host>b16-sn-qa-esx-07.cisco.com
</host>

```

```

        <hostMor>host-777</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>12</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-050/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-050/" logDir="[SN-QA-FC-A] B16-SN-QA-050/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-050/B16-SN-QA-050.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-050.vmx</Name>
            <Size>3152</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-050.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-050.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-050.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-050-aux.xml
</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-050.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>

```

```

7f2ed271.vswp</Name>
    <File Type="VmFileInfo">
      <Name>B16-SN-QA-050-
        <Size>4294967296</Size>
        <Type>swap</Type>
      </File>
    <File Type="VmFileInfo">
      <Name>vmx-B16-SN-QA-050-
        <Size>113246208</Size>
        <Type>uwswap</Type>
      </File>
    <File Type="VmFileInfo">
      <Name>vmware-1.log</Name>
      <Size>328108</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-2.log</Name>
      <Size>23905</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>2038984</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="33810590225" Uncommitted="56499372032"
Committed="33810590225">
      </StorageInfo>
      <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-287b-aa59-6013-ca0426b08a4f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a322bd5a6da2f214725e3243c6f5f0dd" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-050/B16-SN-QA-050.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:1f:ed" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-130</Name>
    <Mor>vm-602</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-130</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
chbabu on 21-SEPT-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>

```

```

    <ChangeVersion>2013-12-
30T10:26:21.338957Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200c7ac-b819-8abf-b9da-
9c8f013082ff</uuid>
    <instanceUuid>5000e54e-8bfe-5a6b-a69a-
f20c21039ebb</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.140</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-130</hostName>
    <host>b16-sn-qa-esx-01.cisco.com
</host>
    <hostMor>host-592</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-130/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-130/" logDir="[SN-QA-FC-A] B16-SN-QA-130/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-130/B16-SN-QA-130.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-130.vmx</Name>
        <Size>3187</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-130.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
    </File>

```

```
<File Type="VmFileInfo">
  <Name>B16-SN-QA-130.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-130.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-130.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>107802</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>143186</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>24270</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>144583</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>170351</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>279033</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>185298</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="12529455870" Uncommitted="34960941056"
```

```

Committed="12529455870">
    </StorageInfo>
    <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-5eb6-1a0b-b5b5-c778c65f0c7b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b13ccb31e24a55a72f83699b932142bf" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-130/B16-SN-QA-130.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:86" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-094</Name>
    <Mor>vm-468</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-094</Path>
    <ParentMor>group-v1378</ParentMor>

```



```

Babu M</Annotation>
<Annotation>This VM imaged by Chandra
</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:25:34.819837Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d699f-0733-69d3-8697-
17a307ce36aa</uuid>
<instanceUuid>502df934-728d-dc3f-424a-
33f192d3127c</instanceUuid>
<vmxDir>[SN-QA-FC-B] B16-SN-QA-094/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.104</IpAddress>
<Networks>QA-SOLUTIONS(&lt;False&gt;)
</Networks>
<Nics>QA-SOLUTIONS(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-094</hostName>
<host>b16-sn-qa-esx-04.cisco.com
</host>
<hostMor>host-668</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-094/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-094/" logDir="[SN-QA-FC-B] B16-SN-QA-094/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-094/SCC-QA-VM-031.vmx">

```

NumCPUs="2">

```
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-031.vmx</Name>
  <Size>3245</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-031.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-031.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-031.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-031.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>144096</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24267</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>105096</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>106861</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>157335</Size>
```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>370005</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>107369</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="19197311218" Uncommitted="28293046272"
Committed="19197311218">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-38f4-55b4-bd45-ca008a1e4a0b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2919b783f77e2d71af8f9906bdf6e829" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-094/SCC-QA-VM-031.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:45" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="QA-SOLUTIONS" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"

```

```

FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-QA-095</Name>
  <Mor>vm-800</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-095</Path>
  <ParentMor>group-v1378</ParentMor>
  <Annotation>This VM imaged by Chandra
Babu M</Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T10:26:30.957717Z</ChangeVersion>
  <powerState>poweredOff</powerState>
  <connectionState>connected
</connectionState>
  <uuid>564db0e7-caed-b8f8-81cf-
395f8a902c75</uuid>
  <instanceUuid>502d66f0-ea50-0e5e-a321-
c90356cd7ac9</instanceUuid>
  <vmxDir>[QA-V5 (SATA)] SCC-QA-VM-032/
</vmxDir>
  <template>false</template>
  <IpAddress>10.106.13.105</IpAddress>
  <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
  <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
  <NicIpaddresses>unassigned
</NicIpaddresses>
  <hostName>B16-SN-QA-095</hostName>
  <host>b16-sn-qa-esx-02.cisco.com
</host>
  <hostMor>host-616</hostMor>
  <ResourcePoolMor>resgroup-291

```

```

</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[QA-V5 (SATA)] SCC-QA-VM-032/" suspendDir="[QA-V5 (SATA)] SCC-QA-VM-032/" logDir="[QA-V5 (SATA)] SCC-QA-VM-032/" vmxPath="[QA-V5 (SATA)] SCC-QA-VM-032/SCC-QA-VM-032.vmx">
NumCPUs="2">
  <VirtualMachineFileInfo
    <VirtualHardware MemoryMB="4096"
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-QA-VM-032.vmx</Name>
    <Size>3209</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-QA-VM-032.vmx</Name>
    <Size>3428</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-QA-VM-032.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-QA-VM-032.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-QA-VM-032.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>108013</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>24613</Size>
    <Type>log</Type>
  </File>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>102971</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>228366</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>378589</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>144576</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>294320</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="QA-V5 (SATA)"
Unshared="11961354625" Uncommitted="35529269248"
Committed="11961354625">
  </StorageInfo>
  <Datastore Mor="datastore-413"
Url="/vmfs/volumes/4f6dc0da-22e4c4b9-19c7-0025777400bf" Name="QA-
V5 (SATA)">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-d6e1-4579-ee6a-23568a2e44fd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-413"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="920386ad5bcf02360e7d92bf7f625449" Parent="" Disk="[QA-
V5 (SATA)] SCC-QA-VM-032/SCC-QA-VM-032.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
      </BackingDisk>
      <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:46" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-055</Name>
    <Mor>vm-798</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-055</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM was
created by bpattana</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.884726Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203e36e-8c56-8800-f93c-
f1cee8cd1e4b</uuid>
    <instanceUuid>500394a1-054a-2899-b13e-
1ae60054fd06</instanceUuid>

```





```

</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-49.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>103314</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>456837</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>220201</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>144507</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-30.log</Name>
        <Size>24642</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>254674</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>103886</Size>
        <Type>log</Type>
</File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="30647005546" Uncommitted="14696161280"
Committed="30647005546">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-4abd-33d8-2f80-0b3437d7d2cf" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4b39a48d1669fbbc716592e1e79e0a55" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-055/SCC-BGL04-QA-49.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:02:e5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-056</Name>
        <Mor>vm-613</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-056</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>Verified, This VM was
created by bpattana</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise

```

```

Linux 5 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:34.818953Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42039d48-708c-523f-9bf5-
118acad13651</uuid>
    <instanceUuid>50037627-6577-45d6-7ce4-
067bd98f253d</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.66</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-056</hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-056/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-056/" logDir="[SN-QA-FC-A] B16-SN-QA-056/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-056/SCC-BGL04-QA-56.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-56.vmx</Name>
  <Size>3410</Size>
  <Type>config</Type>
</File>
</Name>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-56.vmx
  <Size>3435</Size>
  <Type>extendedConfig</Type>
</File>
</Name>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-56.nvram
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
</Name>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-56.vmsd
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
</Name>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-56.vmdk
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-30.log</Name>
  <Size>216931</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>279777</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-33.log</Name>
  <Size>183541</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-32.log</Name>
  <Size>107034</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>151268</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>144057</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24295</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="37365031040" Uncommitted="10125418496"
Committed="37365031040">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-503d-42ca-7ea9-0329cd54a9e8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="97892f7d6189d6ecd42db7129cf41181" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-056/SCC-BGL04-QA-56.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:5f:bd" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"

```

```

FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-131</Name>
    <Mor>vm-820</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-131</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
chbabu 21-FEB-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.176263Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200e073-4c71-b7e1-2598-
9bc55a32bb74</uuid>
    <instanceUuid>5000146f-41ee-3c6c-a1cf-
74249c20a5dd</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-131/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.141</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-131</hostName>
    <host>b16-sn-qa-esx-02.cisco.com
</host>
    <hostMor>host-616</hostMor>
    <ResourcePoolMor>resgroup-291

```



```

</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>300747</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>186124</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>24267</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>256117</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>154998</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="11547174056" Uncommitted="35943456768"
Committed="11547174056">
  </StorageInfo>
  <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-cabb-b866-9003-80c3521975d6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="71ee74ca04984195e0452fc3eb68beb4" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-131/B16-SN-QA-131.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:87" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```



```

NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-093</Name>
    <Mor>vm-709</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-093</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM imaged by Chandra
Babu M</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:42:37.043659Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d2b9b-c48c-1f87-9d5f-
789b1f049207</uuid>
    <instanceUuid>502ddfff-fe0e-1c3b-4795-
60f6d1c35fe9</instanceUuid>
    <vmxDir>[QA-V5 (SATA)] SCC-QA-VM-030/

```

```

</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.103</IpAddress>
<Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
<NicIpaddresses>(10.106.13.103)
(fe80::250:56ff:fead:183b)</NicIpaddresses>
<hostName>B16-SN-QA-093</hostName>
<host>b16-sn-qa-esx-04.cisco.com
</host>
<hostMor>host-668</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[QA-V5 (SATA)] SCC-QA-VM-030/" suspendDir="[QA-V5
(SATA)] SCC-QA-VM-030/" logDir="[QA-V5 (SATA)] SCC-QA-VM-030/"
vmxPath="[QA-V5 (SATA)] SCC-QA-VM-030/SCC-QA-VM-030.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-QA-VM-030.vmx</Name>
<Size>3078</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-QA-VM-030.vmx</Name>
<Size>3428</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-QA-VM-030.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-QA-VM-030.vmsd</Name>
<Size>0</Size>
<Type>snapshotList</Type>
</File>

```

```

a370c63e.vswp</Name>
    <File Type="VmFileInfo">
      <Name>SCC-QA-VM-030.vmdk</Name>
      <Size>41943040</Size>
      <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC-QA-VM-030-
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmx-SCC-QA-VM-030-
        <Size>96468992</Size>
        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-16.log</Name>
      <Size>212614</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-15.log</Name>
      <Size>24267</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-14.log</Name>
      <Size>179355</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-12.log</Name>
      <Size>377322</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-13.log</Name>
      <Size>156589</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-11.log</Name>
      <Size>294138</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>234751</Size>
      <Type>log</Type>
    </File>
2742076990-1.vswp</Name>

```

```

        <StorageInfo Datastore="QA-V5 (SATA)"
Unshared="35151858898" Uncommitted="12190744576"
Committed="35151858898">
        </StorageInfo>
        <Datastore Mor="datastore-413"
Url="/vmfs/volumes/4f6dc0da-22e4c4b9-19c7-0025777400bf" Name="QA-
V5 (SATA)">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-4559-6da6-b1dd-c6c17ba83e33" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-413"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f80851fab6b8670208e68b2c1fd756fe" Parent="" Disk="[QA-
V5 (SATA)] SCC-QA-VM-030/SCC-QA-VM-030.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:3b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-054</Name>
        <Mor>vm-750</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions QA

```

```

\B16-SN-QA-054</Path>
<ParentMor>group-v1378</ParentMor>
<Annotation>Verified, This VM was
created by Sandeep</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
<ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:26:30.819487Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42035daf-60b3-8f6a-b6b5-
51c1e0f97a8e</uuid>
<instanceUuid>50034d70-cb82-bdd2-5c34-
5c9fbbbf2a41</instanceUuid>
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.64</IpAddress>
<Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-054</hostName>
<host>b16-sn-qa-esx-02.cisco.com
</host>
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo

```

```

snapshotDir="[SN-QA-FC-A] B16-SN-QA-054/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-054/" logDir="[SN-QA-FC-A] B16-SN-QA-054/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-054/SCC-BGL04-QA-48.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"

NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-48.vmx</Name>
    <Size>3255</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-48.vmx
</Name>
    <Size>3369</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-48.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-48.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-48.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>24643</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>104468</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>145414</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">

```

```

        <Name>vmware-25.log</Name>
        <Size>309392</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>254581</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>109291</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>381412</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="22560408573" Uncommitted="24930263040"
Committed="22560408573">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-c259-e1de-d58e-1e85978fd0f0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="df20c5b8df9657ad498685865fd472d0" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-054/SCC-BGL04-QA-48.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:3d:40" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-122</Name>
    <Mor>vm-632</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-122</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
chbabu 21-SEP-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
09T06:42:45.898911Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420015cb-a4a1-7de2-b612-
7b950bd5fe65</uuid>
    <instanceUuid>500036d1-9e74-9c83-6016-
6c88ada9e7f8</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-122/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.132</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>

```



```

        <NicIpaddresses>
(fe80::98af:7026:1938:694a)(10.106.13.132)</NicIpaddresses>
        <hostName>B16-SN-QA-122.scc-qa.com
</hostName>
        <host>b16-sn-qa-esx-01.cisco.com
</host>
        <hostMor>host-592</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-122/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-122/" logDir="[SN-QA-FC-A] B16-SN-QA-122/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-122/B16-SN-QA-122.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-122.vmx</Name>
            <Size>3186</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-122.vmx</Name>
            <Size>3047</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-122.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-122.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-122-aux.xml
</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-122.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-122-
7f2ed651.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-QA-122-
2133775953-1.vswp</Name>
  <Size>113246208</Size>
  <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>218522</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>502955</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>165829</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>24316</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>416728</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>294173</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>314794</Size>
  <Type>log</Type>

```

```

        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="39058262506" Uncommitted="8301576192"
Committed="39058262506">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-560c-0ea4-5699-ff2e1982e666" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ce7e821045c749aafb10dec26fb08692" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-122/B16-SN-QA-122.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:7e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-176</Name>

```

```

        <Mor>vm-604</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-176</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>This VM was created by
subaig on 16-JAN-13</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T06:42:50.182216Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200974e-4a0a-49a9-09d2-
b52c8fffa573</uuid>
        <instanceUuid>50007600-823e-a5f5-3566-
752b664205f1</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.186</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.13.186)
(fe80::250:56ff:fe80:fcf)</NicIpaddresses>
        <hostName>B16-SN-QA-176</hostName>
        <host>b16-sn-qa-esx-02.cisco.com
</host>
        <hostMor>host-616</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0

```

```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-176/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-176/" logDir="[SN-QA-FC-A] B16-SN-QA-176/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-176/B16-SN-QA-176.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-176.vmx</Name>
        <Size>3124</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-176.vmx</Name>
        <Size>3372</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-176.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-176.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-176.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-176-
7f2ed6fa.vswp</Name>
        <Size>8589934592</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-B16-SN-QA-176-
2133776122-1.vswp</Name>
        <Size>113246208</Size>
        <Type>uwsnap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>213654</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-15.log</Name>
        <Size>170358</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>254214</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>139253</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>142741</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>24615</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>236119</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="45314359398" Uncommitted="6339690496"
Committed="45314359398">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-d946-8172-b014-1b6d559ac304" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f543e6043f6ddc96cced93ebb8a46870" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-176/B16-SN-QA-176.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:0f:cf" AddressType="assigned"

```

```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-123</Name>
    <Mor>vm-782</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-123</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
chandra babu on 21-SEPT-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.607679Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420066d1-be43-7f8d-273d-
4454dde54a44</uuid>

```

```

53cabdfc313f</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-A] B16-SN-QA-123/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-123/" logDir="[SN-QA-FC-A] B16-SN-QA-123/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-123/B16-SN-QA-123.vmx">
NumCPUs="2">

```

```

<instanceUuid>500013f0-80d8-a5db-cd32-
<vmxDir>[SN-QA-FC-A] B16-SN-QA-123/
<template>>false</template>
<IpAddress>10.106.13.133</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
<Nics>SOLUTIONS-QA(&lt;false&gt;)
<NicIpaddresses>unassigned
<hostName>B16-SN-QA-123.cisco.com
<host>b16-sn-qa-esx-02.cisco.com
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<Name>B16-SN-QA-123.vmx</Name>
<Size>3069</Size>
<Type>config</Type>
</File>
<Name>B16-SN-QA-123.vmx</Name>
<Size>3428</Size>
<Type>extendedConfig</Type>
</File>
<Name>B16-SN-QA-123.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<Name>B16-SN-QA-123.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<Name>B16-SN-QA-123.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<Name>B16-SN-QA-123.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<Name>B16-SN-QA-123.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<Name>B16-SN-QA-123.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>

```



```

        <Name>B16-SN-QA-123.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-123.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>427090</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>211520</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>184072</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>24613</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>102622</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>106555</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>257082</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="13019399775" Uncommitted="34471256064"
Committed="13019399775">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-990d-1580-6305-90aad460628c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6b6dee7a45d92f244ffc2f850989b3a9" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-123/B16-SN-QA-123.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:7f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-059</Name>
        <Mor>vm-631</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-059</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>Verified, This VM was
created by sandeep</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>

```

```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>true
</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:30:59.278527Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>420397b2-5193-2d97-3947-
e59ce6eca58d</uuid>
<instanceUuid>52a11295-3b61-c5d7-b19c-
28293ae3381b</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-059/
</vmxDir>
<template>false</template>
<IpAddress>10.106.13.69</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-059</hostName>
<host>b16-sn-qa-esx-08.cisco.com
</host>
<hostMor>host-803</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-059/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-059/" logDir="[SN-QA-FC-A] B16-SN-QA-059/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-059/SCC-BGL04-QA-75.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">

```

```

        <Name>SCC-BGL04-QA-75.vmx</Name>
        <Size>3410</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-75.vmx
    </Name>

        <Size>3430</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-75.nvram
    </Name>

        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-75.vmsd
    </Name>

        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-75.vmdk
    </Name>

        <Size>26214400</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>217399</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-37.log</Name>
        <Size>154204</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-38.log</Name>
        <Size>178434</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-36.log</Name>
        <Size>567396</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-39.log</Name>
        <Size>24295</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>227211</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>108892</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="21743716715" Uncommitted="9640976384"
Committed="21743716715">
  </StorageInfo>
  <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-81a9-521b-5e2c-e2d4ad9fc070" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1cbc38a59bb1c8ef6f9ced216108357d" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-059/SCC-BGL04-QA-75.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
      </BackingDisk>
      <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:12:62" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
          </BackingDiskCtrlr>
          <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"

```

```

BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-133</Name>
    <Mor>vm-662</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-133</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, Exchange server
2010 , EXCH2K10.SN-QA.com</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T07:05:33.506528Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200637e-48c3-c73a-eebb-
ca87c8700371</uuid>
    <instanceUuid>5000a3cd-8f29-918d-a981-
870082fb40c4</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-133/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.143</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
    <NicIpaddresses>
(fe80::30dd:609b:be1a:56ac)(10.106.13.143)</NicIpaddresses>
    <hostName>B16-SN-QA-133.EXCH2K10.SN-
QA.com</hostName>
    <host>b16-sn-qa-esx-01.cisco.com
</host>
    <hostMor>host-592</hostMor>

```

```

</ResourcePoolMor>                                <ResourcePoolMor>resgroup-291
</NumberOfDatastores>                             <NumberOfDatastores>1
</NumberOfBackingDisks>                           <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                        <NumberOfFiles>16</NumberOfFiles>
</NumberOfFeatureMaskEntries>                    <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries>                    <NumberOfFeatureMaskEntries>0
                                                    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-133/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-133/" logDir="[SN-QA-FC-A] B16-SN-QA-133/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-133/B16-SN-QA-133.vmx">
                                                    </VirtualMachineFileInfo>
NumCPUs="2">                                     <VirtualHardware MemoryMB="4096"
                                                    </VirtualHardware>
                                                    <File Type="VmFileInfo">
</Name>                                           <Name>B16-SN-QA-133.vmx</Name>
                                                    <Size>3236</Size>
                                                    <Type>config</Type>
</Type>                                           </File>
                                                    <File Type="VmFileInfo">
</Name>                                           <Name>B16-SN-QA-133.vmx</Name>
                                                    <Size>268</Size>
                                                    <Type>extendedConfig</Type>
</Type>                                           </File>
                                                    <File Type="VmFileInfo">
</Name>                                           <Name>B16-SN-QA-133.nvram</Name>
                                                    <Size>8684</Size>
                                                    <Type>nvram</Type>
</Type>                                           </File>
                                                    <File Type="VmFileInfo">
</Name>                                           <Name>B16-SN-QA-133.vmsd</Name>
                                                    <Size>0</Size>
                                                    <Type>snapshotList</Type>
</Type>                                           </File>
                                                    <File Type="VmFileInfo">
</Name>                                           <Name>B16-SN-QA-133-aux.xml
</Type>                                           <Size>0</Size>
                                                    <Type>snapshotManifestList
</Type>                                           </File>
                                                    <File Type="VmFileInfo">
</Name>                                           <Name>B16-SN-QA-133.vmdk</Name>
                                                    <Size>41943040</Size>
                                                    <Type>diskDescriptor</Type>
</Type>                                           </File>
                                                    <File Type="VmFileInfo">

```

```

7f2ed673.vswp</Name>
    <Name>B16-SN-QA-133-
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-QA-133-
2133775987-1.vswp</Name>
    <Size>113246208</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>146165</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>24629</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>200444</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>326212</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>148103</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>844095</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>366272</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="34524335756" Uncommitted="12835618816"
Committed="34524335756">
    </StorageInfo>
    <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-

```



```

QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-f71c-a0f8-aac9-00666d630931" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="18edec85c5f0cc9bc6ca39c76e58809b" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-133/B16-SN-QA-133.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:ca" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-CM-01</Name>
    <Mor>vm-794</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-CM-01</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as peJan13snjoseSCC238</Annotation>

```

```

                                <Version>vmx-09</Version>
                                <GuestId>rhel5Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
02T07:04:57.165547Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4200caeb-b8f6-8b96-5042-
87cfc1218a48</uuid>
                                <instanceUuid>50008eb0-f0c3-bdbb-da67-
8568b98a8802</instanceUuid>
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.13.201</IpAddress>
                                <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
                                <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName>B16-SN-QA-CM-01</hostName>
                                <host>b16-sn-qa-esx-02.cisco.com
</host>
                                <hostMor>host-616</hostMor>
                                <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-CM-01/" suspendDir="[SN-QA-
FC-A] B16-SN-QA-CM-01/" logDir="[SN-QA-FC-A] B16-SN-QA-CM-01/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-CM-01/B16-SN-QA-CM-01.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"

```

NumCPUs=" 2">

```
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-CM-01.vmx</Name>
  <Size>2984</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-CM-01.vmx
</Name>
  <Size>2945</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-CM-01.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-CM-01.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-CM-01.vmdk
</Name>
  <Size>167772160</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-CM-01-
079226fa.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-QA-CM-01-
127018746-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>466824</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>110286</Size>
  <Type>log</Type>
```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>210268</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>24701</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>295126</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>145905</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>326271</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="94399648394" Uncommitted="81792073728"
Committed="94399648394">
  </StorageInfo>
  <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-bdf9-5f96-fead-2375af8a6eda" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="757cac99d5195ca696f85608fdc038ef" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-CM-01/B16-SN-QA-CM-01.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:69" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-120</Name>
    <Mor>vm-717</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-120</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
chbabu 21-SEPT-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
08T07:21:17.206596Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200d312-819c-c29e-0f53-
822751507055</uuid>
    <instanceUuid>50001dee-6294-9e6a-a4a6-
7af2c2df4a9c</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-120/

```

```

</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.130</IpAddress>
<Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
<NicIpaddresses>
(fe80::b83c:4038:9944:15b9)(10.106.13.130)</NicIpaddresses>
<hostName>B16-SN-QA-120.scc-qa.com
</hostName>
<host>b16-sn-qa-esx-04.cisco.com
</host>
<hostMor>host-668</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-120/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-120/" logDir="[SN-QA-FC-A] B16-SN-QA-120/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-120/B16-SN-QA-120.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-QA-120.vmx</Name>
<Size>3253</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-120.vmx</Name>
<Size>3079</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-120.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-120.vmsd</Name>
<Size>0</Size>
<Type>snapshotList</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-120-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-120.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-120-
7f2ed64f.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-QA-120-
2133775951-1.vswp</Name>
  <Size>113246208</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>209757</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>226165</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>24268</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>616350</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>287411</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>

```

```

        <Size>300094</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>315954</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="45975761159" Uncommitted="1384120320"
Committed="45975761159">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-d52d-df34-bd33-c78a5545f597" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6e698f16d7f5bc59bbd1346ab974d971" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-120/B16-SN-QA-120.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:8b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"

```



AllowGuestControl="true" StartConnected="false" Connected="false"  
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD  
drive 1">

```
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-178</Name>
        <Mor>vm-629</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-178</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>This VM was created by
subdiag 16-JAN-13</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:30:59.074863Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42009385-9f33-e774-3ea6-
efcc82ca6e2a</uuid>
        <instanceUuid>500075b5-9e61-766f-eccf-
0b14ael6213f</instanceUuid>
        <vmxDir>[SN-QA-FC-B] B16-SN-QA-178/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.13.188</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-178</hostName>
        <host>b16-sn-qa-esx-08.cisco.com
</host>
        <hostMor>host-803</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
```

```

</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-178/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-178/" logDir="[SN-QA-FC-B] B16-SN-QA-178/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-178/B16-SN-QA-178.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-178.vmx</Name>
        <Size>3256</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-178.vmx</Name>
        <Size>3475</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-178.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-178.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-178.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>146691</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>24616</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-7.log</Name>
        <Size>547368</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>180523</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>102183</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>170380</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>289085</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="23956194981" Uncommitted="23551889408"
Committed="23956194981">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-00c9-330c-6a41-ee21686b873b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="297a6b150724ce0080b1491492991319" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-178/B16-SN-QA-178.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:65:55" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-057</Name>
    <Mor>vm-680</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-057</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM was
created by bpattana</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:32.140669Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203752a-655c-6cc7-a601-
09e7a2751102</uuid>
    <instanceUuid>50037087-b23d-116f-4729-
47ca316f3aaa</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-057/
</vmxDir>

```

```

<template>>false</template>
<IpAddress>10.106.13.67</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-057</hostName>
<host>b16-sn-qa-esx-03.cisco.com
</host>
<hostMor>host-640</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-057/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-057/" logDir="[SN-QA-FC-A] B16-SN-QA-057/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-057/SCC-BGL04-QA-57.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-57.vmx</Name>
  <Size>3410</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-57.vmx
  </Name>
  <Size>3430</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-57.nvram
  </Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-57.vmsd
  </Name>
  <Size>0</Size>

```

```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-57.vmdk
</Name>

        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-36.log</Name>
        <Size>144270</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-32.log</Name>
        <Size>106433</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-33.log</Name>
        <Size>298973</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>155276</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24295</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-31.log</Name>
        <Size>110348</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>451655</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="37992263830" Uncommitted="9498370048"
Committed="37992263830">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C298-6bd4-a9c3-a0b5-4c5b7bbe42ea" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d0c216f1e60aa0ce19f8e298754f6bb5" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-057/SCC-BGL04-QA-57.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:7b:62" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-121</Name>
    <Mor>vm-608</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-121</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
chbabu 21-SEP-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>

```

```

</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
</SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
09T06:41:10.709857Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>42003751-c631-fc59-cde6-
05e40c60821f</uuid>
<instanceUuid>5000a891-93a3-9265-8eaf-
ee0e42007ba7</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-121/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.131</IpAddress>
<Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
<NicIpaddresses>
(fe80::7922:7250:a561:5c59)(10.106.13.131)</NicIpaddresses>
<hostName>B16-SN-QA-121.scc-qa.com
</hostName>
<host>b16-sn-qa-esx-03.cisco.com
</host>
<hostMor>host-640</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-121/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-121/" logDir="[SN-QA-FC-A] B16-SN-QA-121/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-121/B16-SN-QA-121.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-QA-121.vmx</Name>

```



```

        <Size>3285</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-121.vmx</Name>
    <Size>3047</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-121.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-121.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-121-aux.xml
</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-121.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-121-
7f2ed650.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-QA-121-
2133775952-1.vswp</Name>
    <Size>113246208</Size>
    <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>1788850</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>162427</Size>
    <Type>log</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-17.log</Name>
      <Size>333508</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-20.log</Name>
      <Size>24623</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-21.log</Name>
      <Size>345851</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-16.log</Name>
      <Size>182369</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>29360409</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="45158729789" Uncommitted="2231369728"
Committed="45158729789">
      </StorageInfo>
      <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-b69d-1266-f4cc-73805573da8b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ec7ccd4e9c5f4523dd37a43930fe810d" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-121/B16-SN-QA-121.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:8a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"

```

```

StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-138</Name>
    <Mor>vm-745</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-138</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified,This VM was
created by chbabu on 16-OCT-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.605524Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42000281-a204-3835-55ec-
06f88e474ad8</uuid>
    <instanceUuid>50009df3-4cf4-81ff-d83a-

```

```

0a956149cd3b</instanceUuid>
</vmxDir>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-138/
<template>>false</template>
<IpAddress></IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-sn-qa-esx-01.cisco.com
</host>
<hostMor>host-592</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-138/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-138/" logDir="[SN-QA-FC-A] B16-SN-QA-138/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-138/B16-SN-DV-141.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-DV-141.vmx</Name>
<Size>3337</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-DV-141.vmx</Name>
<Size>3046</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-DV-141.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-DV-141.vmsd</Name>
<Size>0</Size>

```

```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-141-aux.xml
</Name>
        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-DV-141.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>216758</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>501846</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24275</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>170464</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>102824</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>155478</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>236333</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="9001350853" Uncommitted="81456353280"
Committed="9001350853">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-ce40-b996-0b1b-a89c3bdb1403" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a94adf5c127f84901fe50158c40edf6e" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-138/B16-SN-DV-141.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:8c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-058</Name>
        <Mor>vm-653</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-058</Path>

```

```

        <ParentMor>group-v1378</ParentMor>
        <Annotation>Verified, This machine was
created by Sandeep</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:30.175658Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42037d22-3688-a3d9-3aaf-
01bf79dc337f</uuid>
        <instanceUuid>52ea8dc3-f7fe-9010-570f-
682ea265e7c1</instanceUuid>
        <vmxDir>[SN-QA-FC-A] B16-SN-QA-058/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.13.68</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>SCC-BGL04-QA-65</hostName>
        <host>b16-sn-qa-esx-02.cisco.com
</host>
        <hostMor>host-616</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-058/" suspendDir="[SN-QA-FC-

```

```

A] B16-SN-QA-058/" logDir="[SN-QA-FC-A] B16-SN-QA-058/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-058/SCC-BGL04-QA-65.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-65.vmx</Name>
    <Size>3360</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-65.vmx
</Name>
    <Size>3430</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-65.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-65.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-65.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>153152</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>226970</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>317669</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-30.log</Name>

```



```

        <Size>24293</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>178346</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>416631</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>108190</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="35351034837" Uncommitted="12139732992"
Committed="35351034837">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-1f86-ea2f-0513-cec3fc8ea2ab" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7f9b6d57fb6eed6702218f2198ded33c" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-058/SCC-BGL04-QA-65.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:4b:46" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-133-clone</Name>
    <Mor>vm-7605</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-133-clone</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, Exchange server
2010 , EXCH2K10.SN-QA.com</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:35.576544Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42248b9a-2f85-513a-3653-
075f31f7e28a</uuid>
    <instanceUuid>5024fb47-f7ca-6f0c-4504-
48eea6e161eb</instanceUuid>
    <vmxDir>[SN-QA-FC-B] B16-SN-QA-133-
clone</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>

```

```

</NicIpaddresses>                                <NicIpaddresses>unassigned
</host>                                           <hostName></hostName>
</ResourcePoolMor>                               <host>b16-sn-qa-esx-04.cisco.com
</NumberOfDatastores>                           <hostMor>host-668</hostMor>
</NumberOfBackingDisks>                         <ResourcePoolMor>resgroup-291
</CpuFeatureMaskSupported>                      <NumberOfDatastores>1
</NumberOfFeatureMaskEntries>                   <NumberOfBackingDisks>1
<VirtualMachineFileInfo                          <NumberOfFiles>6</NumberOfFiles>
snapshotDir="[SN-QA-FC-B] B16-SN-QA-133-clone/" <CpuFeatureMaskSupported>true
suspendDir="[SN-QA-FC-B] B16-SN-QA-133-clone/"  <NumberOfFeatureMaskEntries>0
logDir="[SN-QA-FC-B] B16-SN-QA-133-clone/"      <VirtualMachineFileInfo
vmxPath="[SN-QA-FC-B] B16-SN-QA-133-clone/B16-SN-QA-133-clone.vmx">
</VirtualMachineFileInfo>
NumCPUs="2">                                     <VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-133-clone.vmx
</Name>
  <Size>3053</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-133-clone.vmx
</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-133-clone.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-133-clone.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-133-clone.vmdk

```

```

</Name>
                                <Size>41943040</Size>
                                <Type>diskDescriptor</Type>
</File>
                                <StorageInfo Datastore="SN-QA-FC-B"
Unshared="29979848153" Uncommitted="17526771712"
Committed="29979848153">
                                </StorageInfo>
                                <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-8bc8-737a-1759-5c260709bc20" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7a97dd65ad70ec8e05e39c0acfb0e778" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-133-clone/B16-SN-QA-133-clone.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:53:eb" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                                </BackingCdrom>

```

```

        </VirtualMachine>
        <VirtualMachine>
            <Name>B16-SCC-ADEX-03-clone</Name>
            <Mor>vm-7586</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SCC-ADEX-03-clone</Path>
            <ParentMor>group-v1378</ParentMor>
            <Annotation></Annotation>
            <Version>vmx-08</Version>
            <GuestId>windows8Server64Guest
</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
            <BootOptionsSupported>>true
</BootOptionsSupported>
            <SwapPlacementSupported>>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2013-12-
30T10:25:32.381333Z</ChangeVersion>
            <powerState>poweredOff</powerState>
            <connectionState>connected
</connectionState>
            <uuid>4224b4c4-c0ef-234f-86b5-
77a702b9b0b2</uuid>
            <instanceUuid>5024482a-5215-097d-abfb-
cd4841191a41</instanceUuid>
            <vmxDir>[SN-QA-FC-A] B16-SCC-ADEX-03-
clone</vmxDir>
            <template>>false</template>
            <IpAddress>10.106.13.10</IpAddress>
            <Networks>None</Networks>
            <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
            <NicIpaddresses>
(fe80::e92b:9157:67a7:e033)(10.106.13.10)</NicIpaddresses>
            <hostName>B16-SCC-ADEX-03.adex03.com
</hostName>
            <host>b16-sn-qa-esx-03.cisco.com
</host>
            <hostMor>host-640</hostMor>
            <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>7</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SCC-ADEX-03-clone/"
suspendDir="[SN-QA-FC-A] B16-SCC-ADEX-03-clone/" logDir="[SN-QA-
FC-A] B16-SCC-ADEX-03-clone/" vmxPath="[SN-QA-FC-A] B16-SCC-ADEX-
03-clone/B16-SCC-ADEX-03-clone.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="4">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SCC-ADEX-03-clone.vmx
</Name>
                <Size>3297</Size>
                <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SCC-ADEX-03-clone.vmx
</Name>
                <Size>0</Size>
                <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SCC-ADEX-03-
clone.nvram</Name>
                <Size>8684</Size>
                <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SCC-ADEX-03-clone.vmsd
</Name>
                <Size>0</Size>
                <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SCC-ADEX-03-clone.vmdk
</Name>
                <Size>104857600</Size>
                <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>204373</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="49019047202" Uncommitted="67269730304"
Committed="49019047202">
        </StorageInfo>

```

```

                                <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-f0cc-28a2-3d2e-7939714f1a78" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4c12cda82c64dcd615afaa3606cbc0df" Parent="" Disk="[SN-
QA-FC-A] B16-SCC-ADEX-03-clone/B16-SCC-ADEX-03-clone.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                                </BackingCdrom>
                                </VirtualMachine>
                                <VirtualMachine>
                                <Name>B16-SN-QA-128</Name>
                                <Mor>vm-792</Mor>
                                <MorType>VirtualMachine</MorType>
                                <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-128</Path>
                                <ParentMor>group-v1378</ParentMor>
                                <Annotation>This VM was created by
chbabu on 21-SEPR-12</Annotation>
                                <Version>vmx-09</Version>
                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>true
                                </ChangeTrackingEnabled>
                                <ChangeTrackingSupported>true
                                </ChangeTrackingSupported>
                                <BootOptionsSupported>true
                                </BootOptionsSupported>

```

```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:21.359423Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42006b65-de88-17de-90a9-
76a476118623</uuid>
        <instanceUuid>50002654-36d0-26e3-c853-
fae5078fb771</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.138</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-128</hostName>
        <host>b16-sn-qa-esx-01.cisco.com
</host>
        <hostMor>host-592</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-128/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-128/" logDir="[SN-QA-FC-A] B16-SN-QA-128/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-128/B16-SN-QA-128.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-128.vmx</Name>
            <Size>3189</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-128.vmx</Name>

```



```
        <Size>3428</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-128.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-128.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-128.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>184261</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>102959</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>108337</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>295330</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>173233</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>427623</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>24618</Size>
    <Type>log</Type>
```

```

        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="8080609742" Uncommitted="39410049024"
Committed="8080609742">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-4483-9207-688f-b7ae6b5f6431" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="31211d344a44e31f3f8fcf79f97ea0f5" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-128/B16-SN-QA-128.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:84" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-QA-129</Name>
  <Mor>vm-600</Mor>
  <MorType>VirtualMachine</MorType>

```

```

\B16-SN-QA-129</Path>
<Path>\(DC)S+CC(DC)\vm\Solutions QA
<ParentMor>group-v1378</ParentMor>
<Annotation>This VM was created by
chbabu 21-SEP-12</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:26:21.337026Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42000615-ee5c-3d2b-c4c8-
bf7e30db157f</uuid>
<instanceUuid>5000cd6d-ab49-a572-82ae-
14eab63010e9</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-129/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.139</IpAddress>
<Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-129</hostName>
<host>b16-sn-qa-esx-01.cisco.com
</host>
<hostMor>host-592</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo

```

```
snapshotDir="[SN-QA-FC-A] B16-SN-QA-129/" suspendDir="[SN-QA-FC-A] B16-SN-QA-129/" logDir="[SN-QA-FC-A] B16-SN-QA-129/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-129/B16-SN-QA-129.vmx">
```

```
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
```

```
NumCPUs="2">
```

```
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-129.vmx</Name>
  <Size>3240</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-129.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-129.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-129.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-129.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>317390</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>183562</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>155269</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>177991</Size>
  <Type>log</Type>
</File>
```

```

        <File Type="VmFileInfo">
            <Name>vmware-13.log</Name>
            <Size>24270</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>107892</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>226026</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="10318147016" Uncommitted="37172387840"
Committed="10318147016">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-dc3a-7a68-9d3b-8b8e90df0cd2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="aa645fea6485184a496b713b9810004c" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-129/B16-SN-QA-129.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:85" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"

```

```

Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-126</Name>
    <Mor>vm-683</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-126</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
chbabu on 21-SEP-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:32.378351Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42002fcf-76fc-21b3-cec0-
0a9885de689f</uuid>
    <instanceUuid>50009fd6-1c47-4ad5-ab92-
9fd55b1faf44</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-126/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.136</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-126</hostName>
    <host>b16-sn-qa-esx-03.cisco.com

```

```

</host>
<hostMor>host-640</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-126/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-126/" logDir="[SN-QA-FC-A] B16-SN-QA-126/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-126/B16-SN-QA-126.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-126.vmx</Name>
  <Size>3215</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-126.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-126.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-126.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-126.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>218918</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-9.log</Name>
        <Size>154863</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>415881</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>169808</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>24265</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>102614</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>233431</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="18079833923" Uncommitted="29410828288"
Committed="18079833923">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-cf14-b142-0c80-7fc934b7c6b2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9cc08e22838723000dbaa4e845dd3163" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-126/B16-SN-QA-126.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:82" AddressType="assigned"

```



```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-127</Name>
    <Mor>vm-826</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-127</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>VM has been re-maged with
RHEL 5.5 x64 on 31-JAN-2012.-Ptirunag(ref:Jan13nachinnaSCC4320)
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.176069Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200c192-4fc0-4061-c66f-

```

```

5ae110d349e3</uuid>
<instanceUuid>5000b68c-445c-3b1e-f175-
be8bfa769152</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-127/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.137</IpAddress>
<Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-127</hostName>
<host>b16-sn-qa-esx-02.cisco.com
</host>
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-127/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-127/" logDir="[SN-QA-FC-A] B16-SN-QA-127/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-127/B16-SN-QA-127.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-QA-127.vmx</Name>
<Size>3320</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-127.vmx</Name>
<Size>3428</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-127.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>B16-SN-QA-127.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-127.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>155285</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>156525</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>210279</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>24265</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>340173</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>170003</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>219228</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="23331058614" Uncommitted="24159559680"
Committed="23331058614">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-005a-0a62-5507-3395a784816d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="80cf812ca40a5e40e9eca24010cb21bd" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-127/B16-SN-QA-127.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:83" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-124</Name>
        <Mor>vm-807</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-124</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>This VM was created by
chbabu 21-SEP-12</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true

```

```

</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:30:59.294882Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42007d38-4ce3-1c3d-1640-
8af56b52b494</uuid>
<instanceUuid>500074b3-3fd4-2ea8-43fe-
efc0f20182c6</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-124/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.134</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-124</hostName>
<host>b16-sn-qa-esx-08.cisco.com
</host>
<hostMor>host-803</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-124/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-124/" logDir="[SN-QA-FC-A] B16-SN-QA-124/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-124/B16-SN-QA-124.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-QA-124.vmx</Name>

```

```
        <Size>3211</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-124.vmx</Name>
    <Size>3428</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-124.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-124.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-124.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>339147</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>154324</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>212425</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>184062</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>24268</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>219822</Size>
    <Type>log</Type>
```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>155607</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="16857164178" Uncommitted="30633467904"
Committed="16857164178">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-10d7-ae93-42d7-c5e25ac5aa59" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5851c9c26969a8ed0fbce5b2b50f138d" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-124/B16-SN-QA-124.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:80" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>

```

```

        </VirtualMachine>
        <VirtualMachine>
            <Name>B16-SN-QA-125</Name>
            <Mor>vm-791</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-125</Path>
            <ParentMor>group-v1378</ParentMor>
            <Annotation>This VM was created by
chandra babu on 12-SEPT-12</Annotation>
            <Version>vmx-09</Version>
            <GuestId>rhel5_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2013-12-
30T10:26:30.631616Z</ChangeVersion>
            <powerState>poweredOff</powerState>
            <connectionState>connected
</connectionState>
            <uuid>4200f2f4-37f5-91a7-c505-
aa9c5d6de0e8</uuid>
            <instanceUuid>500096ec-6d89-41d4-9b28-
ce18391df2a2</instanceUuid>
            <vmxDir>[SN-QA-FC-A] B16-SN-QA-125/
</vmxDir>
            <template>false</template>
            <IpAddress>10.106.13.135</IpAddress>
            <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
            <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
            <NicIpaddresses>unassigned
</NicIpaddresses>
            <hostName>B16-SN-QA-125</hostName>
            <host>b16-sn-qa-esx-02.cisco.com
</host>
            <hostMor>host-616</hostMor>
            <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>13</NumberOfFiles>

```



```

        <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-125/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-125/" logDir="[SN-QA-FC-A] B16-SN-QA-125/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-125/B16-SN-QA-125.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-125.vmx</Name>
        <Size>3195</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-125.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-125.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-125.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-125.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>24615</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>106874</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>184251</Size>
        <Type>log</Type>
    </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-4.log</Name>
      <Size>102671</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-5.log</Name>
      <Size>256771</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-7.log</Name>
      <Size>212622</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-6.log</Name>
      <Size>349400</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="13054975135" Uncommitted="34435604480"
Committed="13054975135">
      </StorageInfo>
      <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-05c6-d11d-6c74-a9b72625dc5c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4b3dc11b33fcbdca00cf5afa8c48d4a1" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-125/B16-SN-QA-125.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:81" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
            </BackingNetwork>
            <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-023</Name>
    <Mor>vm-757</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-023</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM is
created by Chandra Babu M on 21-DEC-2011 for the user Ramkumar
Kuttuboyina on account of DecllrkuttuboSCC2327.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.627779Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d7859-8111-d610-a0e9-
bb7eb880abfa</uuid>
    <instanceUuid>502d74ba-ad87-ba84-5c7d-
e0b65891cc67</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-023/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.33</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>

```



```

        <Name>SCC-BGL04-QA-152.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>144776</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>420163</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>24658</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>109736</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>213977</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>103409</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>273724</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="31525694790" Uncommitted="15964938240"
Committed="31525694790">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-8fe8-95e7-1341-a95a7e6e4c6d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"

```

```

CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e783b9f8f50cb1b47dadf0005e29cf55" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-023/SCC-BGL04-QA-152.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:7a:39" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-022</Name>
    <Mor>vm-703</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-022</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM was
created by Sandeep,VM reimaged with RHEL 5.5 64-bit on request of
Sep12rkuttuboSCC2061 by ptirunag..</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true

```

```

</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:32.373225Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dd5de-fdbf-4fae-bff0-
8c5042cce43e</uuid>
    <instanceUuid>502defeb-9375-f011-b885-
ac6c605b2b88</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.32</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>b16-sn-qa-022.cisco.com
</hostName>
    <host>b16-sn-qa-esx-03.cisco.com
</host>
    <hostMor>host-640</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-022/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-022/" logDir="[SN-QA-FC-A] B16-SN-QA-022/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-022/SCC-BGL04-QA-138.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-138.vmx
</Name>

```

```

        <Size>3486</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-138.vmx
</Name>

        <Size>3431</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-138.nvram
</Name>

        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-138.vmsd
</Name>

        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-138.vmdk
</Name>

        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-39.log</Name>
    <Size>178274</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-40.log</Name>
    <Size>24312</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-35.log</Name>
    <Size>103353</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>226947</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-38.log</Name>
    <Size>155477</Size>
    <Type>log</Type>
</File>

```



```

        <File Type="VmFileInfo">
            <Name>vmware-37.log</Name>
            <Size>419450</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-36.log</Name>
            <Size>220542</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="25562481108" Uncommitted="21928189952"
Committed="25562481108">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-ef51-06f3-a697-b7167af6119d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1e2f4702800d4916a59429d839cf804d" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-022/SCC-BGL04-QA-138.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:80" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"

```

```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-021</Name>
    <Mor>vm-734</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-021</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM was
created by Sandeep</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:35.098525Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d29cc-d11e-64f9-2591-
d6c32310585b</uuid>
    <instanceUuid>502d7249-67e1-53f3-b799-
19e3999e4a4f</instanceUuid>
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.31</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>b16-sn-qa-021</hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>

```

```

</NumberOfDatastores>          <NumberOfDatastores>1
</NumberOfBackingDisks>       <NumberOfBackingDisks>1
                                <NumberOfFiles>13</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries> <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-021/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-021/" logDir="[SN-QA-FC-A] B16-SN-QA-021/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-021/SCC-BGL04-QA-137.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16384"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-BGL04-QA-137.vmx
</Name>
                                    <Size>3320</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-BGL04-QA-137.vmx
</Name>
                                    <Size>3431</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-BGL04-QA-137.nvram
</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-BGL04-QA-137.vmsd
</Name>
                                    <Size>0</Size>
                                    <Type>snapshotList</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-BGL04-QA-137.vmdk
</Name>
                                    <Size>41943040</Size>
                                    <Type>diskDescriptor</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware-23.log</Name>
                                    <Size>103012</Size>
                                    <Type>log</Type>
                                </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-26.log</Name>
      <Size>154925</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-25.log</Name>
      <Size>417678</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-28.log</Name>
      <Size>24310</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>226640</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-27.log</Name>
      <Size>177967</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-24.log</Name>
      <Size>311712</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="20428740735" Uncommitted="39946919936"
Committed="20428740735">
      </StorageInfo>
      <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-7d71-2081-af2f-d58d6857c98e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8a6fe440cd0fc21208ec2adbfdea27dd" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-021/SCC-BGL04-QA-137.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```

```

MacAddress="00:50:56:ad:00:7f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-020</Name>
    <Mor>vm-697</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-020</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM instance
has provisioned by Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T07:05:05.084776Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d21c3-276f-5fff-e141-

```

```

13174eb26f1b</uuid>
a57429b30756</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-A] B16-SN-QA-020/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-020/" logDir="[SN-QA-FC-A] B16-SN-QA-020/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-020/SCC-BGL04-QA-130.vmx">
NumCPUs="2">
</Name>
</Name>
</Name>

```

```

<instanceUuid>502d081b-4ea1-214d-5e30-
<vmxDir>[SN-QA-FC-A] B16-SN-QA-020/
<template>>false</template>
<IpAddress>10.106.13.30</IpAddress>
<Networks>SOLUTIONS-QA(&lt;True&gt;)
<Nics>SOLUTIONS-QA(&lt;true&gt;)
<NicIpaddresses>(10.106.13.30)
<hostName>SCC-BGL4-QA-130.scc-qa.com
<host>b16-sn-qa-esx-03.cisco.com
<hostMor>host-640</hostMor>
<ResourcePoolMor>resgroup-291
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-130.vmx
<Size>3363</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-130.vmx
<Size>3048</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-130.nvram

```

```

        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-130.vmsd
</Name>

    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-130-aux.xml
</Name>

    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-130.vmdk
</Name>

    <Size>62914560</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-130-
7f2ed20e.vswp</Name>

    <Size>0</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-BGL04-QA-130-
2133774862-1.vswp</Name>

    <Size>96468992</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-33.log</Name>
    <Size>209740</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-35.log</Name>
    <Size>409948575</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-37.log</Name>
    <Size>24314</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-36.log</Name>
    <Size>198423</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>566941</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-38.log</Name>
        <Size>326879</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>370606</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="39380939037" Uncommitted="25551699968"
Committed="39380939037">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-902a-0718-e102-e7b1bee19342" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="31fc5532b733d13d63ea08fbc47da5f4" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-020/SCC-BGL04-QA-130.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:2e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```



```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-139-14-Nov-13-DEL
</Name>
    <Mor>vm-682</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-139-14-Nov-13-DEL</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>verified,This VM was
created by saravanan on 18-OCT-12</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
03T09:48:51.753903Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200c635-487e-d8ef-5839-
a7e60f49c90b</uuid>
    <instanceUuid>50008a55-6ff3-4277-89a9-
013b703da559</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-139/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)

```

```

</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-A] B16-SN-QA-139/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-139/" logDir="[SN-QA-FC-A] B16-SN-QA-139/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-139/B16-SN-QA-139.vmx">
NumCPUs="2">

```

```

<NicIpaddresses>unassigned
<hostName></hostName>
<host>b16-sn-qa-esx-08.cisco.com
<hostMor>host-803</hostMor>
<ResourcePoolMor>resgroup-291
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-139/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-139/" logDir="[SN-QA-FC-A] B16-SN-QA-139/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-139/B16-SN-QA-139.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-139.vmx</Name>
  <Size>3194</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-139.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-139.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-139.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-139.vmdk</Name>
  <Size>153092096</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">

```

```

7f2ed679.vswp</Name>
    <Name>B16-SN-QA-139-
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-QA-139-
2133775993-1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>124980</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>125294</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>177973</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>138013</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>256412</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>135401</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>184249</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="161158896792" Uncommitted="0" Committed="161158896792">
    </StorageInfo>
    <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-68d2-1657-e81c-1615a064c518" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="153092096"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="48d7d31a2097f5d10fa77e6fc358c908" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-139/B16-SN-QA-139.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:04" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[SN-QA-FC-A] ISO/IEM-UCS-1.8.05-5799.x86_64.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-416" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-QA-216</Name>
  <Mor>vm-655</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Solutions QA

```

```

\B16-SN-QA-216</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
prasbr on 23-MAR-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.461713Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200f4eb-40b8-alea-e95e-
d4b6b107e249</uuid>
    <instanceUuid>5000d890-395c-2c48-232a-
5abf28fd04bb</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-216/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.226</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-216</hostName>
    <host>b16-sn-qa-esx-02.cisco.com
</host>
    <hostMor>host-616</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-216/" suspendDir="[SN-QA-FC-

```

```

A] B16-SN-QA-216/" logDir="[SN-QA-FC-A] B16-SN-QA-216/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-216/B16-SN-QA-216.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"

NumCPUs="2">

  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-216.vmx</Name>
    <Size>3153</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-216.vmx</Name>
    <Size>3367</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-216.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-216.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SN-QA-216.vmdk</Name>
    <Size>20971520</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>102528</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>173782</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>179161</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>152699</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">

```

```

        <Name>vmware-4.log</Name>
        <Size>260522</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>136724</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24265</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="7941910933" Uncommitted="18073624576"
Committed="7941910933">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-053a-e05c-21c5-889eab4d8a96" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d86a955a2c0b8e61c4fe45c9f583298c" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-216/B16-SN-QA-216.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:79:87" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-215</Name>
    <Mor>vm-605</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-215</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
prasbr 23-MAR-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:32.140219Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200c834-ec88-bfd7-369c-
88cd7fd88763</uuid>
    <instanceUuid>5000b3b2-84b7-eeac-d02a-
35cd6a14240f</instanceUuid>
    <vmxDir>[PF-QA-FC-A] B16-SN-QA-215/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.225</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-215</hostName>
    <host>b16-sn-qa-esx-03.cisco.com
</host>

```



```

        <hostMor>host-640</hostMor>
        <ResourcePoolMor>resgroup-291
    </ResourcePoolMor>
        <NumberOfDatastores>1
    </NumberOfDatastores>
        <NumberOfBackingDisks>1
    </NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[PF-QA-FC-A] B16-SN-QA-215/" suspendDir="[PF-QA-FC-
A] B16-SN-QA-215/" logDir="[PF-QA-FC-A] B16-SN-QA-215/"
vmxPath="[PF-QA-FC-A] B16-SN-QA-215/B16-SN-QA-215.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-215.vmx</Name>
        <Size>3085</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-215.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-215.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-215.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-215.vmdk</Name>
        <Size>20971520</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24265</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>

```

```

        <Size>177868</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>163081</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>182362</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>107194</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>39713</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>154631</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-QA-FC-A"
Unshared="4645004255" Uncommitted="21370347520"
Committed="4645004255">
        </StorageInfo>
        <Datastore Mor="datastore-414"
Url="/vmfs/volumes/502f4a43-25e56874-a137-1025b500000d" Name="PF-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-fdc9-83ac-c998-5a7857841f70" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-414"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="19d04a3c7ee4d04533224bea0e0a46af" Parent="" Disk="[PF-
QA-FC-A] B16-SN-QA-215/B16-SN-QA-215.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:41:b2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-214</Name>
    <Mor>vm-736</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-214</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
prasbr on 23-MAR-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:35.414274Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420017c1-58cd-85ce-7a83-
92ad4581cc53</uuid>
    <instanceUuid>5000db5b-8390-1f75-c50c-

```

```

75d07f5ecaef</instanceUuid>
</vmxDir>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-214/
<template>>false</template>
<IpAddress>10.106.13.224</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-214</hostName>
<host>b16-sn-qa-esx-04.cisco.com
</host>
<hostMor>host-668</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-214/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-214/" logDir="[SN-QA-FC-A] B16-SN-QA-214/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-214/B16-SN-QA-214.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-214.vmx</Name>
  <Size>3032</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-214.vmx</Name>
  <Size>3367</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-214.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-214.vmsd</Name>
  <Size>0</Size>

```

```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-214.vmdk</Name>
        <Size>20971520</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>106340</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24613</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>102410</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>215950</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>141167</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>375241</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>137546</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="9509605518" Uncommitted="16506003456"
Committed="9509605518">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-9900-deae-a6d4-58e3013cf61f" ChangeId=""

```

```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="66b37f46b19b4de9af4123633d2c8e6f" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-214/B16-SN-QA-214.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:50:95" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-081</Name>
    <Mor>vm-673</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-081</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This Machine is
Provisioned By Amit</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
</SwapPlacementSupported> <SwapPlacement>inherit</SwapPlacement>
30T10:30:59.075135Z</ChangeVersion> <ChangeVersion>2013-12-
</connectionState> <powerState>poweredOff</powerState>
</connectionState> <connectionState>connected
7a052ff1ea4d</uuid> <uuid>422d3ce0-619b-0a1b-56b6-
9dc5d9f306c3</instanceUuid> <instanceUuid>502d2628-cb7a-5ad6-cca2-
</vmxDir> <vmxDir>[SN-QA-FC-A] B16-SN-QA-081/
</Networks> <template>false</template>
</Nics> <IpAddress>10.106.13.91</IpAddress>
</NicIpaddresses> <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Nics> <Nics>SOLUTIONS-QA(&lt;false&gt;)
</NicIpaddresses> <NicIpaddresses>unassigned
</host> <hostName>B16-SN-QA-081</hostName>
</ResourcePoolMor> <host>b16-sn-qa-esx-08.cisco.com
</NumberOfDatastores> <hostMor>host-803</hostMor>
</NumberOfBackingDisks> <ResourcePoolMor>resgroup-291
</CpuFeatureMaskSupported> <NumberOfDatastores>1
</NumberOfFeatureMaskEntries> <NumberOfBackingDisks>1
</VirtualMachineFileInfo> <NumberOfFiles>13</NumberOfFiles>
snapshotDir="[SN-QA-FC-A] B16-SN-QA-081/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-081/" logDir="[SN-QA-FC-A] B16-SN-QA-081/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-081/SCC-QA-VM-007.vmx"> <CpuFeatureMaskSupported>true
</VirtualMachineFileInfo> <NumberOfFeatureMaskEntries>0
</VirtualHardware MemoryMB="4096"> <VirtualHardware MemoryMB="4096">
NumCPUs="2"> </VirtualHardware>
<File Type="VmFileInfo"> <File Type="VmFileInfo">
<Name>SCC-QA-VM-007.vmx</Name>
<Size>3382</Size>
<Type>config</Type>
</File>

```

```
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-007.vmx</Name>
  <Size>3428</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-007.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-007.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-007.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>24269</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>212083</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>103946</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>415146</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-30.log</Name>
  <Size>179312</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>156237</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
```



```

        <Size>233466</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="29013340721" Uncommitted="18477326336"
Committed="29013340721">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-120a-9dcf-c233-3albfe37be24" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="108elfdeaed4ef2e5ba3e3051fe9e481" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-081/SCC-QA-VM-007.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:55:7c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>
                <Name>B16-SN-QA-213</Name>

```

```

<Mor>vm-749</Mor>
<MorType>VirtualMachine</MorType>
<Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-213</Path>
<ParentMor>group-v1378</ParentMor>
<Annotation>This VM was created by
prasbr on 23-MAR-13</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel5Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:26:21.830428Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42004dd7-d8fd-9c2f-0053-
2dca9de61b67</uuid>
<instanceUuid>50008a93-71a5-5ae0-4d60-
186310e9eeb4</instanceUuid>
</vmxDir>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-213/
<template>>false</template>
<IpAddress>10.106.13.223</IpAddress>
<Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-213</hostName>
<host>b16-sn-qa-esx-01.cisco.com
</host>
<hostMor>host-592</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>11</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0

```

```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-213/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-213/" logDir="[SN-QA-FC-A] B16-SN-QA-213/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-213/B16-SN-QA-213.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-213.vmx</Name>
        <Size>2859</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-213.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-213.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-213.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-213.vmdk</Name>
        <Size>20971520</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>137242</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>314524</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>103911</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>397863</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24616</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="10716387843" Uncommitted="15299092480"
Committed="10716387843">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-51f6-451d-8f40-188ba684c82b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="cb4103edabc9e579a63b26758dadbdfe" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-213/B16-SN-QA-213.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:1d:5e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>

```

```

        </VirtualMachine>
        <VirtualMachine>
            <Name>B16-SN-QA-080</Name>
            <Mor>vm-692</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-080</Path>
            <ParentMor>group-v1378</ParentMor>
            <Annotation>Verified, This VM created
by Amit Saha</Annotation>
            <Version>vmx-09</Version>
            <GuestId>rhel5_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2013-12-
30T10:25:32.139969Z</ChangeVersion>
            <powerState>poweredOff</powerState>
            <connectionState>connected
</connectionState>
            <uuid>422d8752-a503-90f5-0e2f-
6b230a072b3e</uuid>
            <instanceUuid>502d83e8-21e3-8cbf-93c2-
f55304cf2c52</instanceUuid>
            <vmxDir>[SN-QA-FC-A] B16-SN-QA-080/
</vmxDir>
            <template>>false</template>
            <IpAddress>10.106.13.90</IpAddress>
            <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
            <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
            <NicIpaddresses>unassigned
</NicIpaddresses>
            <hostName>B16-SN-QA-080</hostName>
            <host>b16-sn-qa-esx-03.cisco.com
</host>
            <hostMor>host-640</hostMor>
            <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>13</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-080/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-080/" logDir="[SN-QA-FC-A] B16-SN-QA-080/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-080/SCC-QA-VM-006.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-QA-VM-006.vmx</Name>
        <Size>3244</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-QA-VM-006.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-QA-VM-006.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-QA-VM-006.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-QA-VM-006.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>212328</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>217218</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>155872</Size>
        <Type>log</Type>
    </File>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-26.log</Name>
      <Size>414946</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-29.log</Name>
      <Size>24266</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-28.log</Name>
      <Size>179787</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-24.log</Name>
      <Size>108936</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="28709242437" Uncommitted="18781413376"
Committed="28709242437">
      </StorageInfo>
      <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-a7d9-3488-0582-4b8059c429b7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c4e7e3932d3042cbab990633c26a64cc" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-080/SCC-QA-VM-006.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:55:7b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
            </BackingNetwork>
            <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-029</Name>
    <Mor>vm-773</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-029</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM was
created by ahsaha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:35.218122Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422df2e9-77df-8470-65de-
b904c3b848e5</uuid>
    <instanceUuid>502da44d-0a33-e323-136e-
1c8eaab1a05d</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-029/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.39</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)

```





```

</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>220767</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>24659</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>127013041</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>133561</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>187786</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>380332</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>130999</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="26291126463" Uncommitted="21326307328"
Committed="26291126463">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-18e2-c125-d553-a752610a5372" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="958007f5ca49174ccee1325938c60dd9" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-029/SCC-BGL04-QA-188.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:8f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-212</Name>
    <Mor>vm-663</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-212</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
prasbr on 23-MAR-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>

```

```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:30.467586Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200ca3e-903d-bd80-0d59-
2d79b4e63584</uuid>
        <instanceUuid>50003cc5-b47b-f6fb-aaf8-
f875e15d0f78</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.222</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-212</hostName>
        <host>b16-sn-qa-esx-02.cisco.com
</host>
        <hostMor>host-616</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>12</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-212/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-212/" logDir="[SN-QA-FC-A] B16-SN-QA-212/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-212/B16-SN-QA-212.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-212.vmx</Name>
            <Size>3034</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-212.vmx</Name>

```

```
        <Size>268</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-212.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-212.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-212.vmdk</Name>
    <Size>20971520</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>137241</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>216688</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>141020</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>434370</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>137083</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24613</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
    Unshared="8102401177" Uncommitted="17913192448"
    Committed="8102401177">
</StorageInfo>
```

```

                                <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-0d5e-ecc8-0148-040c78d6e6d6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a5b03d2e1c21aa85142a3017d1d875a6" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-212/B16-SN-QA-212.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:1b:8d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                                </VirtualMachine>
                                <VirtualMachine>
                                    <Name>B16-SN-QA-040</Name>
                                    <Mor>vm-797</Mor>
                                    <MorType>VirtualMachine</MorType>
                                    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-040</Path>
                                    <ParentMor>group-v1378</ParentMor>
                                    <Annotation>Verified, This VM
provisioned by Amit Saha</Annotation>
                                    <Version>vmx-09</Version>

```

```

    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.591906Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dcf03-430b-ca62-0111-
a0657b12a044</uuid>
    <instanceUuid>502df77d-5e37-d138-75a2-
0337fclf8451</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-040/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.50</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-040</hostName>
    <host>b16-sn-qa-esx-01.cisco.com
</host>
    <hostMor>host-592</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-040/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-040/" logDir="[SN-QA-FC-A] B16-SN-QA-040/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-040/SCC-BGL04-QA-199.vmx">
</VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">

```

```

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-199.vmx
</Name>
  <Size>3408</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-199.vmx
</Name>
  <Size>3431</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-199.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-199.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-199.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>24663</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>104597</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>111921</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>382194</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```



```

        <Name>vmware.log</Name>
        <Size>142364</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>103270</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>219274</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="14530172862" Uncommitted="32960258048"
Committed="14530172862">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-5c75-0d17-4387-9ebfcd01dcc9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="39750f853bf644086970696163ab912f" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-040/SCC-BGL04-QA-199.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:a0" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                </BackingNetwork>
                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-161</Name>
        <Mor>vm-758</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-161</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Jan13minandaSCC236</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:21.607403Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>420026be-dc2d-391b-92d2-
0f3408d7bca1</uuid>
        <instanceUuid>5000f75b-de01-4ffa-3702-
515c2721b8fe</instanceUuid>
        <vmxDir>[SN-QA-FC-B] B16-SN-QA-161/
</vmxDir>
        <template>false</template>
        <IpAddress></IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-qa-esx-01.cisco.com
</host>

```

```

<hostMor>host-592</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-161/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-161/" logDir="[SN-QA-FC-B] B16-SN-QA-161/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-161/B16-SN-QA-161.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-161.vmx</Name>
  <Size>3471</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-161.vmx</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-161.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-161.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-161.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>112730</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>

```

```

        <Size>24618</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>137112</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>176657</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>123497</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>105822</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>230303</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="9016582775" Uncommitted="38490951680"
Committed="9016582775">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-3961-0dc0-33c8-c34eba2036d1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8fa5e47ee6f83d646691c0d2990f5d44" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-161/B16-SN-QA-161.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:77:6c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-028</Name>
    <Mor>vm-694</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-028</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM
provisioned by Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-

```

```

02T06:28:05.254167Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d3986-bdb2-81c0-9408-
af4940a7cd2c</uuid>
    <instanceUuid>502dcb4c-b775-fc12-e51d-
e6574887e9d6</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-028/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-qa-esx-03.cisco.com
</host>
    <hostMor>host-640</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-028/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-028/" logDir="[SN-QA-FC-A] B16-SN-QA-028/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-028/SCC-BGL04-QA-187.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-187.vmx
</Name>
        <Size>3396</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-187.vmx
</Name>
        <Size>375</Size>
        <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-187.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-187.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-187.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-187-
7f2ed216.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-BGL04-QA-187-
2133774870-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>24356</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-30.log</Name>
  <Size>175910</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>147470</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>421178</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-27.log</Name>
        <Size>219385</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-32.log</Name>
        <Size>208895</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>189312</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="39883987121" Uncommitted="7458521088"
Committed="39883987121">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-b8d5-7de3-cf22-7ff0d53f15e3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b93a6a48b1ff0a981aea69fa21edc20f" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-028/SCC-BGL04-QA-187.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:90" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```



```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-211</Name>
    <Mor>vm-654</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-211</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
prasbr 23-MAR-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
07T07:53:49.017906Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42003098-df41-7bc3-5ec5-
faf0a04f7b17</uuid>
    <instanceUuid>50008a1e-99a1-2a58-33cd-
8c6a0742aad8</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-211/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.221</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.13.221)
(fe80::250:56ff:fe80:4729)</NicIpaddresses>
    <hostName>B16-SN-QA-211</hostName>
    <host>b16-sn-qa-esx-02.cisco.com
</host>

```

```

        <hostMor>host-616</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-211/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-211/" logDir="[SN-QA-FC-A] B16-SN-QA-211/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-211/B16-SN-QA-211.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-211.vmx</Name>
            <Size>3087</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-211.vmx</Name>
            <Size>3428</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-211.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-211.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-211.vmdk</Name>
            <Size>20971520</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-211-
7f2eda70.vswp</Name>
            <Size>4294967296</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">

```

```

                <Name>vmx-B16-SN-QA-211-
2133777008-1.vswp</Name>
                <Size>96468992</Size>
                <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>183973</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>24263</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>217581</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>152554</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>374260</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>176804</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>232863</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="11234772185" Uncommitted="14632878080"
Committed="11234772185">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-3917-e8c2-98f3-b3233dd71f37" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"

```

```

CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e3b008ca56a96ca0132d82011585bac4" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-211/B16-SN-QA-211.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:47:29" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-027</Name>
    <Mor>vm-761</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-027</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM is
imaged by Chandra Babu M on 31-JAN-2012 for the user Ramkumar
Kuttuboyina on account of Jan12rkuttuboSCC2999.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:25:32.404124Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d0ef0-585e-ba3d-3f12-
117a44ec7b48</uuid>
<instanceUuid>502dcb05-cfe9-70ce-8e6e-
7f6c6c673e5a</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-027/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.37</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>b16-sn-qa-027</hostName>
<host>b16-sn-qa-esx-03.cisco.com
</host>
<hostMor>host-640</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-027/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-027/" logDir="[SN-QA-FC-A] B16-SN-QA-027/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-027/SCC-BGL04-QA-176.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-176.vmx
<Size>3426</Size>
<Type>config</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-176.vmx
</Name>
  <Size>3370</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-176.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-176.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-176.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>215019</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>213945</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>144863</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>419615</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>24660</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>

```

```

        <Size>105189</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>220377</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="35751509292" Uncommitted="11739176960"
Committed="35751509292">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-da3f-ca97-41c0-615abc69e6aa" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c530e0cc418ab2089ce819885b2cef81" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-027/SCC-BGL04-QA-176.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:ea" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"

```

```

ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-QA-210</Name>
  <Mor>vm-614</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-210</Path>
  <ParentMor>group-v1378</ParentMor>
  <Annotation>This VM was created by
prasbr 23-MAR-13</Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-
07T07:53:29.285318Z</ChangeVersion>
  <powerState>poweredOn</powerState>
  <connectionState>connected
</connectionState>
  <uuid>420020f2-00dc-a6fc-ccfe-
df53312137d7</uuid>
  <instanceUuid>500077a0-e027-fea6-3d88-
f0c17b1a497d</instanceUuid>
  <vmxDir>[SN-QA-FC-A] B16-SN-QA-210/
</vmxDir>
  <template>false</template>
  <IpAddress></IpAddress>
  <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
  <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
  <NicIpaddresses>unassigned
</NicIpaddresses>
  <hostName></hostName>
  <host>b16-sn-qa-esx-03.cisco.com
</host>
  <hostMor>host-640</hostMor>
  <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
  <NumberOfDatastores>1
</NumberOfDatastores>
  <NumberOfBackingDisks>1

```



```

</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-210/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-210/" logDir="[SN-QA-FC-A] B16-SN-QA-210/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-210/B16-SN-QA-210.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-210.vmx</Name>
        <Size>3320</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-210.vmx</Name>
        <Size>371</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-210.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-210.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-210.vmdk</Name>
        <Size>26214400</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-210-
7f2eda6f.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-B16-SN-QA-210-
2133777007-1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwsap</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-11.log</Name>
        <Size>178311</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>182927</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>107937</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>142761</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>24613</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>216105</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>187453</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="19149098818" Uncommitted="12086935552"
Committed="19149098818">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-6745-4f14-f6db-d1b0dec292db" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dba5d7ccf713add969eb1d284e1ed2eb" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-210/B16-SN-QA-210.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"

```

```

Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:54:03" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-162</Name>
    <Mor>vm-695</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-162</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Jan13minandaSCC236</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:30:59.075316Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>420013eb-a9cd-5f63-6912-
dc90cc3bd943</uuid>
    <instanceUuid>50001b6f-ab29-4eef-6cea-
2781f6174fff</instanceUuid>
    <vmxDir>[SN-QA-FC-B] B16-SN-QA-162/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.172</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-162</hostName>
    <host>b16-sn-qa-esx-08.cisco.com
</host>
    <hostMor>host-803</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-162/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-162/" logDir="[SN-QA-FC-B] B16-SN-QA-162/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-162/B16-SN-QA-162.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-162.vmx</Name>
        <Size>3497</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-162.vmx</Name>
        <Size>3433</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-162.nvram</Name>

```

```
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-162.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-162.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>154248</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>144679</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24269</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>218384</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>109699</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>240603</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>224760</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="7619036896" Uncommitted="39888703488"
Committed="7619036896">
    </StorageInfo>
```

```

                                <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-a524-1b26-1e21-d23b3d78d801" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bb7bc19e33136eabf9c9b0077063ff9a" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-162/B16-SN-QA-162.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:66:b5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                                </BackingFloppy>
                                <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                                </VirtualMachine>
                                <VirtualMachine>
                                <Name>B16-SN-QA-026</Name>

```

```

        <Mor>vm-729</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-026</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>Verified, This VM is
imaged by Chandra Babu M on 31-JAN-2012 for the user Ramkumar
Kuttuboyina on account of Jan12rkuttuboSCC2999.</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:25:34.819758Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422df326-a0f4-6133-d18b-
d0718a8eac84</uuid>
        <instanceUuid>502dd031-28bb-af77-fc40-
c31d2e9c2770</instanceUuid>
        <vmxDir>[SN-QA-FC-B] B16-SN-QA-026/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.13.36</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-026</hostName>
        <host>b16-sn-qa-esx-04.cisco.com
</host>
        <hostMor>host-668</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-026/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-026/" logDir="[SN-QA-FC-B] B16-SN-QA-026/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-026/SCC-BGL04-QA-175.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-175.vmx
</Name>
            <Size>3484</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-175.vmx
</Name>
            <Size>3431</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-175.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-175.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-175.vmdk
</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>212884</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-20.log</Name>
            <Size>155121</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-22.log</Name>

```



```

        <Size>24311</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-17.log</Name>
        <Size>220359</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>281692</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>178363</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>222984</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="30616584785" Uncommitted="16874053632"
Committed="30616584785">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-fd66-0eef-9229-745f48c87db0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a9cb26b40b7ec18ac273ce992639add3" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-026/SCC-BGL04-QA-175.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:e9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network

```

```

adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-025</Name>
    <Mor>vm-620</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-025</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM is
imaged by Chandra Babu M on 31-JAN-2012 for the user Ramkumar
Kuttuboyina on account of Jan12rkuttuboSCC2999.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.600782Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422de283-2f7a-7eda-a5cf-
2c2bcd07c31d</uuid>
    <instanceUuid>502dd50f-88ea-3655-7424-
48b2088085e4</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-025/
</vmxDir>
    <template>>false</template>

```

```

</Networks>
</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-A] B16-SN-QA-025/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-025/" logDir="[SN-QA-FC-A] B16-SN-QA-025/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-025/SCC-BGL04-QA-174.vmx">
NumCPUs="2">
</Name>
</Name>
</Name>
</Name>
</Name>

```

```

<IpAddress>10.106.13.35</IpAddress>
<Networks>SOLUTIONS-QA(&lt;false&gt;)
<Nics>SOLUTIONS-QA(&lt;false&gt;)
<NicIpaddresses>unassigned
<hostName>B16-SN-QA-025</hostName>
<host>b16-sn-qa-esx-01.cisco.com
<hostMor>host-592</hostMor>
<ResourcePoolMor>resgroup-291
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
Name>[SN-QA-FC-A] B16-SN-QA-025/SCC-BGL04-QA-174.vmx
Size>3483
Type>config
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
Name>SCC-BGL04-QA-174.vmx
Size>3483
Type>config
</VirtualHardware>
<File Type="VmFileInfo">
Name>SCC-BGL04-QA-174.vmx
Size>3483
Type>config
</File>
<File Type="VmFileInfo">
Name>SCC-BGL04-QA-174.vmx
Size>3483
Type>config
</File>
<File Type="VmFileInfo">
Name>SCC-BGL04-QA-174.vmx
Size>3431
Type>extendedConfig
</File>
<File Type="VmFileInfo">
Name>SCC-BGL04-QA-174.nvram
Size>8684
Type>nvram
</File>
<File Type="VmFileInfo">
Name>SCC-BGL04-QA-174.vmsd
Size>0
</File>

```

```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-174.vmdk
</Name>

        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>106507</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>495036</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>24313</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>212886</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>179791</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>155264</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>219543</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="18695421866" Uncommitted="28795314176"
Committed="18695421866">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C296-8da2-a5e5-b35a-52248935b1fb" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8ea4e9fe963721b1cb80708bc7b49f67" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-025/SCC-BGL04-QA-174.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:e8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-041</Name>
    <Mor>vm-648</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-041</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM was
created by ahsaha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>

```

```

</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:26:30.174333Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422db63a-3141-5358-7204-
06355b6edff9</uuid>
<instanceUuid>502db146-0a81-0c3e-f53a-
e0ca896a13c9</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-041/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.51</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-041</hostName>
<host>b16-sn-qa-esx-02.cisco.com
</host>
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-041/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-041/" logDir="[SN-QA-FC-A] B16-SN-QA-041/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-041/SCC-BGL04-QA-200.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-200.vmx
</Name>

```

```

        <Size>3435</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-200.vmx</Name>
</Name>

        <Size>3431</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-200.nvram</Name>
</Name>

        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-200.vmsd</Name>
</Name>

        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-200.vmdk</Name>
</Name>

        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>104936</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>458193</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>156836</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>144437</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24312</Size>
    <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-17.log</Name>
            <Size>103236</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-19.log</Name>
            <Size>219656</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="16020322708" Uncommitted="31470231552"
Committed="16020322708">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-eaee-788f-7479-0508e5bd9db5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7b2ebc12fcd4d8465939e3bcda29f5b9" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-041/SCC-BGL04-QA-200.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:7f:40" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"

```



```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-087</Name>
    <Mor>vm-744</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-087</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.642747Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200f10c-7f63-8dcf-dddf-
d98fcfda5327</uuid>
    <instanceUuid>50007a15-d207-165e-4e20-
1f3b3769c6f9</instanceUuid>
    <vmxDir>[PF-QA-FC-A] B16-SN-QA-087/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.97</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-087</hostName>
    <host>b16-sn-qa-esx-01.cisco.com
</host>
    <hostMor>host-592</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1

```

```

</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[PF-QA-FC-A] B16-SN-QA-087/" suspendDir="[PF-QA-FC-
A] B16-SN-QA-087/" logDir="[PF-QA-FC-A] B16-SN-QA-087/"
vmxPath="[PF-QA-FC-A] B16-SN-QA-087/B16-SN-QA-087.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-087.vmx</Name>
        <Size>3181</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-087.vmx</Name>
        <Size>3433</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-087.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-087.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-087.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>34703</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>34703</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-7.log</Name>
        <Size>34703</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>24618</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>133023</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>148610</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>126617198</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="PF-QA-FC-A"
Unshared="32064570664" Uncommitted="15551799296"
Committed="32064570664">
        </StorageInfo>
        <Datastore Mor="datastore-414"
Url="/vmfs/volumes/502f4a43-25e56874-a137-1025b500000d" Name="PF-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-5576-9df6-52e4-48da3ed98c07" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-414"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3b926dad6d13cd3940ea406788721b8a" Parent="" Disk="[PF-
QA-FC-A] B16-SN-QA-087/B16-SN-QA-087.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:1d:64" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-160</Name>
    <Mor>vm-626</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-160</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Jan13minandaSCC236</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.086683Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42001520-6223-4179-0334-
abd9fff4d54b</uuid>
    <instanceUuid>50004e7a-c649-ec18-5687-
2callb97acf0</instanceUuid>
    <vmxDir>[SN-QA-FC-B] B16-SN-QA-160/
</vmxDir>
    <template>false</template>

```

```

</IpAddress></IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-160</hostName>
<host>b16-sn-qa-esx-01.cisco.com
</host>
<hostMor>host-592</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-160/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-160/" logDir="[SN-QA-FC-B] B16-SN-QA-160/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-160/B16-SN-QA-160.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-160.vmx</Name>
  <Size>3374</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-160.vmx</Name>
  <Size>3372</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-160.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-160.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-160.vmdk</Name>

```

```

        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>142555</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24616</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>144912</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>104747</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>295926</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>279120</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>224112</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="5366794810" Uncommitted="42141044736"
Committed="5366794810">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-e00b-9b5c-6bba-a06dabelb54f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="47d2202c88a2eb008aae0a6695a6aaa8" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-160/B16-SN-QA-160.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:1a:89" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-086</Name>
    <Mor>vm-748</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-086</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>

```

```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>true
</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:26:21.611426Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42001d20-815b-999a-6cc9-
0478b50e5ed8</uuid>
<instanceUuid>5000bd12-106d-2558-4045-
2f2fef584da9</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-086/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.96</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-086</hostName>
<host>b16-sn-qa-esx-01.cisco.com
</host>
<hostMor>host-592</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-086/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-086/" logDir="[SN-QA-FC-A] B16-SN-QA-086/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-086/B16-SN-QA-086.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">

```



```

        <Name>B16-SN-QA-086.vmx</Name>
        <Size>3182</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-086.vmx</Name>
    <Size>3433</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-086.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-086.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-086.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>133423</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>106232</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>25570</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>142337</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>126669525</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>153841</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>416943</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="31303924802" Uncommitted="16313065472"
Committed="31303924802">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-a0d0-ee2f-c719-7f9d433447dd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bcbf507b03218b861e69298fd1ffa101" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-086/B16-SN-QA-086.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:2a:65" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">

```

```

        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-024</Name>
        <Mor>vm-652</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-024</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>Verified, This VM is
imaged by Chandra Babu M on 5-JAN-2012 for the user Ramkumar
Kuttuboyina on account of Jan12rkuttuboSCC123.</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:30.175532Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d7073-ba5d-d883-e68b-
35cf470801e0</uuid>
        <instanceUuid>502db58f-7c2c-9fb6-e45e-
2cd0c1bc0afa</instanceUuid>
        <vmxDir>[SN-QA-FC-A] B16-SN-QA-024/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.13.34</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-024</hostName>
        <host>b16-sn-qa-esx-02.cisco.com
</host>
        <hostMor>host-616</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1

```

```

</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-024/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-024/" logDir="[SN-QA-FC-A] B16-SN-QA-024/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-024/SCC-BGL04-QA-154.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-154.vmx
</Name>
        <Size>3481</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-154.vmx
</Name>
        <Size>3431</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-154.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-154.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-154.vmdk
</Name>
        <Size>52428800</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>218760</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>379900</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>180241</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>212932</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>155313</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>24313</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>107524</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="19032948979" Uncommitted="39195090944"
Committed="19032948979">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-29d8-ac60-3a4a-7aed0ae2fe24" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0500c1849b4e74a044730bfb7e60cdf2" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-024/SCC-BGL04-QA-154.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:7c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-044</Name>
    <Mor>vm-701</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-044</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, (EXCH2K8)
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:32.140817Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d8f8e-57a8-ff66-1669-
e358ad19d00b</uuid>
    <instanceUuid>52f3f727-4b60-d09d-5ed9-
2506cbb97752</instanceUuid>

```

```

</vmxDir>                                <vmxDir>[SN-QA-FC-A] B16-SN-QA-044/
</Networks>                               <template>>false</template>
</Nics>                                     <IpAddress>10.106.13.54</IpAddress>
</NicIpaddresses>                          <Networks>SOLUTIONS-QA(&lt;False&gt;)
</host>                                     <Nics>SOLUTIONS-QA(&lt;false&gt;)
</ResourcePoolMor>                         <NicIpaddresses>unassigned
</NumberOfDatastores>                     <hostName>SCC-BGL04-QA-28.EXCH2K8.scc-
</NumberOfBackingDisks>                   <host>b16-sn-qa-esx-03.cisco.com
</CpuFeatureMaskSupported>                 <hostMor>host-640</hostMor>
</NumberOfFeatureMaskEntries>              <ResourcePoolMor>resgroup-291
<VirtualMachineFileInfo>                   <NumberOfDatastores>1
snapshotDir="[SN-QA-FC-A] B16-SN-QA-044/"  <NumberOfBackingDisks>1
suspendDir="[SN-QA-FC-A] B16-SN-QA-044/"    <NumberOfFiles>14</NumberOfFiles>
logDir="[SN-QA-FC-A] B16-SN-QA-044/"        <CpuFeatureMaskSupported>true
vmxPath="[SN-QA-FC-A] B16-SN-QA-044/SCC-BGL04-QA-VM-28.vmx">
</VirtualMachineFileInfo>                  <NumberOfFeatureMaskEntries>0
<VirtualHardware MemoryMB="4096">
</VirtualHardware>                          <VirtualMachineFileInfo>
<File Type="VmFileInfo">                    snapshotDir="[SN-QA-FC-A] B16-SN-QA-044/"
  <Name>SCC-BGL04-QA-VM-28.vmx              suspendDir="[SN-QA-FC-A] B16-SN-QA-044/"
  <Size>3447</Size>                          logDir="[SN-QA-FC-A] B16-SN-QA-044/"
  <Type>config</Type>                        vmxPath="[SN-QA-FC-A] B16-SN-QA-044/SCC-BGL04-QA-VM-28.vmx">
</File>                                     </VirtualMachineFileInfo>
<File Type="VmFileInfo">                    <VirtualHardware MemoryMB="4096">
  <Name>SCC-BGL04-QA-VM-28.vmx              </VirtualHardware>
  <Size>2853</Size>                          <File Type="VmFileInfo">
  <Type>extendedConfig</Type>                <Name>SCC-BGL04-QA-VM-28.vmx
</File>                                     <Size>3447</Size>
<File Type="VmFileInfo">                    <Type>config</Type>
  <Name>Win2K8Srv64Bit.nvram                </File>
  <Size>8684</Size>                          <File Type="VmFileInfo">
  <Type>nvram</Type>                        <Name>SCC-BGL04-QA-VM-28.vmx
</File>                                     <Size>2853</Size>
</File>                                     <Type>extendedConfig</Type>
</File>                                     </File>
</File>                                     <File Type="VmFileInfo">
</File>                                     <Name>Win2K8Srv64Bit.nvram
</File>                                     <Size>8684</Size>
</File>                                     <Type>nvram</Type>
</File>

```

```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-VM-28.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-VM-28-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-VM-28.vmdk
</Name>
  <Size>62933300</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-35.log</Name>
  <Size>565634</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-38.log</Name>
  <Size>24700</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>332600</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-36.log</Name>
  <Size>149249</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-37.log</Name>
  <Size>200006</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-33.log</Name>
  <Size>103441</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>394938</Size>

```



```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="64253279952" Uncommitted="4731858944"
Committed="64253279952">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-9f72-1cd7-8699-0c0b38fee64f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62933300"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2c373e5cd7fa186e609a25733f82344e" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-044/SCC-BGL04-QA-VM-28.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:30:e3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>
                <Name>B16-SN-QA-165</Name>
                <Mor>vm-688</Mor>

```

```

\B16-SN-QA-165</Path>
<MorType>VirtualMachine</MorType>
<Path>\(DC)S+CC(DC)\vm\Solutions QA
<ParentMor>group-v1378</ParentMor>
<Annotation></Annotation>
<Version>vmx-09</Version>
<GuestId>rhel6_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:25:32.140969Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>4200e293-c48a-d985-df03-
f504becbb0d9</uuid>
<instanceUuid>500050ec-3a17-6ce1-a663-
da297867d035</instanceUuid>
</vmxDir>
<vmxDir>[SN-QA-FC-B] B16-SN-QA-165/
<template>>false</template>
<IpAddress>10.106.13.175</IpAddress>
<Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-165</hostName>
<host>b16-sn-qa-esx-03.cisco.com
</host>
<hostMor>host-640</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo

```

```
snapshotDir="[SN-QA-FC-B] B16-SN-QA-165/" suspendDir="[SN-QA-FC-  
B] B16-SN-QA-165/" logDir="[SN-QA-FC-B] B16-SN-QA-165/"  
vmxPath="[SN-QA-FC-B] B16-SN-QA-165/B16-SN-QA-165.vmx">
```

```
</VirtualMachineFileInfo>  
<VirtualHardware MemoryMB="4096"
```

```
NumCPUs="2">
```

```
</VirtualHardware>  
<File Type="VmFileInfo">  
  <Name>B16-SN-QA-165.vmx</Name>  
  <Size>3171</Size>  
  <Type>config</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>B16-SN-QA-165.vmx</Name>  
  <Size>3433</Size>  
  <Type>extendedConfig</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>B16-SN-QA-165.nvram</Name>  
  <Size>8684</Size>  
  <Type>nvram</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>B16-SN-QA-165.vmsd</Name>  
  <Size>0</Size>  
  <Type>snapshotList</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>B16-SN-QA-165.vmdk</Name>  
  <Size>41943040</Size>  
  <Type>diskDescriptor</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-10.log</Name>  
  <Size>24265</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware.log</Name>  
  <Size>169544</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-5.log</Name>  
  <Size>219617</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-6.log</Name>  
  <Size>243830</Size>  
  <Type>log</Type>  
</File>
```

```

        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>179740</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>153893</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>226070</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-B"
Unshared="4656909687" Uncommitted="42850930688"
Committed="4656909687">
            </StorageInfo>
            <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-1d77-9578-7501-eecf2cce3792" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="57b2a5654b7b46a3afabc70635c657a9" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-165/B16-SN-QA-165.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:63:ff" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"

```

```

Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-113</Name>
    <Mor>vm-806</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-113</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified,-Tridium
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.175195Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d0560-fc1d-da74-ac90-
99d7048d4239</uuid>
    <instanceUuid>502d9327-36df-46cc-5b4e-
126a48f13141</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-113/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.123</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-113.scc-qa.com
</hostName>

```

```

</host>
    <host>b16-sn-qa-esx-02.cisco.com
    <hostMor>host-616</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-113/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-113/" logDir="[SN-QA-FC-A] B16-SN-QA-113/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-113/SCC-BGL04-QA-139.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-139.vmx
</Name>
        <Size>3446</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-139.vmx
</Name>
        <Size>3048</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-139.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-139.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-139-aux.xml
</Name>
        <Size>0</Size>
        <Type>snapshotManifestList
</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-139.vmdk
</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>124264</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>216455</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>189809</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>715266</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>25268</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>180318</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>453053</Size>
  <Type>log</Type>
</File>
  <StorageInfo Datastore="SN-QA-FC-A"
Unshared="24835345019" Uncommitted="44130738176"
Committed="24835345019">
  </StorageInfo>
  <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-4694-eaed-736d-f940625b4c24" ChangeId=""

```

```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6a068a783e261a34c868327dcc2e3215" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-113/SCC-BGL04-QA-139.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:79:eb" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-089</Name>
    <Mor>vm-790</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-089</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM provisioned by
Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true

```



```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
30T10:26:21.59223Z</ChangeVersion>
</connectionState>
7cefa90147ff</uuid>
cd245ba5a478</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-A] B16-SN-QA-089/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-089/" logDir="[SN-QA-FC-A] B16-SN-QA-089/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-089/SCC-QA-VM-026.vmx">
NumCPUs="2">

```

```
        <Size>3211</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-QA-VM-026.vmx</Name>
    <Size>3428</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-QA-VM-026.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-QA-VM-026.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-QA-VM-026.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24268</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>145699</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>456899</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>185163</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>146768</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>104835</Size>
    <Type>log</Type>
```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-18.log</Name>
            <Size>217893</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="13950503376" Uncommitted="46425022464"
Committed="13950503376">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-e1df-d6e3-9d43-04605c2e569a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d57e449c201ef7ba369affc1494c37d6" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-089/SCC-QA-VM-026.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:10:18" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>

```

```

        </VirtualMachine>
        <VirtualMachine>
            <Name>B16-SN-QA-166</Name>
            <Mor>vm-765</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-166</Path>
            <ParentMor>group-v1378</ParentMor>
            <Annotation>This VM was created by
ptirung 11-JAN 13</Annotation>
            <Version>vmx-09</Version>
            <GuestId>rhel5_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2013-12-
30T10:26:30.881514Z</ChangeVersion>
            <powerState>poweredOff</powerState>
            <connectionState>connected
</connectionState>
            <uuid>42006a2a-3786-64a1-1c36-
f4b41f18ca73</uuid>
            <instanceUuid>50009705-50ce-2ec4-aa9f-
a6f9fc02d431</instanceUuid>
            <vmxDir>[SN-QA-FC-B] B16-SN-QA-166/
</vmxDir>
            <template>false</template>
            <IpAddress>10.106.13.176</IpAddress>
            <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
            <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
            <NicIpaddresses>unassigned
</NicIpaddresses>
            <hostName>B16-SN-QA-166</hostName>
            <host>b16-sn-qa-esx-02.cisco.com
</host>
            <hostMor>host-616</hostMor>
            <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>13</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-166/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-166/" logDir="[SN-QA-FC-B] B16-SN-QA-166/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-166/B16-SN-QA-166.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-166.vmx</Name>
        <Size>3123</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-166.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-166.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-166.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-166.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>170136</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>103043</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24619</Size>
        <Type>log</Type>
    </File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>273216</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>241186</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>143988</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>223391</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-B"
Unshared="18398457574" Uncommitted="93516570624"
Committed="18398457574">
            </StorageInfo>
            <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-9061-502e-efc0-0aa6a08aaf26" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9e125dc4aa0c3b8e06e4cc1c2b37f6c6" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-166/B16-SN-QA-166.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:49:63" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-043</Name>
    <Mor>vm-598</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-043</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This Machine is
Provisioned By Sandeep on 20-OCT-2011</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghornGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:32.622321Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d95da-66c1-7109-0c45-
a114ee0b4a39</uuid>
    <instanceUuid>523a56a4-f708-0ef7-6ca9-
561ee1a607c3</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-043/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.53</IpAddress>
    <Networks>PLATFORM-QA(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-QA(&lt;false&gt;)

```

```

</Nics>
</NicIpaddresses>
qa.com</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-A] B16-SN-QA-043/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-043/" logDir="[SN-QA-FC-A] B16-SN-QA-043/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-043/SCC-BGL04-QA-24-VM_1.vmx">
NumCPUs="2">
</Name>
</Name>
</Name>
</Name>
</Name>

```

```

<NicIpaddresses>unassigned
<hostName>SCC-BGL04-QA-27-VM.scc-
<host>b16-sn-qa-esx-03.cisco.com
<hostMor>host-640</hostMor>
<ResourcePoolMor>resgroup-291
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-24-VM_1.vmx
<Size>3497</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-24-VM_1.vmx
<Size>3052</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-Win2K8Srv-32Bit.nvram
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-24-VM_1.vmsd
<Size>0</Size>
<Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">

```



```

aux.xml</Name>
    <Name>SCC-BGL04-QA-24-VM_1-
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-24-VM_1.vmdk
</Name>
    <Size>41961780</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-37.log</Name>
    <Size>493145</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-41.log</Name>
    <Size>199300</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-38.log</Name>
    <Size>184078</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-42.log</Name>
    <Size>24372</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-39.log</Name>
    <Size>217331</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-40.log</Name>
    <Size>171808</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>332652</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="38618594847" Uncommitted="8891559936"
Committed="38618594847">
    </StorageInfo>
    <Datastore Mor="datastore-416"

```

```

Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-2360-a8aa-b5a2-61c3e505442d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dbe2c2d4ad13637a3a2dcf9ff9ff747b" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-043/SCC-BGL04-QA-24-VM_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:02:90" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-046</Name>
    <Mor>vm-732</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-046</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This machine was

```

```

created by Sandeep</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:34.820084Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d2649-992d-ab59-bcc0-
3391072e6202</uuid>
    <instanceUuid>502d0b4a-c449-683d-4f90-
f2c7054c9f84</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-046/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-046/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-046/" logDir="[SN-QA-FC-A] B16-SN-QA-046/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-046/SCC-BGL04-QA-33.vmx">

```

```

</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-33.vmx</Name>
  <Size>3253</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-33.vmx
  </Name>
  <Size>3369</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-33.nvram
  </Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-33.vmsd
  </Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-33.vmdk
  </Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>377731</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24293</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>103052</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>138628</Size>
  <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-22.log</Name>
            <Size>156661</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-19.log</Name>
            <Size>104761</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-20.log</Name>
            <Size>294480</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="25953470912" Uncommitted="21537071104"
Committed="25953470912">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-ce0f-adb8-c7ba-3670d3a0af5e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d3816551e7e77b673d91d14c85bf06d1" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-046/SCC-BGL04-QA-33.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:10:25" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-088</Name>
    <Mor>vm-718</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-088</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM provisioned by
Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:34.818579Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d17b6-eda4-810c-5d9b-
b53484b3095e</uuid>
    <instanceUuid>502d81e8-605d-1cc7-457d-
96012206e10c</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-088/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.98</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-088</hostName>

```

```

</host>
    <host>b16-sn-qa-esx-04.cisco.com
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>3
</NumberOfBackingDisks>
    <NumberOfFiles>17</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-088/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-088/" logDir="[SN-QA-FC-A] B16-SN-QA-088/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-088/SCC-QA-VM-025.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-QA-VM-025.vmx</Name>
        <Size>3614</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-QA-VM-025.vmx</Name>
        <Size>3428</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-QA-VM-025.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-QA-VM-025.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-QA-VM-025.vmdk</Name>
        <Size>188743680</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-088.vmdk</Name>
        <Size>20971520</Size>
        <Type>diskDescriptor</Type>
    </File>

```

```

</Name>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-088_1.vmdk
        <Size>125829120</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-33.log</Name>
        <Size>698919</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-36.log</Name>
        <Size>276879</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>164199</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>403084</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>1065269</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-37.log</Name>
        <Size>35392</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-32.log</Name>
        <Size>115573</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
    Unshared="70611785729" Uncommitted="290412929024"
    Committed="70611785729">
        </StorageInfo>
        <Datastore Mor="datastore-416"
    Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
    QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
    DiskUuid="6000C292-5bd6-6367-af6a-240d1bd7e091" ChangeId=""
    EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```



```

Thin="true" Split="false" CapacityKB="188743680"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7e90c6032164d5c4a8556f4e1d8ccf24" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-088/SCC-QA-VM-025.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-43b1-84ea-2683-83ec20d09e8a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="64e1e250d05b686815738f2f5301fc5c" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-088/B16-SN-QA-088.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-e5c1-51e1-6ddb-eae93de11260" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="125829120"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="21f2b6b5c2c44c5bc2968fbc564ddb7a" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-088/B16-SN-QA-088_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="2" Key="2002" ControllerKey="1000"
Type="" Label="Hard disk 3">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:10:16" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-133-BKP</Name>
        <Mor>vm-3470</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-133-BKP</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>Verified, Exchange server
2010 , EXCH2K10.SN-QA.com</Annotation>
        <Version>vmx-08</Version>
        <GuestId>windows7Server64Guest
</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:30:59.075176Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4224f456-bb14-4462-72bd-
3b009c6d1432</uuid>
        <instanceUuid>5024e986-ea27-7372-4dbb-
9be3f155d006</instanceUuid>
        <vmxDir>[SN-QA-FC-A] B16-SN-QA-133-
BKP</vmxDir>
        <template>false</template>
        <IpAddress></IpAddress>
        <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-qa-esx-08.cisco.com
</host>

```

```

        <hostMor>host-803</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>5</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-133-BKP/" suspendDir="[SN-QA-
FC-A] B16-SN-QA-133-BKP/" logDir="[SN-QA-FC-A] B16-SN-QA-133-
BKP/" vmxPath="[SN-QA-FC-A] B16-SN-QA-133-BKP/B16-SN-QA-133-
BKP.vmx" >
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-133-BKP.vmx
</Name>
            <Size>2869</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-133-BKP.vmx
</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-133-BKP.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-133-BKP.vmdk
</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="22463646517" Uncommitted="25042964480"
Committed="22463646517">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-2563-4ee2-7d7b-d7e007042cec" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="21b7c36719e9d39170fala0a072c695e" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-133-BKP/B16-SN-QA-133-BKP.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:6e:70" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-045</Name>
    <Mor>vm-638</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-045</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This Machine is
created by Sandeep</Annotation>
    <Version>vmx-09</Version>

```

```

    <GuestId>winLonghornGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.095086Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42032941-bee0-22dd-e602-
88570b0d3131</uuid>
    <instanceUuid>5003311f-86e9-9ab0-e5bb-
2e11474451c6</instanceUuid>
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.55</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>SCC-BGL04-QA-29-VM.scc-
qa.com</hostName>
    <host>b16-sn-qa-esx-01.cisco.com
</host>
    <hostMor>host-592</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-045/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-045/" logDir="[SN-QA-FC-A] B16-SN-QA-045/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-045/SCC-BGL04-QA-29-VM.vmx">
</VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"

```

```

NumCPUs=" 2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-29-VM.vmx
</Name>
  <Size>3461</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-29-VM.vmx
</Name>
  <Size>2849</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-29-VM.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-29-VM.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-29-VM-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-29-VM.vmdk
</Name>
  <Size>41961780</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-66.log</Name>
  <Size>147401</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-65.log</Name>
  <Size>657721</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>273448</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-68.log</Name>
        <Size>24700</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-64.log</Name>
        <Size>184309</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-67.log</Name>
        <Size>800491</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-63.log</Name>
        <Size>629823</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="42803508055" Uncommitted="4707741696"
Committed="42803508055">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-cf77-045e-d709-1075d74371e7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="104d59fbdfc252536127cc64c5e5b118" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-045/SCC-BGL04-QA-29-VM.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:21:33" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">

```

```

        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-083</Name>
        <Mor>vm-702</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-083</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>Verified, This VM is
imaged by Chandra Babu M on 1-MAR-2012 for the user Ramkumar
Kuttuboyina on account of Feb12rkuttuboSCC3163.</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T06:41:45.617428Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422df8a4-292a-9b9e-a99a-
679e9734589c</uuid>
        <instanceUuid>502d9067-0ef3-9d70-c39e-
03b6d7dcb0c0</instanceUuid>
        <vmxDir>[SN-QA-FC-A] B16-SN-QA-083/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.13.93</IpAddress>

```



```

</Networks>                                <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Nics>                                     <Nics>SOLUTIONS-QA(&lt;true&gt;)
</NicIpaddresses>                           <NicIpaddresses>unassigned
</host>                                     <hostName>B16-SN-QA-083</hostName>
                                              <host>b16-sn-qa-esx-08.cisco.com
</ResourcePoolMor>                         <hostMor>host-803</hostMor>
                                              <ResourcePoolMor>resgroup-291
</NumberOfDatastores>                      <NumberOfDatastores>1
</NumberOfBackingDisks>                    <NumberOfBackingDisks>1
                                              <NumberOfFiles>15</NumberOfFiles>
</CpuFeatureMaskSupported>                 <CpuFeatureMaskSupported>true
                                              <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>              <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-083/"   suspendDir="[SN-QA-FC-
A] B16-SN-QA-083/" logDir="[SN-QA-FC-A] B16-SN-QA-083/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-083/SCC-QA-VM-009.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-009.vmx</Name>
  <Size>3368</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-009.vmx</Name>
  <Size>3372</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-009.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-009.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-009.vmdk</Name>
  <Size>41943040</Size>

```

```

        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-QA-VM-009-
7f2ed2d7.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-QA-VM-009-
2133775063-1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>24614</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>232438</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>253829</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>454868</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>222047</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>141715</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>234019</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="43949496266" Uncommitted="3393191936"
Committed="43949496266">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-bc86-3cab-379a-09fff4791314" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4b4540dab927e847466586cb3c1fa795" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-083/SCC-QA-VM-009.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:55:80" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-111</Name>
        <Mor>vm-596</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-111</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>This VM instance has been

```

```

created by Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:35.105547Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d0c5a-7554-94d2-e0ae-
8aa0e71432bd</uuid>
    <instanceUuid>502d69a6-a8f6-9532-d717-
3f33ce09a471</instanceUuid>
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.121</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-111</hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-111/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-111/" logDir="[SN-QA-FC-A] B16-SN-QA-111/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-111/SCC-BGL04-QA-145.vmx">
    </VirtualMachineFileInfo>

```

```

NumCPUs="2">
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-145.vmx
</Name>
  <Size>3365</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-145.vmx
</Name>
  <Size>3431</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-145.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-145.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-145.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>24297</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>108098</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>317710</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>183680</Size>
  <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-30.log</Name>
            <Size>179922</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-29.log</Name>
            <Size>155876</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>212860</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="18576721763" Uncommitted="28913803264"
Committed="18576721763">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-bd53-df84-0ff5-6f23d47e4c2c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="09c73a3564621cb38b7c108f2e55124b" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-111/SCC-BGL04-QA-145.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:7a:2d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-048</Name>
    <Mor>vm-731</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-048</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified,This VM was
created by ahsaha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:30:05.616658Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42033e9c-1e59-6df1-b1d2-
b552c35a248a</uuid>
    <instanceUuid>52f0e79c-14dc-c09b-d819-
5acacf001b85</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-048/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.58</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>

```

```

        <hostName>B16-SN-QA-048</hostName>
        <host>b16-sn-qa-esx-04.cisco.com
</host>

        <hostMor>host-668</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>

        <NumberOfDatastores>1
</NumberOfDatastores>

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>

        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-048/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-048/" logDir="[SN-QA-FC-A] B16-SN-QA-048/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-048/SCC-BGL04-QA-36.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-36.vmx</Name>
            <Size>3387</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-36.vmx.f
</Name>
            <Size>3435</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-36.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-36.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-36.vmdk
</Name>
            <Size>20971520</Size>
            <Type>diskDescriptor</Type>
        </File>

```



```

7f2ed258.vswp</Name>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-QA-36-
        <Size>17179869184</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmx-SCC-BGL04-QA-36-
        <Size>96468992</Size>
        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-23.log</Name>
      <Size>662609241</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-22.log</Name>
      <Size>225513</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-21.log</Name>
      <Size>409684</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-24.log</Name>
      <Size>1387320622</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-25.log</Name>
      <Size>24295</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-26.log</Name>
      <Size>663504040</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>1102185993</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="42506652142" Uncommitted="60817408"
Committed="42506652142">
    </StorageInfo>
    <Datastore Mor="datastore-416"

```

```

Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-4551-1e1e-e695-f4ac23501969" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="74e66be766a10ce6e2ba65ab75f56ccb" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-048/SCC-BGL04-QA-36.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:67:d8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-110</Name>
    <Mor>vm-615</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-110</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>

```

```

        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:25:35.076696Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d7789-532a-7840-3211-
82ae7c92a451</uuid>
        <instanceUuid>502dfa15-5c10-485a-8cfc-
b1a1a9e4fdc3</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.120</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-110</hostName>
        <host>b16-sn-qa-esx-04.cisco.com
</host>
        <hostMor>host-668</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-110/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-110/" logDir="[SN-QA-FC-A] B16-SN-QA-110/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-110/SCC-BGL04-QA-144.vmx">
</VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
</VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-144.vmx
</Name>
  <Size>3173</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-144.vmx
</Name>
  <Size>3431</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-144.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-144.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-144.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>183395</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>213095</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>179383</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>107817</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>

```

```

        <Size>155582</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>200900</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>24308</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="29397907928" Uncommitted="30977400832"
Committed="29397907928">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-b248-01f6-c843-d7811942022f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4a49b7df02b1e0b0e602358f116b2d5e" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-110/SCC-BGL04-QA-144.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:7a:2b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-085</Name>
        <Mor>vm-774</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-085</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>This VM is imaged by
Chandra Babu M</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:21.3344Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200c33b-66bf-f08c-45a2-
1313aa5628f8</uuid>
        <instanceUuid>50009070-82c5-e4ca-bc72-
8568581bc17b</instanceUuid>
        <vmxDir>[SN-QA-FC-A] B16-SN-QA-085/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.13.95</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-085</hostName>
        <host>b16-sn-qa-esx-01.cisco.com
</host>
        <hostMor>host-592</hostMor>

```

```

</ResourcePoolMor>                                <ResourcePoolMor>resgroup-291
</NumberOfDatastores>                             <NumberOfDatastores>1
</NumberOfBackingDisks>                           <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                        <NumberOfFiles>13</NumberOfFiles>
</NumberOfFeatureMaskEntries>                     <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries>                     <NumberOfFeatureMaskEntries>0
                                                    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-085/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-085/" logDir="[SN-QA-FC-A] B16-SN-QA-085/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-085/B16-SN-QA-085.vmx">
                                                    </VirtualMachineFileInfo>
                                                    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-085.vmx</Name>
  <Size>3156</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-085.vmx</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-085.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-085.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-085.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>170856</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>126647316</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>24618</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>102401</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>217463</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>2214644</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>377714</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="32790815533" Uncommitted="14828281856"
Committed="32790815533">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-e842-d07a-9004-6dac21537d23" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5de18f7befcecfb8f5f78bc8a0145007" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-085/B16-SN-QA-085.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:15:a4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```



```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-084</Name>
    <Mor>vm-762</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-084</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM is
imaged by Chandra Babu M on 1-MAR-2012 for the user Ramkumar
Kuttuboyina on account of Feb12rkuttuboSCC3163.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:43:50.657739Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d56e5-d643-b22a-34cc-
7714032a1be3</uuid>
    <instanceUuid>502d85c2-cd58-ea2d-4912-

```

```

e33bef74f45b</instanceUuid>
</vmxDir>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-084/
<template>>false</template>
<IpAddress>10.106.13.94</IpAddress>
<Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
<NicIpaddresses>(10.106.13.94)
(fe80::250:56ff:fead:5581)</NicIpaddresses>
<hostName>b16-sn-qa-084.cisco.com
</hostName>
<host>b16-sn-qa-esx-08.cisco.com
</host>
<hostMor>host-803</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>17</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-084/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-084/" logDir="[SN-QA-FC-A] B16-SN-QA-084/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-084/SCC-QA-VM-010.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-QA-VM-010.vmx</Name>
<Size>3477</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-QA-VM-010.vmx</Name>
<Size>3433</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-QA-VM-010.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-QA-VM-010.vmsd</Name>

```

```

        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-QA-VM-010-000001.vmdk
</Name>

    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-QA-VM-010-

Snapshot7.vmsn</Name>

    <Size>4300412617</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-QA-VM-010-

7f2ed2d8.vswp</Name>

    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-QA-VM-010-

2133775064-1.vswp</Name>

    <Size>96468992</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>401124</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>410797</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>195511</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>580631</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>25578</Size>
    <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-18.log</Name>
            <Size>108180</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>722748</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="69094469836" Uncommitted="21390864384"
Committed="69094469836">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-575a-6975-d396-cb4c15b81f73" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="29394e4ca9a9ebd7c5e516674a8d3c71" Parent="[SN-QA-FC-A]
B16-SN-QA-084/SCC-QA-VM-010.vmdk" Disk="[SN-QA-FC-A] B16-SN-QA-
084/SCC-QA-VM-010-000001.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:55:81" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"

```

```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>B16-SN-QA-084-SNAPSHOT-01
</Snapshot>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-049</Name>
        <Mor>vm-696</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-049</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>Verified,This VM was
created by ahsaha</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:25:32.140585Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200a518-8fbb-aea8-5d36-
d4f24c3691c0</uuid>
        <instanceUuid>5000ae4b-0d40-7255-b8e5-
c1fc418c6540</instanceUuid>
        <vmxDir>[SN-QA-FC-B] B16-SN-QA-049/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.59</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-049</hostName>
        <host>b16-sn-qa-esx-03.cisco.com
</host>
        <hostMor>host-640</hostMor>

```

```

</ResourcePoolMor>                                <ResourcePoolMor>resgroup-291
</NumberOfDatastores>                             <NumberOfDatastores>1
</NumberOfBackingDisks>                           <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                         <NumberOfFiles>13</NumberOfFiles>
</NumberOfFeatureMaskEntries>                     <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries>                     <NumberOfFeatureMaskEntries>0
                                                    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-049/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-049/" logDir="[SN-QA-FC-B] B16-SN-QA-049/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-049/B16-SN-QA-049.vmx">
                                                    </VirtualMachineFileInfo>
                                                    <VirtualHardware MemoryMB="3084"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-049.vmx</Name>
  <Size>3352</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-049.vmx</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-049.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-049.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-049.vmdk</Name>
  <Size>20971520</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>144317</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>150022</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>24263</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>225044</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>134320</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>177997</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>410652</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="16959901732" Uncommitted="7994712064"
Committed="16959901732">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-670a-5042-17d0-dde3b531c84f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="64415dc17c3dd177dc25ce364698c653" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-049/B16-SN-QA-049.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:38:ab" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-198-clone</Name>
    <Mor>vm-7603</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-198-clone</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
ptirung on 6-FEB-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:35.577175Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224a89a-de20-dd4e-01df-
b1d5fa38b251</uuid>
    <instanceUuid>50241248-e178-cd54-778f-

```



```

24f38a6427d0</instanceUuid>
clone/</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-sn-qa-esx-04.cisco.com
</host>
<hostMor>host-668</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>6</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-198-clone/" suspendDir="[SN-
QA-FC-B] B16-SN-QA-198-clone/" logDir="[SN-QA-FC-B] B16-SN-QA-
198-clone/" vmxPath="[SN-QA-FC-B] B16-SN-QA-198-clone/B16-SN-QA-
198-clone.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-QA-198-clone.vmx
<Size>3081</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-198-clone.vmx
<Size>0</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-198-clone.nvram
<Size>8684</Size>
<Type>nvram</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-198-clone.vmsd
</Name>

            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-198-clone.vmdk
</Name>

            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-B"
Unshared="30445415925" Uncommitted="17061203968"
Committed="30445415925">
            </StorageInfo>
            <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-3472-2039-fecc-806607alea25" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b59f8b3eb8bd9a4112c039d1alafd704" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-198-clone/B16-SN-QA-198-clone.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:37:66" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-103CLONE</Name>
    <Mor>vm-7728</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-103CLONE</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM was
created by Sandeep</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghornGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.597604Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42248d19-882f-9bfe-f7ff-
542cd21dde6a</uuid>
    <instanceUuid>5024d766-322e-2e40-b489-
211736d50ee7</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-
103CLONE</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sn-qa-esx-01.cisco.com

```

```

</host>
<hostMor>host-592</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>6</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-103CLONE/" suspendDir="[SN-
QA-FC-A] B16-SN-QA-103CLONE/" logDir="[SN-QA-FC-A] B16-SN-QA-
103CLONE/" vmxPath="[SN-QA-FC-A] B16-SN-QA-103CLONE/B16-SN-QA-
103CLONE.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-103CLONE.vmx
</Name>
  <Size>3199</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-103CLONE.vmx
</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-103CLONE.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-103CLONE.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-103CLONE.vmdk
</Name>
  <Size>41961780</Size>
  <Type>diskDescriptor</Type>
</File>

```

```

        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="42912984683" Uncommitted="4595544064"
Committed="42912984683">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-dc32-2f9a-606a-89cf67ff8667" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e75cacf3c26713fd3778790d3f15cc21" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-103CLONE/B16-SN-QA-103CLONE.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4e:65" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-119</Name>
        <Mor>vm-741</Mor>

```

```

        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-119</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>This VM was created by
chbabu on 21-SEP-12</Annotation>
        <Version>vmx-09</Version>
        <GuestId>windows7_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:30.933742Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200bc85-cf26-c7e0-87e6-
1b902cea6c81</uuid>
        <instanceUuid>50004db6-2177-8f61-9a15-
7b8242735e29</instanceUuid>
        <vmxDir>[SN-QA-FC-A] B16-SN-QA-119/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-qa-esx-02.cisco.com
</host>
        <hostMor>host-616</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```

```

        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-119/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-119/" logDir="[SN-QA-FC-A] B16-SN-QA-119/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-119/B16-SN-QA-119.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-119.vmx</Name>
            <Size>3134</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-119.vmx</Name>
            <Size>3047</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-119.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-119.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-119-aux.xml
</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-119.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-10.log</Name>
            <Size>151066</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-11.log</Name>
            <Size>346604</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>

```

```

        <Size>551130</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>103904</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24270</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>299834</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>181975</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="22923545008" Uncommitted="24584736768"
Committed="22923545008">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-f3ce-7c53-850a-9582eb51713b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dd8d9444b00ba0b0450ac3be8dd712d2" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-119/B16-SN-QA-119.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:7d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network

```



```

adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-118</Name>
    <Mor>vm-659</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-118</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPPro64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.334311Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d3071-3813-f716-f01a-
4c1118c523d3</uuid>
    <instanceUuid>502de1cf-bc03-29cd-e48c-
b3281b0cfec7</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-118/
</vmxDir>
    <template>>false</template>

```

```

</Networks>
</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-A] B16-SN-QA-118/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-118/" logDir="[SN-QA-FC-A] B16-SN-QA-118/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-118/B16-SN-QA-118.vmx">
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-118.vmx</Name>
  <Size>3032</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-118.vmx</Name>
  <Size>3047</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-118.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-118.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>B16-SN-QA-118.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>462574</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>218451</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>24271</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>226106</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>2137183</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>144084</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>166808</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="12288510656" Uncommitted="35204210688"
Committed="12288510656">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-3d80-ccd8-c6d0-4b5db2ccb91d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="915eb4f2fe62f5cd94f7774360bb53e0" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-118/B16-SN-QA-118.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:e5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-117</Name>
    <Mor>vm-746</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-117</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winXPProGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true

```

```

</BootOptionsSupported>
</SwapPlacementSupported>
30T10:26:30.89178Z</ChangeVersion>
</connectionState>
5805e998112f</uuid>
1be52c9a18a7</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-A] B16-SN-QA-117/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-117/" logDir="[SN-QA-FC-A] B16-SN-QA-117/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-117/B16-SN-QA-117.vmx">
NumCPUs="2">

```

```

<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
<powerState>poweredOff</powerState>
<connectionState>connected
<uuid>422d1dca-4096-676d-3d8f-
<instanceUuid>502d4276-17c5-c827-d180-
<vmxDir>[SN-QA-FC-A] B16-SN-QA-117/
<template>>false</template>
<IpAddress>10.106.13.127</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
<Nics>SOLUTIONS-QA(&lt;false&gt;)
<NicIpaddresses>unassigned
<hostName>b16-sn-qa-117.scc-qa.com
<host>b16-sn-qa-esx-02.cisco.com
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-117.vmx</Name>
  <Size>2826</Size>
  <Type>config</Type>
</File>

```

```
<File Type="VmFileInfo">
  <Name>B16-SN-QA-117.vmx</Name>
  <Size>2849</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-117.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-117.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-117.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>142145</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>24621</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>414877</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>103255</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>207886</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>100434</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
```

```

                <Size>218589</Size>
                <Type>log</Type>
            </File>
            <StorageInfo Datastore="SN-QA-FC-A"
Unshared="9044145590" Uncommitted="38446407680"
Committed="9044145590">
                </StorageInfo>
                <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                    </Datastore>
                    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-e4c4-b672-a24e-ec98f1c3369e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5f3f385df21bbb577d6e96bb0cadbf1f" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-117/B16-SN-QA-117.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="3000" ControllerKey="200"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:e4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                            </BackingNetwork>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                                </BackingCdrom>
                            </VirtualMachine>
                        </VirtualMachine>
                    <Name>B16-SN-QA-115</Name>
                    <Mor>vm-644</Mor>
                    <MorType>VirtualMachine</MorType>
                    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-115</Path>
                    <ParentMor>group-v1378</ParentMor>
                    <Annotation>Verified, -Tridium

```

```

</Annotation>
<Version>vmx-09</Version>
<GuestId>winLonghorn64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:26:30.175Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d6af1-8d99-5cf4-8a38-
6f7029513d8f</uuid>
<instanceUuid>502d4644-15ec-70e1-f7b2-
37c9eb00c1b4</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-115/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.125</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-115.scc-qa.com
</hostName>
<host>b16-sn-qa-esx-02.cisco.com
</host>
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-115/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-115/" logDir="[SN-QA-FC-A] B16-SN-QA-115/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-115/SCC-QA-VM-014.vmx">

```



```

NumCPUs="2">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="2048"

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-014.vmx</Name>
  <Size>3363</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-014.vmx</Name>
  <Size>3045</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-014.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-014.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-014-aux.xml
  <Size>0</Size>
  <Type>snapshotManifestList
</File>
<File Type="VmFileInfo">
  <Name>SCC-QA-VM-014.vmdk</Name>
  <Size>31457280</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>119434</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>214754</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>180107</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-20.log</Name>
        <Size>611213</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>24256</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>499444</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>197444</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="24113866864" Uncommitted="10492420096"
Committed="24113866864">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-487a-6ec4-8ab6-5a4ccded5649" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="31457280"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="98f080f4c1920878341402bf56936964" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-115/SCC-QA-VM-014.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:55:88" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-114</Name>
    <Mor>vm-672</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-114</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, -Tridium
</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:32.379512Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d8b5e-e442-a29b-837d-
a924a4133487</uuid>
    <instanceUuid>502d96a2-433d-fa64-6fdb-
aebb2161623a</instanceUuid>
    <vmxDir>[SN-QA-FC-B] B16-SN-QA-114/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.124</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>

```

```

</Nics>
</NicIpaddresses>
</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-B] B16-SN-QA-114/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-114/" logDir="[SN-QA-FC-B] B16-SN-QA-114/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-114/SCC-BGL04-QA-143.vmx">
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
</Name>
<Size>3350</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
</Name>
<Size>3048</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
</Name>
<Size>0</Size>
<Type>snapshotList</Type>
</File>

```

```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-143-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-143.vmdk
</Name>
  <Size>31457280</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>180447</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>179504</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>573187049</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>382557711</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24313</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>104069</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>613834</Size>
  <Type>log</Type>
</File>
  <StorageInfo Datastore="SN-QA-FC-B"
Unshared="26544213561" Uncommitted="9017073664"
Committed="26544213561">
</StorageInfo>

```

```

                                <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-615e-cf0f-7f2c-dd9c7552bc4e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="31457280"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1cefbb768d5f24b8eaba7cf9c416d89e" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-114/SCC-BGL04-QA-143.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:7a:2a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                                </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-013</Name>
    <Mor>vm-624</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-013</Path>
    <ParentMor>group-v1378</ParentMor>

```

```

        <Annotation>Verified, This machine was
created by Sandeep</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:21.136695Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42039988-679d-b2dd-c82a-
b87fb2ff8693</uuid>
        <instanceUuid>500300b4-87f1-fba6-7860-
b43807d23496</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.23</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-013</hostName>
        <host>b16-sn-qa-esx-01.cisco.com
</host>
        <hostMor>host-592</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-013/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-013/" logDir="[SN-QA-FC-B] B16-SN-QA-013/"

```

```

vmxPath="[SN-QA-FC-B] B16-SN-QA-013/SCC-BGL04-QA-109.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-109.vmx
</Name>
    <Size>3349</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-109.vmx
</Name>
    <Size>3431</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-109.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-109.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-109.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>155351</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>110655</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-32.log</Name>
    <Size>24314</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-31.log</Name>

```



```

        <Size>179486</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>417647</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>300924</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>212554</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="35702283467" Uncommitted="11788460032"
Committed="35702283467">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-e1f4-0494-7517-5f6c7b319c97" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b63e25ecef16a14b6b83553b419415c3" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-013/SCC-BGL04-QA-109.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:3a:15" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-011</Name>
    <Mor>vm-801</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-011</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This machine was
created by sbyrapp@cisco.com</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghornGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.650582Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203c510-fa94-c19e-8398-
5e43ef10dcbb</uuid>
    <instanceUuid>528aeaa4-3b4b-e83d-bb61-
c29eb2d5a32b</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-011/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.21</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;false&gt;);
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;);
</Nics>
    <NicIpaddresses>unassigned

```

```

</NicIpaddresses>
<hostName>B16-SN-QA-011</hostName>
<host>b16-sn-qa-esx-02.cisco.com
</host>
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-011/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-011/" logDir="[SN-QA-FC-A] B16-SN-QA-011/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-011/SCC-BGL04-QA-107.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-107.vmx
</Name>
<Size>3406</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-107.vmx
</Name>
<Size>2744</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-107.nvram
</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-107.vmsd
</Name>
<Size>0</Size>
<Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-107-aux.xml
</Name>
<Size>0</Size>

```

```

        <Type>snapshotManifestList
</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-107.vmdk
</Name>
        <Size>41961780</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-60.log</Name>
        <Size>24667</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-59.log</Name>
        <Size>162047</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-57.log</Name>
        <Size>244864</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-58.log</Name>
        <Size>380245</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>336205</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-56.log</Name>
        <Size>372119</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-55.log</Name>
        <Size>182946</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="41689953959" Uncommitted="5820280832"
Committed="41689953959">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-aa06-f267-625d-e4d7bf42ebab" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d29359d081e5b8f7bcd2f102da8426a7" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-011/SCC-BGL04-QA-107.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0e:b0" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-198-BKP</Name>
        <Mor>vm-3472</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-198-BKP</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-08</Version>
        <GuestId>windows7Server64Guest
</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true

```

```

</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:30:59.073685Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42243986-b205-ff6c-cbfb-
44df14beff4c</uuid>
<instanceUuid>50243360-e3c4-d186-c21b-
748d9ba0d6a2</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-198-
BKP</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-sn-qa-esx-08.cisco.com
</host>
<hostMor>host-803</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>5</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-198-BKP/" suspendDir="[SN-QA-
FC-A] B16-SN-QA-198-BKP/" logDir="[SN-QA-FC-A] B16-SN-QA-198-
BKP/" vmxPath="[SN-QA-FC-A] B16-SN-QA-198-BKP/B16-SN-QA-198-
BKP.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">

```

```

        <Name>B16-SN-QA-198-BKP.vmx
</Name>
        <Size>2868</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-QA-198-BKP.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-QA-198-BKP.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-SN-QA-198-BKP.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="22739422004" Uncommitted="24767188992"
Committed="22739422004">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-51a0-8def-2f50-699007bab84b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="62c725a32248f7c8dbebdca9edd16440" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-198-BKP/B16-SN-QA-198-BKP.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:32:45" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network

```

```

adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-190</Name>
    <Mor>vm-711</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-190</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
radchin 22-JAN-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:35.070791Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200b6c6-056b-6115-2e06-
032ba096b644</uuid>
    <instanceUuid>5000dd93-d494-dd49-0b62-
2b5b9a5080e5</instanceUuid>
    <vmxDir>[SN-QA-FC-B] B16-SN-QA-190/
</vmxDir>

```



```

<template>>false</template>
<IpAddress></IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-sn-qa-esx-04.cisco.com
</host>
<hostMor>host-668</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>12</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-190/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-190/" logDir="[SN-QA-FC-B] B16-SN-QA-190/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-190/B16-SN-QA-190.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-190.vmx</Name>
  <Size>3237</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-190.vmx</Name>
  <Size>268</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-190.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-190.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>B16-SN-QA-190.vmdk</Name>
        <Size>20971520</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>134852</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>294218</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>156886</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>414542</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>138633</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24265</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="4150390817" Uncommitted="21865275392"
Committed="4150390817">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-7185-ef18-2a12-2dcd903bdb3e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="062b6033770fd47cad6839c48f9df459" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-190/B16-SN-QA-190.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"

```

```

Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:49:07" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-209</Name>
    <Mor>vm-671</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-209</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
prasbr 23-MAR-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
</SwapPlacementSupported> <SwapPlacement>inherit</SwapPlacement>
30T10:25:32.38435Z</ChangeVersion> <ChangeVersion>2013-12-
</connectionState> <powerState>poweredOff</powerState>
</connectionState> <connectionState>connected
ae9a9067270a</uuid> <uuid>4200alde-227e-7124-bf61-
64ef692c46d1</instanceUuid> <instanceUuid>500027de-9688-22fb-2be0-
</vmxDir> <vmxDir>[SN-QA-FC-A] B16-SN-QA-209/
</Networks> <template>false</template>
</Networks> <IpAddress>10.106.13.219</IpAddress>
</Nics> <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Nics> <Nics>SOLUTIONS-QA(&lt;false&gt;)
</NicIpaddresses> <NicIpaddresses>unassigned
</host> <hostName>B16-SN-QA-209</hostName>
</ResourcePoolMor> <host>b16-sn-qa-esx-03.cisco.com
</ResourcePoolMor> <hostMor>host-640</hostMor>
</NumberOfDatastores> <ResourcePoolMor>resgroup-291
</NumberOfBackingDisks> <NumberOfDatastores>1
</CpuFeatureMaskSupported> <NumberOfBackingDisks>1
</NumberOfFeatureMaskEntries> <NumberOfFiles>13</NumberOfFiles>
</NumberOfFeatureMaskEntries> <CpuFeatureMaskSupported>true
</VirtualMachineFileInfo> <NumberOfFeatureMaskEntries>0
snapshotDir="[SN-QA-FC-A] B16-SN-QA-209/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-209/" logDir="[SN-QA-FC-A] B16-SN-QA-209/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-209/B16-SN-QA-209.vmx">
</VirtualMachineFileInfo>
NumCPUs="2"> <VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-QA-209.vmx</Name>
<Size>3052</Size>
<Type>config</Type>
</File>

```

```
<File Type="VmFileInfo">
  <Name>B16-SN-QA-209.vmx</Name>
  <Size>3470</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-209.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-209.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-209.vmdk</Name>
  <Size>20971520</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>191316</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>230183</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>276421</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>141280</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>373725</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>137796</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
```

```

        <Size>24613</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="7387559884" Uncommitted="18628321280"
Committed="7387559884">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-d259-3029-2aed-0064dc5c6d58" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="97666adb23f66e0b564bae474029fb15" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-209/B16-SN-QA-209.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6e:a7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>
                <Name>B16-SN-QA-206</Name>

```

```

<Mor>vm-698</Mor>
<MorType>VirtualMachine</MorType>
<Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-206</Path>
<ParentMor>group-v1378</ParentMor>
<Annotation>This VM was created by
prasbr 14-FEB-13</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel6_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:25:32.376951Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42002b6b-a258-54ab-099a-
357efbfea54b</uuid>
<instanceUuid>50004dcc-1c8e-38a8-abe7-
2b3b47ebbb36</instanceUuid>
<vmxDir>[SN-QA-FC-B] B16-SN-QA-206/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.216</IpAddress>
<Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-206</hostName>
<host>b16-sn-qa-esx-03.cisco.com
</host>
<hostMor>host-640</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0

```

```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-206/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-206/" logDir="[SN-QA-FC-B] B16-SN-QA-206/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-206/B16-SN-QA-206.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-206.vmx</Name>
        <Size>3342</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-206.vmx</Name>
        <Size>3433</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-206.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-206.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-206.vmdk</Name>
        <Size>47185920</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>181449</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>179517</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>154235</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>421286</Size>

```



```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>169946</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>24267</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>228190</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="17239963789" Uncommitted="35636727808"
Committed="17239963789">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-0e5e-9b35-9656-d94f16fa583c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="47185920"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a57722a47419d24ad0e8cc92b746810e" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-206/B16-SN-QA-206.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:35:af" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-070</Name>
    <Mor>vm-597</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-070</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM was
created by Sandeep</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T07:02:51.929642Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203307a-3571-5180-a490-
cbfb5d9a57da</uuid>
    <instanceUuid>524f3df6-9658-cd5b-76fc-
cf5936794441</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-070/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.80</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
    <NicIpaddresses>(10.106.13.80)

```

```

(fe80::250:56ff:fe83:6166)</NicIpaddresses>
  <hostName>B16-SN-QA-070</hostName>
  <host>b16-sn-qa-esx-02.cisco.com
</host>
  <hostMor>host-616</hostMor>
  <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
  <NumberOfDatastores>1
</NumberOfDatastores>
  <NumberOfBackingDisks>1
</NumberOfBackingDisks>
  <NumberOfFiles>15</NumberOfFiles>
  <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
  <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
  <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-070/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-070/" logDir="[SN-QA-FC-A] B16-SN-QA-070/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-070/SCC-BGL04-QA-94.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-94.vmx</Name>
    <Size>3160</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-94.vmx.f
</Name>
    <Size>3369</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-94.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-94.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-94.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-94-
7f2ed2b3.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-BGL04-QA-94-
2133775027-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>279099</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>143700</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>185056</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>170837</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>24643</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>107899</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>234819</Size>
  <Type>log</Type>
</File>
  <StorageInfo Datastore="SN-QA-FC-A"
Unshared="42080516146" Uncommitted="5261754368"
Committed="42080516146">
</StorageInfo>

```

```

                                <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-f83b-b22d-a074-da2bf321749d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dd36a04e8b376ffddf6696cb530b37ac" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-070/SCC-BGL04-QA-94.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:61:66" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                                </VirtualMachine>
                                <VirtualMachine>
                                    <Name>B16-SN-QA-018</Name>
                                    <Mor>vm-766</Mor>
                                    <MorType>VirtualMachine</MorType>
                                    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-018</Path>
                                    <ParentMor>group-v1378</ParentMor>
                                    <Annotation>Verified, This VM was
created by Sandeep</Annotation>

```

```

<Version>vmx-09</Version>
<GuestId>rhel5Guest</GuestId>
<GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
<ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:26:30.17509Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42039206-473d-fb07-5ecc-
d2d9f56c3b75</uuid>
<instanceUuid>52e62f32-d8cb-13d4-7127-
f1c13829f4fa</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-018/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.28</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-018</hostName>
<host>b16-sn-qa-esx-02.cisco.com
</host>
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-018/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-018/" logDir="[SN-QA-FC-A] B16-SN-QA-018/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-018/SCC-BGL04-QA-118.vmx">
</VirtualMachineFileInfo>

```

```

NumCPUs="2">
    <VirtualHardware MemoryMB="4096"
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-118.vmx
    </Name>
        <Size>3172</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-118.vmx
    </Name>
        <Size>3370</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-118.nvram
    </Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-118.vmsd
    </Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-118.vmdk
    </Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>24658</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>107627</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>380829</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>213331</Size>
        <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-22.log</Name>
            <Size>374336</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-21.log</Name>
            <Size>111482</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-24.log</Name>
            <Size>144681</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="32458993674" Uncommitted="15031705600"
Committed="32458993674">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-52d9-b709-7337-7891b175c32f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="476902a14eacd4138518022ecdab3067" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-018/SCC-BGL04-QA-118.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:19:43" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```



```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-152</Name>
    <Mor>vm-789</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-152</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Jan13sasravinSCC225</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:31.019976Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200a806-c2c6-5e53-e57f-
bc11a599615f</uuid>
    <instanceUuid>500065f8-ced9-6d78-306f-
2db333bf635a</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-152/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.162</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-152</hostName>

```

```

</host>
<host>b16-sn-qa-esx-02.cisco.com
</host>
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-152/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-152/" logDir="[SN-QA-FC-A] B16-SN-QA-152/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-152/B16-SN-QA-152.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-152.vmx</Name>
  <Size>3344</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-152.vmx</Name>
  <Size>268</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-152.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-152.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-152.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>181898</Size>
  <Type>log</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-11.log</Name>
      <Size>146823</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-12.log</Name>
      <Size>24615</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-10.log</Name>
      <Size>384275</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-7.log</Name>
      <Size>104486</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>213516</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-8.log</Name>
      <Size>228942</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="22024538579" Uncommitted="38368268288"
Committed="22024538579">
      </StorageInfo>
      <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-0ece-f351-1d1b-97658f1bfa96" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7a7b4d0fa11274f0d387b18e1eddc39c" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-152/B16-SN-QA-152.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```

```

MacAddress="00:50:56:80:1f:5f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-198</Name>
    <Mor>vm-651</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-198</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
ptirung on 6-FEB-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
13T06:27:58.035711Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>

```

```

79d1847087bb</uuid>
4754e9cc4499</instanceUuid>
</vmxDir>
</Networks>
</Nics>
(fe80::91e1:a0f1:527d:2c58)
01.sn-qa.com</hostName>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-B] B16-SN-QA-198/"
suspendDir="[SN-QA-FC-B] B16-SN-QA-198/"
logDir="[SN-QA-FC-B] B16-SN-QA-198/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-198/B16-SN-QA-198.vmx">
NumCPUs="2">

```

```

<uuid>4200aa60-b0ea-410a-b283-
<instanceUuid>50009fbc-f8a5-3d1b-39f3-
<vmxDir>[SN-QA-FC-B] B16-SN-QA-198/
<template>>false</template>
<IpAddress>10.106.13.208</IpAddress>
<Networks>SOLUTIONS-QA(&lt;True&gt;)
<Nics>SOLUTIONS-QA(&lt;true&gt;)
<NicIpaddresses>
(10.106.13.208)</NicIpaddresses>
<hostName>B16-SN-QA-198.exch2k10-
<host>b16-sn-qa-esx-02.cisco.com
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-198/"
suspendDir="[SN-QA-FC-B] B16-SN-QA-198/"
logDir="[SN-QA-FC-B] B16-SN-QA-198/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-198/B16-SN-QA-198.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-QA-198.vmx</Name>
<Size>3359</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-198.vmx</Name>
<Size>3046</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-SN-QA-198.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-198.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-198-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-198.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-198-
debf569d.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-QA-198-
3737081501-1.vswp</Name>
  <Size>113246208</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>196391</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>325738</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>24273</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>338116</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>

```

```

        <Size>164138</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>776122</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>304497</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="35417798764" Uncommitted="11942232064"
Committed="35417798764">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-6e13-6091-b19c-1d84e1208096" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f0cd745429a5b9493624584be42d36b1" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-198/B16-SN-QA-198.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:15:72" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-019</Name>
    <Mor>vm-719</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-019</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>(new exchg)</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName>Microsoft Windows
Server 2008 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T06:02:35.858475Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42030df1-943c-bc41-15a3-
5874db8982ac</uuid>
    <instanceUuid>525ab2af-8246-15dd-a541-
f47402a6780d</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-019/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.29</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
    <NicIpaddresses>
(fe80::7d9f:878f:a671:981d)(10.106.13.29)</NicIpaddresses>
    <hostName>SCC04-QA-119.exch2k7.scc-
qa.com</hostName>

```



```

</host>
    <host>b16-sn-qa-esx-04.cisco.com
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-019/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-019/" logDir="[SN-QA-FC-A] B16-SN-QA-019/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-019/SCC-BGL04-QA-119.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-119.vmx
</Name>
        <Size>3286</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-119.vmx
</Name>
        <Size>2851</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-119.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-119.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-119-aux.xml
</Name>
        <Size>0</Size>
        <Type>snapshotManifestList
</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-119.vmdk
</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-119-
7f2ed1f6.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-BGL04-QA-119-
2133774838-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>202992</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>141284</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>392354</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>24674</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>380691</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>518661</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>314069</Size>

```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="108626074538" Uncommitted="3141533696"
Committed="108626074538">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-c8ed-e51b-a0ff-6eeca9b015b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="816cddc637ac286a51fcf191ea86045a" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-019/SCC-BGL04-QA-119.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:11:96" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>
                <Name>B16-SN-QA-030</Name>
                <Mor>vm-743</Mor>

```

```

    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-030</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This Machine is
created by Amit</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:35.609035Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dfaa2-2349-9c5f-66d6-
01e391fe65ec</uuid>
    <instanceUuid>502ddc8b-a227-9ffe-b29b-
f6db41600261</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-030/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.40</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-030</hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```

```

        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-030/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-030/" logDir="[SN-QA-FC-A] B16-SN-QA-030/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-030/SCC-BGL04-QA-189.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-189.vmx
</Name>
            <Size>3425</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-189.vmx
</Name>
            <Size>3435</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-189.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-189.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-189.vmdk
</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-31.log</Name>
            <Size>134711</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>126990946</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-32.log</Name>
            <Size>24658</Size>
            <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>295728</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-30.log</Name>
  <Size>187494</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>419827</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>145935</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="28054939451" Uncommitted="19562602496"
Committed="28054939451">
  </StorageInfo>
  <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-89b4-ac82-b142-659e747adbd6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3e0520335ab524622f641ac9d6789594" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-030/SCC-BGL04-QA-189.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:8e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
  </BackingNetwork>

```

```

        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-151</Name>
        <Mor>vm-661</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-151</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Jan13sasravinSCC225</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:21.23574Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42000de0-d17e-9c2b-82ee-
88937bb3f9e9</uuid>
        <instanceUuid>5000a216-f203-9ab6-06da-
22c05062152f</instanceUuid>
        <vmxDir>[SN-QA-FC-A] B16-SN-QA-151/
</vmxDir>
        <template>false</template>
        <IpAddress></IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>

```





```

    <File Type="VmFileInfo">
      <Name>vmware-43.log</Name>
      <Size>177119</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-39.log</Name>
      <Size>299523</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-41.log</Name>
      <Size>150187</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-40.log</Name>
      <Size>343863</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-44.log</Name>
      <Size>24314</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-42.log</Name>
      <Size>148028</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>210240</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="34159780533" Uncommitted="17826607104"
Committed="34159780533">
      </StorageInfo>
      <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-032a-061d-a0c1-c89eale462e2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0dd750f177c1f5db7198d2f836e3faa0" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-151/B16-SN-QA-151.vmdk"
AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:26:2a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-197</Name>
    <Mor>vm-733</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-197</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
radchin 22-JAN-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-

```

```

30T10:25:35.233135Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42002c76-ac6d-22f4-0518-
5929e5c3b522</uuid>
    <instanceUuid>50001bed-8554-2b48-7e2c-
1f5df0844a7f</instanceUuid>
    <vmxDir>[SN-QA-FC-B] B16-SN-QA-197/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.207</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-197</hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-197/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-197/" logDir="[SN-QA-FC-B] B16-SN-QA-197/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-197/B16-SN-QA-197.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-197.vmx</Name>
        <Size>3236</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-197.vmx</Name>
        <Size>3367</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>B16-SN-QA-197.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-197.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-197.vmdk</Name>
    <Size>20971520</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>106912</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24265</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>102795</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>257224</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>154662</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>376071</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>136817</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-B"
Unshared="4360104465" Uncommitted="21655560192"
Committed="4360104465">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-f02a-36ce-64e0-8afc2d5bc938" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d25818c9df270386840b460a49ca2e08" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-197/B16-SN-QA-197.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:00:ed" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>

```

```

<Name>B16-SN-QA-016</Name>
<Mor>vm-607</Mor>
<MorType>VirtualMachine</MorType>
<Path>\<(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-016</Path>
<ParentMor>group-v1378</ParentMor>
<Annotation>Verified, This VM
provisioned by Amit Saha.</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:25:34.819516Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>4203f039-b00e-ca96-aab4-
55959a7008ee</uuid>
<instanceUuid>5003ec3c-c1cd-2641-e956-
d73c2ecb5e34</instanceUuid>
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.26</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>SCC-BGL04-QA-115</hostName>
<host>b16-sn-qa-esx-04.cisco.com
</host>
<hostMor>host-668</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-016/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-016/" logDir="[SN-QA-FC-A] B16-SN-QA-016/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-016/SCC-BGL04-QA-115.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="4096"
NumCPUs="2">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-115.vmx
</Name>
        <Size>3347</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-115.vmx
</Name>
        <Size>3431</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-115.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-115.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-115.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>24311</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-31.log</Name>
        <Size>108191</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">

```

```

        <Name>vmware-30.log</Name>
        <Size>320823</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-32.log</Name>
        <Size>185253</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-33.log</Name>
        <Size>157147</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-34.log</Name>
        <Size>180496</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>254886</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="39864960361" Uncommitted="7625613312"
Committed="39864960361">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-9236-1372-4fd7-73a46c928065" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3932bbc828b6fcc36db20cc249724ccb" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-016/SCC-BGL04-QA-115.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:2a:28" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"

```



```

ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-031</Name>
    <Mor>vm-690</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-031</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM was
created by ahsaha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:32.576531Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d0033-50c8-628a-5803-
691e63434b2e</uuid>
    <instanceUuid>502da4bd-bc16-2b75-d8b7-
6028051508f0</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-031/
</vmxDir>
    <template>>false</template>

```

```

<IpAddress>10.106.13.41</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-031</hostName>
<host>b16-sn-qa-esx-03.cisco.com
</host>
<hostMor>host-640</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-031/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-031/" logDir="[SN-QA-FC-A] B16-SN-QA-031/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-031/SCC-BGL04-QA-190.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-190.vmx
</Name>
<Size>3423</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-190.vmx
</Name>
<Size>3436</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-190.nvram
</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-190.vmsd
</Name>
<Size>0</Size>

```

```

        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-190.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>178711</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>441882</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>664232868</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>24309</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>288849</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>158327</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>107191</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="23751945472" Uncommitted="24402829312"
Committed="23751945472">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C292-7cd4-7115-e607-5272b8391704" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="637f93f8647c58d42df578a751059946" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-031/SCC-BGL04-QA-190.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:8d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-150</Name>
    <Mor>vm-657</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-150</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Decl2sasravinSCC1616</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>

```

```

</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:26:30.174481Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42008fec-78d3-59ad-c9b8-
1107c97eac6c</uuid>
<instanceUuid>500005cc-f2f9-ae15-de3a-
b7d18817cede</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-150/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.160</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-150</hostName>
<host>b16-sn-qa-esx-02.cisco.com
</host>
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-150/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-150/" logDir="[SN-QA-FC-A] B16-SN-QA-150/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-150/B16-SN-QA-150.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="12">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-SN-QA-150.vmx</Name>
<Size>3401</Size>

```

```
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-150.vmx</Name>
    <Size>3433</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-150.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-150.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-150.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>314291</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-13.log</Name>
    <Size>3040642</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>159093</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>443444</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>179748</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>24268</Size>
    <Type>log</Type>
</File>
```

```

        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>118105</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="28000225733" Uncommitted="75726757888"
Committed="28000225733">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-9b25-e321-c3cc-1493bc980d33" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="77dc195ed5dc085f0faa6ff7561fe9ab" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-150/B16-SN-QA-150.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:29:3b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                            </VirtualMachine>

```

```

        <VirtualMachine>
            <Name>B16-SN-QA-196</Name>
            <Mor>vm-721</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-196</Path>
            <ParentMor>group-v1378</ParentMor>
            <Annotation>This VM was created by
radchin 22-JAN-13</Annotation>
            <Version>vmx-09</Version>
            <GuestId>rhel5_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2013-12-
30T10:25:35.22129Z</ChangeVersion>
            <powerState>poweredOff</powerState>
            <connectionState>connected
</connectionState>
            <uuid>4200763d-93ba-1a86-8013-
49c843a73069</uuid>
            <instanceUuid>50006d4b-e688-092f-471d-
812a28beb28d</instanceUuid>
            <vmxDir>[SN-QA-FC-B] B16-SN-QA-196/
</vmxDir>
            <template>false</template>
            <IpAddress>10.106.13.206</IpAddress>
            <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
            <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
            <NicIpaddresses>unassigned
</NicIpaddresses>
            <hostName>B16-SN-QA-196</hostName>
            <host>b16-sn-qa-esx-04.cisco.com
</host>
            <hostMor>host-668</hostMor>
            <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>13</NumberOfFiles>
            <CpuFeatureMaskSupported>true

```



```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-196/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-196/" logDir="[SN-QA-FC-B] B16-SN-QA-196/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-196/B16-SN-QA-196.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="4096"
NumCPUs="2">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-196.vmx</Name>
        <Size>2993</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-196.vmx</Name>
        <Size>3470</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-196.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-196.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-196.vmdk</Name>
        <Size>20971520</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>102265</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24267</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>293667</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">

```

```

        <Name>vmware-3.log</Name>
        <Size>106250</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>154410</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>413328</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>136142</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="4310892836" Uncommitted="21704843264"
Committed="4310892836">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-ddbf-6c64-98b9-d77c383a343a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b31ca39e652fabcf50329cd681aab16e" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-196/B16-SN-QA-196.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:06:6d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-017</Name>
    <Mor>vm-636</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-017</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM is
imaged by Chandra Babu M on 5-MAR-2012 for the user Ramkumar
Kuttuboyina on account of Feb12rkuttuboSCC2360.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.137217Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42033b40-603e-7373-2e92-
06d0253e9d6b</uuid>
    <instanceUuid>50033ea2-1574-14fc-7913-

```

```

ab4fc3515fc1</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-017/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.27</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-017</hostName>
    <host>b16-sn-qa-esx-01.cisco.com
</host>
    <hostMor>host-592</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-017/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-017/" logDir="[SN-QA-FC-A] B16-SN-QA-017/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-017/SCC-BGL04-QA-116.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-116.vmx
</Name>
        <Size>3431</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-116.vmx
</Name>
        <Size>3431</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-116.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>

```

```

</Name>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-116.vmsd
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-116.vmdk
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>179827</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>340633</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>24313</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>104719</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>212629</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>155439</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>347698</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="16167276996" Uncommitted="31323430912"
Committed="16167276996">
    </StorageInfo>
    <Datastore Mor="datastore-416"

```

```

Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-4672-aa9d-f16c-698ad257b19b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0739418064b9179e94e911c3ba98f883" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-017/SCC-BGL04-QA-116.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:3e:4c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-032</Name>
    <Mor>vm-755</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-032</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This machine was
created by Amit</Annotation>
    <Version>vmx-09</Version>

```

```

    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.604923Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d40a2-dc9d-4770-84c7-
bc71579691ba</uuid>
    <instanceUuid>502d48d5-ac4e-f0ea-df43-
cad0a77726b4</instanceUuid>
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.42</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-032</hostName>
    <host>b16-sn-qa-esx-02.cisco.com
</host>
    <hostMor>host-616</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-032/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-032/" logDir="[SN-QA-FC-A] B16-SN-QA-032/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-032/SCC-BGL04-QA-191.vmx">
</VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">

```

```

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-191.vmx
</Name>
  <Size>3232</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-191.vmx
</Name>
  <Size>3370</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-191.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-191.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-191.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>212456</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>380111</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>295218</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>143950</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```



```

        <Name>vmware-23.log</Name>
        <Size>24658</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>235824</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>129972</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="32736931619" Uncommitted="14753832960"
Committed="32736931619">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-830d-a6f0-2bc7-b87f37b19936" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="242025ed0f051eec270f6e3ef9ba0b0b" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-032/SCC-BGL04-QA-191.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:8c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-100</Name>
        <Mor>vm-664</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-100</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>Verified,This VM was
created by Sandeep</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:30.176396Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422db7ce-9e31-f0c7-326c-
c83fc8fdce62</uuid>
        <instanceUuid>502d4437-1b59-ef9b-be48-
f385c6a0e8c9</instanceUuid>
        <vmxDir>[SN-QA-FC-A] B16-SN-QA-100/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.13.110</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-100</hostName>
        <host>b16-sn-qa-esx-02.cisco.com
</host>

```

```

        <hostMor>host-616</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-100/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-100/" logDir="[SN-QA-FC-A] B16-SN-QA-100/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-100/SCC-BGL04-QA-120.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-120.vmx
</Name>
            <Size>3200</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-120.vmx
</Name>
            <Size>3431</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-120.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-120.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-120.vmdk
</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-25.log</Name>

```

```

        <Size>336497</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>24310</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>185556</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>154935</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>292486</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>179190</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>380856214</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="21387118935" Uncommitted="26484252672"
Committed="21387118935">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-b60c-1f30-c16e-2765381760e7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6d043c9c9bfe3eb245c3e44be323de2d" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-100/SCC-BGL04-QA-120.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:14" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-QA-014</Name>
  <Mor>vm-670</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-014</Path>
  <ParentMor>group-v1378</ParentMor>
  <Annotation>Verified, This machine was
created by Sandeep</Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T10:25:32.582666Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4203900d-1765-6d76-3131-
2f76d62a4d6b</uuid>
        <instanceUuid>500371fd-d718-6ae8-f10e-
5f8d2a0d720d</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.24</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-014</hostName>
        <host>b16-sn-qa-esx-03.cisco.com
</host>
        <hostMor>host-640</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-014/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-014/" logDir="[SN-QA-FC-A] B16-SN-QA-014/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-014/SCC-BGL04-QA-110.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-110.vmx
</Name>
            <Size>3348</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-110.vmx
</Name>
            <Size>3431</Size>
            <Type>extendedConfig</Type>
        </File>

```

```

</Name>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-QA-110.nvram
      <Size>8684</Size>
      <Type>nvram</Type>
    </File>
</Name>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-QA-110.vmsd
      <Size>0</Size>
      <Type>snapshotList</Type>
    </File>
</Name>
    <File Type="VmFileInfo">
      <Name>SCC-BGL04-QA-110.vmdk
      <Size>41943040</Size>
      <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-27.log</Name>
      <Size>342333</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-30.log</Name>
      <Size>24312</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-29.log</Name>
      <Size>179482</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-28.log</Name>
      <Size>155097</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-25.log</Name>
      <Size>103214</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>212550</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-26.log</Name>
      <Size>296744</Size>
      <Type>log</Type>

```

```

        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="40215267371" Uncommitted="7275388928"
Committed="40215267371">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-8e5b-d4e6-f209-1661a7fe57a8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2d5c9c93d5b171b1c9133834a77a97dc" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-014/SCC-BGL04-QA-110.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:34:7e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-015</Name>
        <Mor>vm-781</Mor>
        <MorType>VirtualMachine</MorType>

```



```

        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-015</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>Verified, This machine was
created by Sandeep on 17-JUN-11</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:30.802225Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4203e275-f957-36a2-9026-
e89336b85234</uuid>
        <instanceUuid>5003b945-310e-29f2-b848-
fdde08658fd5</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.25</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-015</hostName>
        <host>b16-sn-qa-esx-02.cisco.com
</host>
        <hostMor>host-616</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```

```

        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-015/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-015/" logDir="[SN-QA-FC-A] B16-SN-QA-015/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-015/SCC-BGL04-QA-111.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-111.vmx
</Name>
            <Size>3303</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-111.vmx
</Name>
            <Size>3370</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-111.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-111.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-111.vmdk
</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-34.log</Name>
            <Size>419890</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-32.log</Name>
            <Size>107069</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-33.log</Name>
            <Size>378112</Size>
            <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-35.log</Name>
  <Size>146181</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-36.log</Name>
  <Size>24660</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>213575</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>105234</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="11760141342" Uncommitted="35730595840"
Committed="11760141342">
  </StorageInfo>
  <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-f19e-caac-c91f-968743eae3ff" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d857b3d47161852750b88b0475270020" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-015/SCC-BGL04-QA-111.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:32:d9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
  </BackingNetwork>

```

```

        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-042-MCAFEE TEST</Name>
        <Mor>vm-7768</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-042-MCAFEE TEST</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
03T16:34:03.652385Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42245849-05a5-b3b4-b614-
8336c15b9fdc</uuid>
        <instanceUuid>50243077-c235-87a9-689c-
65a249300fa9</instanceUuid>
        <vmxDir>[SN-QA-FC-A] New Virtual
Machine</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
        <Nics>None</Nics>

```

```

                                <NicIpaddresses></NicIpaddresses>
                                <hostName></hostName>
                                <host>b16-sn-qa-esx-01.cisco.com
</host>

                                <hostMor>host-592</hostMor>
                                <ResourcePoolMor>resgroup-291

</ResourcePoolMor>

                                <NumberOfDatastores>1

</NumberOfDatastores>

                                <NumberOfBackingDisks>1

</NumberOfBackingDisks>

                                <NumberOfFiles>13</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true

</CpuFeatureMaskSupported>

                                <NumberOfFeatureMaskEntries>0

</NumberOfFeatureMaskEntries>

                                <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] New Virtual Machine/" suspendDir="[SN-
QA-FC-A] New Virtual Machine/" logDir="[SN-QA-FC-A] New Virtual
Machine/" vmxPath="[SN-QA-FC-A] New Virtual Machine/New Virtual
Machine.vmx">

                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">

                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>New Virtual Machine.vmx

</Name>

                                    <Size>2946</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>New Virtual Machine.vmx

</Name>

                                    <Size>0</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>New Virtual Machine.nvram

</Name>

                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>New Virtual Machine.vmsd

</Name>

                                    <Size>0</Size>
                                    <Type>snapshotList</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>New Virtual Machine-
000001.vmdk</Name>

```

```

        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>New Virtual Machine-
Snapshot3.vmsn</Name>
        <Size>4305255194</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-New Virtual Machine-
4050250527-1.vswp</Name>
        <Size>113246208</Size>
        <Type>uwp</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>New Virtual Machine-
f169eb1f.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>215504</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>123789</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>300529</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="23976311766" Uncommitted="83449704448"
Committed="23976311766">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-db46-be96-ab4e-7d8d5f72aa2b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="870ba3225e7d12ccde9f362098f9cb21" Parent="[SN-QA-FC-A]
New Virtual Machine/New Virtual Machine.vmdk" Disk="[SN-QA-FC-A]

```

```

New Virtual Machine/New Virtual Machine-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:73:0c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>B16-sn-qa-042-mcafee
</Snapshot>
    </VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-033</Name>
    <Mor>vm-724</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-033</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This machine was
created by Amit</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>

```

```

        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:25:35.579166Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d0d2d-0c99-0bd4-f293-
b82e7e152155</uuid>
        <instanceUuid>502de894-e0d0-67ce-178b-
4fa6c3efc7c5</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.43</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-033</hostName>
        <host>b16-sn-qa-esx-04.cisco.com
</host>
        <hostMor>host-668</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-033/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-033/" logDir="[SN-QA-FC-A] B16-SN-QA-033/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-033/SCC-BGL04-QA-192.vmx">
</VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>

```



```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-192.vmx
</Name>
  <Size>3425</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-192.vmx
</Name>
  <Size>3436</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-192.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-192.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-192.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>417245</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>151744</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>24312</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>180567</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>

```

```

        <Size>178249</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>211595</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>226256</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="40288744009" Uncommitted="7201988608"
Committed="40288744009">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-5b97-9416-6c82-e889bab989ea" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dcleaf0bf06d89fc7346836345a4752b" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-033/SCC-BGL04-QA-192.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:91" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SN-QA-101</Name>
        <Mor>vm-665</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-101</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>Verified, This VM was
created by Sandeep</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:30.175723Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d14a6-f437-ebfe-2f2d-
e6f146f442a7</uuid>
        <instanceUuid>502decc2-9f93-aa15-79e3-
773e58c7f9f7</instanceUuid>
        <vmxDir>[SN-QA-FC-A] B16-SN-QA-101/
</vmxDir>
        <template>false</template>
        <IpAddress>10.106.13.111</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SN-QA-101</hostName>
        <host>b16-sn-qa-esx-02.cisco.com
</host>
        <hostMor>host-616</hostMor>

```

```

</ResourcePoolMor>                                <ResourcePoolMor>resgroup-291
</NumberOfDatastores>                             <NumberOfDatastores>1
</NumberOfBackingDisks>                           <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                        <NumberOfFiles>13</NumberOfFiles>
</NumberOfFeatureMaskEntries>                     <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries>                     <NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo                            <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-101/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-101/" logDir="[SN-QA-FC-A] B16-SN-QA-101/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-101/SCC-BGL04-QA-121.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-121.vmx
</Name>
  <Size>3332</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-121.vmx
</Name>
  <Size>3431</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-121.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-121.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-121.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>24310</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>224604</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>170167</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>154938</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>179631</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>298694</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>294022</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="20237830037" Uncommitted="27252858880"
Committed="20237830037">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-7e8a-5e33-9480-998da038655b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="35f1ea4272299d42e9797d82b764944e" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-101/SCC-BGL04-QA-121.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:15" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-156</Name>
        <Mor>vm-1383</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-156</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Jan13sasravinSCC225</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T10:26:30.892941Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected

```

```

</connectionState>
      <uuid>42241111-081c-4b04-aef3-
82bf507eb251</uuid>
      <instanceUuid>5024eb4d-6154-92a9-4bf9-
678e5fe2cca0</instanceUuid>
</vmxDir>
      <vmxDir>[SN-QA-FC-A] B16-SN-QA-156/
      <template>>false</template>
      <IpAddress></IpAddress>
      <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
      <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
      <NicIpaddresses>unassigned
</NicIpaddresses>
      <hostName>B16-SN-QA-156</hostName>
      <host>b16-sn-qa-esx-02.cisco.com
</host>
      <hostMor>host-616</hostMor>
      <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
      <NumberOfDatastores>1
</NumberOfDatastores>
      <NumberOfBackingDisks>1
</NumberOfBackingDisks>
      <NumberOfFiles>10</NumberOfFiles>
      <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-156/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-156/" logDir="[SN-QA-FC-A] B16-SN-QA-156/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-156/B16-SN-QA-156.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="4096"
NumCPUs="2">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-156.vmx</Name>
        <Size>3271</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-156.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-SN-QA-156.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-156.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-156.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>146270</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>316291</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>24613</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>213590</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="8590647311" Uncommitted="38916673536"
Committed="8590647311">
  </StorageInfo>
  <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-ee8c-399e-bda0-b5f1495968b1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="32b4059820f6572870f6b4b58f6e0970" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-156/B16-SN-QA-156.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""

```



```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:19:5f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-194</Name>
    <Mor>vm-730</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-194</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Deployed VM, as per
CASE:Feb13nthirumaSCC2209.-ptirunag</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:35.41231Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>

```

```

887007995a83</uuid>
17b80f88f2ac</instanceUuid>
</vmxDir>
</Networks>
</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
2147483647" edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="">
2147483647" edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="amd">
snapshotDir="[SN-QA-FC-B] B16-SN-QA-194/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-194/" logDir="[SN-QA-FC-B] B16-SN-QA-194/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-194/B16-SN-QA-194.vmx">
NumCPUs="2">

```

```
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-194.vmx</Name>
    <Size>268</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-194.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-194.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-194.vmdk</Name>
    <Size>20971520</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>141202</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24615</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>137904</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>104003</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>139986</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>325740</Size>
    <Type>log</Type>
</File>
```

```

        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>300303</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-B"
Unshared="10688272923" Uncommitted="19622371328"
Committed="10688272923">
            </StorageInfo>
            <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-2b06-7f12-5967-bcbd24c6fd09" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="863f700a9a0543c62ac1dbc75c0cbc1e" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-194/B16-SN-QA-194.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:23:33" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                            </VirtualMachine>

```

```

        <VirtualMachine>
            <Name>B16-SN-QA-102</Name>
            <Mor>vm-809</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-102</Path>
            <ParentMor>group-v1378</ParentMor>
            <Annotation>Verified, This VM was
created by Sandeep</Annotation>
            <Version>vmx-09</Version>
            <GuestId>winLonghornGuest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2013-12-
30T10:26:30.17596Z</ChangeVersion>
            <powerState>poweredOff</powerState>
            <connectionState>connected
</connectionState>
            <uuid>422d4ec6-317d-f584-0fc2-
a1952d062adc</uuid>
            <instanceUuid>502d3081-a315-bac6-e01a-
6ce160dec358</instanceUuid>
            <vmxDir>[SN-QA-FC-A] B16-SN-QA-102/
</vmxDir>
            <template>>false</template>
            <IpAddress>10.106.13.112</IpAddress>
            <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
            <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
            <NicIpaddresses>unassigned
</NicIpaddresses>
            <hostName>SCC-BGL4-QA-122.scc-qa.com
</hostName>
            <host>b16-sn-qa-esx-02.cisco.com
</host>
            <hostMor>host-616</hostMor>
            <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>14</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-102/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-102/" logDir="[SN-QA-FC-A] B16-SN-QA-102/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-102/SCC-BGL04-QA-122.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-122.vmx
</Name>
            <Size>3462</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-122.vmx
</Name>
            <Size>3048</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-122.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-122.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-122-aux.xml
</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-122.vmdk
</Name>
            <Size>41961780</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-46.log</Name>
            <Size>180393</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-45.log</Name>
        <Size>189203</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-48.log</Name>
        <Size>24312</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>326699</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-43.log</Name>
        <Size>339888</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-44.log</Name>
        <Size>506248</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-47.log</Name>
        <Size>232640</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="25020837937" Uncommitted="22489493504"
Committed="25020837937">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-7734-b2cb-c4f8-e6ec4e313da5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d975559dc59ddc0263a4f4c8d152d818" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-102/SCC-BGL04-QA-122.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:16" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SN-QA-155</Name>
  <Mor>vm-788</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-155</Path>
  <ParentMor>group-v1378</ParentMor>
  <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Jan13sasravinSCC225</Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel6_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T10:25:35.11758Z</ChangeVersion>

```



```

        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>42007080-2de6-335e-1cbf-
09800364d9ae</uuid>
    <instanceUuid>5000b943-02b0-3387-08b1-
ecd24a18fa17</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-155/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.165</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-155</hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-155/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-155/" logDir="[SN-QA-FC-A] B16-SN-QA-155/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-155/B16-SN-QA-155.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-155.vmx</Name>
        <Size>3466</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-155.vmx</Name>
        <Size>3475</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-155.nvram</Name>

```

```
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-155.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-155.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>143095</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>180421</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>346356</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>227760</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>24615</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>170916</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>2419121</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="15809762533" Uncommitted="31700373504"
Committed="15809762533">
</StorageInfo>
```

```

                                <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-cb0d-c5cf-c5c9-225740775674" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a2c48daa35cec30e4db1797e03f1127df" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-155/B16-SN-QA-155.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:67:1c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                                </VirtualMachine>
                                <VirtualMachine>
                                    <Name>B16-SN-QA-034</Name>
                                    <Mor>vm-772</Mor>
                                    <MorType>VirtualMachine</MorType>
                                    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-034</Path>
                                    <ParentMor>group-v1378</ParentMor>
                                    <Annotation>Verified, This machine was
created by Amit</Annotation>

```

```

        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T06:28:31.102559Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d4d19-2d78-3792-0355-
6d379012f6e6</uuid>
        <instanceUuid>502d5e03-d968-b9e5-b467-
8ecf4227392f</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.13.44</IpAddress>
        <Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
        <Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
        <NicIpaddresses>(10.106.13.44)
(fe80::250:56ff:fead:3c92)</NicIpaddresses>
        <hostName>B16-SN-QA-034</hostName>
        <host>b16-sn-qa-esx-04.cisco.com
</host>
        <hostMor>host-668</hostMor>
        <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-034/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-034/" logDir="[SN-QA-FC-A] B16-SN-QA-034/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-034/SCC-BGL04-QA-193.vmx">
</VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"

```

```

NumCPUs=" 2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-193.vmx
</Name>
  <Size>3518</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-193.vmx
</Name>
  <Size>3436</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-193.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-193.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-193.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-193-
7f2ed233.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-BGL04-QA-193-
2133774899-1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>191098</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>558256</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>134515</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-28.log</Name>
        <Size>202667</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>436849</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-27.log</Name>
        <Size>24660</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>1102251546</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="45086335549" Uncommitted="3358588928"
Committed="45086335549">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-f231-6c19-66a9-32ad194d7433" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="91aa8762a611cbf15d3adc9b2521bcae" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-034/SCC-BGL04-QA-193.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:92" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-078</Name>
    <Mor>vm-681</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-078</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM instance
has been provisioned by Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghornGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:32.140782Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564da3f4-3e66-8b42-4a97-
658c0730edba</uuid>
    <instanceUuid>5230e50c-f023-8930-4de7-
c2e3f4548507</instanceUuid>

```

```

</vmxDir>                                <vmxDir>[SN-QA-FC-A] B16-SN-QA-078/
</Networks>                               <template>>false</template>
</Nics>                                    <IpAddress>10.106.13.88</IpAddress>
</NicIpaddresses>                         <Networks>SOLUTIONS-QA(&lt;False&gt;)
</hostName>                               <Nics>SOLUTIONS-QA(&lt;false&gt;)
</host>                                    <NicIpaddresses>unassigned
</ResourcePoolMor>                       <hostName>SCC-BGL04-QA-14-VM.scc-
</NumberOfDatastores>                   <host>b16-sn-qa-esx-03.cisco.com
</NumberOfBackingDisks>                 <hostMor>host-640</hostMor>
</CpuFeatureMaskSupported>              <ResourcePoolMor>resgroup-291
</NumberOfFeatureMaskEntries>           <NumberOfDatastores>1
</VirtualMachineFileInfo>               <NumberOfBackingDisks>1
snapshotDir="[SN-QA-FC-A] B16-SN-QA-078/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-078/" logDir="[SN-QA-FC-A] B16-SN-QA-078/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-078/SCC-BGL04-QA-VM-14.vmx">
</VirtualMachineFileInfo>               <NumberOfFiles>14</NumberOfFiles>
</VirtualHardware MemoryMB="4096">     <CpuFeatureMaskSupported>true
NumCPUs="1">                             <NumberOfFeatureMaskEntries>0
</VirtualHardware>                       <VirtualMachineFileInfo>
<File Type="VmFileInfo">                 snapshotDir="[SN-QA-FC-A] B16-SN-QA-078/" suspendDir="[SN-QA-FC-
<Name>SCC-BGL04-QA-VM-14.vmx             A] B16-SN-QA-078/" logDir="[SN-QA-FC-A] B16-SN-QA-078/"
<Size>3466</Size>                       vmxPath="[SN-QA-FC-A] B16-SN-QA-078/SCC-BGL04-QA-VM-14.vmx">
<Type>config</Type>                     </VirtualMachineFileInfo>
</File>                                   <VirtualHardware MemoryMB="4096">
<File Type="VmFileInfo">                 NumCPUs="1">
<Name>SCC-BGL04-QA-VM-14.vmx             </VirtualHardware>
<Size>2782</Size>                       <File Type="VmFileInfo">
<Type>extendedConfig</Type>             <Name>SCC-BGL04-QA-VM-14.vmx
</File>                                   <Size>3466</Size>
<File Type="VmFileInfo">                 <Type>config</Type>
<Name>Win2K8Srv32Bit.nvram              </File>
<Size>8684</Size>                       <File Type="VmFileInfo">
<Type>nvram</Type>                     <Name>SCC-BGL04-QA-VM-14.vmx
</File>                                   <Size>2782</Size>
</File>                                   <Type>extendedConfig</Type>
</File>                                   <File Type="VmFileInfo">
</File>                                   <Name>Win2K8Srv32Bit.nvram
</File>                                   <Size>8684</Size>
</File>                                   <Type>nvram</Type>
</File>

```



```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-VM-14.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-VM-14-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-VM-14.vmdk
</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-32.log</Name>
  <Size>200009</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-31.log</Name>
  <Size>661784</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-30.log</Name>
  <Size>2294982</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>530533</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-33.log</Name>
  <Size>24341</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>229454</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>365034</Size>

```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="55709921069" Uncommitted="13218684928"
Committed="55709921069">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-c37d-07fb-1f01-aa63e7cfe3d0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0f4721dbeff355deff2f9a4818bb3446" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-078/SCC-BGL04-QA-VM-14.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:02:8e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>

```

```

<Name>B16-SN-QA-193</Name>
<Mor>vm-678</Mor>
<MorType>VirtualMachine</MorType>
<Path>\< (DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-193</Path>
<ParentMor>group-v1378</ParentMor>
<Annotation>This VM was created by
radchin 22-JAN-13</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:30:59.07391Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>4200918e-83e3-c696-5d7c-
6b9e20f2e240</uuid>
<instanceUuid>5000616d-2979-922a-31c8-
152bab3b7396</instanceUuid>
<vmxDir>[SN-QA-FC-B] B16-SN-QA-193/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.203</IpAddress>
<Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-193</hostName>
<host>b16-sn-qa-esx-08.cisco.com
</host>
<hostMor>host-803</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-193/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-193/" logDir="[SN-QA-FC-B] B16-SN-QA-193/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-193/B16-SN-QA-193.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-193.vmx</Name>
            <Size>3235</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-193.vmx</Name>
            <Size>3367</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-193.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-193.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-193.vmdk</Name>
            <Size>20971520</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>103625</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>139808</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>295754</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>

```

```

        <Size>154996</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>414660</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>136681</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24269</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="4460878807" Uncommitted="21554896896"
Committed="4460878807">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-f647-b811-9ae4-b282f9e5acb7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3b5dcacb12aab5cc6127f2df9c607213" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-193/B16-SN-QA-193.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:16:60" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-079</Name>
    <Mor>vm-785</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-079</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This machine was
created by Amit Saha.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:31.021183Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422db011-9413-d3b9-1f8c-
c0025299e1eb</uuid>
    <instanceUuid>502d419b-be11-6290-8d90-
45ec6c154d2c</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-079/

```

```

</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.89</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-079</hostName>
<host>b16-sn-qa-esx-02.cisco.com
</host>
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-079/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-079/" logDir="[SN-QA-FC-A] B16-SN-QA-079/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-079/SCC-BGL04-QA-VM-22.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-VM-22.vmx
</Name>
<Size>3238</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-VM-22.vmx
</Name>
<Size>3372</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-VM-22.nvram
</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-VM-22.vmsd

```

```

</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-VM-22.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>214102</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>144592</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>418966</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>24686</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>104877</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>103063</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>234233</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="30651136293" Uncommitted="16839450624"
Committed="30651136293">
    </StorageInfo>
    <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">

```



```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-46e3-4d46-d8f3-labda888234d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9dbf7df47587bf70c18915b4c2d6ad6a" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-079/SCC-BGL04-QA-VM-22.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:6e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SN-QA-103</Name>
        <Mor>vm-775</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-103</Path>
        <ParentMor>group-v1378</ParentMor>
        <Annotation>Verified, This VM was
created by Sandeep</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winLonghornGuest</GuestId>
        <GuestOSAltName></GuestOSAltName>

```

```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>true
</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:26:30.80392Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d8ed0-9354-3b46-5f1a-
c8cb295ad908</uuid>
<instanceUuid>502d2fe6-f7de-f1d3-1d87-
b3da0f3fce57</instanceUuid>
</vmxDir> <vmxDir>[SN-QA-FC-A] B16-SN-QA-103/
<template>>false</template>
<IpAddress>10.106.13.113</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>SCC-BGL4-QA-123.scc-qa.com
</hostName>
<host>b16-sn-qa-esx-02.cisco.com
</host>
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-103/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-103/" logDir="[SN-QA-FC-A] B16-SN-QA-103/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-103/SCC-BGL04-QA-123.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-123.vmx
</Name>
  <Size>3462</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-123.vmx
</Name>
  <Size>2747</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-123.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-123.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-123-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-123.vmdk
</Name>
  <Size>41961780</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-51.log</Name>
  <Size>619785</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-52.log</Name>
  <Size>161896</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-48.log</Name>
  <Size>107572</Size>
  <Type>log</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-49.log</Name>
      <Size>103347</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-53.log</Name>
      <Size>24667</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>3151966</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-50.log</Name>
      <Size>395566</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="42917552492" Uncommitted="4595544064"
Committed="42917552492">
      </StorageInfo>
      <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-1e9d-31d5-a2bd-c5300613f7cc" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41961780"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="69ccd6a754bc5017028ba0b62aef5670" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-103/SCC-BGL04-QA-123.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:17" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
            </BackingNetwork>
            <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-154</Name>
    <Mor>vm-753</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-154</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Jan13sasravinSCC225</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.830125Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200d499-6f08-d350-5d9d-
be88cb9771a7</uuid>
    <instanceUuid>500080f7-0ac0-9550-fd44-
2b6b45b26b1c</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-154/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.164</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)

```

```

</Networks>
</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-A] B16-SN-QA-154/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-154/" logDir="[SN-QA-FC-A] B16-SN-QA-154/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-154/B16-SN-QA-154.vmx">
NumCPUs="2">
</VirtualMachineFileInfo>
</VirtualHardware MemoryMB="16384"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-154.vmx</Name>
  <Size>3317</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-154.vmx</Name>
  <Size>268</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-154.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-154.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-154.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>422799</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>145965</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>104631</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>24615</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>171121</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>298291</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>110445</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-A"
Unshared="8869097368" Uncommitted="51523702784"
Committed="8869097368">
  </StorageInfo>
  <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-5789-a2cb-8cb0-2ebe40f853d7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="232ff143284dd431da283366a29363ab" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-154/B16-SN-QA-154.vmdk"

```

```

AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:61:94" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-192</Name>
    <Mor>vm-710</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-192</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>This VM was created by
radchin 22-JAN-13</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>

```



```

30T10:25:34.995717Z</ChangeVersion>
    <ChangeVersion>2013-12-
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200ccc8-32f9-c076-a276-
f0a221635f2e</uuid>
    <instanceUuid>5000df23-39d6-d2ad-ed7e-
00264951328c</instanceUuid>
    <vmxDir>[SN-QA-FC-B] B16-SN-QA-192/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.202</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-192</hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-192/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-192/" logDir="[SN-QA-FC-B] B16-SN-QA-192/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-192/B16-SN-QA-192.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-192.vmx</Name>
        <Size>3235</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SN-QA-192.vmx</Name>
        <Size>3367</Size>
        <Type>extendedConfig</Type>
    </File>

```

```
<File Type="VmFileInfo">
  <Name>B16-SN-QA-192.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-192.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-192.vmdk</Name>
  <Size>20971520</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>102857</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>144245</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>294686</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>154754</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>414009</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>136902</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24267</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SN-QA-FC-B"
Unshared="4181959518" Uncommitted="21833818112"
```

```

Committed="4181959518">
    </StorageInfo>
    <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-46b9-7f07-e2ef-cfe399bf301c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8b2fab10287da5987a39445268270c74" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-192/B16-SN-QA-192.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:05:db" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>

```

```

    <VirtualMachine>
      <Name>B16-SN-QA-035</Name>
      <Mor>vm-618</Mor>
      <MorType>VirtualMachine</MorType>
      <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-035</Path>
      <ParentMor>group-v1378</ParentMor>
      <Annotation>Verified, This machine was
created by Amit</Annotation>
      <Version>vmx-09</Version>
      <GuestId>rhel5_64Guest</GuestId>
      <GuestOSAltName></GuestOSAltName>
      <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
      <ChangeTrackingSupported>true
</ChangeTrackingSupported>
      <BootOptionsSupported>true
</BootOptionsSupported>
      <SwapPlacementSupported>true
</SwapPlacementSupported>
      <SwapPlacement>inherit</SwapPlacement>
      <ChangeVersion>2013-12-
30T10:26:21.816551Z</ChangeVersion>
      <powerState>poweredOff</powerState>
      <connectionState>connected
</connectionState>
      <uuid>422d0db1-22c4-ff50-2dcc-
2667caa53cef</uuid>
      <instanceUuid>502daace-307b-0799-178f-
96e586becd83</instanceUuid>
      <vmxDir>[SN-QA-FC-A] B16-SN-QA-035/
</vmxDir>
      <template>false</template>
      <IpAddress>10.106.13.45</IpAddress>
      <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
      <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
      <NicIpaddresses>unassigned
</NicIpaddresses>
      <hostName>B16-SN-QA-035</hostName>
      <host>b16-sn-qa-esx-01.cisco.com
</host>
      <hostMor>host-592</hostMor>
      <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
      <NumberOfDatastores>1
</NumberOfDatastores>
      <NumberOfBackingDisks>1
</NumberOfBackingDisks>
      <NumberOfFiles>13</NumberOfFiles>
      <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-035/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-035/" logDir="[SN-QA-FC-A] B16-SN-QA-035/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-035/SCC-BGL04-QA-194.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-194.vmx
</Name>
        <Size>3425</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-194.vmx
</Name>
        <Size>3436</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-194.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-194.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-194.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>148424</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>101031</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-22.log</Name>
        <Size>404927</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>178269</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>24315</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>211602</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>252000</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="33414210353" Uncommitted="14076452864"
Committed="33414210353">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-8668-fe78-0d74-51f72a27205f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a080de68c4b579e807200984elf667dd" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-035/SCC-BGL04-QA-194.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:93" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-153</Name>
    <Mor>vm-822</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-153</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Jan13sasravinSCC225</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:21.591812Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420065a6-cc36-ce13-3ed8-
38f1e913023c</uuid>
    <instanceUuid>5000efe5-a02b-9e59-3990-
30bd62fc4f72</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-153/
</vmxDir>
    <template>>false</template>

```





```

        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>146305</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>150406</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-13.log</Name>
    <Size>145370</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>344217</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>187360</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>298306</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24268</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="12441617393" Uncommitted="47951204352"
Committed="12441617393">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-93a7-c709-23ad-e9908bccacb6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="790d52b722e72fc9f66f58759d46294b" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-153/B16-SN-QA-153.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:49:fb" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-036</Name>
    <Mor>vm-814</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-036</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM
provisioned by Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:35.408647Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422de774-c862-ca93-d59c-
d653f25f03c7</uuid>
    <instanceUuid>502d8b9d-2509-af13-18ad-
f590a6af02e3</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-036/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.13.46</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-036</hostName>
    <host>b16-sn-qa-esx-04.cisco.com
</host>
    <hostMor>host-668</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-036/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-036/" logDir="[SN-QA-FC-A] B16-SN-QA-036/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-036/SCC-BGL04-QA-195.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-195.vmx
</Name>
        <Size>3395</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-195.vmx

```

```

</Name>
        <Size>3431</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-195.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-195.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-195.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>147126</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>179701</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>157330</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>302428</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>212812</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>24312</Size>
    <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-18.log</Name>
            <Size>219597</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="25172325696" Uncommitted="22318260224"
Committed="25172325696">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-3e39-24e3-9005-953f737cf8f7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7b45f000acb57c20d495c38b3a20e30c" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-036/SCC-BGL04-QA-195.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:9c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                            </VirtualMachine>

```

```

        <VirtualMachine>
            <Name>B16-SN-QA-072</Name>
            <Mor>vm-611</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-072</Path>
            <ParentMor>group-v1378</ParentMor>
            <Annotation>Verified,This VM was
created by Sandeep</Annotation>
            <Version>vmx-09</Version>
            <GuestId>rhel5Guest</GuestId>
            <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
            <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2013-12-
30T10:26:21.585834Z</ChangeVersion>
            <powerState>poweredOff</powerState>
            <connectionState>connected
</connectionState>
            <uuid>42033cd4-9bf0-d974-1fd0-
ff7bcb4a20bd</uuid>
            <instanceUuid>521dc28b-cc4b-1d50-05ee-
93747b2ad3f0</instanceUuid>
            <vmxDir>[SN-QA-FC-A] B16-SN-QA-072/
</vmxDir>
            <template>>false</template>
            <IpAddress>10.106.13.82</IpAddress>
            <Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
            <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
            <NicIpaddresses>unassigned
</NicIpaddresses>
            <hostName>B16-SN-QA-072</hostName>
            <host>b16-sn-qa-esx-01.cisco.com
</host>
            <hostMor>host-592</hostMor>
            <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>13</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-072/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-072/" logDir="[SN-QA-FC-A] B16-SN-QA-072/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-072/SCC-BGL04-QA-96.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-96.vmx</Name>
            <Size>3161</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-96.vmx
</Name>
            <Size>3369</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-96.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-96.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-BGL04-QA-96.vmdk
</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-31.log</Name>
            <Size>183236</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-34.log</Name>
            <Size>24644</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">

```

```

        <Name>vmware-33.log</Name>
        <Size>179870</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-30.log</Name>
        <Size>107982</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-29.log</Name>
        <Size>278923</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-32.log</Name>
        <Size>141610</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>336234</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="41874053121" Uncommitted="5616541696"
Committed="41874053121">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-70b3-8fad-071a-5a70bc24fb93" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bc74609a4fcc48fc7bb172d4beb12288" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-072/SCC-BGL04-QA-96.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:0a:21" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"

```



```

ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-073</Name>
    <Mor>vm-821</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-073</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This machine was
created by sbyrapp@cisco.com</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:25:32.140501Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4203c4ad-7050-c7e0-5e1e-
4fd7eeadf1fd</uuid>
    <instanceUuid>5264fac9-6003-c934-f573-
537ce1a79b67</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-073/
</vmxDir>

```

```

<template>>false</template>
<IpAddress>10.106.13.83</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-073</hostName>
<host>b16-sn-qa-esx-03.cisco.com
</host>
<hostMor>host-640</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-073/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-073/" logDir="[SN-QA-FC-A] B16-SN-QA-073/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-073/SCC-BGL04-QA-97.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-97.vmx</Name>
  <Size>3234</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-97.vmx
  </Name>
  <Size>3430</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-97.nvram
  </Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-QA-97.vmsd
  </Name>
  <Size>0</Size>

```

```

        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-97.vmdk
</Name>

    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>212047</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>153092</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>337535</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-32.log</Name>
    <Size>24295</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>145469</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>268094</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>179703</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="38854222111" Uncommitted="8636440576"
Committed="38854222111">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C298-0d1a-e7ca-54ef-0b4fa1903528" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="338a8562bb0e878080aca2d44c9ff92a" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-073/SCC-BGL04-QA-97.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:83:61:73" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-037</Name>
    <Mor>vm-722</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-037</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM was
created by ahsaha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>

```

```

</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T10:25:35.084724Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d8b18-8e14-cb71-195f-
cfflea7c085f</uuid>
<instanceUuid>502d8afb-f3f1-b8da-f316-
7c19e96a93dc</instanceUuid>
<vmxDir>[SN-QA-FC-A] B16-SN-QA-037/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.47</IpAddress>
<Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-037</hostName>
<host>b16-sn-qa-esx-04.cisco.com
</host>
<hostMor>host-668</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-037/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-037/" logDir="[SN-QA-FC-A] B16-SN-QA-037/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-037/SCC-BGL04-QA-196.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-196.vmx
</Name>

```

```

        <Size>3392</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-196.vmx
</Name>

        <Size>3431</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-196.nvram
</Name>

        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-196.vmsd
</Name>

        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-196.vmdk
</Name>

        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>157173</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>24310</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>212804</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>319383</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>179686</Size>
    <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-22.log</Name>
            <Size>418382</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-20.log</Name>
            <Size>110122</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SN-QA-FC-A"
Unshared="24563281591" Uncommitted="22927482880"
Committed="24563281591">
            </StorageInfo>
            <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-1b6a-ela1-11b2-07d5442e7951" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3c44a6439662302a22a419f88d06df27" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-037/SCC-BGL04-QA-196.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:9d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"

```

```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-038</Name>
    <Mor>vm-771</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-038</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM was
created by ahsaha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.606348Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d5429-856d-f2c0-ac3c-
eaa33dd4834d</uuid>
    <instanceUuid>502d6df5-859d-1c4f-e285-
abc78b624cbd</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-038/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.13.48</IpAddress>
    <Networks>SOLUTIONS-QA(&lt;False&gt;)
</Networks>
    <Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SN-QA-038</hostName>
    <host>b16-sn-qa-esx-02.cisco.com
</host>
    <hostMor>host-616</hostMor>
    <ResourcePoolMor>resgroup-291
</ResourcePoolMor>
    <NumberOfDatastores>1

```



```

</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-038/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-038/" logDir="[SN-QA-FC-A] B16-SN-QA-038/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-038/SCC-BGL04-QA-197.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-197.vmx
</Name>
        <Size>3309</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-197.vmx
</Name>
        <Size>3370</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-197.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-197.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-BGL04-QA-197.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>144984</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware.log</Name>
        <Size>214396</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>24658</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>110112</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>107371</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>103192</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>420406</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="16763676418" Uncommitted="30726791168"
Committed="16763676418">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-2ae7-474f-cc9a-5f2b7b624e7d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4d90370e748d04bdf0a02f58e89df04d" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-038/SCC-BGL04-QA-197.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:9e" AddressType="assigned"

```

```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-159</Name>
    <Mor>vm-704</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-159</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Jan13minandaSCC236</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:30:59.074665Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42004a42-c0a9-3a96-a7fe-
02129167cdd2</uuid>

```

```

<instanceUuid>5000f67c-19f3-61f4-872a-
3a06757b84eb</instanceUuid>
</vmxDir>
<template>>false</template>
<IpAddress>10.106.13.169</IpAddress>
<Networks>SOLUTIONS-QA(&lt;false&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;false&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-SN-QA-159</hostName>
<host>b16-sn-qa-esx-08.cisco.com
</host>
<hostMor>host-803</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-159/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-159/" logDir="[SN-QA-FC-A] B16-SN-QA-159/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-159/B16-SN-QA-159.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-159.vmx</Name>
  <Size>3129</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-159.vmx</Name>
  <Size>3433</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-159.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-159.vmsd</Name>

```

```

        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-159.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24269</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>143998</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>103268</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>237803</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>382483</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>108427</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>152283</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="9548452257" Uncommitted="37959323648"
Committed="9548452257">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C294-3891-ef52-dc4c-53b2f4a34bdd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1d9c85d336da79de83e971ad4023d4f1" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-159/B16-SN-QA-159.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:38:ce" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-158</Name>
    <Mor>vm-660</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-158</Path>
    <ParentMor>group-v1378</ParentMor>

```

```

RHEL 5.5 to 6.3 as per Jan13madnatarSCC235
<Annotation>VM has been upgraded from
</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel6_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
06T10:08:50.725859Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>42009e84-eb1f-c012-8193-
0c624ee59ac3</uuid>
<instanceUuid>5000070d-2d5f-aab6-91fb-
ae1a052c6cdd</instanceUuid>
<vmxDir>[SN-QA-FC-B] B16-SN-QA-158/
</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>SOLUTIONS-QA(&lt;True&gt;)
</Networks>
<Nics>SOLUTIONS-QA(&lt;true&gt;)
</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-sn-qa-esx-02.cisco.com
</host>
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-B] B16-SN-QA-158/" suspendDir="[SN-QA-FC-
B] B16-SN-QA-158/" logDir="[SN-QA-FC-B] B16-SN-QA-158/"
vmxPath="[SN-QA-FC-B] B16-SN-QA-158/B16-SN-QA-158.vmx">

```

```

</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-158.vmx</Name>
  <Size>3258</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-158.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-158.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-158.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-158.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SN-QA-158-
debf5619.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-SN-QA-158-
3737081369-1.vswp</Name>
  <Size>113246208</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>170624</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>24613</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```



```

        <Name>vmware-3.log</Name>
        <Size>292574</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>140928</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>411952</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>176355</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>191210</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-B"
Unshared="40787880870" Uncommitted="6571425792"
Committed="40787880870">
        </StorageInfo>
        <Datastore Mor="datastore-417"
Url="/vmfs/volumes/50fa4b8d-287c0071-49d6-2025b500004d" Name="SN-
QA-FC-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-8127-a23d-7db1-97d772962ff6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-417"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1627587edf49523b4624b9cba8a5bf86" Parent="" Disk="[SN-
QA-FC-B] B16-SN-QA-158/B16-SN-QA-158.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:01:a3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-039</Name>
    <Mor>vm-647</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-039</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>Verified, This VM
provisioned by Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T10:26:30.604549Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d9d81-b4ed-a03e-d002-
7c84898f2471</uuid>
    <instanceUuid>502d4f52-43d7-f8ab-113b-
e13ada078087</instanceUuid>
    <vmxDir>[SN-QA-FC-A] B16-SN-QA-039/
</vmxDir>
    <template>>false</template>

```

```

</Networks>
</Nics>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SN-QA-FC-A] B16-SN-QA-039/" suspendDir="[SN-QA-FC-A] B16-SN-QA-039/" logDir="[SN-QA-FC-A] B16-SN-QA-039/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-039/SCC-BGL04-QA-198.vmx">
NumCPUs="2">
</Name>
</Name>
</Name>
</Name>
</Name>

```

```

<IpAddress>10.106.13.49</IpAddress>
<Networks>SOLUTIONS-QA(&lt;false&gt;)
<Nics>SOLUTIONS-QA(&lt;false&gt;)
<NicIpaddresses>unassigned
<hostName>B16-SN-QA-039</hostName>
<host>b16-sn-qa-esx-02.cisco.com
<hostMor>host-616</hostMor>
<ResourcePoolMor>resgroup-291
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-039/" suspendDir="[SN-QA-FC-A] B16-SN-QA-039/" logDir="[SN-QA-FC-A] B16-SN-QA-039/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-039/SCC-BGL04-QA-198.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-198.vmx
<Size>3524</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-198.vmx
<Size>3431</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-198.nvram
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-QA-198.vmsd
<Size>0</Size>

```

```

        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-QA-198.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>102810</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>106830</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24310</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>380859</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>144450</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>157006</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>219931</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="14910853979" Uncommitted="32579624960"
Committed="14910853979">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C29b-4dfb-30f5-d10c-98e02091fd51" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2e826ba061083aad707aeba17b75a886" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-039/SCC-BGL04-QA-198.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:9f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SN-QA-157</Name>
    <Mor>vm-716</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Solutions QA
\B16-SN-QA-157</Path>
    <ParentMor>group-v1378</ParentMor>
    <Annotation>VM has been upgraded from
RHEL 5.5 to 6.3 as per Jan13madnatarSCC235</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel6_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>

```

```

        <ChangeTrackingSupported>true
    </ChangeTrackingSupported>
        <BootOptionsSupported>true
    </BootOptionsSupported>
        <SwapPlacementSupported>true
    </SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
06T10:06:41.010845Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
    </connectionState>
        <uuid>42002872-6d06-7d63-1b20-
11d71fe37226</uuid>
        <instanceUuid>5000469c-31de-fd21-cc12-
73ffcf7ebf0</instanceUuid>
        <vmxDir>[SN-QA-FC-A] B16-SN-QA-157/
    </vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>SOLUTIONS-QA(&lt;True&gt;)
    </Networks>
        <Nics>SOLUTIONS-QA(&lt;true&gt;)
    </Nics>
        <NicIpaddresses>unassigned
    </NicIpaddresses>
        <hostName></hostName>
        <host>b16-sn-qa-esx-04.cisco.com
    </host>
        <hostMor>host-668</hostMor>
        <ResourcePoolMor>resgroup-291
    </ResourcePoolMor>
        <NumberOfDatastores>1
    </NumberOfDatastores>
        <NumberOfBackingDisks>1
    </NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SN-QA-FC-A] B16-SN-QA-157/" suspendDir="[SN-QA-FC-
A] B16-SN-QA-157/" logDir="[SN-QA-FC-A] B16-SN-QA-157/"
vmxPath="[SN-QA-FC-A] B16-SN-QA-157/B16-SN-QA-157.vmx">
    </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
    </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-QA-157.vmx</Name>
            <Size>3467</Size>

```

```

        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-157.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-157.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-157.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-157.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SN-QA-157-
7f2ed6b9.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-SN-QA-157-
2133776057-1.vswp</Name>
    <Size>113246208</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>171090</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>24615</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>289977</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>145012</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>412088</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>211213</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>233528</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="39922885146" Uncommitted="7436500992"
Committed="39922885146">
        </StorageInfo>
        <Datastore Mor="datastore-416"
Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-7157-5f3e-6dc1-c37f4543e732" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="608e54elef0df911a03f2bc90290f9fe" Parent="" Disk="[SN-
QA-FC-A] B16-SN-QA-157/B16-SN-QA-157.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:07:48" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```



```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/linux.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
</Folder>
<Folder>
    <Name>Staging</Name>
    <Mor>group-v1380</Mor>
    <MorType>Folder</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging</Path>
    <ParentMor>group-v282</ParentMor>
    <NumberOfFolders>0</NumberOfFolders>
    <NumberOfVMs>66</NumberOfVMs>
    <NumberOfHosts>0</NumberOfHosts>
    <NumberOfVApps>0</NumberOfVApps>
    <NumberOfDatastores>0</NumberOfDatastores>
    <NumberOfStoragePods>0
</NumberOfStoragePods>
    <NumberOfNetworkss>0</NumberOfNetworkss>
<VirtualMachine>
    <Name>B16-STG-027</Name>
    <Mor>vm-334</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-027</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This is a CM SUB for
staging env.
Old Hostname: SCC04-STG-CMSub
Old IP Address: 10.76.100.105
New Hostname: B16-STG-027
new IP Address: 10.106.6.97
    </Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true

```

```

</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:04.747438Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422de19b-b321-9c7b-f8cb-
735399703b76</uuid>
    <instanceUuid>502dacca-3d11-5865-c791-
4698ce34f709</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-027/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.6.97</IpAddress>
    <Networks>STG-301_10.106.6.64/26
(&lt;False&gt; )</Networks>
    <Nics>STG-301_10.106.6.64/26
(&lt;false&gt; )</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-STG-027</hostName>
    <host>b16-stg-esx-06.cisco.com</host>
    <hostMor>host-382</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-027/" suspendDir="[STG-
SATA-A-NEW] B16-STG-027/" logDir="[STG-SATA-A-NEW] B16-STG-027/"
vmxPath="[STG-SATA-A-NEW] B16-STG-027/SCC04-STG-CMSub.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-CMSub.vmx</Name>
        <Size>3440</Size>
        <Type>config</Type>
    </File>

```

```

</Name>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-CMSub.vmx
        </Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-CMSub.nvram
        </Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-CMSub.vmsd
        </Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-CMSub.vmdk
        </Name>
        <Size>167772160</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>137400</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>184065</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>24609</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>207883</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>121486</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>269209</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>261392</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="116652152440" Uncommitted="59704692736"
Committed="116652152440">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-8663-fac9-35d5-75c99f1fbca5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2711d2438ea614470fe971063f7ff4d0" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-027/SCC04-STG-CMSub.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:0e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">

```

```

        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-STG-028</Name>
        <Mor>vm-6203</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-028</Path>
        <ParentMor>group-v1380</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
06T05:03:28.380453Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4224836c-47ed-6582-73c4-
41e98511288e</uuid>
        <instanceUuid>5024b1d2-3973-2d97-e3db-
4e578e192d96</instanceUuid>
        <vmxDir>[STG-SATA-B-NEW] B16-STG-028/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.6.98</IpAddress>
        <Networks>STG-301_10.106.6.64/26
(&lt;True&gt;)</Networks>
        <Nics>STG-301_10.106.6.64/26
(&lt;true&gt;)</Nics>
        <NicIpaddresses>(10.106.6.98)
(fe80::250:56ff:fea4:440f)</NicIpaddresses>
        <hostName>b16-stg-028</hostName>
        <host>b16-stg-esx-05.cisco.com</host>
        <hostMor>host-373</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>11</NumberOfFiles>
        <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[STG-SATA-B-NEW] B16-STG-028/" suspendDir="[STG-
SATA-B-NEW] B16-STG-028/" logDir="[STG-SATA-B-NEW] B16-STG-028/"
vmxPath="[STG-SATA-B-NEW] B16-STG-028/B16-STG-028.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="4096"
NumCPUs="2">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>B16-STG-028.vmx</Name>
        <Size>2763</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-STG-028.vmx</Name>
        <Size>3426</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-STG-028.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-STG-028.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-STG-028.vmdk</Name>
        <Size>52428800</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-STG-028-e8ba6a65.vswp
</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmx-B16-STG-028-
3904531045-1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwsap</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>868808841</Size>
        <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>23822</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>1601408019</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-B-
NEW" Unshared="60548783043" Uncommitted="0"
Committed="60548783043">
            </StorageInfo>
            <Datastore Mor="datastore-3658"
Url="/vmfs/volumes/51e15c1b-fcb08d75-ec4f-0025b5cc005f"
Name="STG-SATA-B-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-17c2-ccfe-f10b-088295940549" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3658"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2157461df5e98f6454945f2baa521403" Parent=""
Disk="[STG-SATA-B-NEW] B16-STG-028/B16-STG-028.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:44:0f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingFloppy UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-042</Name>
    <Mor>vm-380</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-042</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This instance is for
Songdo IC setup </Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:04.797061Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420017cd-6937-0cfc-4715-
0e0ca0a44b89</uuid>
    <instanceUuid>5000e14f-9eeb-1fa5-d5a3-
667196cd7d92</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-042/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.6.232</IpAddress>
    <Networks>STG-309_10.106.6.224/27
(&lt;False&gt;)</Networks>
    <Nics>STG-309_10.106.6.224/27
(&lt;false&gt;)</Nics>
    <NicIpaddresses>(10.106.6.232)

```



```

(fe80::250:56ff:fe80:799d)</NicIpaddresses>
    <hostName>B16-STG-042</hostName>
    <host>b16-stg-esx-06.cisco.com</host>
    <hostMor>host-382</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-042/" suspendDir="[STG-
SATA-A-NEW] B16-STG-042/" logDir="[STG-SATA-A-NEW] B16-STG-042/"
vmxPath="[STG-SATA-A-NEW] B16-STG-042/B16-STG.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-STG.vmx</Name>
        <Size>3164</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG.vmx</Name>
        <Size>3422</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG.vmdk</Name>
        <Size>63963136</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>210253</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>211900</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>233032</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>259132</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>207310</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>256320</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>24125</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="16076087422" Uncommitted="58258202624"
Committed="16076087422">
  </StorageInfo>
  <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-aa0b-1ef2-577e-1726d2c5022f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="63963136"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dfc1f1c6c5d801689fal64bbdaca2d3" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-042/B16-STG.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:79:9d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-043</Name>
    <Mor>vm-391</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-043</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM is created by
pitruong</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:13:34.092742Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>

```

```

    <uuid>420065b6-7944-17a2-8ed2-
fdf71356b12b</uuid>
    <instanceUuid>50002584-d900-9936-33ac-
9784e1e45abc</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-043/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.6.233</IpAddress>
    <Networks>STG-309_10.106.6.224/27
(&lt;False&gt;)</Networks>
    <Nics>STG-309_10.106.6.224/27
(&lt;false&gt;)</Nics>
    <NicIpaddresses>(10.106.6.233)
(fe80::250:56ff:fe80:7293)</NicIpaddresses>
    <hostName>B16-STG-043</hostName>
    <host>b16-stg-esx-07.cisco.com</host>
    <hostMor>host-393</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-043/" suspendDir="[STG-
SATA-A-NEW] B16-STG-043/" logDir="[STG-SATA-A-NEW] B16-STG-043/"
vmxPath="[STG-SATA-A-NEW] B16-STG-043/B16-STG-043.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-STG-043.vmx</Name>
        <Size>3171</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-043.vmx</Name>
        <Size>3423</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-043.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>B16-STG-043.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-043.vmdk</Name>
        <Size>52428800</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24187</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>178296</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>104211</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>276154</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>382020</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>217603</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>258118</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="14096414459" Uncommitted="48426754048"
Committed="14096414459">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-643d-ed4-b009-cd1f311db446" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b928f516b91bdfdc18b0dceb34182a52" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-043/B16-STG-043.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:72:93" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-STG-044</Name>
        <Mor>vm-392</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-044</Path>
        <ParentMor>group-v1380</ParentMor>
        <Annotation>This VM is created by
pitruong</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
30T08:14:04.748584Z</ChangeVersion>
</connectionState>
434d302d430f</uuid>
51b955d4e17b</instanceUuid>
</vmxDir>
(&lt;False&gt; )</Networks>
(&lt;false&gt; )</Nics>
(fe80::250:56ff:fe80:3dab)</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[STG-SATA-A-NEW] B16-STG-044/" suspendDir="[STG-
SATA-A-NEW] B16-STG-044/" logDir="[STG-SATA-A-NEW] B16-STG-044/"
vmxPath="[STG-SATA-A-NEW] B16-STG-044/B16-STG-044.vmx">
NumCPUs="2">

```

```
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-STG-044.vmx</Name>
    <Size>3423</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-STG-044.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-STG-044.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-STG-044.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>135226</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>24183</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>512519036</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>305678</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>139026</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>258301</Size>
    <Type>log</Type>
</File>
```



```

        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>196525</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="10755035046" Uncommitted="37247885312"
Committed="10755035046">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-db35-70d9-b0f7-3f369afef403" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ceee97b2a52cc210ca3ac59981ea46e4" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-044/B16-STG-044.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:3d:ab" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                            </VirtualMachine>

```

```

    <VirtualMachine>
      <Name>B16-STG-045</Name>
      <Mor>vm-370</Mor>
      <MorType>VirtualMachine</MorType>
      <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-045</Path>
      <ParentMor>group-v1380</ParentMor>
      <Annotation></Annotation>
      <Version>vmx-09</Version>
      <GuestId>windows7_64Guest</GuestId>
      <GuestOSAltName></GuestOSAltName>
      <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
      <ChangeTrackingSupported>true
</ChangeTrackingSupported>
      <BootOptionsSupported>true
</BootOptionsSupported>
      <SwapPlacementSupported>true
</SwapPlacementSupported>
      <SwapPlacement>inherit</SwapPlacement>
      <ChangeVersion>2014-01-
06T09:48:56.908222Z</ChangeVersion>
      <powerState>poweredOn</powerState>
      <connectionState>connected
</connectionState>
      <uuid>4200bc46-bc5a-2eb8-616d-
c683828a7340</uuid>
      <instanceUuid>5000fa4e-7a62-3304-dd14-
f526b26ec5a4</instanceUuid>
      <vmxDir>[STG-SATA-A-NEW] B16-STG-045/
</vmxDir>
      <template>>false</template>
      <IpAddress>10.106.6.235</IpAddress>
      <Networks>STG-309_10.106.6.224/27
(&lt;True&gt;)</Networks>
      <Nics>unassigned(&lt;true&gt;),STG-309
_10.106.6.224/27(&lt;true&gt;)</Nics>
      <NicIpaddresses>
(fe80::e4be:48ac:b220:1efe)(169.254.30.254),
(fe80::fc19:9a7c:9c5a:93b0)(10.106.6.235)</NicIpaddresses>
      <hostName>B16-STG-045.scc-stg.com
</hostName>
      <host>b16-stg-esx-02.cisco.com</host>
      <hostMor>host-324</hostMor>
      <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
      <NumberOfDatastores>1
</NumberOfDatastores>
      <NumberOfBackingDisks>2
</NumberOfBackingDisks>
      <NumberOfFiles>18</NumberOfFiles>
      <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-045/" suspendDir="[STG-
SATA-A-NEW] B16-STG-045/" logDir="[STG-SATA-A-NEW] B16-STG-045/"
vmxPath="[STG-SATA-A-NEW] B16-STG-045/B16-STG-045.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-STG-045.vmx</Name>
        <Size>3418</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-045.vmx</Name>
        <Size>3077</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-045.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-045.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-045-aux.xml</Name>
        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-045.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-045_2.vmdk</Name>
        <Size>209715200</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-045-03f4b77d.vswp
</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>

```

```

1.vswp</Name>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-STG-045-66369405-
    <Size>113246208</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>145195</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>660028</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>74996091</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>29696</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>220124</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>381501</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>38248182</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="176376127292" Uncommitted="85844819968"
Committed="176376127292">
  </StorageInfo>
  <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-3af1-4c22-8d3d-be847c009418" ChangeId=""

```

```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dfb0089923cc06091c9bb5389847e146" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-045/B16-STG-045.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-8c6e-dbd7-c4e7-7ed2f16ec3a8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f1f42e9a02eda21d085c478474dca9e9" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-045/B16-STG-045_2.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:0d:e3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>

```

```

<Name>SCC-STG-OPENLDAP</Name>
<Mor>vm-345</Mor>
<MorType>VirtualMachine</MorType>
<Path>\<(DC)S+CC(DC)\vm\Staging\SCC-
STG-OPENLDAP</Path>
<ParentMor>group-v1380</ParentMor>
<Annotation>This VM instance
provisioned by Amit Saha with OpenLDAP Server Configuration with
SSL
</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel5Guest</GuestId>
<GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
<ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:13:38.310108Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d2bcd-fdf4-b3d9-807e-
f05527be4d1f</uuid>
<instanceUuid>502d4fb0-7d55-992a-094a-
4324e3e65ecd</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] SCC-STG-
OPENLDAP</vmxDir>
<template>>false</template>
<IpAddress>10.106.5.53</IpAddress>
<Networks>STG-300_10.106.5.0/25
(&lt;false&gt;)</Networks>
<Nics>STG-300_10.106.5.0/25
(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>SCC-STG-OPENLDAP</hostName>
<host>b16-stg-esx-04.cisco.com</host>
<hostMor>host-353</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCC-STG-OPENLDAP/"
suspendDir="[STG-SATA-A-NEW] SCC-STG-OPENLDAP/" logDir="[STG-
SATA-A-NEW] SCC-STG-OPENLDAP/" vmxPath="[STG-SATA-A-NEW] SCC-STG-
OPENLDAP/SCC-STG-OPENLDAP.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
                <Name>SCC-STG-OPENLDAP.vmx
</Name>
                <Size>3620</Size>
                <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
                <Name>SCC-STG-OPENLDAP.vmx
</Name>
                <Size>3431</Size>
                <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
                <Name>SCC-STG-OPENLDAP.nvram
</Name>
                <Size>8684</Size>
                <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
                <Name>SCC-STG-OPENLDAP.vmsd
</Name>
                <Size>0</Size>
                <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
                <Name>SCC-STG-OPENLDAP-
000001.vmdk</Name>
                <Size>104857600</Size>
                <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
                <Name>SCC-STG-OPENLDAP-
Snapshot1.vmsn</Name>
                <Size>4300441553</Size>
                <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
                <Name>vmware.log</Name>
                <Size>25373</Size>

```

```

        <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>104342</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-33.log</Name>
    <Size>707430</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-32.log</Name>
    <Size>264584</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>103791</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>232029</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>384301</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="76261016034" Uncommitted="110319792128"
Committed="76261016034">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-53bf-7206-4b4b-8837521743fa" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c715ff2cb443bbe8d6b99c0b813c4508" Parent="[STG-SATA-A-
NEW] SCC-STG-OPENLDAP/SCC-STG-OPENLDAP.vmdk" Disk="[STG-SATA-A-
NEW] SCC-STG-OPENLDAP/SCC-STG-OPENLDAP-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">

```



```

        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:59:67" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <Snapshot>Openldap + SSL</Snapshot>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-STG-040</Name>
  <Mor>vm-312</Mor>
  <MorType>VirtualMachine</MorType>
  <Path> \(DC)S+CC(DC)\vm\Staging\B16-
STG-040</Path>
  <ParentMor>group-v1380</ParentMor>
  <Annotation>This VM was created by
ptirunag</Annotation>
  <Version>vmx-09</Version>
  <GuestId>windows8_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T08:13:38.310017Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>4200e67b-8bc5-c497-f5b8-
24ad4752ea45</uuid>
    <instanceUuid>500054ff-b720-7808-9074-
2fd77bef3605</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-040/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.6.230</IpAddress>
    <Networks>STG-309_10.106.6.224/27
    (&lt;False&gt;)</Networks>
    <Nics>STG-309_10.106.6.224/27
    (&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-STG-040.scc-stg.com
</hostName>
    <host>b16-stg-esx-04.cisco.com</host>
    <hostMor>host-353</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-040/" suspendDir="[STG-
SATA-A-NEW] B16-STG-040/" logDir="[STG-SATA-A-NEW] B16-STG-040/"
vmxPath="[STG-SATA-A-NEW] B16-STG-040/B16-STG-040.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-STG-040.vmx</Name>
        <Size>3296</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-040.vmx</Name>
        <Size>3077</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-040.nvram</Name>

```

```
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-STG-040.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-STG-040-aux.xml</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>

</File>
<File Type="VmFileInfo">
    <Name>B16-STG-040.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>912233</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>85743</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>292639</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>24187</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>326586</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>85736</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>85740</Size>
```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="36953646161" Uncommitted="53487181824"
Committed="36953646161">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-af13-8fdd-5e16-63c9fbad44c0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="fe2a7bc4d4a230cfab0131fb0e42b9db" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-040/B16-STG-040.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:1f:e9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 2">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>

```

```

<Name>B16-STG-041</Name>
<Mor>vm-319</Mor>
<MorType>VirtualMachine</MorType>
<Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-041</Path>
<ParentMor>group-v1380</ParentMor>
<Annotation>This VM was created by
radchin on 29-JAN-13</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:14:34.140502Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42000ffc-6f29-4cf0-3037-
e9c5cblea02e</uuid>
<instanceUuid>5000fb84-8bff-77df-18fc-
374a2916005f</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] B16-STG-041/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.6.231</IpAddress>
<Networks>STG-309_10.106.6.224/27
(&lt;False&gt;) </Networks>
<Nics>STG-309_10.106.6.224/27
(&lt;false&gt;) </Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-STG-041</hostName>
<host>b16-stg-esx-02.cisco.com</host>
<hostMor>host-324</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0

```

```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-041/" suspendDir="[STG-
SATA-A-NEW] B16-STG-041/" logDir="[STG-SATA-A-NEW] B16-STG-041/"
vmxPath="[STG-SATA-A-NEW] B16-STG-041/B16-STG-041.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-STG-041.vmx</Name>
        <Size>3187</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-041.vmx</Name>
        <Size>3426</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-041.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-041.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-041.vmdk</Name>
        <Size>52428800</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>24186</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>138557</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>231005</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>359557</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>136346</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>250920</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>188208</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="5720277580" Uncommitted="52507811840"
Committed="5720277580">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-63a9-8b48-1a6b-6f12c1e00bc8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8a3aa6aa6f3450569c5c62c1fdbe20d0" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-041/B16-STG-041.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:78:12" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>DEMOPOD1-S+CMS_2.1-Template
</Name>
    <Mor>vm-1878</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging
\DEMOPOD1-S+CMS_2.1-Template</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM provisioned by
Amit Saha.
Latest update: Jun12srinkri2SCC844, migrated on 08/06/2012.
</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-08-
24T06:48:15.009256Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422469f1-c382-6389-5730-
da5d0d5ebfa6</uuid>
    <instanceUuid>50240e56-2a06-0f6a-5b47-
28af428b96ce</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] DEMOPOD1-
S+CMS_2.1-Template/</vmxDir>
    <template>>true</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>

```



```

</NicIpaddresses>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-stg-esx-05.cisco.com</host>
<hostMor>host-373</hostMor>
<ResourcePoolMor>Uninitialized
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>6</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] DEMOPOD1-S+CMS_2.1-Template/"
suspendDir="[STG-SATA-A-NEW] DEMOPOD1-S+CMS_2.1-Template/"
logDir="[STG-SATA-A-NEW] DEMOPOD1-S+CMS_2.1-Template/"
vmxPath="[STG-SATA-A-NEW] DEMOPOD1-S+CMS_2.1-Template/S+CMS_2.1-
Template.vmtx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>S+CMS_2.1-Template.vmx
</Name>
<Size>2794</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>S+CMS_2.1-Template.vmx
</Name>
<Size>0</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>S+CMS_2.1-Template.nvram
</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>S+CMS_2.1-Template.vmsd
</Name>
<Size>0</Size>
<Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
<Name>S+CMS_2.1-Template.vmdk

```

```

</Name>
                                <Size>115343360</Size>
                                <Type>diskDescriptor</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="28016913622" Uncommitted="98929319936"
Committed="28016913622">
                                </StorageInfo>
                                <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-791b-7789-75bf-0f2436b77b5a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="115343360"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="163d9264aa5cd8be13ee97f737db0fb9" Parent=""
Disk="[STG-SATA-A-NEW] DEMOPOD1-S+CMS_2.1-Template/S+CMS_2.1-
Template.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:65:f4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
</VirtualMachine>
<VirtualMachine>

```

```

</Name> <Name>DEMOPOD1-CUCM_8.6.1-Template
<Mor>vm-1874</Mor>
<MorType>VirtualMachine</MorType>
<Path>\\(DC)S+CC(DC)\vm\Staging
\DEMOPOD1-CUCM_8.6.1-Template</Path>
<ParentMor>group-v1380</ParentMor>
<Annotation>This VM was created by
prasbr on 23-MAY-2013</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel5Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:13:38.359768Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>4224a54f-834e-4df5-2a09-
6c9b993aa680</uuid>
<instanceUuid>50245f9d-b613-cd7e-2101-
2ae6fffd8c62</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] DEMOPOD1-
CUCM_8.6.1-Template/</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-stg-esx-04.cisco.com</host>
<hostMor>host-353</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>7</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0

```

```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] DEMOPOD1-CUCM_8.6.1-Template/"
suspendDir="[STG-SATA-A-NEW] DEMOPOD1-CUCM_8.6.1-Template/"
logDir="[STG-SATA-A-NEW] DEMOPOD1-CUCM_8.6.1-Template/"
vmxPath="[STG-SATA-A-NEW] DEMOPOD1-CUCM_8.6.1-Template/CUCM_
8.6.1-Template.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>CUCM_8.6.1-Template.vmx
</Name>
                <Size>2655</Size>
                <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>CUCM_8.6.1-Template.vmx
</Name>
                <Size>0</Size>
                <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>CUCM_8.6.1-Template.nvram
</Name>
                <Size>8684</Size>
                <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>CUCM_8.6.1-Template.vmsd
</Name>
                <Size>0</Size>
                <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>CUCM_8.6.1-Template.vmdk
</Name>
                <Size>167772160</Size>
                <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>24718</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="22074658009" Uncommitted="154263724032"
Committed="22074658009">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"

```

```

Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-c96c-752b-a9a6-cc61eca5a25a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="68e661a63673b8cf15487897cb319013" Parent=""
Disk="[STG-SATA-A-NEW] DEMOPOD1-CUCM_8.6.1-Template/CUCM_8.6.1-
Template.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:29:db" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-033</Name>
    <Mor>vm-337</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-033</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM was created by
chbabu</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>

```

```

                <GuestOSAltName></GuestOSAltName>
                <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                <BootOptionsSupported>>true
</BootOptionsSupported>
                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                <SwapPlacement>inherit</SwapPlacement>
                <ChangeVersion>2014-01-
28T08:17:56.958446Z</ChangeVersion>
                <powerState>poweredOn</powerState>
                <connectionState>connected
</connectionState>
                <uuid>4200acd3-fb05-25b7-d78d-
0abbb3a25561</uuid>
                <instanceUuid>500048e2-14f5-e1db-9981-
86c7c775ca85</instanceUuid>
</vmxDir>
                <template>>false</template>
                <IpAddress>10.106.6.103</IpAddress>
                <Networks>STG-301_10.106.6.64/26
                (&lt;True&gt;)</Networks>
                <Nics>STG-301_10.106.6.64/26
                (&lt;true&gt;)</Nics>
                <NicIpaddresses>(10.106.6.103)
                (fe80::250:56ff:fe80:6faa)</NicIpaddresses>
                <hostName>B16-STG-033.cisco.com
</hostName>
                <host>b16-stg-esx-03.cisco.com</host>
                <hostMor>host-343</hostMor>
                <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
                <NumberOfDatastores>1
</NumberOfDatastores>
                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                <NumberOfFiles>15</NumberOfFiles>
                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-033/" suspendDir="[STG-
SATA-A-NEW] B16-STG-033/" logDir="[STG-SATA-A-NEW] B16-STG-033/"
vmxPath="[STG-SATA-A-NEW] B16-STG-033/B16-STG-033.vmx">
                </VirtualMachineFileInfo>
                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                </VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>B16-STG-033.vmx</Name>
  <Size>3264</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-033.vmx</Name>
  <Size>3424</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-033.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-033.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-033.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-033-03f4b75a.vswp
</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-STG-033-66369370-
1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>24190</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>370921680</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>261437</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>1685460988</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>533964411</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>259440</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>148554</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="22008586440" Uncommitted="92348088320"
Committed="22008586440">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-a3ba-aa13-160d-89155167836c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="07244d572ed2937236dc274a78c9babe" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-033/B16-STG-033.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:aa" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```



```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[ ] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-032</Name>
    <Mor>vm-307</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-032</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM provisioned by
Amit Saha.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
28T08:17:53.252456Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42001cfb-5b29-900b-7ee0-
4b8046ca085f</uuid>
    <instanceUuid>5000b46b-5521-86ea-2e9f-
30aad2eabca4</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-032/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.6.102</IpAddress>
    <Networks>STG-301_10.106.6.64/26
(&lt;True&gt;)</Networks>
    <Nics>STG-301_10.106.6.64/26

```

```

(&lt;true&gt;)/Nics>
    <NicIpaddresses>(10.106.6.102)
(fe80::250:56ff:fe80:6fab)/NicIpaddresses>
    <hostName>B16-STG-032</hostName>
    <host>b16-stg-esx-08.cisco.com</host>
    <hostMor>host-405</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-032/" suspendDir="[STG-
SATA-A-NEW] B16-STG-032/" logDir="[STG-SATA-A-NEW] B16-STG-032/"
vmxPath="[STG-SATA-A-NEW] B16-STG-032/B16-STG-032.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-STG-032.vmx</Name>
        <Size>3149</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-032.vmx</Name>
        <Size>3424</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-032.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-032.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-032.vmdk</Name>
        <Size>63963136</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-032-03f4b759.vswp

```

```

</Name>
        <Size>8589934592</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmx-B16-STG-032-66369369-
1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>238889</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>1685651469</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>534074767</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>258431</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>232028</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>24187</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>149111</Size>
        <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="27035195179" Uncommitted="49370103808"
Committed="27035195179">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-a8f7-5bea-93fa-658d765df17a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="63963136"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="65adefd8c0c5a42e518f956bedc15c8b" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-032/B16-STG-032.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:ab" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-STG-035</Name>
        <Mor>vm-340</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-035</Path>
        <ParentMor>group-v1380</ParentMor>
        <Annotation>This VM is created by
radchin</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winLonghorn64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>

```

```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>true
</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:14:36.91947Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>4200faa6-0cfe-08fa-ad5e-
64145fe8e31d</uuid>
<instanceUuid>50001cb7-e2da-fb26-4828-
d4778cc3264d</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] B16-STG-035/
</vmxDir>
<template>false</template>
<IpAddress>10.106.6.105</IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-STG-035.scc-stg.com
</hostName>
<host>b16-stg-esx-01.cisco.com</host>
<hostMor>host-297</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-035/" suspendDir="[STG-
SATA-A-NEW] B16-STG-035/" logDir="[STG-SATA-A-NEW] B16-STG-035/"
vmxPath="[STG-SATA-A-NEW] B16-STG-035/B16-STG-035.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">

```

```

        <Name>B16-STG-035.vmx</Name>
        <Size>3332</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-035.vmx</Name>
        <Size>3044</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-035.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-035.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-035-aux.xml</Name>
        <Size>0</Size>
        <Type>snapshotManifestList
</Type>

    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-035.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>113440415</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>482678</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24190</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>281549</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>

```

```

        <Size>387287</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>139287</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>532724</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="25741452054" Uncommitted="64812851200"
Committed="25741452054">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-b77d-3e2f-4a5a-1c0713bd2e67" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="733fcf9482aa8f04513844553fe8adde" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-035/B16-STG-035.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:f7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>

```

```

                                <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                                </BackingFloppy>
                                <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                                </BackingCdrom>
                                </VirtualMachine>
                                <VirtualMachine>
                                    <Name>B16-STG-034</Name>
                                    <Mor>vm-320</Mor>
                                    <MorType>VirtualMachine</MorType>
                                    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-034</Path>
                                    <ParentMor>group-v1380</ParentMor>
                                    <Annotation></Annotation>
                                    <Version>vmx-09</Version>
                                    <GuestId>rhel5_64Guest</GuestId>
                                    <GuestOSAltName></GuestOSAltName>
                                    <ChangeTrackingEnabled>true
                                </ChangeTrackingEnabled>
                                <ChangeTrackingSupported>true
                                </ChangeTrackingSupported>
                                <BootOptionsSupported>true
                                </BootOptionsSupported>
                                <SwapPlacementSupported>true
                                </SwapPlacementSupported>
                                    <SwapPlacement>inherit</SwapPlacement>
                                    <ChangeVersion>2013-12-
30T08:13:34.143307Z</ChangeVersion>
                                    <powerState>poweredOff</powerState>
                                    <connectionState>connected
                                </connectionState>
                                    <uuid>42003e62-26a6-5110-78a3-
ee8fa9befcca</uuid>
                                    <instanceUuid>50008ad6-2cf2-f284-723e-
7d13f9afbfdb</instanceUuid>
                                    <vmxDir>[STG-SATA-B-NEW] B16-STG-034/
                                </vmxDir>
                                    <template>false</template>
                                    <IpAddress></IpAddress>
                                    <Networks>STG-301_10.106.6.64/26
                                (&lt;False&gt;)</Networks>

```



```

(&lt;false&gt;)/Nics>
</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[STG-SATA-B-NEW] B16-STG-034/" suspendDir="[STG-
SATA-B-NEW] B16-STG-034/" logDir="[STG-SATA-B-NEW] B16-STG-034/"
vmxPath="[STG-SATA-B-NEW] B16-STG-034/B16-STG-034.vmx">
NumCPUs="8">
<Nics>STG-301_10.106.6.64/26
<NicIpaddresses>unassigned
<hostName></hostName>
<host>b16-stg-esx-07.cisco.com</host>
<hostMor>host-393</hostMor>
<ResourcePoolMor>resgroup-295
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-B-NEW] B16-STG-034/" suspendDir="[STG-
SATA-B-NEW] B16-STG-034/" logDir="[STG-SATA-B-NEW] B16-STG-034/"
vmxPath="[STG-SATA-B-NEW] B16-STG-034/B16-STG-034.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-STG-034.vmx</Name>
  <Size>3150</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-034.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-034.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-034.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-034.vmdk</Name>
  <Size>125829120</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-16.log</Name>
        <Size>110153</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-17.log</Name>
        <Size>183122</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>337382</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>24234</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>130076</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>34131</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>112627</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-B-
NEW" Unshared="7893575111" Uncommitted="130030280704"
Committed="7893575111">
        </StorageInfo>
        <Datastore Mor="datastore-3658"
Url="/vmfs/volumes/51e15c1b-fcb08d75-ec4f-0025b5cc005f"
Name="STG-SATA-B-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-164c-5aad-7ecc-94bdd401e9c7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="125829120"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3658"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d9bd81088c097d671d7da4422996fc56" Parent=""
Disk="[STG-SATA-B-NEW] B16-STG-034/B16-STG-034.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"

```

```

Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:1d:a2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-POWERIQ-Temp</Name>
    <Mor>vm-8592</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\SCC-
POWERIQ-Temp</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>darwin11_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true

```

```

</BootOptionsSupported>
</SwapPlacementSupported>
24T14:40:53.842791Z</ChangeVersion>
</connectionState>
4d96073c8434</uuid>
377d68480b51</instanceUuid>
</vmxDir>
(&lt;False&gt; )</Networks>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[STG-SATA-B-NEW] SCC-POWERIQ/" suspendDir="[STG-
SATA-B-NEW] SCC-POWERIQ/" logDir="[STG-SATA-B-NEW] SCC-POWERIQ/"
vmxPath="[STG-SATA-B-NEW] SCC-POWERIQ/SCC-POWERIQ.vmx">
NumCPUs="2">

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-POWERIQ.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-POWERIQ.vmdk</Name>
  <Size>524288000</Size>
  <Type>diskDescriptor</Type>
</File>
<StorageInfo Datastore="STG-SATA-B-
NEW" Unshared="1673" Uncommitted="541410566144" Committed="1673">
  </StorageInfo>
  <Datastore Mor="datastore-3658"
Url="/vmfs/volumes/51e15c1b-fcb08d75-ec4f-0025b5cc005f"
Name="STG-SATA-B-NEW">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-fa8d-33af-c1ff-48348148ceal" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="524288000"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3658"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="15101f3f0a4ccbe787897936ffffffe" Parent=""
Disk="[STG-SATA-B-NEW] SCC-POWERIQ/SCC-POWERIQ.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:54:a8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
  </BackingNetwork>
  <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
  </BackingDiskCtrlr>
  <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"

```

```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <BackingUsbCtrlr HotAddRemove="false"
EhciEnabled="true" AutoConnect="true" ControllerUnitNumber="-1"
SharedBus="" BackingType="" FileName="" DeviceName="USB
controller " BusNum="22" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="22" Key="7000"
ControllerKey="100" Type="" Label="">
    </BackingUsbCtrlr>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-001</Name>
    <Mor>vm-7817</Mor>
    <MorType>VirtualMachine</MorType>
    <Path> \(DC)S+CC(DC)\vm\Staging\B16-
STG-001</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
10T08:30:41.219419Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422422dc-550f-0416-1f9d-
2bbede88d569</uuid>
    <instanceUuid>502427bb-6ded-2a7f-a3a3-
64eeba083b39</instanceUuid>
    <vmxDir>[STG-SATA-B-NEW] B16-STG-001/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.6.71</IpAddress>
    <Networks>STG-301_10.106.6.64/26
(&lt;True&gt;)</Networks>
    <Nics>STG-301_10.106.6.64/26
(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.106.6.71)
(fe80::250:56ff:fea4:7dd5)</NicIpaddresses>
    <hostName>B16-STG-001</hostName>

```

```

        <host>b16-stg-esx-06.cisco.com</host>
        <hostMor>host-382</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>10</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-B-NEW] B16-STG-001/" suspendDir="[STG-
SATA-B-NEW] B16-STG-001/" logDir="[STG-SATA-B-NEW] B16-STG-001/"
vmxPath="[STG-SATA-B-NEW] B16-STG-001/B16-STG-001.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-STG-001.vmx</Name>
            <Size>3135</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-STG-001.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-STG-001.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-STG-001.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-STG-001.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-STG-001-e8ba6alc.vswp
</Name>
            <Size>4294967296</Size>
            <Type>swap</Type>
        </File>

```

```

        <File Type="VmFileInfo">
            <Name>vmx-B16-STG-001-
3904530972-1.vswp</Name>
            <Size>96468992</Size>
            <Type>uwswap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>914966</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>1331854000</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-B-
NEW" Unshared="37595684593" Uncommitted="54027878400"
Committed="37595684593">
            </StorageInfo>
            <Datastore Mor="datastore-3658"
Url="/vmfs/volumes/51e15c1b-fcb08d75-ec4f-0025b5cc005f"
Name="STG-SATA-B-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-216e-85a3-8ed0-5ff3cb0a4f12" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3658"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a9051648eale36c49f0016451af3cd56" Parent=""
Disk="[STG-SATA-B-NEW] B16-STG-001/B16-STG-001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:7d:d5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```



```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[ ] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-031</Name>
    <Mor>vm-335</Mor>
    <MorType>VirtualMachine</MorType>
    <Path> \(DC)S+CC(DC)\vm\Staging\B16-
STG-031</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM was created by
sbyrappa</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winNetEnterprise64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:36.919179Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200798e-da2c-dea9-12a5-
481871ab87f9</uuid>
    <instanceUuid>5000675f-ae16-50fc-5ed0-
b1b49e87a8af</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-031/
</vmxDir>
    <template>>false</template>

```

```

                                <IpAddress>10.106.6.101</IpAddress>
                                <Networks>STG-301_10.106.6.64/26
(&lt;False&gt; )</Networks>
                                <Nics>STG-301_10.106.6.64/26
(&lt;false&gt; )</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName>b16-stg-
031.exch2k7.staging.com</hostName>
                                <host>b16-stg-esx-01.cisco.com</host>
                                <hostMor>host-297</hostMor>
                                <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>14</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-031/" suspendDir="[STG-
SATA-A-NEW] B16-STG-031/" logDir="[STG-SATA-A-NEW] B16-STG-031/"
vmxPath="[STG-SATA-A-NEW] B16-STG-031/B16-STG-031.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="4">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-STG-031.vmx</Name>
                                    <Size>3151</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-STG-031.vmx</Name>
                                    <Size>3077</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-STG-031.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-STG-031.vmsd</Name>
                                    <Size>0</Size>
                                    <Type>snapshotList</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-STG-031-aux.xml</Name>

```

```

        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-STG-031.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>141607</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>887889537</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>77386745</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>24200</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>254830</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>248372</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>296148</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="22557484767" Uncommitted="90402365440"
Committed="22557484767">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
</Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-c507-8f29-9351-67215b1e1dff" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e4ef5fa74f46820fc257c5d2b65f34d8" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-031/B16-STG-031.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:a3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-STG-002</Name>
        <Mor>vm-371</Mor>
        <MorType>VirtualMachine</MorType>
        <Path> \(DC)S+CC(DC)\vm\Staging\B16-
STG-002</Path>
        <ParentMor>group-v1380</ParentMor>
        <Annotation>This VM is created by
prashanth BR
</Annotation>
        <Version>vmx-09</Version>

```

```

                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
02T08:21:09.152255Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>420000ff-2506-c1d4-a366-
38f1d99c2ed5</uuid>
                                <instanceUuid>50002d0d-5bb6-8cdb-6d40-
b730aa9286e7</instanceUuid>
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.6.72</IpAddress>
                                <Networks>STG-301_10.106.6.64/26
(&lt;True&gt;)</Networks>
                                <Nics>STG-301_10.106.6.64/26
(&lt;true&gt;)</Nics>
                                <NicIpaddresses>(10.106.6.72)
(fe80::250:56ff:fe80:e0b)</NicIpaddresses>
                                <hostName>B16-STG-002</hostName>
                                <host>b16-stg-esx-02.cisco.com</host>
                                <hostMor>host-324</hostMor>
                                <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-002/" suspendDir="[STG-
SATA-A-NEW] B16-STG-002/" logDir="[STG-SATA-A-NEW] B16-STG-002/"
vmxPath="[STG-SATA-A-NEW] B16-STG-002/B16-STG-002.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="8192"
NumCPUs="2">
                                </VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>B16-STG-002.vmx</Name>
  <Size>3238</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-002.vmx</Name>
  <Size>3426</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-002.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-002.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-002.vmdk</Name>
  <Size>63963136</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-002-03f4b6f6.vswp
</Name>
  <Size>8589934592</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-B16-STG-002-66369270-
1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>24186</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>858242</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>609067</Size>
  <Type>log</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-5.log</Name>
      <Size>185359</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-7.log</Name>
      <Size>40087</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-6.log</Name>
      <Size>203146</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>1917729200</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="58910818811" Uncommitted="17193500672"
Committed="58910818811">
      </StorageInfo>
      <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-5e55-0173-13a4-1218940c2419" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="63963136"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="520f0b0f1b780882e354d75354d6a0c4" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-002/B16-STG-002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:0e:0b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
            </BackingNetwork>
            <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-W2K8R2S-64</Name>
    <Mor>vm-4669</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\SCC-
W2K8R2S-64</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:04.748207Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200ee16-4146-b547-2c1b-
5a97b8fa9ff7</uuid>
    <instanceUuid>500033e6-5ae6-59c0-8b5a-
c6e714f38795</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] SCC-W2K8R2S-
64</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>PLATFORM-DEV(&lt;False&gt;)
</Networks>
    <Nics>PLATFORM-DEV(&lt;false&gt;)

```



```

</Nics>
</NicIpaddresses>
    <NicIpaddresses>unassigned
    <hostName></hostName>
    <host>b16-stg-esx-06.cisco.com</host>
    <hostMor>host-382</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>12</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCC-W2K8R2S-64/" suspendDir="[STG-
SATA-A-NEW] SCC-W2K8R2S-64/" logDir="[STG-SATA-A-NEW] SCC-
W2K8R2S-64/" vmxPath="[STG-SATA-A-NEW] SCC-W2K8R2S-64/SCC-
W2K8R2S-64.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-W2K8R2S-64.vmx</Name>
        <Size>2834</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-W2K8R2S-64.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-W2K8R2S-64.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-W2K8R2S-64.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-W2K8R2S-64.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-4.log</Name>
      <Size>114530</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-1.log</Name>
      <Size>242688</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-3.log</Name>
      <Size>389252</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-2.log</Name>
      <Size>810962</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-5.log</Name>
      <Size>417574</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>24590</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="8831021034" Uncommitted="38677598208"
Committed="8831021034">
      </StorageInfo>
      <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-9f3a-f600-1a5a-b12bdc236507" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="eedac0653bdf3843f41ce7d54f5aa7f0" Parent=""
Disk="[STG-SATA-A-NEW] SCC-W2K8R2S-64/SCC-W2K8R2S-64.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```

```

MacAddress="00:50:56:80:6f:db" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-003</Name>
    <Mor>vm-375</Mor>
    <MorType>VirtualMachine</MorType>
    <Path> \(DC)S+CC(DC)\vm\Staging\B16-
STG-003</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM is re-imaged by
Chandra Babu M on 25-Nov-2011 for the user Udayaprakash Rai on
account of NovlluraiSCC2778.</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T08:21:21.474146Z</ChangeVersion>
    <powerState>poweredOn</powerState>

```

```

</connectionState>                                <connectionState>connected
5f87648c15a8</uuid>                                <uuid>422deb44-551d-941e-3590-
eb7344182ee8</instanceUuid>                       <instanceUuid>502d7a4e-a448-0251-fc85-
</vmxDir>                                           <vmxDir>[STG-SATA-A-NEW] B16-STG-003/
<template>false</template>
<IpAddress>10.106.6.73</IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;True&gt;)</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;true&gt;)</Nics>
<NicIpaddresses>(10.106.6.73)
(fe80::250:56ff:fead:79e3)</NicIpaddresses>
<hostName>B16-STG-003</hostName>
<host>b16-stg-esx-06.cisco.com</host>
<hostMor>host-382</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-003/" suspendDir="[STG-
SATA-A-NEW] B16-STG-003/" logDir="[STG-SATA-A-NEW] B16-STG-003/"
vmxPath="[STG-SATA-A-NEW] B16-STG-003/SCC04-STG-03.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC04-STG-03.vmx</Name>
  <Size>3275</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-03.vmx</Name>
  <Size>3427</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-03.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-03.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-03.vmdk</Name>
  <Size>52428800</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-03-03f4b6f7.vswp
</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC04-STG-03-66369271-
1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>24199</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>212184</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>198671</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>543581654</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>1690658378</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>444785</Size>
  <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>1098394990</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="23142179463" Uncommitted="38269878272"
Committed="23142179463">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-6c75-6f05-44fe-bb788a1ba508" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1512c3b3770958deec6697f8e108adec" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-003/SCC04-STG-03.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:79:e3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>

```

```

        </VirtualMachine>
    <VirtualMachine>
        <Name>SCC-W7E-64-TEM</Name>
        <Mor>vm-4670</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Staging\SCC-
W7E-64-TEM</Path>
        <ParentMor>group-v1380</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>windows7_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:13:38.334973Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42009627-0e31-4384-df1c-
07d1781803c8</uuid>
        <instanceUuid>5000b151-cec7-8b1a-86cd-
91a31f10b6cc</instanceUuid>
        <vmxDir>[SCC-MGMT] SCC-W7E-64-TEM/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>PLATFORM-DEV(&lt;false&gt;)
</Networks>
        <Nics>PLATFORM-DEV(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-stg-esx-04.cisco.com</host>
        <hostMor>host-353</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SCC-MGMT] SCC-W7E-64-TEM/" suspendDir="[SCC-MGMT]
SCC-W7E-64-TEM/" logDir="[SCC-MGMT] SCC-W7E-64-TEM/"
vmxPath="[SCC-MGMT] SCC-W7E-64-TEM/SCC-W7E-64-TEM.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-W7E-64-TEM.vmx</Name>
            <Size>2806</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-W7E-64-TEM.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-W7E-64-TEM.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-W7E-64-TEM.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-W7E-64-TEM.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>179415</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>135570</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>365737</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">

```



```

        <Name>vmware.log</Name>
        <Size>24584</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>127396</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>127307</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>314422</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SCC-MGMT"
Unshared="20379311905" Uncommitted="27128582144"
Committed="20379311905">
        </StorageInfo>
        <Datastore Mor="datastore-3661"
Url="/vmfs/volumes/51e27974-e85cd430-d3b6-1025b500000d"
Name="SCC-MGMT">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-606f-9f3f-a029-6a5ffd068894" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3661"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d2ael60ab580864d84c8855fff66d130" Parent=""
Disk="[SCC-MGMT] SCC-W7E-64-TEM/SCC-W7E-64-TEM.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:df" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-019</Name>
    <Mor>vm-347</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-019</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM provisioned by
Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
23T04:13:51.11034Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d2a0f-f1a1-d3fb-3aca-
141686fb50ff</uuid>
    <instanceUuid>502d9129-9b37-ee0e-cfd2-
92bff96380f4</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-019/
</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>STG-301_10.106.6.64/26

```

```

(&lt;False&gt;)/Networks>
    <Nics>None</Nics>
    <NicIpaddresses></NicIpaddresses>
    <hostName></hostName>
    <host>b16-stg-esx-04.cisco.com</host>
    <hostMor>host-353</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-019/" suspendDir="[STG-
SATA-A-NEW] B16-STG-019/" logDir="[STG-SATA-A-NEW] B16-STG-019/"
vmxPath="[STG-SATA-A-NEW] B16-STG-019/SCC04-STG-20.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8080"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-20.vmx</Name>
        <Size>3330</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-20.vmx</Name>
        <Size>3044</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-20.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-20.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-20-aux.xml
</Name>
        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
    </File>

```

```

    <File Type="VmFileInfo">
      <Name>SCC04-STG-20.vmdk</Name>
      <Size>104857600</Size>
      <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-19.log</Name>
      <Size>40399</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-18.log</Name>
      <Size>40399</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-21.log</Name>
      <Size>24212</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-22.log</Name>
      <Size>327887</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-17.log</Name>
      <Size>530546368</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-20.log</Name>
      <Size>444164</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>210544</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="30085763591" Uncommitted="86634287104"
Committed="30085763591">
      </StorageInfo>
      <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-c687-9d04-180b-a799e12808a4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"

```

```

CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0187d15dd9f1565c8a525758c6be26e0" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-019/SCC04-STG-20.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:60:71" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-004</Name>
    <Mor>vm-410</Mor>
    <MorType>VirtualMachine</MorType>
    <Path> \(DC)S+CC(DC)\vm\Staging\B16-
STG-004</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM provisioned by
Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true

```

```

</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
02T08:21:34.942444Z</ChangeVersion>
</connectionState>
564fb7986ff9</uuid>
7d0ce90d0bcf</instanceUuid>
</vmxDir>
(&lt;True&gt;)</Networks>
(&lt;true&gt;)</Nics>
</NicIpaddresses>
</hostName>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
2147483647" edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="">
2147483647" edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="amd">

```

```

        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-004/" suspendDir="[STG-
SATA-A-NEW] B16-STG-004/" logDir="[STG-SATA-A-NEW] B16-STG-004/"
vmxPath="[STG-SATA-A-NEW] B16-STG-004/SCC04-STG-04.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-04.vmx</Name>
            <Size>3766</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-04.vmx</Name>
            <Size>371</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-04.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-04.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-04-aux.xml
</Name>
            <Size>0</Size>
            <Type>snapshotManifestList
</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-04.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-04-03f4b6f8.vswp
</Name>
            <Size>4294967296</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmx-SCC04-STG-04-66369272-
1.vswp</Name>
            <Size>96468992</Size>
            <Type>uwsnap</Type>
        </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-22.log</Name>
      <Size>144501</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-21.log</Name>
      <Size>108713</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-23.log</Name>
      <Size>219541</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-25.log</Name>
      <Size>24558</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-24.log</Name>
      <Size>677226</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-26.log</Name>
      <Size>228762</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>482640</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="89497860362" Uncommitted="794820608"
Committed="89497860362">
      </StorageInfo>
      <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-c3a0-f3f4-cc8c-3ddcca9a43f9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="634d501bf5c5253c9be799471705b009" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-004/SCC04-STG-04.vmdk"
AllowGuestControl="false" StartConnected="false"

```



```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:79:e8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-005</Name>
    <Mor>vm-329</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-005</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM has provisioned by
Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>

```

```

                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
02T08:21:45.225751Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>422d1ff1-ef04-a0a7-27a0-
ad640b497626</uuid>
                                <instanceUuid>502dce3b-8f1b-4089-1f01-
0eeld0fff52b</instanceUuid>
                                <vmxDir>[STG-SATA-A-NEW] B16-STG-005/
</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.6.75</IpAddress>
                                <Networks>STG-301_10.106.6.64/26
(&lt;True&gt;)</Networks>
                                <Nics>STG-301_10.106.6.64/26
(&lt;true&gt;)</Nics>
                                <NicIpaddresses>(10.106.6.75)
</NicIpaddresses>
                                <hostName>B16-STG-005.scc-stg.com
</hostName>
                                <host>b16-stg-esx-03.cisco.com</host>
                                <hostMor>host-343</hostMor>
                                <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>16</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-005/" suspendDir="[STG-
SATA-A-NEW] B16-STG-005/" logDir="[STG-SATA-A-NEW] B16-STG-005/"
vmxPath="[STG-SATA-A-NEW] B16-STG-005/SCC04-STG-05.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC04-STG-05.vmx</Name>
                                    <Size>3322</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC04-STG-05.vmx</Name>
                                    <Size>3044</Size>
                                    <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-05.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-05.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-05-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-05.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-05-03f4b6f9.vswp
</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC04-STG-05-66369273-
1.vswp</Name>
  <Size>96468992</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>24205</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>216460</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-23.log</Name>
  <Size>244466</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>

```

```

        <Size>532137608</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>2023908881</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>427545</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>423777</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="92807285736" Uncommitted="40894464"
Committed="92807285736">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-1a37-9588-9abc-9f3f226b5424" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5d9f916dc573195799725902d99abffa" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-005/SCC04-STG-05.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:79:ee" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-017</Name>
    <Mor>vm-384</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-017</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM has provisioned by
chbabu</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:36.918436Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d6e21-2aee-06d1-d3bf-
2858e7375842</uuid>
    <instanceUuid>502d4a78-5e7b-8a07-0151-
386a424e08d1</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-017/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.6.87</IpAddress>
    <Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
    <Nics>STG-301_10.106.6.64/26

```

```

(&lt;false&gt;)/Nics>
    <NicIpaddresses>(10.106.6.87)
(fe80::250:56ff:fead:fb2)/NicIpaddresses>
    <hostName>B16-STG-017</hostName>
    <host>b16-stg-esx-01.cisco.com</host>
    <hostMor>host-297</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-017/" suspendDir="[STG-
SATA-A-NEW] B16-STG-017/" logDir="[STG-SATA-A-NEW] B16-STG-017/"
vmxPath="[STG-SATA-A-NEW] B16-STG-017/SCC04-STG-17.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-17.vmx</Name>
        <Size>3230</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-17.vmx</Name>
        <Size>3427</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-17.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-17.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-STG-17.vmdk</Name>
        <Size>62914560</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-17.log</Name>

```

```

        <Size>39925</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>198388</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24202</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>125157</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>198996</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>140545</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>330370</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="25515024156" Uncommitted="47745179648"
Committed="25515024156">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-bcc4-4d06-63b0-5b8f540f4fa1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5f2a5886b00ee4d2c9elad96022c0545" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-017/SCC04-STG-17.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0f:b2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-STG-006</Name>
  <Mor>vm-330</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-006</Path>
  <ParentMor>group-v1380</ParentMor>
  <Annotation>This VM was created by
amith shah on 30-NOV-11</Annotation>
  <Version>vmx-09</Version>
  <GuestId>winLonghorn64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T08:14:36.919657Z</ChangeVersion>
  <powerState>poweredOff</powerState>

```



```

</connectionState>                                <connectionState>connected
e2500b6de39c</uuid>                                <uuid>422ddced-17e4-812b-9b01-
ec0df6f7e06f</instanceUuid>                       <instanceUuid>502dea2c-fbef-eb81-d52e-
</vmxDir>                                           <vmxDir>[STG-SATA-A-NEW] B16-STG-006/
<template>false</template>
<IpAddress>10.106.6.76</IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-STG-006.scc-stg.com
</hostName>
<host>b16-stg-esx-01.cisco.com</host>
<hostMor>host-297</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-006/" suspendDir="[STG-
SATA-A-NEW] B16-STG-006/" logDir="[STG-SATA-A-NEW] B16-STG-006/"
vmxPath="[STG-SATA-A-NEW] B16-STG-006/SCC-BGL04-STG-10.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-STG-10.vmx
</Name>
<Size>3497</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-BGL04-STG-10.vmx
</Name>
<Size>3047</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">

```

```

</Name>
    <Name>SCC-BGL04-STG-10.nvram
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-STG-10.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-STG-10-aux.xml
</Name>
    <Size>0</Size>
    <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-BGL04-STG-10.vmdk
</Name>
    <Size>62914560</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>507025</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>139205</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>40457</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24263</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>107438</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>324044</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>278201</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="41456888021" Uncommitted="27508711424"
Committed="41456888021">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-4694-eaed-736d-f940625b4c24" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="174ddb9876c31f221d1d16eb70d7ed4" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-006/SCC-BGL04-STG-10.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:79:ed" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"

```

```

UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-IEM-01</Name>
    <Mor>vm-336</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-IEM-01</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:36.91954Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200fb8f-3918-1e4c-487d-
1a69d22df9be</uuid>
    <instanceUuid>5000ac5e-1806-bfa6-8add-
f9bf5c306c9b</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-IEM-
01</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>STG-301_10.106.6.64/26
(&lt;false&gt;)</Networks>
    <Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-stg-esx-01.cisco.com</host>
    <hostMor>host-297</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>

```

```

        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-IEM-01/" suspendDir="[STG-
SATA-A-NEW] B16-STG-IEM-01/" logDir="[STG-SATA-A-NEW] B16-STG-
IEM-01/" vmxPath="[STG-SATA-A-NEW] B16-STG-IEM-01/B16-SN-DV-
143.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-143.vmx</Name>
            <Size>3092</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-143.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-143.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-143.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SN-DV-143.vmdk</Name>
            <Size>167772160</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>133927</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-10.log</Name>
            <Size>179789</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>24344</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>174282</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>233469</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>529976</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>254338</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="4113008397" Uncommitted="172226879488"
Committed="4113008397">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-6aec-312b-854c-9fff62233e4b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8429dddb4e2205a9044a73afc2b61444" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-IEM-01/B16-SN-DV-143.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:a7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">

```

```

        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-STG-020</Name>
        <Mor>vm-328</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-020</Path>
        <ParentMor>group-v1380</ParentMor>
        <Annotation>This VM provisioned by
Amit Saha.</Annotation>
        <Version>vmx-09</Version>
        <GuestId>windows7Server64Guest
</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:14:36.919759Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d00e5-1535-e831-0890-

```

```

43c46cd1f4ad</uuid>
49c06d9358a3</instanceUuid>
</vmxDir>
<instanceUuid>502dd6eb-58c2-f85c-47b6-
<vmxDir>[STG-SATA-A-NEW] B16-STG-020/
<template>>false</template>
<IpAddress>10.106.6.90</IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-STG-020.scc-stg.com
</hostName>
<host>b16-stg-esx-01.cisco.com</host>
<hostMor>host-297</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-020/" suspendDir="[STG-
SATA-A-NEW] B16-STG-020/" logDir="[STG-SATA-A-NEW] B16-STG-020/"
vmxPath="[STG-SATA-A-NEW] B16-STG-020/SCC04-STG-20.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8080"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC04-STG-20.vmx</Name>
  <Size>3369</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-20.vmx</Name>
  <Size>3044</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-20.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">

```



```

        <Name>SCC04-STG-20.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-STG-20-aux.xml
</Name>

    <Size>0</Size>
    <Type>snapshotManifestList
</Type>

</File>
<File Type="VmFileInfo">
    <Name>SCC04-STG-20.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>24212</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>40399</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>530456121</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>144396</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>326502</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>379090</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>324345</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-

```

```

NEW" Unshared="18916393170" Uncommitted="97803718656"
Committed="18916393170">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-fd40-684b-6c95-183f89311af7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a74fcb81e3e255126e6d40979faec760" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-020/SCC04-STG-20.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:60:73" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-025</Name>
    <Mor>vm-387</Mor>
    <MorType>VirtualMachine</MorType>

```

```

STG-025</Path>
<Path>\(DC)S+CC(DC)\vm\Staging\B16-
<ParentMor>group-v1380</ParentMor>
<Annotation>This is a CM 8.0 instance.
Old IP address: 10.76.100.11
New IP Address: 10.106.6.95
Old Hostname: SCC04-STG-VM-01
New Hostname: B16-STG-025

*****
machine powered off as no POC</Annotation>
<Version>vmx-09</Version>
<GuestId>otherLinuxGuest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:13:58.268076Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d9c04-8be8-ba4b-73c8-
2cb6629e0411</uuid>
<instanceUuid>502dee40-1214-6211-a127-
65d9876b41ac</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] B16-STG-025/
</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;False&gt;) </Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;false&gt;) </Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-stg-esx-03.cisco.com</host>
<hostMor>host-343</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-025/" suspendDir="[STG-
SATA-A-NEW] B16-STG-025/" logDir="[STG-SATA-A-NEW] B16-STG-025/"
vmxPath="[STG-SATA-A-NEW] B16-STG-025/SCC04-STG-VM-01.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-VM-01.vmx</Name>
            <Size>3285</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-VM-01.vmx
</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-VM-01.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-VM-01.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-VM-01.vmdk
</Name>
            <Size>167772160</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>24299</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-16.log</Name>
            <Size>134042</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">

```

```

        <Name>vmware-17.log</Name>
        <Size>179534</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>197875</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>232741</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>355008</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>830326</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="97398947554" Uncommitted="78941364224"
Committed="97398947554">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-67cf-6acc-117a-5735d6b68647" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="78e09e0ebd91525b1fb56297fb518405" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-025/SCC04-STG-VM-01.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:44" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/linux.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-VSM</Name>
    <Mor>vm-321</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-VSM</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:04.595857Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200d1be-f818-23cc-6bd2-
e939003f9766</uuid>
    <instanceUuid>5000f3c6-1254-c374-43c2-
af1de75738bc</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-VSM/
</vmxDir>

```

```

        <template>false</template>
        <IpAddress>10.106.6.252</IpAddress>
        <Networks>STG-309_10.106.6.224/27
(&lt;False&gt;),STG-300_10.106.5.0/25(&lt;False&gt;)</Networks>
        <Nics>STG-309_10.106.6.224/27
(&lt;false&gt;),STG-300_10.106.5.0/25(&lt;false&gt;)</Nics>
        <NicIpaddresses>(10.106.6.252),
</NicIpaddresses>

        <hostName>B16-STG-VSM</hostName>
        <host>b16-stg-esx-08.cisco.com</host>
        <hostMor>host-405</hostMor>
        <ResourcePoolMor>resgroup-295

</ResourcePoolMor>

        <NumberOfDatastores>1

</NumberOfDatastores>

        <NumberOfBackingDisks>1

</NumberOfBackingDisks>

        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>>true

</CpuFeatureMaskSupported>

        <NumberOfFeatureMaskEntries>0

</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-VSM/" suspendDir="[STG-
SATA-A-NEW] B16-STG-VSM/" logDir="[STG-SATA-A-NEW] B16-STG-VSM/"
vmxPath="[STG-SATA-A-NEW] B16-STG-VSM/B16-STG-VSM.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="11264"

NumCPUs="4">

</VirtualHardware>
<File Type="VmFileInfo">
        <Name>B16-STG-VSM.vmx</Name>
        <Size>3381</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-STG-VSM.vmx</Name>
        <Size>3365</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-STG-VSM.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-STG-VSM.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>B16-STG-VSM.vmdk</Name>

```

```

        <Size>111149056</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>186475</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>24538</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>130566</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>185747</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>248829</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>353539</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>270670</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="31300360818" Uncommitted="83379003392"
Committed="31300360818">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-001d-2d35-4116-ddc1857e46c4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="111149056"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```



```

ContentId="b6ef74d14fdb9085fa442be9292f70d" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-VSM/B16-STG-VSM.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:72:b4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:09:56" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-026</Name>
    <Mor>vm-386</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-026</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This is a CM instance for

```

staging env.

old hostname: SCC04-STG-CMPub

old IP address: 10.76.100.104

new hostname: B16-STG-026

new IP Address: 10.106.6.96

</Annotation>

<Version>vmx-09</Version>

<GuestId>rhel4Guest</GuestId>

<GuestOSAltName></GuestOSAltName>

<ChangeTrackingEnabled>>true

</ChangeTrackingEnabled>

<ChangeTrackingSupported>>true

</ChangeTrackingSupported>

<BootOptionsSupported>>true

</BootOptionsSupported>

<SwapPlacementSupported>>true

</SwapPlacementSupported>

<SwapPlacement>inherit</SwapPlacement>

<ChangeVersion>2014-01-

06T09:59:53.2023Z</ChangeVersion>

<powerState>poweredOn</powerState>

<connectionState>connected

</connectionState>

<uuid>422d5677-739c-8465-50f9-

0c4454950f14</uuid>

<instanceUuid>502da254-1e37-62ed-02d6-

ad249654c090</instanceUuid>

<vmxDir>[STG-SATA-A-NEW] B16-STG-026/

</vmxDir>

<template>>false</template>

<IpAddress>10.106.6.96</IpAddress>

<Networks>STG-301\_10.106.6.64/26

(&lt;True&gt;)</Networks>

<Nics>STG-301\_10.106.6.64/26

(&lt;true&gt;)</Nics>

<NicIpaddresses>(10.106.6.96)

(fe80::250:56ff:fead:d)</NicIpaddresses>

<hostName>B16-STG-026</hostName>

<host>b16-stg-esx-07.cisco.com</host>

<hostMor>host-393</hostMor>

<ResourcePoolMor>resgroup-295

</ResourcePoolMor>

<NumberOfDatastores>1

</NumberOfDatastores>

<NumberOfBackingDisks>1

</NumberOfBackingDisks>

<NumberOfFiles>15</NumberOfFiles>

<CpuFeatureMaskSupported>>true

</CpuFeatureMaskSupported>

<NumberOfFeatureMaskEntries>0

</NumberOfFeatureMaskEntries>

```

                                <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-026/" suspendDir="[STG-
SATA-A-NEW] B16-STG-026/" logDir="[STG-SATA-A-NEW] B16-STG-026/"
vmxPath="[STG-SATA-A-NEW] B16-STG-026/SCC04-STG-CMPub.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC04-STG-CMPub.vmx</Name>
                                    <Size>3305</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC04-STG-CMPub.vmx
</Name>
                                    <Size>3432</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC04-STG-CMPub.nvram
</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC04-STG-CMPub.vmsd
</Name>
                                    <Size>0</Size>
                                    <Type>snapshotList</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC04-STG-CMPub.vmdk
</Name>
                                    <Size>167772160</Size>
                                    <Type>diskDescriptor</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC04-STG-CMPub-
03f4b73c.vswp</Name>
                                    <Size>4294967296</Size>
                                    <Type>swap</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmx-SCC04-STG-CMPub-
66369340-1.vswp</Name>
                                    <Size>96468992</Size>
                                    <Type>uwsap</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware-23.log</Name>
                                    <Size>237374</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>105060</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>332128</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>24247</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>210777</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>282428</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>234053</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="156106096336" Uncommitted="20085473280"
Committed="156106096336">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-dc39-4b56-b50b-c5f4cc4b19be" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5f44c729f1158cbe7f6aa6017092ff04" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-026/SCC04-STG-CMPub.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:0d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-STG-023</Name>
        <Mor>vm-385</Mor>
        <MorType>VirtualMachine</MorType>
        <Path> \(DC)S+CC(DC)\vm\Staging\B16-
STG-023</Path>
        <ParentMor>group-v1380</ParentMor>
        <Annotation>This VM provisioned by
Amit Saha.</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T06:52:31.885391Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected

```

```

</connectionState>
<uuid>422d5442-321d-6cfa-c15c-
3642b0d99e15</uuid>
<instanceUuid>502df067-70ea-3f2f-9b58-
0a70d1097afb</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] B16-STG-023/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.6.93</IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;True&gt;)</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;true&gt;)</Nics>
<NicIpaddresses>(10.106.6.93)
(fe80::250:56ff:fead:3ca5)</NicIpaddresses>
<hostName>B16-STG-023</hostName>
<host>b16-stg-esx-07.cisco.com</host>
<hostMor>host-393</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-023/" suspendDir="[STG-
SATA-A-NEW] B16-STG-023/" logDir="[STG-SATA-A-NEW] B16-STG-023/"
vmxPath="[STG-SATA-A-NEW] B16-STG-023/SCC04-STG-23.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="6144"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC04-STG-23.vmx</Name>
<Size>3158</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC04-STG-23.vmx</Name>
<Size>3324</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC04-STG-23.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>

```

```

<File Type="VmFileInfo">
  <Name>SCC04-STG-23.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-23.vmdk</Name>
  <Size>56623104</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-23-03f4b739.vswp
</Name>
  <Size>6442450944</Size>
  <Type>swap</Type>
</File>
1.vswp</Name>
<File Type="VmFileInfo">
  <Name>vmx-SCC04-STG-23-66369337-
  <Size>98566144</Size>
  <Type>uwsup</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>187737</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>212614</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>24201</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>239860</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>292957273</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>336502</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>233541</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="19497827758" Uncommitted="45319454720"
Committed="19497827758">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-a3f7-4970-ee0b-e9f70bb11501" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="56623104"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="990d4f86a85eef6b0bd590842f7b186b" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-023/SCC04-STG-23.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:a5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                            </VirtualMachine>

```



```

    <VirtualMachine>
      <Name>B16-STG-024</Name>
      <Mor>vm-389</Mor>
      <MorType>VirtualMachine</MorType>
      <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-024</Path>
      <ParentMor>group-v1380</ParentMor>
      <Annotation>This VM has been migrated
from QA to Staging. Case ID: Jun12uraiSCC700.

old Hostname:SCC04-STG-24
Old IP:10.77.75.44
New Hostname: B16-STG-024
New IP:10.106.6.94
</Annotation>
      <Version>vmx-09</Version>
      <GuestId>otherLinuxGuest</GuestId>
      <GuestOSAltName>Other Linux (32-bit)
</GuestOSAltName>
      <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
      <ChangeTrackingSupported>true
</ChangeTrackingSupported>
      <BootOptionsSupported>true
</BootOptionsSupported>
      <SwapPlacementSupported>true
</SwapPlacementSupported>
      <SwapPlacement>inherit</SwapPlacement>
      <ChangeVersion>2014-01-
10T09:43:40.195958Z</ChangeVersion>
      <powerState>poweredOn</powerState>
      <connectionState>connected
</connectionState>
      <uuid>422d9beb-40e9-918c-b3bc-
267b7f6586e0</uuid>
      <instanceUuid>502d384b-82a1-2e76-d5d3-
0fb798357f74</instanceUuid>
      <vmxDir>[STG-SATA-A-NEW] B16-STG-024/
</vmxDir>
      <template>>false</template>
      <IpAddress>10.106.6.94</IpAddress>
      <Networks>STG-301_10.106.6.64/26
(&lt;True&gt;)</Networks>
      <Nics>STG-301_10.106.6.64/26
(&lt;true&gt;)</Nics>
      <NicIpaddresses>unassigned
</NicIpaddresses>
      <hostName>B16-STG-024</hostName>
      <host>b16-stg-esx-02.cisco.com</host>
      <hostMor>host-324</hostMor>
      <ResourcePoolMor>resgroup-295
</ResourcePoolMor>

```

```

        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>2
</NumberOfFeatureMaskEntries>
        <VirtualMachineFeatureMask level="2147483647"
edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="">
        </VirtualMachineFeatureMask>
        <VirtualMachineFeatureMask level="2147483647"
edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="amd">
        </VirtualMachineFeatureMask>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-024/" suspendDir="[STG-
SATA-A-NEW] B16-STG-024/" logDir="[STG-SATA-A-NEW] B16-STG-024/"
vmxPath="[STG-SATA-A-NEW] B16-STG-024/SCC04-STG-24.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-24.vmx</Name>
            <Size>4001</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-24.vmx</Name>
            <Size>2943</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-24.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-24.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-24.vmdk</Name>
            <Size>83886080</Size>

```

```

        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-STG-24-03f4b73a.vswp
</Name>

    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC04-STG-24-66369338-
1.vswp</Name>

    <Size>96468992</Size>
    <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-33.log</Name>
    <Size>24550</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-32.log</Name>
    <Size>41262</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>138092</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>184180</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>232775</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>782806</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>269003</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="61415736040" Uncommitted="28876734464"
Committed="61415736040">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-fa62-16a5-0e95-ec9fbc04b772" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="240296fec72aae2a10a8ebf889952e1f" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-024/SCC04-STG-24.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:e3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>
                <Name>B16-STG-021-21-Nov-2013-DEL
</Name>
                <Mor>vm-361</Mor>
                <MorType>VirtualMachine</MorType>
                <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-021-21-Nov-2013-DEL</Path>
                <ParentMor>group-v1380</ParentMor>

```

```

Chandra Babu M</Annotation>
<Annotation>This VM is imaged by
<Version>vmx-09</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:14:34.140126Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422dc954-elac-343e-9d33-
4dfb67b291bc</uuid>
<instanceUuid>502df284-23a1-0a34-14d8-
57e6f6felb26</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] B16-STG-021/
</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-stg-esx-02.cisco.com</host>
<hostMor>host-324</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-021/" suspendDir="[STG-
SATA-A-NEW] B16-STG-021/" logDir="[STG-SATA-A-NEW] B16-STG-021/"
vmxPath="[STG-SATA-A-NEW] B16-STG-021/SCC04-STG-21.vmx">
</VirtualMachineFileInfo>

```

NumCPUs="2">

```
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC04-STG-21.vmx</Name>
  <Size>3198</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-21.vmx</Name>
  <Size>3366</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-21.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-21.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-21.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>162478</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>195235</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>104727</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>179638</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>241051</Size>
  <Type>log</Type>
```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-16.log</Name>
            <Size>179686</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-13.log</Name>
            <Size>267942</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>24394</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="9831770399" Uncommitted="37658927104"
Committed="9831770399">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-80d6-8f46-5805-c3918a1e10db" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a8921c232631d3fe2ef48b0367e15cee" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-021/SCC04-STG-21.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:42:99" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCCDEMO-MEDIA</Name>
    <Mor>vm-7801</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging
\SCCDEMO-MEDIA</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>Cisco MediaSense 10.0 VM
template</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
08T14:37:55.272551Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42246d6c-fc12-618d-d313-
05ec2a7893d9</uuid>
    <instanceUuid>50249bb7-bc86-8484-05e5-
ffc69bf8ab5b</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] SCCDEMO-
MEDIA</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.6.244</IpAddress>
    <Networks>STG-309_10.106.6.224/27
(&lt;True&gt;)</Networks>
    <Nics>STG-309_10.106.6.224/27
(&lt;true&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>SCCDEMO-MEDIA</hostName>

```



```

        <host>b16-stg-esx-01.cisco.com</host>
        <hostMor>host-297</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>3
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-MEDIA/" suspendDir="[STG-
SATA-A-NEW] SCCDEMO-MEDIA/" logDir="[STG-SATA-A-NEW] SCCDEMO-
MEDIA/" vmxPath="[STG-SATA-A-NEW] SCCDEMO-MEDIA/SCCDEMO-
MEDIA.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="6144"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCCDEMO-MEDIA.vmx</Name>
            <Size>3115</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCCDEMO-MEDIA.vmx</Name>
            <Size>268</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCCDEMO-MEDIA.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCCDEMO-MEDIA.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCCDEMO-MEDIA.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCCDEMO-MEDIA_1.vmdk
</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-MEDIA_2.vmdk
</Name>
  <Size>220200960</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-MEDIA-
426243be.vswp</Name>
  <Size>717225984</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCCDEMO-MEDIA-
1113736126-1.vswp</Name>
  <Size>96468992</Size>
  <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>110625</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>235322</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>428493</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="79510110283" Uncommitted="318588846080"
Committed="79510110283">
  </StorageInfo>
  <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-1a5b-8469-1a23-5c3b3c525a44" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="741c540c27ce590652308329e3b2f024" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-MEDIA/SCCDEMO-MEDIA.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"

```

```

Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-862a-c963-cb29-05b5af1c912c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b19c249237f00a43a63blee7defb6798" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-MEDIA/SCCDEMO-MEDIA_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-3080-5652-6d0d-ffbe78c80b9e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="220200960"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a9a69c6a765165d181246b911154af4f" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-MEDIA/SCCDEMO-MEDIA_2.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="2" Key="2002" ControllerKey="1000"
Type="" Label="Hard disk 3">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:3e:02" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-STG-037</Name>
        <Mor>vm-311</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-037</Path>
        <ParentMor>group-v1380</ParentMor>
        <Annotation>VM is provisioned for
VIBRANT GUJARAT</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:14:04.59557Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>420035ee-1175-f9ee-7713-
13a4b0662f8e</uuid>
        <instanceUuid>50004277-8d02-da0f-7a10-
f0430e9dac95</instanceUuid>
        <vmxDir>[STG-SATA-A-NEW] B16-STG-037/
</vmxDir>
        <template>false</template>
        <IpAddress></IpAddress>
        <Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
        <Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-stg-esx-08.cisco.com</host>
        <hostMor>host-405</hostMor>
        <ResourcePoolMor>resgroup-295

```

```

</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[STG-SATA-A-NEW] B16-STG-037/" suspendDir="[STG-SATA-A-NEW] B16-STG-037/" logDir="[STG-SATA-A-NEW] B16-STG-037/" vmxPath="[STG-SATA-A-NEW] B16-STG-037/B16-STG-037.vmx">
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-STG-037.vmx</Name>
  <Size>3131</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-037.vmx</Name>
  <Size>369</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-037.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-037.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-037.vmdk</Name>
  <Size>63963136</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>186723</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>108009</Size>
  <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>238154</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>262360</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>189062</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>260136</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>24534</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="26186321034" Uncommitted="48147832832"
Committed="26186321034">
  </StorageInfo>
  <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-dc17-1f63-89fd-e07492136885" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="63963136"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b3ef03cdefa79aa76bdfe4c0c23e84f2" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-037/B16-STG-037.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:08:00" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD/DVD drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-036</Name>
    <Mor>vm-310</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-036</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM was created by
ptiruang on 18-DEC-12</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:04.594953Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200b76d-d5e1-85bd-2b78-
74085bbfde2f</uuid>
    <instanceUuid>50007e40-510e-d6bf-8a7e-
a5e29638433e</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-036/

```

```

</vmxDir>
<template>>false</template>
<IpAddress>10.106.6.106</IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
<NicIpaddresses>
(fe80::855e:34a0:aea4:f201)(10.106.6.106)</NicIpaddresses>
<hostName>B16-STG-036.scc-stg.com
</hostName>
<host>b16-stg-esx-08.cisco.com</host>
<hostMor>host-405</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo>
snapshotDir="[STG-SATA-A-NEW] B16-STG-036/" suspendDir="[STG-
SATA-A-NEW] B16-STG-036/" logDir="[STG-SATA-A-NEW] B16-STG-036/"
vmxPath="[STG-SATA-A-NEW] B16-STG-036/B16-STG-036.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-STG-036.vmx</Name>
<Size>3262</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-STG-036.vmx</Name>
<Size>3077</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-STG-036.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-STG-036.vmsd</Name>
<Size>0</Size>
<Type>snapshotList</Type>
</File>

```



```

</Type>
<File Type="VmFileInfo">
  <Name>B16-STG-036-aux.xml</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-036.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>24191</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>334241</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>280406</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>388613</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>646048</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>113144080</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>346005</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="20476427375" Uncommitted="70077751296"
Committed="20476427375">
  </StorageInfo>
  <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"

```

```

Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-7fb0-8a62-1e92-a24daa3695e8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="697c85ebe32e666c6475156e944f2f74" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-036/B16-STG-036.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:ff" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-039</Name>
    <Mor>vm-379</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-039</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM was created by
ptirunag</Annotation>

```

```

<Version>vmx-09</Version>
<GuestId>windows7_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:14:04.747825Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42000658-8568-b368-074a-
652649a96895</uuid>
<instanceUuid>50008cbe-ald5-085b-ece4-
baa8a1c93eb1</instanceUuid>
</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-stg-esx-06.cisco.com</host>
<hostMor>host-382</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-039/" suspendDir="[STG-
SATA-A-NEW] B16-STG-039/" logDir="[STG-SATA-A-NEW] B16-STG-039/"
vmxPath="[STG-SATA-A-NEW] B16-STG-039/B16-STG-039.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="2048"
NumCPUs="2">

```

```

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-STG-039.vmx</Name>
  <Size>3316</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-039.vmx</Name>
  <Size>3045</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-039.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-039.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-039-aux.xml</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-039.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>24547</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>247058</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>292833</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>318604</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>413621</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>242434</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>314445</Size>
            <Type>log</Type>
        </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="29184787243" Uncommitted="80600715264"
Committed="29184787243">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-562d-de7a-bf4e-25c5188d8045" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e03eda4a173af3211a038620f6bfb939" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-039/B16-STG-039.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:04:82" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"

```

```

Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-038</Name>
    <Mor>vm-378</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-038</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>SCPS Solution Template, VM
is provisioned for VIBRANT GUJARAT</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:04.944031Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42007a35-597e-9dae-6753-
549240a500b5</uuid>
    <instanceUuid>50009327-c22d-e4c8-4a19-
d09e28e75f6c</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-038/
</vmxDir>
    <template>false</template>
    <IpAddress></IpAddress>
    <Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
    <Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>

```

```

        <hostName></hostName>
        <host>b16-stg-esx-06.cisco.com</host>
        <hostMor>host-382</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-038/" suspendDir="[STG-
SATA-A-NEW] B16-STG-038/" logDir="[STG-SATA-A-NEW] B16-STG-038/"
vmxPath="[STG-SATA-A-NEW] B16-STG-038/B16-STG-038.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-STG-038.vmx</Name>
            <Size>3154</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-STG-038.vmx</Name>
            <Size>369</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-STG-038.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-STG-038.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-STG-038.vmdk</Name>
            <Size>63963136</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>240303</Size>
            <Type>log</Type>
        </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-2.log</Name>
      <Size>217682</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-3.log</Name>
      <Size>256478</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-6.log</Name>
      <Size>269217</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-5.log</Name>
      <Size>186097</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-4.log</Name>
      <Size>260648</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-7.log</Name>
      <Size>24534</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="25305703198" Uncommitted="49028636672"
Committed="25305703198">
      </StorageInfo>
      <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-d01a-2a97-4b6e-3fe0e45bca6b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="63963136"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7f59888d60be8b537e3936e005031f13" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-038/B16-STG-038.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```



```

MacAddress="00:50:56:80:64:9f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD/DVD drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-047</Name>
    <Mor>vm-5485</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-047</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
09T10:22:23.503428Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224bcee-aea4-a1b1-a6de-
f499b2f9bb47</uuid>

```

```

06a9a43e7c31</instanceUuid>
</vmxDir>
<template>>false</template>
<IpAddress>10.106.6.237</IpAddress>
<Networks>STG-309_10.106.6.224/27
(&lt;True&gt;)</Networks>
(&lt;true&gt;)</Nics>
<NicIpaddresses>(10.106.6.237)
(fe80::250:56ff:fea4:7680)</NicIpaddresses>
<hostName>B16-STG-047</hostName>
<host>b16-stg-esx-06.cisco.com</host>
<hostMor>host-382</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>12</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-047/" suspendDir="[STG-
SATA-A-NEW] B16-STG-047/" logDir="[STG-SATA-A-NEW] B16-STG-047/"
vmxPath="[STG-SATA-A-NEW] B16-STG-047/B16-STG-047.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-STG-047.vmx</Name>
  <Size>2763</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-047.vmx</Name>
  <Size>266</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-047.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-047.vmsd</Name>
  <Size>0</Size>

```

```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-047.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-047-03f4b77f.vswp
</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-B16-STG-047-66369407-
1.vswp</Name>
        <Size>96468992</Size>
        <Type>uwsnap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>208732</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>23822</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>672256309</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>206828</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="34910810956" Uncommitted="56052678656"
Committed="34910810956">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-9154-8414-32bd-6508ac16a51f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="030aafbd5dc0fd8ec4ac8d7510c9bc53" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-047/B16-STG-047.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:76:80" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-048</Name>
    <Mor>vm-7808</Mor>
    <MorType>VirtualMachine</MorType>
    <Path> \(DC)S+CC(DC)\vm\Staging\B16-
STG-048</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>

```

```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>>false
</ChangeTrackingSupported> <ChangeTrackingSupported>>true
</BootOptionsSupported> <BootOptionsSupported>>true
</SwapPlacementSupported> <SwapPlacementSupported>>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
13T10:22:51.256466Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>4224274e-5779-92dd-cd8b-
848c900a79c3</uuid>
<instanceUuid>50248e26-0587-0b39-deaf-
c34991347fa2</instanceUuid>
<vmxDir>[STG-SATA-B-NEW] B16-STG-048/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.6.238</IpAddress>
<Networks>STG-309_10.106.6.224/27
(&lt;True&gt;)</Networks>
<Nics>STG-309_10.106.6.224/27
(&lt;true&gt;)</Nics>
<NicIpaddresses>(10.106.6.238)
(fe80::250:56ff:fea4:1146)</NicIpaddresses>
<hostName>B16-STG-048</hostName>
<host>b16-stg-esx-06.cisco.com</host>
<hostMor>host-382</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>11</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-B-NEW] B16-STG-048/" suspendDir="[STG-
SATA-B-NEW] B16-STG-048/" logDir="[STG-SATA-B-NEW] B16-STG-048/"
vmxPath="[STG-SATA-B-NEW] B16-STG-048/B16-STG-048.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-STG-048.vmx</Name>

```

```

        <Size>3164</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-STG-048.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-STG-048.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-STG-048.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-STG-048.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-STG-048-e8ba6aa7.vswp
</Name>
    <Size>8589934592</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-B16-STG-048-
3904531111-1.vswp</Name>
    <Size>98566144</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>41726016</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>457184</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>649427237</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-B-
NEW" Unshared="42632565133" Uncommitted="74121740288"

```

```

Committed="42632565133">
    </StorageInfo>
    <Datastore Mor="datastore-3658"
Url="/vmfs/volumes/51e15c1b-fcb08d75-ec4f-0025b5cc005f"
Name="STG-SATA-B-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-7031-737f-32e5-ab608034cca8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3658"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a5b938ce4d9c91c96cacaec576d4d89a" Parent=""
Disk="[STG-SATA-B-NEW] B16-STG-048/B16-STG-048.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:11:46" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>

```

```

    <VirtualMachine>
      <Name>New Virtual Machine</Name>
      <Mor>vm-8319</Mor>
      <MorType>VirtualMachine</MorType>
      <Path>\(DC)S+CC(DC)\vm\Staging\New
Virtual Machine</Path>
      <ParentMor>group-v1380</ParentMor>
      <Annotation></Annotation>
      <Version>vmx-09</Version>
      <GuestId>rhel5_64Guest</GuestId>
      <GuestOSAltName></GuestOSAltName>
      <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
      <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
      <BootOptionsSupported>>true
</BootOptionsSupported>
      <SwapPlacementSupported>>true
</SwapPlacementSupported>
      <SwapPlacement>inherit</SwapPlacement>
      <ChangeVersion>2014-01-
13T09:01:58.539926Z</ChangeVersion>
      <powerState>poweredOff</powerState>
      <connectionState>connected
</connectionState>
      <uuid>4224501f-ef52-22f6-dfef-
dda6f018bcc9</uuid>
      <instanceUuid>50245cfc-bb9c-892e-4617-
d3121caba29e</instanceUuid>
      <vmxDir>[STG-SATA-A-NEW] New Virtual
Machine</vmxDir>
      <template>>false</template>
      <IpAddress></IpAddress>
      <Networks>STG-309_10.106.6.224/27
(&lt;False&gt;)</Networks>
      <Nics>STG-309_10.106.6.224/27
(&lt;false&gt;)</Nics>
      <NicIpaddresses>unassigned
</NicIpaddresses>
      <hostName></hostName>
      <host>b16-stg-esx-04.cisco.com</host>
      <hostMor>host-353</hostMor>
      <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
      <NumberOfDatastores>1
</NumberOfDatastores>
      <NumberOfBackingDisks>1
</NumberOfBackingDisks>
      <NumberOfFiles>6</NumberOfFiles>
      <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0

```



```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] New Virtual Machine/"
suspendDir="[STG-SATA-A-NEW] New Virtual Machine/" logDir="[STG-
SATA-A-NEW] New Virtual Machine/" vmxPath="[STG-SATA-A-NEW] New
Virtual Machine/New Virtual Machine.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>New Virtual Machine.vmx
</Name>
        <Size>2926</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>New Virtual Machine.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>New Virtual Machine.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>New Virtual Machine.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>New Virtual Machine.vmdk
</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="32196537690" Uncommitted="84092035072"
Committed="32196537690">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-dedf-ff88-fb38-267a0ee33030" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"

```

```

CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7967752cd240f1655b2f2a4383281c2c" Parent=""
Disk="[STG-SATA-A-NEW] New Virtual Machine/New Virtual
Machine.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:5b:13" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-012</Name>
    <Mor>vm-357</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-012</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM is created by 15-
MAR-2012</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>

```

```

        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:14:34.140857Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d8bae-7fac-c531-25de-
461a77cac94e</uuid>
        <instanceUuid>502d9508-e30d-bddb-6509-
e9cbf588b998</instanceUuid>
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.6.82</IpAddress>
        <Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
        <Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
        <NicIpaddresses>(10.106.6.82)
(fe80::250:56ff:fead:6802)</NicIpaddresses>
        <hostName>b16-stg-012</hostName>
        <host>b16-stg-esx-02.cisco.com</host>
        <hostMor>host-324</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-012/" suspendDir="[STG-
SATA-A-NEW] B16-STG-012/" logDir="[STG-SATA-A-NEW] B16-STG-012/"
vmxPath="[STG-SATA-A-NEW] B16-STG-012/SCC04-STG-12.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4128"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">

```

```

        <Name>SCC04-STG-12.vmx</Name>
        <Size>3253</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-STG-12.vmx</Name>
    <Size>3427</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-STG-12.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-STG-12.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-STG-12.vmdk</Name>
    <Size>52428800</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>198388</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>24200</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>125822</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>201374</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>138925</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>346301</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>282185</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="39442470223" Uncommitted="18819162112"
Committed="39442470223">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-2642-88ac-0d40-57ee09d80484" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0e9064ec36fbacf4ece7c101d4c03608" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-012/SCC04-STG-12.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:68:02" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">

```

```

        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-STG-011</Name>
        <Mor>vm-407</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-011</Path>
        <ParentMor>group-v1380</ParentMor>
        <Annotation>This VM has provisioned by
Amit Saha.</Annotation>
        <Version>vmx-09</Version>
        <GuestId>winLonghorn64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
    </ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
    </ChangeTrackingSupported>
        <BootOptionsSupported>true
    </BootOptionsSupported>
        <SwapPlacementSupported>true
    </SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
02T08:22:20.456315Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
    </connectionState>
        <uuid>422d1e0b-ca4f-8946-e65e-
8727f2a0be6c</uuid>
        <instanceUuid>502d4ee5-c485-9ebd-af35-
0224f9fb509c</instanceUuid>
        <vmxDir>[STG-SATA-A-NEW] B16-STG-011/
    </vmxDir>
        <template>false</template>
        <IpAddress>10.106.6.81</IpAddress>
        <Networks>STG-301_10.106.6.64/26
    (&lt;True&gt;)</Networks>
        <Nics>STG-301_10.106.6.64/26
    (&lt;true&gt;)</Nics>
        <NicIpaddresses>(10.106.6.81)
    </NicIpaddresses>
        <hostName>B16-STG-011.scc-stg.com
    </hostName>
        <host>b16-stg-esx-01.cisco.com</host>
        <hostMor>host-297</hostMor>
        <ResourcePoolMor>resgroup-295
    </ResourcePoolMor>
        <NumberOfDatastores>1
    </NumberOfDatastores>
        <NumberOfBackingDisks>1
    </NumberOfBackingDisks>

```

```

        <NumberOfFiles>16</NumberOfFiles>
        <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-011/" suspendDir="[STG-
SATA-A-NEW] B16-STG-011/" logDir="[STG-SATA-A-NEW] B16-STG-011/"
vmxPath="[STG-SATA-A-NEW] B16-STG-011/SCC04-STG-11.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-11.vmx</Name>
            <Size>3294</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-11.vmx</Name>
            <Size>3044</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-11.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-11.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-11-aux.xml
    </Name>
            <Size>0</Size>
            <Type>snapshotManifestList
    </Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-11.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-STG-11-03f4b716.vswp
    </Name>
            <Size>4294967296</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">

```

```

1.vswp</Name>
    <Name>vmx-SCC04-STG-11-66369302-
    <Size>96468992</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>108245</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>143659</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>212820</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>24556</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>481755</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>223763</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>482633</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="52494455589" Uncommitted="37798019072"
Committed="52494455589">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-4e00-9cc2-860b-698bdd7c7af9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"

```



```

CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e2ad4cd816f4e48712e73186dd0130ef" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-011/SCC04-STG-11.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:42:7f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-010</Name>
    <Mor>vm-360</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-010</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>(TRIDIUM)(SCCDEMO-SJACE01)
This VM was created by amith saha on 1-MAR-2012</Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true

```

```

</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
30T08:13:20.670851Z</ChangeVersion>
</connectionState>
3fb9971cc2fb</uuid>
0f9a5bbc5fa6</instanceUuid>
</vmxDir>
(&lt;False&gt; )</Networks>
(&lt;false&gt; )</Nics>
</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[STG-SATA-A-NEW] B16-STG-010/" suspendDir="[STG-
SATA-A-NEW] B16-STG-010/" logDir="[STG-SATA-A-NEW] B16-STG-010/"
vmxPath="[STG-SATA-A-NEW] B16-STG-010/SCC04-STG-10.vmx">
NumCPUs="2">

```

```

<File Type="VmFileInfo">
  <Name>SCC04-STG-10.vmx</Name>
  <Size>3044</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-10.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-10.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-10-aux.xml
</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-10.vmdk</Name>
  <Size>31457280</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-10-03f4b715.vswp
</Name>
  <Size>2147483648</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>40228</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>40226</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>523497</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24205</Size>
  <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-13.log</Name>
            <Size>242582</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-15.log</Name>
            <Size>531995165</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-14.log</Name>
            <Size>320100</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="28695855284" Uncommitted="6441771008"
Committed="28695855284">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-487a-6ec4-8ab6-5a4ccded5649" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="31457280"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="fc91ca6a0110f60a2033dc48fdedd3fa" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-010/SCC04-STG-10.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:55:86" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-STG</Name>
    <Mor>vm-331</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\SCC-STG
</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>winLonghorn64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T11:18:53.386726Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dd88c-26e4-8eec-c7a1-
996cdaba3a67</uuid>
    <instanceUuid>502d825c-5b88-ca66-bb9c-
f0039847b74b</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] SCC-STG/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.5.60</IpAddress>
    <Networks>STG-300_10.106.5.0/25
(&lt;True&gt;)</Networks>
    <Nics>STG-300_10.106.5.0/25
(&lt;true&gt;)</Nics>
    <NicIpaddresses>
(fe80::1d48:11d8:350:9565)(10.106.5.60)</NicIpaddresses>

```

```

</hostName>                                <hostName>SCC-STAGE.scc-stg.com
</ResourcePoolMor>                          <host>b16-stg-esx-01.cisco.com</host>
</NumberOfDatastores>                      <hostMor>host-297</hostMor>
</NumberOfBackingDisks>                    <ResourcePoolMor>resgroup-295
</CpuFeatureMaskSupported>                 <NumberOfDatastores>1
</NumberOfFeatureMaskEntries>              <NumberOfBackingDisks>1
<VirtualMachineFileInfo>                   <NumberOfFiles>16</NumberOfFiles>
snapshotDir="[STG-SATA-A-NEW] SCC-STG/"     <CpuFeatureMaskSupported>true
suspendDir="[STG-SATA-A-NEW] SCC-STG/"      <NumberOfFeatureMaskEntries>0
logDir="[STG-SATA-A-NEW] SCC-STG/"          <VirtualMachineFileInfo>
vmxPath="[STG-SATA-A-NEW] SCC-STG/SCC-STG.vmx">
NumCPUs="2">                                </VirtualMachineFileInfo>
                                              <VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-STG.vmx</Name>
  <Size>3168</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-STG.vmx</Name>
  <Size>3039</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-STG.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-STG.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-STG-aux.xml</Name>
  <Size>0</Size>
  <Type>snapshotManifestList
</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-STG.vmdk</Name>
  <Size>104857600</Size>

```

```

        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-STG-73554687.vswp
</Name>

    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-STG-1934968455-
1.vswp</Name>

    <Size>96468992</Size>
    <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>281729</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>138531</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>24029</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>1254272</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>367810</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>310733</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>488241</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="31212696300" Uncommitted="80555802624"
Committed="31212696300">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-afbf-9480-ac1a-fd26f20155b4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8f3ef708c5c30136d6c13ff5641df091" Parent=""
Disk="[STG-SATA-A-NEW] SCC-STG/SCC-STG.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:6d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-STG-016</Name>
        <Mor>vm-327</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-016</Path>

```



```

Amit Saha.</Annotation>
<ParentMor>group-v1380</ParentMor>
<Annotation>This VM has provisioned by
<Version>vmx-09</Version>
<GuestId>winLonghorn64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:14:36.919021Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422db351-acf4-91eb-5a8f-
82fe26769f02</uuid>
<instanceUuid>502d7b42-fade-116b-4e64-
6a858clb4b09</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] B16-STG-016/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.6.86</IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;False&gt;),STG-300_10.106.5.0/25(&lt;False&gt;)</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;false&gt;),STG-300_10.106.5.0/25(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned,unassigned
</NicIpaddresses>
<hostName>B16-STG-016.scc-stg.com
</hostName>
<host>b16-stg-esx-01.cisco.com</host>
<hostMor>host-297</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-016/" suspendDir="[STG-
SATA-A-NEW] B16-STG-016/" logDir="[STG-SATA-A-NEW] B16-STG-016/"

```

```

vmxPath=" [STG-SATA-A-NEW] B16-STG-016/SCC04-STG-16.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="4096"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC04-STG-16.vmx</Name>
    <Size>3645</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC04-STG-16.vmx</Name>
    <Size>3078</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC04-STG-16.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC04-STG-16.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC04-STG-16-aux.xml
  </Name>
    <Size>0</Size>
    <Type>snapshotManifestList
  </Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC04-STG-16.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-30.log</Name>
    <Size>214529</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-31.log</Name>
    <Size>24558</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>227564</Size>
    <Type>log</Type>
  </File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-26.log</Name>
            <Size>217585</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-27.log</Name>
            <Size>248570</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-29.log</Name>
            <Size>140200</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-28.log</Name>
            <Size>383090</Size>
            <Type>log</Type>
        </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="85878797327" Uncommitted="4561674240"
Committed="85878797327">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-a8ab-766e-1ce4-2da41df24732" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="20dfae738f3b8cb83c201a8ec7c11a5" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-016/SCC04-STG-16.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:68:03" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:68:04" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>DEMOPOD1-S+CPS_2.1-Template
</Name>
        <Mor>vm-1876</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)S+CC(DC)\vm\Staging
\DEMOPOD1-S+CPS_2.1-Template</Path>
        <ParentMor>group-v1380</ParentMor>
        <Annotation>This VM was created by
prasbr on 24-may-2013</Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:13:34.092698Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42245742-4ce1-0f02-f354-
6fca4ba10d3f</uuid>
        <instanceUuid>5024e95f-eea0-ce04-37fb-
031ce3e07ba7</instanceUuid>
        <vmxDir>[STG-SATA-A-NEW] DEMOPOD1-
S+CPS_2.1-Template/</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-stg-esx-07.cisco.com</host>
        <hostMor>host-393</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>7</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] DEMOPOD1-S+CPS_2.1-Template/"
suspendDir="[STG-SATA-A-NEW] DEMOPOD1-S+CPS_2.1-Template/"
logDir="[STG-SATA-A-NEW] DEMOPOD1-S+CPS_2.1-Template/"
vmxPath="[STG-SATA-A-NEW] DEMOPOD1-S+CPS_2.1-Template/S+CPS_2.1-
Template.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>S+CPS_2.1-Template.vmx
</Name>
            <Size>2743</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>S+CPS_2.1-Template.vmx
</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>

```

```

        <File Type="VmFileInfo">
            <Name>S+CPS_2.1-Template.nvram
</Name>

            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>S+CPS_2.1-Template.vmsd
</Name>

            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>S+CPS_2.1-Template.vmdk
</Name>

            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>24682</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="29884452109" Uncommitted="86324387840"
Committed="29884452109">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-a090-2bb3-efaf-3204cbea4519" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f979b378c059f2c0c7685aac366aca7c" Parent=""
Disk="[STG-SATA-A-NEW] DEMOPOD1-S+CPS_2.1-Template/S+CPS_2.1-
Template.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:27:2d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network

```

```

adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SCC-ADEX-01-clone</Name>
    <Mor>vm-7582</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
SCC-ADEX-01-clone</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>windows8_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:13:38.309698Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42243eaf-1e18-c9bc-9e07-
011814aa3b69</uuid>
    <instanceUuid>5024753e-b126-38c2-6abe-
7086b0302a11</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-SCC-ADEX-
01-clone</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>None</Networks>

```

```

    (&lt;false&gt;)</Nics>
    <NicIpaddresses>
    </NicIpaddresses>
    </ResourcePoolMor>
    </NumberOfDatastores>
    </NumberOfBackingDisks>
    </CpuFeatureMaskSupported>
    </NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
    snapshotDir="[STG-SATA-A-NEW] B16-SCC-ADEX-01-clone/"
    suspendDir="[STG-SATA-A-NEW] B16-SCC-ADEX-01-clone/"
    logDir="[STG-SATA-A-NEW] B16-SCC-ADEX-01-clone/" vmxPath="[STG-
    SATA-A-NEW] B16-SCC-ADEX-01-clone/B16-SCC-ADEX-01-clone.vmx">
    </VirtualMachineFileInfo>
    NumCPUs="4">
    <VirtualHardware
    <File Type="VmFileInfo">
    <Name>B16-SCC-ADEX-01-clone.vmx
    </Name>
    <Size>2930</Size>
    <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
    <Name>B16-SCC-ADEX-01-clone.vmx
    </Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
    <Name>B16-SCC-ADEX-01-
    clone.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
    <Name>B16-SCC-ADEX-01-clone.vmsd
    </Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">

```



```

        <Name>B16-SCC-ADEX-01-clone.vmdk
</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24583</Size>
        <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="94240804197" Uncommitted="22047793152"
Committed="94240804197">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-23c0-629d-9e0e-c47b55356376" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6d44675d34d192ec3adb1f49c785cb18" Parent=""
Disk="[STG-SATA-A-NEW] B16-SCC-ADEX-01-clone/B16-SCC-ADEX-01-
clone.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-STG-015</Name>
        <Mor>vm-358</Mor>
        <MorType>VirtualMachine</MorType>

```

```

<Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-015</Path>
<ParentMor>group-v1380</ParentMor>
<Annotation>This VM is imaged by
Chandra Babu M on 22-MAR-2012 for the user Saravanan Palanisamy
on account of Mar12saravpalSCC2460.</Annotation>
<Version>vmx-09</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>true
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:13:20.648429Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d2cba-35f8-e912-b335-
5d815f5fdd35</uuid>
<instanceUuid>502dc048-a219-2831-b2dc-
d132fe106703</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] B16-STG-015/
</vmxDir>
<template>>false</template>
<IpAddress>10.106.6.85</IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
<NicIpaddresses>(10.106.6.85)
(fe80::250:56ff:fead:680b)</NicIpaddresses>
<hostName>b16-stg-015</hostName>
<host>b16-stg-esx-05.cisco.com</host>
<hostMor>host-373</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo

```

```
snapshotDir="[STG-SATA-A-NEW] B16-STG-015/" suspendDir="[STG-SATA-A-NEW] B16-STG-015/" logDir="[STG-SATA-A-NEW] B16-STG-015/"
vmxPath="[STG-SATA-A-NEW] B16-STG-015/SCC04-STG-15.vmx">
```

```
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
```

```
NumCPUs="2">
```

```
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC04-STG-15.vmx</Name>
  <Size>3279</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-15.vmx</Name>
  <Size>3427</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-15.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-15.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-15.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>24199</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>493587973</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>125714</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>200050</Size>
  <Type>log</Type>
</File>
```

```

        <File Type="VmFileInfo">
            <Name>vmware-16.log</Name>
            <Size>537772583</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-17.log</Name>
            <Size>1562626268</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-15.log</Name>
            <Size>259138</Size>
            <Type>log</Type>
        </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="31802695795" Uncommitted="61230915584"
Committed="31802695795">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-d70f-53b6-b347-3e93bf9398d0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bel763cd0d998cbdd05aee9a15e12f22" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-015/SCC04-STG-15.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:68:0b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"

```

```

Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-014</Name>
    <Mor>vm-359</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-014</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM has provisioned by
Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>otherLinuxGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:13:20.660827Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dfffc0-ed37-a74b-17f0-
0c68b1506f69</uuid>
    <instanceUuid>502d690e-aedf-c4de-6a6f-
51dd6a8988fd</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-014/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
    <Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-stg-esx-05.cisco.com</host>

```

```

        <hostMor>host-373</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-014/" suspendDir="[STG-
SATA-A-NEW] B16-STG-014/" logDir="[STG-SATA-A-NEW] B16-STG-014/"
vmxPath="[STG-SATA-A-NEW] B16-STG-014/SCC04-STG-14.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="2048"
NumCPUs="1">
</VirtualHardware>
<File Type="VmFileInfo">
        <Name>SCC04-STG-14.vmx</Name>
        <Size>3066</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC04-STG-14.vmx</Name>
        <Size>370</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC04-STG-14.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC04-STG-14.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC04-STG-14.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>39711</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-22.log</Name>

```

```

        <Size>39536</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-25.log</Name>
        <Size>24551</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>127693</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>177824</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>364793</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>252429</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="4090485057" Uncommitted="41212518400"
Committed="4090485057">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-8244-1dd7-ad28-c27a17966b83" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6fbdbfec06580e3dab6948e4d6ea74c8" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-014/SCC04-STG-14.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:39:c0" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-022-21-Nov-2013-DEL
</Name>
    <Mor>vm-365</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-022-21-Nov-2013-DEL</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM imaged by Chandra
Babu M</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:14:34.140591Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d2328-4e54-5873-db2c-
2eb702c2b94a</uuid>

```



```

152e9ae32fec</instanceUuid>
</vmxDir>
<template>>false</template>
<IpAddress>10.106.6.92</IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
(&lt;false&gt;)</Nics>
(fe80::250:56ff:fead:429a)</NicIpaddresses>
<NicIpaddresses>(10.106.6.92)
<hostName>b16-stg-022</hostName>
<host>b16-stg-esx-02.cisco.com</host>
<hostMor>host-324</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-022/" suspendDir="[STG-
SATA-A-NEW] B16-STG-022/" logDir="[STG-SATA-A-NEW] B16-STG-022/"
vmxPath="[STG-SATA-A-NEW] B16-STG-022/SCC04-STG-22.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC04-STG-22.vmx</Name>
  <Size>3261</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-22.vmx</Name>
  <Size>3366</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-22.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-22.vmsd</Name>
  <Size>0</Size>

```

```
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-STG-22.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>103086</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>104786</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>162536</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>201452</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>179790</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>240413</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>40173</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>263010</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24584</Size>
  <Type>log</Type>
</File>
```

```

        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="25906405221" Uncommitted="21584257024"
Committed="25906405221">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-ba5c-8562-9ab1-f764b5542816" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f3c487c196ee38a3ca9787c26933714f" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-022/SCC04-STG-22.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:42:9a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-STG-013</Name>
        <Mor>vm-5227</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Staging\B16-

```

```

STG-013</Path>
<ParentMor>group-v1380</ParentMor>
<Annotation></Annotation>
<Version>vmx-09</Version>
<GuestId>windows7Server64Guest
</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>>true
</ChangeTrackingSupported>
<BootOptionsSupported>>true
</BootOptionsSupported>
<SwapPlacementSupported>>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
02T08:22:28.252732Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>422432dc-ea74-406b-50ad-
a05e1fba7314</uuid>
<instanceUuid>5024315d-53e8-a885-8a70-
39d1ab73d608</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] B16-STG-013_
1/</vmxDir>
<template>>false</template>
<IpAddress>10.106.6.83</IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;True&gt;)</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;true&gt;)</Nics>
<NicIpaddresses>
(fe80::a892:685a:8f26:f667)(10.106.6.83)</NicIpaddresses>
<hostName>B16-STG-013.scc-stg.com
</hostName>
<host>b16-stg-esx-06.cisco.com</host>
<hostMor>host-382</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-013_1/" suspendDir="[STG-

```

```

SATA-A-NEW] B16-STG-013_1/" logDir="[STG-SATA-A-NEW] B16-STG-013_
1/" vmxPath="[STG-SATA-A-NEW] B16-STG-013_1/B16-STG-013.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-STG-013.vmx</Name>
        <Size>2951</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-013.vmx</Name>
        <Size>3044</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-013.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-013.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-013-aux.xml</Name>
        <Size>0</Size>
        <Type>snapshotManifestList
</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-013.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-013-d3fee988.vswp
</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-B16-STG-013-
3556698504-1.vswp</Name>
        <Size>113246208</Size>
        <Type>uwsnap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>10934499</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>39213</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>412881</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>24165</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>329079</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="23542848532" Uncommitted="66776465408"
Committed="23542848532">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-b49a-8f3b-4416-e533ab08b65f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c0f633d91c00dc801337403121e36a5a" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-013_1/B16-STG-013.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:28:a7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">

```

```

        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-STG-UCCX-02</Name>
  <Mor>vm-368</Mor>
  <MorType>VirtualMachine</MorType>
  <Path> \(DC)S+CC(DC)\vm\Staging\B16-
STG-UCCX-02</Path>
  <ParentMor>group-v1380</ParentMor>
  <Annotation></Annotation>
  <Version>vmx-09</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2013-12-
30T08:13:20.6952Z</ChangeVersion>
  <powerState>poweredOff</powerState>
  <connectionState>connected
</connectionState>
  <uuid>42008543-461a-1a65-8064-

```

```

8663a102d5c0</uuid>
d22013d14e80</instanceUuid>
02/</vmxDir>
<instanceUuid>5000f00c-e225-07bc-c7bb-
<vmxDir>[STG-SATA-A-NEW] B16-STG-UCCX-
<template>>false</template>
<IpAddress>10.106.6.250</IpAddress>
<Networks>STG-309_10.106.6.224/27
(&lt;False&gt;)</Networks>
<Nics>STG-309_10.106.6.224/27
(&lt;false&gt;)</Nics>
<NicIpaddresses>(10.106.6.250)
(fe80::250:56ff:fe80:b94)</NicIpaddresses>
<hostName>B16-STG-UCCX-02</hostName>
<host>b16-stg-esx-05.cisco.com</host>
<hostMor>host-373</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-UCCX-02/" suspendDir="[STG-
SATA-A-NEW] B16-STG-UCCX-02/" logDir="[STG-SATA-A-NEW] B16-STG-
UCCX-02/" vmxPath="[STG-SATA-A-NEW] B16-STG-UCCX-02/B16-STG-UCCX-
02.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="2048"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-STG-UCCX-02.vmx</Name>
<Size>3156</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-STG-UCCX-02.vmx
</Name>
<Size>3427</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-STG-UCCX-02.nvram
</Name>
<Size>8684</Size>
<Type>nvram</Type>

```



```

</File>
<File Type="VmFileInfo">
  <Name>B16-STG-UCCX-02.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-UCCX-02.vmdk
</Name>
  <Size>153092096</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-UCCX-02-
1aa4b586.vswp</Name>
  <Size>2147483648</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>187569</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>179726</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>241300</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>196683</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>264171</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>24356</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>382470</Size>

```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="12801458774" Uncommitted="146358509568"
Committed="12801458774">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-9630-2424-44df-fd503b80e849" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="153092096"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="597ffdae201f5595dbb5d5f044fdc1bf" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-UCCX-02/B16-STG-UCCX-02.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:0b:94" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-309_10.106.6.224/27" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                        </BackingDiskCtrlr>
                                        <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                                </BackingCdrom>
                                </VirtualMachine>
                        </VirtualMachine>
                <Name>DEMOPOD1-SCCDEMO-EXCH-Template
</Name>

```

```

        <Mor>vm-1872</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Staging
\DEMOPOD1-SCCDEMO-EXCH-Template</Path>
        <ParentMor>group-v1380</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>winLonghorn64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:13:38.309732Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422470d3-dbdd-e7c6-098e-
5b2963e10a90</uuid>
        <instanceUuid>5024dce3-7ccf-d66d-dda3-
ca878a7e6504</instanceUuid>
        <vmxDir>[STG-SATA-A-NEW] DEMOPOD1-
SCCDEMO-EXCH-Template/</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>bl6-stg-esx-04.cisco.com</host>
        <hostMor>host-353</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>7</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] DEMOPOD1-SCCDEMO-EXCH-Template/"

```

```

suspendDir="[STG-SATA-A-NEW] DEMOPOD1-SCCDEMO-EXCH-Template/"
logDir="[STG-SATA-A-NEW] DEMOPOD1-SCCDEMO-EXCH-Template/"
vmxPath="[STG-SATA-A-NEW] DEMOPOD1-SCCDEMO-EXCH-Template/SCCDEMO-
EXCH-Template.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCCDEMO-EXCH-Template.vmx
</Name>
        <Size>2791</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCCDEMO-EXCH-Template.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCCDEMO-EXCH-
Template.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCCDEMO-EXCH-Template.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCCDEMO-EXCH-Template.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24802</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="28209876405" Uncommitted="19279486976"
Committed="28209876405">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""

```

```

DiskUuid="6000C299-7faa-9563-5d1d-e1b0c9424a46" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9a2000d004516c9ba2675a0391d305ac" Parent=""
Disk="[STG-SATA-A-NEW] DEMOPOD1-SCCDEMO-EXCH-Template/SCCDEMO-
EXCH-Template.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:0b:7d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-UCCX-01</Name>
    <Mor>vm-349</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-UCCX-01</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:13:38.310346Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42000526-dfd5-06f2-060d-
a411e14f9b1d</uuid>
<instanceUuid>50002733-0b69-0f24-6807-
5d6a28d05446</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] B16-STG-UCCX-
01/</vmxDir>
<template>false</template>
<IpAddress>10.106.6.117</IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-STG-UCCX-01</hostName>
<host>b16-stg-esx-04.cisco.com</host>
<hostMor>host-353</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-UCCX-01/" suspendDir="[STG-
SATA-A-NEW] B16-STG-UCCX-01/" logDir="[STG-SATA-A-NEW] B16-STG-
UCCX-01/" vmxPath="[STG-SATA-A-NEW] B16-STG-UCCX-01/B16-STG-UCCX-
01.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-STG-UCCX-01.vmx</Name>
<Size>3098</Size>
<Type>config</Type>
</File>

```

```

</Name>
    <File Type="VmFileInfo">
        <Name>B16-STG-UCCX-01.vmx
        <Size>3049</Size>
        <Type>extendedConfig</Type>
    </File>
</Name>
    <File Type="VmFileInfo">
        <Name>B16-STG-UCCX-01.nvram
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
</Name>
    <File Type="VmFileInfo">
        <Name>B16-STG-UCCX-01.vmsd
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
</Name>
    <File Type="VmFileInfo">
        <Name>B16-STG-UCCX-01.vmdk
        <Size>167772160</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>133696</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>177424</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>135790</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>227634</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24702</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>172993</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>221116</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="104112122074" Uncommitted="72227332096"
Committed="104112122074">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-3bf8-3ac5-139e-28d386bc152b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="cdfd66924187bbb23595a2ea506d180d" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-UCCX-01/B16-STG-UCCX-01.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:9f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">

```



```

        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-STG-CM-1</Name>
        <Mor>vm-1960</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Staging\B16-
STG-CM-1</Path>
        <ParentMor>group-v1380</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:14:34.14037Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42249b0f-8320-9387-9c2a-
27d47403ad0b</uuid>
        <instanceUuid>50244ea1-f036-0c05-5eec-
b8a0849afc89</instanceUuid>
        <vmxDir>[STG-SATA-A-NEW] B16-STG-CM-1/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
        <Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-stg-esx-02.cisco.com</host>
        <hostMor>host-324</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-CM-1/" suspendDir="[STG-
SATA-A-NEW] B16-STG-CM-1/" logDir="[STG-SATA-A-NEW] B16-STG-CM-
1/" vmxPath="[STG-SATA-A-NEW] B16-STG-CM-1/B16-STG-CM-1.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="4096"
NumCPUs="2">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>B16-STG-CM-1.vmx</Name>
        <Size>3147</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-STG-CM-1.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-STG-CM-1.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-STG-CM-1.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>B16-STG-CM-1.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>135200</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>173320</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>39721</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">

```

```

        <Name>vmware.log</Name>
        <Size>126876</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>24503</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>312711</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>165437</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="45365533087" Uncommitted="66549293056"
Committed="45365533087">
        </StorageInfo>
        <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-c733-faf1-9196-3d12249eb2df" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4734d742cd02cc3f9e5557b575ee2b5e" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-CM-1/B16-STG-CM-1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:62:23" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"

```

```

SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/linux.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-007</Name>
    <Mor>vm-366</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-007</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM has provisioned by
Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T08:22:01.277055Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d4304-4ce5-2672-f318-
c5e88ad9bac6</uuid>
    <instanceUuid>502d1694-df7f-f923-e126-
288d50505510</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-007/
</vmxDir>
    <template>false</template>
    <IpAddress>10.106.6.77</IpAddress>
    <Networks>STG-301_10.106.6.64/26
(&lt;True&gt;)</Networks>

```

```

<Nics>STG-301_10.106.6.64/26
(&lt;true&gt;)/Nics>
<NicIpaddresses>(10.106.6.77)
(fe80::250:56ff:fead:7a1c)/NicIpaddresses>
<hostName>b16-stg-007</hostName>
<host>b16-stg-esx-02.cisco.com</host>
<hostMor>host-324</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-007/" suspendDir="[STG-
SATA-A-NEW] B16-STG-007/" logDir="[STG-SATA-A-NEW] B16-STG-007/"
vmxPath="[STG-SATA-A-NEW] B16-STG-007/SCC04-STG-07.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC04-STG-07.vmx</Name>
<Size>3198</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC04-STG-07.vmx</Name>
<Size>370</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC04-STG-07.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC04-STG-07.vmsd</Name>
<Size>0</Size>
<Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC04-STG-07.vmdk</Name>
<Size>52428800</Size>
<Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">

```

```

</Name>
    <Name>SCC04-STG-07-03f4b6fb.vswp
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC04-STG-07-66369275-
1.vswp</Name>
    <Size>96468992</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>537822512</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>24202</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>123505</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>162684</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>2050319565</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>278423</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>233415</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="22554912174" Uncommitted="38112591872"
Committed="22554912174">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"

```

```

Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-c35e-c241-51e0-2de5472dfe8c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1f325ecald735e74e958bef0a46ad61e" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-007/SCC04-STG-07.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:7a:1c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-CUCM-01</Name>
    <Mor>vm-348</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-CUCM-01</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>

```

```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>true
</ChangeTrackingSupported> <ChangeTrackingSupported>true
</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
30T08:13:38.310213Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42005840-216b-2e9f-c3c8-
fcf46879447d</uuid>
<instanceUuid>5000d83e-28f0-c882-3fb6-
e85d96d15a1b</instanceUuid>
<vmxDir>[STG-SATA-A-NEW] B16-STG-CUCM-
01/</vmxDir>
<template>>false</template>
<IpAddress>10.106.6.116</IpAddress>
<Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
<Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName>B16-STG-CUCM-01</hostName>
<host>b16-stg-esx-04.cisco.com</host>
<hostMor>host-353</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-CUCM-01/" suspendDir="[STG-
SATA-A-NEW] B16-STG-CUCM-01/" logDir="[STG-SATA-A-NEW] B16-STG-
CUCM-01/" vmxPath="[STG-SATA-A-NEW] B16-STG-CUCM-01/B16-STG-CUCM-
01.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">

```



```

        <Name>B16-STG-CUCM-01.vmx</Name>
        <Size>3064</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-CUCM-01.vmx
</Name>
        <Size>3048</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-CUCM-01.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-CUCM-01.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-CUCM-01.vmdk
</Name>
        <Size>167772160</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>177049</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>135900</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>186968</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>24700</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>251372</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>133492</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>231981</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="93808862370" Uncommitted="82530639872"
Committed="93808862370">
  </StorageInfo>
  <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-223b-be15-8c81-2abc15ec952f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ecflab3d15ea7907c1785c4ab85eaeac" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-CUCM-01/B16-STG-CUCM-01.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
      </BackingDisk>
      <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:9e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
          </BackingDiskCtrlr>
          <BackingCdrom UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/linux.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-008</Name>
    <Mor>vm-395</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-008</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM has provisioned by
Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T08:22:10.45842Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422df6e4-7c5a-b946-cdd1-
2248e3a2b5dc</uuid>
    <instanceUuid>502df25c-4297-e93f-27b9-
6d3cab6fa78b</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-008/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.6.78</IpAddress>
    <Networks>STG-301_10.106.6.64/26
    (&lt;True&gt;)</Networks>
    <Nics>STG-301_10.106.6.64/26
    (&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.106.6.78)
    (fe80::250:56ff:fead:7a23)</NicIpaddresses>
    <hostName>b16-stg-008</hostName>
    <host>b16-stg-esx-06.cisco.com</host>
    <hostMor>host-382</hostMor>
    <ResourcePoolMor>resgroup-295

```

```

</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[STG-SATA-A-NEW] B16-STG-008/" suspendDir="[STG-SATA-A-NEW] B16-STG-008/" logDir="[STG-SATA-A-NEW] B16-STG-008/" vmxPath="[STG-SATA-A-NEW] B16-STG-008/SCC04-STG-08.vmx">
  <VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
  NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
      <Name>SCC04-STG-08.vmx</Name>
      <Size>3327</Size>
      <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-STG-08.vmx</Name>
      <Size>3427</Size>
      <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-STG-08.nvram</Name>
      <Size>8684</Size>
      <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-STG-08.vmsd</Name>
      <Size>0</Size>
      <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-STG-08.vmdk</Name>
      <Size>52428800</Size>
      <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-STG-08-03f4b6fc.vswp
  </Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmx-SCC04-STG-08-66369276-
  1.vswp</Name>

```

```

        <Size>96468992</Size>
        <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>538911883</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>24202</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>200863</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>107746</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>2054277632</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>299252</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>233968</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="19607216584" Uncommitted="41065381888"
Committed="19607216584">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-b03a-8f87-8015-a23a05a48654" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="5d4994b2cc492cac4ffeb3317d34ee6b" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-008/SCC04-STG-08.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:7a:23" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-001-DEL-10-Jan-2014
</Name>
    <Mor>vm-323</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-001-DEL-10-Jan-2014</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
10T07:11:31.779082Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420064c7-1ff5-aac3-2350-
0734df233bf1</uuid>
    <instanceUuid>50005723-39c7-e1df-1020-
2dbfe103a7fb</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-001/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>STG-301_10.106.6.64/26
(&lt;False&gt;)</Networks>
    <Nics>STG-301_10.106.6.64/26
(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-stg-esx-02.cisco.com</host>
    <hostMor>host-324</hostMor>
    <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-001/" suspendDir="[STG-
SATA-A-NEW] B16-STG-001/" logDir="[STG-SATA-A-NEW] B16-STG-001/"
vmxPath="[STG-SATA-A-NEW] B16-STG-001/B16-STG-001.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-STG-001.vmx</Name>
        <Size>3172</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-STG-001.vmx</Name>
        <Size>3423</Size>
        <Type>extendedConfig</Type>

```

```
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-001.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-001.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-STG-001.vmdk</Name>
  <Size>52428800</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>360576259</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>563436211</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>262730</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>187648</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>314566</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>24186</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>197508</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-
```





```

                                <ParentMor>group-v1380</ParentMor>
                                <Annotation>Virtualization template
for CUCM IM and Presence 9.x</Annotation>
                                <Version>vmx-08</Version>
                                <GuestId>rhel5Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
09T09:59:56.964547Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4224e223-0861-a6c2-044a-
9b966129a8e2</uuid>
                                <instanceUuid>5024de5b-7a64-5449-c709-
aa0414e3a89d</instanceUuid>
                                <vmxDir>[STG-SATA-A-NEW] SCCDEMO-CUPS-
02</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.5.113</IpAddress>
                                <Networks>STG-300_10.106.5.0/25
(&lt;True&gt;)</Networks>
                                <Nics>STG-300_10.106.5.0/25
(&lt;true&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName>sccdemo-cups-02</hostName>
                                <host>bl6-stg-esx-01.cisco.com</host>
                                <hostMor>host-297</hostMor>
                                <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>9</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-CUPS-02/" suspendDir="[STG-
SATA-A-NEW] SCCDEMO-CUPS-02/" logDir="[STG-SATA-A-NEW] SCCDEMO-
CUPS-02/" vmxPath="[STG-SATA-A-NEW] SCCDEMO-CUPS-02/SCCDEMO-CUPS-

```

```

02.vmx" >
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="2048"
NumCPUs="1">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCCDEMO-CUPS-02.vmx</Name>
  <Size>2855</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-CUPS-02.vmx
</Name>
  <Size>2945</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-CUPS-02.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-CUPS-02.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-CUPS-02.vmdk
</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCCDEMO-CUPS-02-
886ca8e8.vswp</Name>
  <Size>0</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCCDEMO-CUPS-02-
2288822504-1.vswp</Name>
  <Size>95420416</Size>
  <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>569374</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="STG-SATA-A-

```

```

NEW" Unshared="17320962226" Uncommitted="68674387968"
Committed="17320962226">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-40cb-3bbd-38fb-33a420309325" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d42ec4f06791ff66fcec9d46d5b0d43f" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-CUPS-02/SCCDEMO-CUPS-02.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:66:82" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>

```

```

        </VirtualMachine>
        <VirtualMachine>
            <Name>SCCDEMO-CUPS-03</Name>
            <Mor>vm-7810</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)S+CC(DC)\vm\Staging
\SCCDEMO-CUPS-03</Path>
            <ParentMor>group-v1380</ParentMor>
            <Annotation>Virtualization template
for CUCM IM and Presence 9.x</Annotation>
            <Version>vmx-08</Version>
            <GuestId>rhel5Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2014-01-
09T09:39:37.746857Z</ChangeVersion>
            <powerState>poweredOn</powerState>
            <connectionState>connected
</connectionState>
            <uuid>4224f59b-246f-db3c-5ebf-
e956afa6b692</uuid>
            <instanceUuid>5024348d-5112-edcc-553e-
cfa0ff4b433f</instanceUuid>
            <vmxDir>[STG-SATA-A-NEW] SCCDEMO-CUPS-
03/</vmxDir>
            <template>>false</template>
            <IpAddress>10.106.5.114</IpAddress>
            <Networks>STG-300_10.106.5.0/25
(&lt;True&gt;)</Networks>
            <Nics>STG-300_10.106.5.0/25
(&lt;true&gt;)</Nics>
            <NicIpaddresses>unassigned
</NicIpaddresses>
            <hostName>sccdemo-cups-03</hostName>
            <host>b16-stg-esx-01.cisco.com</host>
            <hostMor>host-297</hostMor>
            <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>9</NumberOfFiles>
            <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCCDEMO-CUPS-03/" suspendDir="[STG-
SATA-A-NEW] SCCDEMO-CUPS-03/" logDir="[STG-SATA-A-NEW] SCCDEMO-
CUPS-03/" vmxPath="[STG-SATA-A-NEW] SCCDEMO-CUPS-03/SCCDEMO-CUPS-
03.vmx">
          </VirtualMachineFileInfo>
          <VirtualHardware MemoryMB="2048"
NumCPUs="1">
          </VirtualHardware>
          <File Type="VmFileInfo">
              <Name>SCCDEMO-CUPS-03.vmx</Name>
              <Size>2856</Size>
              <Type>config</Type>
          </File>
          <File Type="VmFileInfo">
              <Name>SCCDEMO-CUPS-03.vmx
              </Name>
              <Size>2945</Size>
              <Type>extendedConfig</Type>
          </File>
          <File Type="VmFileInfo">
              <Name>SCCDEMO-CUPS-03.nvram
              </Name>
              <Size>8684</Size>
              <Type>nvram</Type>
          </File>
          <File Type="VmFileInfo">
              <Name>SCCDEMO-CUPS-03.vmsd
              </Name>
              <Size>0</Size>
              <Type>snapshotList</Type>
          </File>
          <File Type="VmFileInfo">
              <Name>SCCDEMO-CUPS-03.vmdk
              </Name>
              <Size>83886080</Size>
              <Type>diskDescriptor</Type>
          </File>
          <File Type="VmFileInfo">
              <Name>SCCDEMO-CUPS-03-
886ca8e9.vswp</Name>
              <Size>0</Size>
              <Type>swap</Type>
          </File>
          <File Type="VmFileInfo">
              <Name>vmx-SCCDEMO-CUPS-03-
2288822505-1.vswp</Name>
              <Size>95420416</Size>
              <Type>uwsap</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>294509</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="17052251906" Uncommitted="68942823424"
Committed="17052251906">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-b287-e915-62ce-93a75abc3159" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="344b4bc6e9d5ce9b0333b9b9e099c66b" Parent=""
Disk="[STG-SATA-A-NEW] SCCDEMO-CUPS-03/SCCDEMO-CUPS-03.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:08:d6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-300_10.106.5.0/25" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
                                </BackingFloppy>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>SCC-RH60-64</Name>
        <Mor>vm-4668</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)S+CC(DC)\vm\Staging\SCC-
RH60-64</Path>
        <ParentMor>group-v1380</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel6_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
    </ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
    </ChangeTrackingSupported>
        <BootOptionsSupported>>true
    </BootOptionsSupported>
        <SwapPlacementSupported>>true
    </SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
30T08:14:04.596238Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
        <uuid>42004568-f646-53d8-9645-
a7b8afc6b3b9</uuid>
        <instanceUuid>500046e5-5d34-edab-7af2-
da82ef30a2a4</instanceUuid>
        <vmxDir>[STG-SATA-A-NEW] SCC-RH60-64/
    </vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>PLATFORM-DEV(&lt;False&gt;)
    </Networks>
        <Nics>PLATFORM-DEV(&lt;false&gt;)
    </Nics>
        <NicIpaddresses>unassigned
    </NicIpaddresses>
        <hostName></hostName>
        <host>b16-stg-esx-08.cisco.com</host>
        <hostMor>host-405</hostMor>
        <ResourcePoolMor>resgroup-295
    </ResourcePoolMor>

```



```

</NumberOfDatastores>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>12</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] SCC-RH60-64/" suspendDir="[STG-
SATA-A-NEW] SCC-RH60-64/" logDir="[STG-SATA-A-NEW] SCC-RH60-64/"
vmxPath="[STG-SATA-A-NEW] SCC-RH60-64/SCC-RH60-64.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-RH60-64.vmx</Name>
        <Size>2734</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-RH60-64.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-RH60-64.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-RH60-64.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-RH60-64.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>114425</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>246701</Size>
        <Type>log</Type>
    </File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>113344</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>113673</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>108360</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>24456</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="6231370969" Uncommitted="41275969536"
Committed="6231370969">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-175a-8086-01d9-37dac67883bd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8e1d064ff90f0a0b86b4ef1d9b70337d" Parent=""
Disk="[STG-SATA-A-NEW] SCC-RH60-64/SCC-RH60-64.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:d5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/linux.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-007-TEMPLATE</Name>
    <Mor>vm-3304</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)S+CC(DC)\vm\Staging\B16-
STG-007-TEMPLATE</Path>
    <ParentMor>group-v1380</ParentMor>
    <Annotation>This VM has provisioned by
Amit Saha</Annotation>
    <Version>vmx-09</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
30T08:13:34.092907Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224b6cb-371e-3154-b24c-
725ca0bfdeb0</uuid>
    <instanceUuid>5024cdd7-5e67-8d14-b610-
5efb5b76d999</instanceUuid>
    <vmxDir>[STG-SATA-A-NEW] B16-STG-007-
TEMPLATE</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>STG-301_10.106.6.64/26

```

```

(&lt;False&gt; )</Networks>
(&lt;false&gt; )</Nics>
</NicIpaddresses>
<hostName></hostName>
<host>b16-stg-esx-07.cisco.com</host>
<hostMor>host-393</hostMor>
<ResourcePoolMor>resgroup-295
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>6</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[STG-SATA-A-NEW] B16-STG-007-TEMPLATE/"
suspendDir="[STG-SATA-A-NEW] B16-STG-007-TEMPLATE/" logDir="[STG-
SATA-A-NEW] B16-STG-007-TEMPLATE/" vmxPath="[STG-SATA-A-NEW] B16-
STG-007-TEMPLATE/B16-STG-007-TEMPLATE.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>B16-STG-007-TEMPLATE.vmx
</Name>
<Size>2818</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-STG-007-TEMPLATE.vmx
</Name>
<Size>0</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-STG-007-TEMPLATE.vmsd
</Name>
<Size>0</Size>
<Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
<Name>B16-STG-007-TEMPLATE.vmdk
</Name>
<Size>52428800</Size>
<Type>diskDescriptor</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>24611</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="STG-SATA-A-
NEW" Unshared="10844400421" Uncommitted="47382372352"
Committed="10844400421">
            </StorageInfo>
            <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-999f-94a0-2583-7f86b237c775" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6c5052b1991ce0b89f62badf4fe048b0" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-007-TEMPLATE/B16-STG-007-
TEMPLATE.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:5d:03" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                            </VirtualMachine>

```

```

    </Folder>
    <VirtualMachine>
      <Name>Mcafee-clone</Name>
      <Mor>vm-7776</Mor>
      <MorType>VirtualMachine</MorType>
      <Path>\(DC)S+CC(DC)\vm\Mcafee-clone</Path>
      <ParentMor>group-v282</ParentMor>
      <Annotation></Annotation>
      <Version>vmx-08</Version>
      <GuestId>rhel6_64Guest</GuestId>
      <GuestOSAltName></GuestOSAltName>
      <ChangeTrackingEnabled>>false
    </ChangeTrackingEnabled>
      <ChangeTrackingSupported>>true
    </ChangeTrackingSupported>
      <BootOptionsSupported>true
    </BootOptionsSupported>
      <SwapPlacementSupported>true
    </SwapPlacementSupported>
      <SwapPlacement>inherit</SwapPlacement>
      <ChangeVersion>2014-01-11T13:30:31.162167Z
    </ChangeVersion>
      <powerState>poweredOn</powerState>
      <connectionState>connected
    </connectionState>
      <uuid>42240722-ca9f-c887-2814-4633234951fb
    </uuid>
      <instanceUuid>50245323-cc8b-90e9-32ea-
0690928d3a6d</instanceUuid>
      <vmxDir>[SN-QA-FC-A] Mcafee-clone</vmxDir>
      <template>>false</template>
      <IpAddress></IpAddress>
      <Networks>SOLUTIONS-QA(&lt;True&gt;)
    </Networks>
      <Nics>SOLUTIONS-QA(&lt;true&gt;)</Nics>
      <NicIpaddresses>unassigned</NicIpaddresses>
      <hostName></hostName>
      <host>b16-sn-qa-esx-01.cisco.com</host>
      <hostMor>host-592</hostMor>
      <ResourcePoolMor>resgroup-291
    </ResourcePoolMor>
      <NumberOfDatastores>1</NumberOfDatastores>
      <NumberOfBackingDisks>1
    </NumberOfBackingDisks>
      <NumberOfFiles>9</NumberOfFiles>
      <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo snapshotDir="[SN-
QA-FC-A] Mcafee-clone/" suspendDir="[SN-QA-FC-A] Mcafee-clone/"
logDir="[SN-QA-FC-A] Mcafee-clone/" vmxPath="[SN-QA-FC-A] Mcafee-

```

```

clone/Mcafee-clone.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>Mcafee-clone.vmx</Name>
        <Size>3052</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>Mcafee-clone.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>Mcafee-clone.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>Mcafee-clone.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>Mcafee-clone.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>Mcafee-clone-1a13dd38.vswp
</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-Mcafee-clone-437509432-
1.vswp</Name>
        <Size>113246208</Size>
        <Type>u.swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>135280</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SN-QA-FC-A"
Unshared="13960887880" Uncommitted="76346818560"
Committed="13960887880">
    </StorageInfo>
    <Datastore Mor="datastore-416"

```

```

Url="/vmfs/volumes/5039ed8c-589e7667-a154-2025b500002c" Name="SN-
QA-FC-A">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-0d7d-31e2-b2d7-337531c1e111" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-416"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e0f50cb00c563a33946174faaf45833a" Parent="" Disk="[SN-
QA-FC-A] McAfee-clone/Mcafee-clone.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:59:93" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SOLUTIONS-QA" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.ParaVirtualSCSIController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-STG-009</Name>
    <Mor>vm-8322</Mor>

```



```

        <MorType>VirtualMachine</MorType>
        <Path>\< (DC)S+CC(DC)\vm\B16-STG-009</Path>
        <ParentMor>group-v282</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-09</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-15T18:12:59.125352Z
</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42243f03-f687-b9a5-92d1-098a5661a0ee
</uuid>
        <instanceUuid>50245a49-78e6-b1d0-6972-
26709a9687a0</instanceUuid>
        <vmxDir>[STG-SATA-A-NEW] B16-STG-009/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.6.79</IpAddress>
        <Networks>STG-301_10.106.6.64/26
(&lt;True&gt;)</Networks>
        <Nics>STG-301_10.106.6.64/26(&lt;true&gt;)</Nics>
</Nics>
        <NicIpaddresses>(10.106.6.79)
(fe80::250:56ff:fea4:78ca)</NicIpaddresses>
        <hostName>B16-STG-009</hostName>
        <host>b16-stg-esx-01.cisco.com</host>
        <hostMor>host-297</hostMor>
        <ResourcePoolMor>resgroup-295
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>9</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[STG-
SATA-A-NEW] B16-STG-009/" suspendDir="[STG-SATA-A-NEW] B16-STG-
009/" logDir="[STG-SATA-A-NEW] B16-STG-009/" vmxPath="[STG-SATA-
A-NEW] B16-STG-009/B16-STG-009.vmx">

```

```

    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
      <Name>B16-STG-009.vmx</Name>
      <Size>3072</Size>
      <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>B16-STG-009.vmx</Name>
      <Size>0</Size>
      <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>B16-STG-009.nvram</Name>
      <Size>8684</Size>
      <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>B16-STG-009.vmsd</Name>
      <Size>0</Size>
      <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>B16-STG-009.vmdk</Name>
      <Size>104857600</Size>
      <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>B16-STG-009-03f4b6fd.vswp</Name>
      <Size>8589934592</Size>
      <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmx-B16-STG-009-66369277-1.vswp
</Name>
      <Size>98566144</Size>
      <Type>u.swap</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>839460921</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="STG-SATA-A-NEW"
Unshared="43648636453" Uncommitted="73253519360"
Committed="43648636453">
    </StorageInfo>
    <Datastore Mor="datastore-3657"
Url="/vmfs/volumes/51e159fd-a11707b6-5df9-0025b5cc005f"
Name="STG-SATA-A-NEW">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-0358-82cd-074d-02e506b6d9e9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-3657"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="360c14e3beca7e223214e9c38347be07" Parent=""
Disk="[STG-SATA-A-NEW] B16-STG-009/B16-STG-009.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:78:ca" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="STG-301_10.106.6.64/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
</Folder>
</Datacenter>
<Datacenter>
    <Name>SCC-SP</Name>
    <Mor>datacenter-1446</Mor>
    <MorType>Datacenter</MorType>

```

```

<Path>\(DC)SCC-SP(DC)</Path>
<ParentMor>group-d1</ParentMor>
<NumberOfFolders>2</NumberOfFolders>
<vmFolderName>vm</vmFolderName>
<vmFolderMor>group-v1447</vmFolderMor>
<hostFolderName>host</hostFolderName>
<hostFolderMor>group-h1448</hostFolderMor>
<datastoreFolderName>datastore</datastoreFolderName>
<datastoreFolderMor>group-s1449</datastoreFolderMor>
<networkFolderName>network</networkFolderName>
<networkFolderMor>group-n1450</networkFolderMor>
<Folder>
  <Name>vm</Name>
  <Mor>group-v1447</Mor>
  <MorType>Folder</MorType>
  <Path>\(DC)SCC-SP(DC)\vm</Path>
  <ParentMor>datacenter-1446</ParentMor>
  <NumberOfFolders>1</NumberOfFolders>
  <NumberOfVMs>44</NumberOfVMs>
  <NumberOfHosts>0</NumberOfHosts>
  <NumberOfVApps>0</NumberOfVApps>
  <NumberOfDatastores>0</NumberOfDatastores>
  <NumberOfStoragePods>0</NumberOfStoragePods>
  <NumberOfNetworkss>0</NumberOfNetworkss>
  <Folder>
    <Name>Discovered virtual machine</Name>
    <Mor>group-v1459</Mor>
    <MorType>Folder</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered virtual
machine</Path>
    <ParentMor>group-v1447</ParentMor>
    <NumberOfFolders>0</NumberOfFolders>
    <NumberOfVMs>163</NumberOfVMs>
    <NumberOfHosts>0</NumberOfHosts>
    <NumberOfVApps>0</NumberOfVApps>
    <NumberOfDatastores>0</NumberOfDatastores>
    <NumberOfStoragePods>0
</NumberOfStoragePods>
    <NumberOfNetworkss>0</NumberOfNetworkss>
    <VirtualMachine>
      <Name>SCC-SP-VM-075</Name>
      <Mor>vm-1718</Mor>
      <MorType>VirtualMachine</MorType>
      <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-075</Path>
      <ParentMor>group-v1459</ParentMor>
      <Annotation>This VM imaged by Chandra
Babu M</Annotation>
      <Version>vmx-08</Version>
      <GuestId>rhel5_64Guest</GuestId>
      <GuestOSAltName></GuestOSAltName>
      <ChangeTrackingEnabled>>false

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
01T07:29:59.569645Z</ChangeVersion>
</connectionState>
c4a50ac2adc2</uuid>
71c5af3730eb</instanceUuid>
075</vmxDir>
</Networks>
</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-075/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-075/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-075/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-075/SCC-SP-VM-
075.vmx">
NumCPUs="2">

```

```

<ChangeTrackingSupported>true
<BootOptionsSupported>true
<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
01T07:29:59.569645Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
<uuid>422d41d6-cab1-8437-e02a-
c4a50ac2adc2</uuid>
<instanceUuid>502daf4f-4afb-b049-c8a8-
71c5af3730eb</instanceUuid>
<vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
075</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
<hostName></hostName>
<host>scc-sp-esx-05.cisco.com</host>
<hostMor>host-1708</hostMor>
<ResourcePoolMor>resgroup-1456
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-075/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-075/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-075/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-075/SCC-SP-VM-
075.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="12288"
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-SP-VM-075.vmx</Name>
<Size>3061</Size>

```

```
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-075.vmx</Name>
    <Size>3367</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-075.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-075.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-075.vmdk</Name>
    <Size>188743680</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-29.log</Name>
    <Size>112731</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>108502</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-26.log</Name>
    <Size>110845</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>110837</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-27.log</Name>
    <Size>110835</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-28.log</Name>
    <Size>110824</Size>
    <Type>log</Type>
</File>
```

```

        <File Type="VmFileInfo">
            <Name>vmware-24.log</Name>
            <Size>110843</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="14753206273" Uncommitted="191568609280"
Committed="14753206273">
            </StorageInfo>
            <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-fa4a-0339-670a-e6e513c6dce6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="188743680"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="57d9fe45be2f757e2f6e7d00fec4c8ea" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-075/SCC-SP-VM-075.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0e:ad" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                            </VirtualMachine>

```

```

        <VirtualMachine>
            <Name>SCC-SP-VM-076</Name>
            <Mor>vm-1658</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-076</Path>
            <ParentMor>group-v1459</ParentMor>
            <Annotation>This VM imaged by Chandra
Babu M</Annotation>
            <Version>vmx-08</Version>
            <GuestId>rhel5_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
            <BootOptionsSupported>>true
</BootOptionsSupported>
            <SwapPlacementSupported>>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2014-01-
01T07:29:40.839935Z</ChangeVersion>
            <powerState>poweredOff</powerState>
            <connectionState>connected
</connectionState>
            <uuid>422d851f-93f6-4dc1-e104-
f14a73f67337</uuid>
            <instanceUuid>502de872-4a0f-0ac5-cf10-
d07ab8acd795</instanceUuid>
            <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
076</vmxDir>
            <template>>false</template>
            <IpAddress></IpAddress>
            <Networks>VM Network(&lt;False&gt;)
</Networks>
            <Nics>VM Network(&lt;false&gt;)</Nics>
            <NicIpaddresses>unassigned
</NicIpaddresses>
            <hostName></hostName>
            <host>scc-sp-esx-03.cisco.com</host>
            <hostMor>host-1646</hostMor>
            <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>13</NumberOfFiles>
            <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
            <NumberOfFeatureMaskEntries>0

```



```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-076/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-076/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-076/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-076/SCC-SP-VM-
076.vmx">
        </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-076.vmx</Name>
            <Size>3011</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-076.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-076.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-076.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-076.vmdk</Name>
            <Size>62914560</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>92412</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>146137</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>134164</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>

```

```

        <Size>108512</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>107344</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>106724</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>84927</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="11663054187" Uncommitted="61514776576"
Committed="11663054187">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-2eba-d904-38b5-75aa7964ee60" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f5346f76a09b5fafcel2a45cdcbc0f57" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-076/SCC-SP-VM-076.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0e:ae" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-073</Name>
    <Mor>vm-1751</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-073</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Provisioned by Amit Saha.
</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:39.459561Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420077e4-c207-9a2a-1489-
2189bd846315</uuid>
    <instanceUuid>5000608e-c7d1-f7e3-706f-
65631a77elf4</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
073</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>

```

```

<hostName></hostName>
<host>scc-sp-esx-06.cisco.com</host>
<hostMor>host-1732</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-073/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-073/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-073/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-073/SCC-SP-VM-
073.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-073.vmx</Name>
  <Size>3005</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-073.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-073.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-073.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-073.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>138259</Size>
  <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>20423</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>149962</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>95722</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>99773</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>103287</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>106690</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="6810178349" Uncommitted="44892749824"
Committed="6810178349">
  </StorageInfo>
  <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-8138-647e-45dc-c75948b901a7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e912b8e7403db6cb7dcec07d87cb16fa" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-073/SCC-SP-VM-073.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
      </BackingDisk>
      <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:17" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-074</Name>
        <Mor>vm-1659</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-074</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This VM is imaged by
Chandra Babu M</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:40.905586Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>

```

```

03bbfb519968</uuid>
074</vmxDir>
</Networks>
</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-074/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-074/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-074/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-074/SCC-SP-VM-
074.vmx">
NumCPUs="2">
</VirtualMachineFileInfo>
</VirtualHardware MemoryMB="16384"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-074.vmx</Name>
  <Size>3064</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-074.vmx</Name>
  <Size>3367</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-074.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>SCC-SP-VM-074.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-074.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-84.log</Name>
        <Size>113755</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-79.log</Name>
        <Size>110818</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-81.log</Name>
        <Size>110821</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-83.log</Name>
        <Size>110825</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-82.log</Name>
        <Size>110822</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>108327</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-80.log</Name>
        <Size>110820</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="9374012167" Uncommitted="93868589056"
Committed="9374012167">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
        </Datastore>

```



```
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-a410-5847-21fc-80d218df558b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b0a2e4eb01d90a42c81940150628672c" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-074/SCC-SP-VM-074.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
```

```
    </BackingDisk>
```

```
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0e:ac" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
```

```
    </BackingNetwork>
```

```
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
```

```
    </BackingDiskCtrlr>
```

```
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
```

```
    </BackingCdrom>
```

```
</VirtualMachine>
```

```
<VirtualMachine>
```

```
    <Name>SCC04-SP-RH50-4</Name>
```

```
    <Mor>vm-1761</Mor>
```

```
    <MorType>VirtualMachine</MorType>
```

```
    <Path>\<(DC)SCC-SP(DC)\vm\Discovered
```

```
virtual machine\SCC04-SP-RH50-4</Path>
```

```
    <ParentMor>group-v1459</ParentMor>
```

```
    <Annotation>This VM instance has
```

```
provisioned by Amit Saha.
```

```
Sep11rwaykoleSCC2011
```

- o HOSTNAME : SCC04-SP-RH50-4
- o IP ADDRESS : 10.76.98.185

```

o NET MASK : 255.255.255.128
o GATEWAY : 10.76.98.129
o HDD : 40 GB
o CPU : 2 CORES
o RAM : 4 GB
o OS : REDHAT 5.0
o ARCH : 32 BIT
</Annotation>
<Version>vmx-07</Version>
<GuestId>rhel5Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>>true
</ChangeTrackingSupported>
<BootOptionsSupported>>true
</BootOptionsSupported>
<SwapPlacementSupported>>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
01T01:49:24.435828Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d4fa9-2640-d958-8a47-
87f53ae580d9</uuid>
<instanceUuid>502d3fd0-7f3d-8582-4a94-
e1ae9e55fc6f</instanceUuid>
<vmxDir>[SCC04-SP-ESX-6] SCC04-SP-
RH50-4</vmxDir>
<template>>false</template>
<IpAddress>10.76.98.185</IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>(10.76.98.185)
(fe80::250:56ff:fead:28)</NicIpaddresses>
<hostName>SCC04-SP-RH50-4</hostName>
<host>bl6-sp-qa-ucs-08.cisco.com
</host>
<hostMor>host-1758</hostMor>
<ResourcePoolMor>resgroup-1458
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>10</NumberOfFiles>
<CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0

```

```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC04-SP-ESX-6] SCC04-SP-RH50-4/"
suspendDir="[SCC04-SP-ESX-6] SCC04-SP-RH50-4/" logDir="[SCC04-SP-
ESX-6] SCC04-SP-RH50-4/" vmxPath="[SCC04-SP-ESX-6] SCC04-SP-RH50-
4/SCC04-SP-RH50-4.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
            </VirtualHardware>
            <File Type="VmFileInfo">
                <Name>SCC04-SP-RH50-4.vmdk
</Name>
                    <Size>41943040</Size>
                    <Type>diskDescriptor</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-1.log</Name>
                <Size>142874</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-2.log</Name>
                <Size>127712</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware.log</Name>
                <Size>63888</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>SCC04-SP-RH50-4.vmx</Name>
                <Size>3136</Size>
                <Type>config</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>SCC04-SP-RH50-4.vmx
</Name>
                    <Size>270</Size>
                    <Type>extendedConfig</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>SCC04-SP-RH50-4.nvram
</Name>
                    <Size>8684</Size>
                    <Type>nvram</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>SCC04-SP-RH50-4.vmsd
</Name>
                    <Size>0</Size>

```

```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RH50-4-
ef08ed02.vswp</Name>

        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="SCC04-SP-ESX-
6" Unshared="9763638228" Uncommitted="37481349120"
Committed="9763638228">
        </StorageInfo>
        <Datastore Mor="datastore-1759"
Url="/vmfs/volumes/4e791ca7-47a146f6-7d78-0010188834d2"
Name="SCC04-SP-ESX-6">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-c777-ebe6-c213-76498330c051" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1759"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="aaa9d96e7760d438d004282423413b55" Parent=""
Disk="[SCC04-SP-ESX-6] SCC04-SP-RH50-4/SCC04-SP-RH50-4.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:28" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"

```

```

ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-079</Name>
    <Mor>vm-1696</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-079</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is imaged by Amit
Saha on 25-07-2012 for the user Sanjay Pataskar
on account of Jul12spataskaSCC2734</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:32.580947Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420090e7-c55c-1a07-468e-
f50091a05997</uuid>
    <instanceUuid>5000f3ab-66c8-bb0f-25bd-
c3772d6a57a1</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
079</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>scc-sp-esx-04.cisco.com</host>

```

```

        <hostMor>host-1675</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-079/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-079/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-079/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-079/SCC-SP-VM-
079.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-079.vmx</Name>
            <Size>3142</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-079.vmx</Name>
            <Size>3367</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-079.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-079.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-079.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>107030</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">

```

```

        <Name>vmware-9.log</Name>
        <Size>151326</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>97382</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>138556</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>107609</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>152457</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>111071</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="19156266992" Uncommitted="41136750592"
Committed="19156266992">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-4c56-9d55-63c7-2c608bde7dd8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ea272aa7dd00d1c312fd46c189bca6d1" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-079/SCC-SP-VM-079.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:1a" AddressType="assigned"

```

```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-077</Name>
    <Mor>vm-1719</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-077</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Provisioned by Amit Saha.
</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:59.634907Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42009c69-86e0-2a0e-497c-
a8d99754b09b</uuid>

```



```

                    <instanceUuid>50006e81-d46b-c1e8-de2a-
52addf95ca26</instanceUuid>
                    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
077/</vmxDir>
                    <template>>false</template>
                    <IpAddress></IpAddress>
                    <Networks>VM Network(&lt;False&gt;)
</Networks>
                    <Nics>VM Network(&lt;false&gt;)</Nics>
                    <NicIpaddresses>unassigned
</NicIpaddresses>
                    <hostName></hostName>
                    <host>scc-sp-esx-05.cisco.com</host>
                    <hostMor>host-1708</hostMor>
                    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                    <NumberOfDatastores>1
</NumberOfDatastores>
                    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                    <NumberOfFiles>13</NumberOfFiles>
                    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-077/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-077/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-077/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-077/SCC-SP-VM-
077.vmx">
                    </VirtualMachineFileInfo>
                    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
                    </VirtualHardware>
                    <File Type="VmFileInfo">
                        <Name>SCC-SP-VM-077.vmx</Name>
                        <Size>3056</Size>
                        <Type>config</Type>
                    </File>
                    <File Type="VmFileInfo">
                        <Name>SCC-SP-VM-077.vmx</Name>
                        <Size>3367</Size>
                        <Type>extendedConfig</Type>
                    </File>
                    <File Type="VmFileInfo">
                        <Name>SCC-SP-VM-077.nvram</Name>
                        <Size>8684</Size>
                        <Type>nvram</Type>
                    </File>
                    <File Type="VmFileInfo">
                        <Name>SCC-SP-VM-077.vmsd</Name>
                        <Size>0</Size>

```

```

        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-077.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>110825</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>110826</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>110826</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>110809</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>110799</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-25.log</Name>
    <Size>131032</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>106777</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="13152047193" Uncommitted="38550962176"
Committed="13152047193">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-e121-8c77-e607-5637fbff961e" ChangeId=""

```

```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9297f71f94f5d9c08a9ead47d77b101a" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-077/SCC-SP-VM-077.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:18" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-038</Name>
    <Mor>vm-1615</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-038</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
</ChangeVersion> <SwapPlacement>inherit</SwapPlacement>
01T07:29:36.382243Z</ChangeVersion> <ChangeVersion>2014-01-
</connectionState> <powerState>poweredOff</powerState>
<connectionState>connected
<uuid>422d9a8f-6007-4c20-b3e4-
23cf62c7529e</uuid> <instanceUuid>502d7622-1aba-d0fd-34bf-
37a84213372b</instanceUuid> <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
038</vmxDir> <template>false</template>
</Networks> <IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;) <Nics>VM Network(&lt;false&gt;)</Nics>
</NicIpaddresses> <NicIpaddresses>unassigned
<hostName></hostName> <host>scc-sp-esx-02.cisco.com</host>
<hostMor>host-1601</hostMor> <ResourcePoolMor>resgroup-1456
</ResourcePoolMor> <NumberOfDatastores>1
</NumberOfDatastores> <NumberOfBackingDisks>1
</NumberOfBackingDisks> <NumberOfFiles>15</NumberOfFiles>
</CpuFeatureMaskSupported> <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries> <NumberOfFeatureMaskEntries>0
</VirtualMachineFileInfo> <VirtualMachineFileInfo>
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-038/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-038/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-038/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-038/SCC-SP-VM-
038.vmx">
</VirtualMachineFileInfo> <VirtualHardware MemoryMB="16384"
NumCPUs="2"> </VirtualHardware>
<File Type="VmFileInfo"> <File Type="VmFileInfo">
<Name>SCC-SP-VM-038.vmx</Name> <Name>SCC-SP-VM-038.vmx</Name>
<Size>2851</Size> <Size>2851</Size>
<Type>config</Type> <Type>config</Type>
</File> </File>
<File Type="VmFileInfo">

```

```

        <Name>SCC-SP-VM-038.vmx</Name>
        <Size>3470</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-038.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-038.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-038-000001.vmdk
</Name>
    <Size>157286400</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-038-
Snapshot3.vmsn</Name>
    <Size>17186110385</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-73.log</Name>
    <Size>176367</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>107331</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-68.log</Name>
    <Size>110393</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-69.log</Name>
    <Size>110391</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-71.log</Name>
    <Size>110392</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-70.log</Name>
        <Size>110395</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-72.log</Name>
        <Size>110385</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="31505577620" Uncommitted="175618408448"
Committed="31505577620">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-9119-edf9-cb6e-c805b48092ce" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="157286400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="472439cc22dae50d722abd9184fc7e70" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-038/SCC-SP-VM-038.vmdk" Disk="[SP-SATA-STORE-
1] SCC-SP-VM-038/SCC-SP-VM-038-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:6d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"

```

```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot_5Dec2012</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-078</Name>
    <Mor>vm-1610</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-078</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is imaged by Amit
Saha on 25-07-2012 for the user Sanjay Pataskar
on account of Jul12spataskaSCC2734</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:36.194023Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420062f5-42ff-f6e2-2721-
ad38451fef64</uuid>
    <instanceUuid>50005c1e-9453-cc0d-bb64-
c0866fc21da9</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
078</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>scc-sp-esx-02.cisco.com</host>
    <hostMor>host-1601</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1

```

```

</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-078/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-078/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-078/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-078/SCC-SP-VM-
078.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-078.vmx</Name>
        <Size>3141</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-078.vmx</Name>
        <Size>3367</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-078.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-078.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-078.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>106970</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-39.log</Name>
        <Size>107364</Size>
        <Type>log</Type>
    </File>

```



```

    <File Type="VmFileInfo">
      <Name>vmware-38.log</Name>
      <Size>110275</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-34.log</Name>
      <Size>110291</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-35.log</Name>
      <Size>110275</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-36.log</Name>
      <Size>110276</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-37.log</Name>
      <Size>110275</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="18862566006" Uncommitted="41430351872"
Committed="18862566006">
      </StorageInfo>
      <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-75e3-6160-8ed1-410b17896aa8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6156d75656679ac3dea249609b616d33" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-078/SCC-SP-VM-078.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:19" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"

```

```

StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-036</Name>
    <Mor>vm-1662</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-036</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:41.436862Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d04b0-b4b2-cca2-6602-
8cce356d122b</uuid>
    <instanceUuid>502d7b7f-d874-484f-ab9d-
b02d5a2f6de1</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
036</vmxDir>
    <template>>false</template>

```

```

</IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>

<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>

<hostName></hostName>
<host>scs-sp-esx-03.cisco.com</host>
<hostMor>host-1646</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>

<NumberOfDatastores>1
</NumberOfDatastores>

<NumberOfBackingDisks>1
</NumberOfBackingDisks>

<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-036/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-036/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-036/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-036/SCC-SP-VM-
036.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-036.vmx</Name>
  <Size>2822</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-036.vmx</Name>
  <Size>3470</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-036.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-036.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-036.vmdk</Name>
  <Size>83886080</Size>

```

```

        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>106436</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>118036</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>139538</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>106691</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>137601</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>106422</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>213789</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="17295107457" Uncommitted="85947645952"
Committed="17295107457">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-f230-0048-5deb-b0c418253f9b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="294ed61f55d2b78b92ea339a3db3b931" Parent="" Disk="[SP-

```

```

SATA-STORE-1] SCC-SP-VM-036/SCC-SP-VM-036.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:69" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-037</Name>
    <Mor>vm-1723</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-037</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>

```

```

                                <ChangeVersion>2014-01-
01T07:30:00.349841Z</ChangeVersion>
                                <powerState>poweredOff</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>422dfb6b-7cf5-7316-77b4-
aa901ff63939</uuid>
                                <instanceUuid>502dfa61-946f-629f-b216-
8541815b515c</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
037/</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt;)
</Networks>
                                <Nics>VM Network(&lt;false&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scs-sp-esx-05.cisco.com</host>
                                <hostMor>host-1708</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>13</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-037/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-037/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-037/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-037/SCC-SP-VM-
037.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16384"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-037.vmx</Name>
                                    <Size>2842</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-037.vmx</Name>
                                    <Size>3470</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">

```

```
        <Name>SCC-SP-VM-037.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-037.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-037.vmdk</Name>
    <Size>314572800</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-81.log</Name>
    <Size>106624</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-82.log</Name>
    <Size>107885</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>105165</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-77.log</Name>
    <Size>109714</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-78.log</Name>
    <Size>109717</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-80.log</Name>
    <Size>109717</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-79.log</Name>
    <Size>109719</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="6185274785" Uncommitted="333280509952"
Committed="6185274785">
```

```

        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-e6eb-6ed6-650e-00194df4592a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="314572800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="96d462401ef707f567816ab89d134ea7" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-037/SCC-SP-VM-037.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:6c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                            </BackingCdrom>
                        </VirtualMachine>
                    </VirtualMachine>
                <Name>SCC-SP-VM-034</Name>
                <Mor>vm-1655</Mor>
                <MorType>VirtualMachine</MorType>
                <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-034</Path>
                <ParentMor>group-v1459</ParentMor>
                <Annotation></Annotation>

```



```

                                <Version>vmx-08</Version>
                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
01T07:29:40.477873Z</ChangeVersion>
                                <powerState>poweredOff</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>422d6ba9-085c-5051-49c5-
d31ebc9fd10b</uuid>
                                <instanceUuid>502d3a6e-26ec-602f-4e0a-
a714929e9b3a</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
034</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt;)
</Networks>
                                <Nics>VM Network(&lt;false&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scc-sp-esx-03.cisco.com</host>
                                <hostMor>host-1646</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-034/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-034/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-034/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-034/SCC-SP-VM-
034.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16384"
NumCPUs="2">

```

```

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-034.vmx</Name>
  <Size>2851</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-034.vmx</Name>
  <Size>3470</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-034.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-034.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-034-000001.vmdk
</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-034-
Snapshot5.vmsn</Name>
  <Size>17185647743</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-89.log</Name>
  <Size>109718</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-90.log</Name>
  <Size>106625</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-91.log</Name>
  <Size>107680</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>108532</Size>
  <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-93.log</Name>
            <Size>108300</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-88.log</Name>
            <Size>109738</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-92.log</Name>
            <Size>129199</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="33947090220" Uncommitted="123407814656"
Committed="33947090220">
            </StorageInfo>
            <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-4a82-34be-ebea-188c85c7eb1d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="68681e7185773bc458046a0099cb969b" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-034/SCC-SP-VM-034.vmdk" Disk="[SP-SATA-STORE-
1] SCC-SP-VM-034/SCC-SP-VM-034-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:66" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-033</Name>
    <Mor>vm-1729</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-033</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:53.026844Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200793a-427e-7dd6-e76d-
26bf54b36716</uuid>
    <instanceUuid>50005b59-199d-a242-a8ed-
17f7dd73f211</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
033</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>

```

```

        <host>scs-sp-esx-05.cisco.com</host>
        <hostMor>host-1708</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>11</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-033/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-033/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-033/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-033/SCC-SP-VM-
033.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-033.vmx</Name>
            <Size>2894</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-033.vmx</Name>
            <Size>3470</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-033.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-033.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-033-000002.vmdk
</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-033-
Snapshot1.vmsn</Name>
            <Size>17185313323</Size>

```

```

        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-033-
Snapshot2.vmsn</Name>
        <Size>17185313323</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>202535</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="51591943749" Uncommitted="103208087552"
Committed="51591943749">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-16de-6621-5273-51fb7b99cb99" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9330975ff14a00104a1ff9e52c73d02a" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-033/SCC-SP-VM-033-000001.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-033/SCC-SP-VM-033-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:38:fb" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <Snapshot>Snapshot1</Snapshot>
        <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SP-QA-001</Name>
        <Mor>vm-1774</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\"(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-QA-001</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
31T23:34:07.043438Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d4b53-3f50-4171-0af6-
3d7943051f8e</uuid>
        <instanceUuid>502d7295-9fc1-de62-elf1-
3a2881e38160</instanceUuid>
        <vmxDir>[SCC04-SP-ESX-02] SCC04-SP-
RH54-1</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.14.141</IpAddress>
        <Networks>VM Network(&lt;False&gt;)

```

```

</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>(10.106.14.141)
(fe80::250:56ff:fead:a)</NicIpaddresses>
    <hostName>B16-SP-QA-001</hostName>
    <host>b16-sp-qa-ucs-09.cisco.com
</host>
    <hostMor>host-1766</hostMor>
    <ResourcePoolMor>resgroup-1458
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC04-SP-ESX-02] SCC04-SP-RH54-1/"
suspendDir="[SCC04-SP-ESX-02] SCC04-SP-RH54-1/" logDir="[SCC04-
SP-ESX-02] SCC04-SP-RH54-1/" vmxPath="[SCC04-SP-ESX-02] SCC04-SP-
RH54-1/SCC04-SP-RH54-1.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RH54-1.vmdk
</Name>
        <Size>52428800</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>143596</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>101257</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>101097</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>75969</Size>

```



```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>70491</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>70658</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>66906</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RH54-1.vmx</Name>
        <Size>2627</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RH54-1.vmx
    </Name>
        <Size>3384</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RH54-1.nvram
    </Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RH54-1.vmsd
    </Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RH54-1-
    2963e656.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="SCC04-SP-ESX-
    02" Unshared="30295054414" Uncommitted="27687649280"
    Committed="30295054414">
        </StorageInfo>
        <Datastore Mor="datastore-1767"
    Url="/vmfs/volumes/4e20d614-3edde5bd-a9cd-d0d0fd092659"

```

```

Name="SCC04-SP-ESX-02">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-f739-a17a-98ef-61d109406ba3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1767"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="19bedfd4eb2cb7348841e60482f2ef01" Parent=""
Disk="[SCC04-SP-ESX-02] SCC04-SP-RH54-1/SCC04-SP-RH54-1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:0a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-QA-002</Name>
    <Mor>vm-1773</Mor>
    <MorType>VirtualMachine</MorType>

```

```

virtual machine\B16-SP-QA-002</Path>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
31T23:34:06.893548Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564de0f5-1a75-1505-2b01-
53a6d68abdbc</uuid>
    <instanceUuid>52092189-d36b-33b0-c386-
9386d80ab436</instanceUuid>
    <vmxDir>[SCC04-SP-ESX-02] SCC04-SP-
RH50-1_1/</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.14.142</IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>(10.106.14.142)
(fe80::20c:29ff:fe8a:bdbc)</NicIpaddresses>
    <hostName>B16-SP-QA-002</hostName>
    <host>bl6-sp-qa-ucs-09.cisco.com
</host>
    <hostMor>host-1766</hostMor>
    <ResourcePoolMor>resgroup-1458
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC04-SP-ESX-02] SCC04-SP-RH50-1_1/"
suspendDir="[SCC04-SP-ESX-02] SCC04-SP-RH50-1_1/" logDir="[SCC04-

```

```

SP-ESX-02] SCC04-SP-RH50-1_1/" vmxPath="[SCC04-SP-ESX-02] SCC04-
SP-RH50-1_1/SCC04-SP-RH50-1_1.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="16384"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>SCC04-SP-RH50-1_1.vmdk
  </Name>
    <Size>52428800</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>71885</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>75048</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>270264</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>369353</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>76292</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>71458</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>68594</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>SCC04-SP-RH50-1_1.vmx
  </Name>
    <Size>2899</Size>
    <Type>config</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RH50-1_1.vmx
</Name>
  <Size>3387</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RH50-1_1.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RH50-1_1.vmsd
</Name>
  <Size>43</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RH50-1_1-
11ae7e42.vswp</Name>
  <Size>17179869184</Size>
  <Type>swap</Type>
</File>
<StorageInfo Datastore="SCC04-SP-ESX-
02" Unshared="30483122781" Uncommitted="40384856064"
Committed="30483122781">
  </StorageInfo>
  <Datastore Mor="datastore-1767"
Url="/vmfs/volumes/4e20d614-3edde5bd-a9cd-d0d0fd092659"
Name="SCC04-SP-ESX-02">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-52c0-d231-4f56-c6e6bfe0dc71" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1767"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2c3e1671f682ead6716f891d0e2aedef9" Parent=""
Disk="[SCC04-SP-ESX-02] SCC04-SP-RH50-1_1/SCC04-SP-RH50-1_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:0c:29:8a:bd:bc" AddressType="generated"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"

```

```

StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-071</Name>
    <Mor>vm-1711</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-071</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This instance provisioned
by Amit Saha</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:58.997424Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d0f68-febd-fad2-7f0b-
3e80178ba6bf</uuid>
    <instanceUuid>502d2942-f154-cd6a-e323-
76ff5adfl1</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
071</vmxDir>

```

```

<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>

<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>

<hostName></hostName>
<host>scs-sp-esx-05.cisco.com</host>
<hostMor>host-1708</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>

<NumberOfDatastores>1
</NumberOfDatastores>

<NumberOfBackingDisks>1
</NumberOfBackingDisks>

<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>

<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-071/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-071/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-071/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-071/SCC-SP-VM-
071.vmx">

</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"

NumCPUs="2">

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-071.vmx</Name>
  <Size>3100</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-071.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-071.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-071.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-071.vmdk</Name>

```

```

        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>20420</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>93949</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>149734</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>106567</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>179808</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>107794</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>99521</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="6475726377" Uncommitted="40932278272"
Committed="6475726377">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-7278-0364-6992-06590ccb7bdb" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```



```

ContentId="6898ac61014242a44e3f1eac2f9915ba" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-071/SCC-SP-VM-071.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:30:17" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-072</Name>
    <Mor>vm-1581</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-072</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This instance provisioned
by Amit Saha.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:24.218857Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dc561-8c92-0712-fee3-
e597d860f476</uuid>
    <instanceUuid>502d40fd-35bd-4c14-545a-
1dd0acd038f6</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
072</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.152</IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>(10.105.58.152)
(fe80::250:56ff:fead:3018)</NicIpaddresses>
    <hostName>SCC-SP-VM-072</hostName>
    <host>scc-sp-esx-01.cisco.com</host>
    <hostMor>host-1569</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-072/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-072/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-072/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-072/SCC-SP-VM-
072.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-072.vmx</Name>
        <Size>3007</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-072.vmx</Name>
        <Size>3367</Size>
        <Type>extendedConfig</Type>

```

```
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-072.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-072.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-072.vmdk</Name>
  <Size>268435456</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>107247</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-78.log</Name>
  <Size>106459</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-73.log</Name>
  <Size>110036</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-74.log</Name>
  <Size>110030</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-76.log</Name>
  <Size>110030</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-75.log</Name>
  <Size>110035</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-77.log</Name>
  <Size>106936</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
```

```

2" Unshared="6748362391" Uncommitted="285472784384"
Committed="6748362391">
    </StorageInfo>
    <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-4fa6-877e-c8c0-02ccc9936175" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="268435456"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="af1ef5223fcf4ad797a465d02f808695" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-072/SCC-SP-VM-072.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:30:18" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-070</Name>
    <Mor>vm-1717</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-070</Path>

```

```

by Amit Saha</Annotation>
<ParentMor>group-v1459</ParentMor>
<Annotation>This instance provisioned
<Version>vmx-08</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>>true
</ChangeTrackingSupported>
<BootOptionsSupported>>true
</BootOptionsSupported>
<SwapPlacementSupported>>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
01T07:29:59.496595Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422dde04-073f-731e-46d7-
d16ef0a65ff8</uuid>
<instanceUuid>502d875d-82cf-5c16-cf2b-
c3149dd2867a</instanceUuid>
<vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
070</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>scs-sp-esx-05.cisco.com</host>
<hostMor>host-1708</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-070/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-070/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-070/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-070/SCC-SP-VM-
070.vmx">

```

NumCPUs="2">

```
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-070.vmx</Name>
  <Size>3169</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-070.vmx</Name>
  <Size>3367</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-070.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-070.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-070.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>107116</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-70.log</Name>
  <Size>110309</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-72.log</Name>
  <Size>110309</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-74.log</Name>
  <Size>110310</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-75.log</Name>
  <Size>107213</Size>
```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-71.log</Name>
        <Size>110308</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-73.log</Name>
        <Size>110307</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="13682600740" Uncommitted="89559990272"
Committed="13682600740">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-1477-3615-a0b3-bcb6d8cd5874" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1054617c06ae5bb805f696398003c82f" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-070/SCC-SP-VM-070.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:30:16" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"

```

```

FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-041</Name>
    <Mor>vm-1536</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-041</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>SCC04-SP-RHEL55-2 -
10.76.96.218
VM Desc : Sugar CRM</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:27:15.154666Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d42db-8909-4907-0d4b-
0f3191838ba5</uuid>
    <instanceUuid>502db98e-d46c-b4a6-85e2-
52b504a42a47</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-08] B16-SP-DV-
041</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.10.251</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.106.10.251)
(fe80::250:56ff:fead:3295)</NicIpaddresses>
    <hostName>B16-SP-DV-041</hostName>
    <host>b16-sp-dv-ucs-08.cisco.com
</host>
    <hostMor>host-1532</hostMor>

```



```

</ResourcePoolMor>                                <ResourcePoolMor>resgroup-1454
</NumberOfDatastores>                             <NumberOfDatastores>1
</NumberOfBackingDisks>                           <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                        <NumberOfFiles>14</NumberOfFiles>
</NumberOfFeatureMaskEntries>                     <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries>                     <NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo>                          <VirtualMachineFileInfo>
snapshotDir="[B16-SP-DV-UCS-08] B16-SP-DV-041/"  suspendDir="[B16-
SP-DV-UCS-08] B16-SP-DV-041/" logDir="[B16-SP-DV-UCS-08] B16-SP-
DV-041/" vmxPath="[B16-SP-DV-UCS-08] B16-SP-DV-041/SCC04-SP-
RHEL55-2.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4128"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RHEL55-2.vmdk
  <Size>125829120</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>72398</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>101315</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>304574</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>66951</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>101640</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-15.log</Name>
        <Size>153377</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>65906</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHEL55-2.vmx
</Name>
        <Size>2942</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHEL55-2.vmx
</Name>
        <Size>272</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHEL55-2.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHEL55-2.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHEL55-2-
9ba451a9.vswp</Name>
        <Size>4328521728</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-
08" Unshared="105554503679" Uncommitted="27627880448"
Committed="105554503679">
        </StorageInfo>
        <Datastore Mor="datastore-1533"
Url="/vmfs/volumes/4d1d875b-edc4023a-c947-001018688422"
Name="B16-SP-DV-UCS-08">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-6470-8846-7af9-cbb6b7f11340" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="125829120"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1533"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="94e5c5618b4b7a5687ee1403a3355295" Parent=""
Disk="[B16-SP-DV-UCS-08] B16-SP-DV-041/SCC04-SP-RHEL55-2.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:95" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-044</Name>
    <Mor>vm-1509</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-044</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:01.408801Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d636c-4161-6500-6fc0-
b9c8ad085e14</uuid>
    <instanceUuid>52081f32-48d3-572f-7c16-
c9d9ed5c0d3b</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-03] REMEDY-LNX/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-ucs-03.cisco.com
</host>
    <hostMor>host-1506</hostMor>
    <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>2
</NumberOfBackingDisks>
    <NumberOfFiles>18</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-03] REMEDY-LNX/" suspendDir="[B16-SP-
DV-UCS-03] REMEDY-LNX/" logDir="[B16-SP-DV-UCS-03] REMEDY-LNX/"
vmxPath="[B16-SP-DV-UCS-03] REMEDY-LNX/REMEDY-LNX.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="4">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>REMEDY-LNX-000001.vmdk
</Name>
        <Size>26214400</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>REMEDY-LNX_1-000001.vmdk
</Name>

```

```

        <Size>26214400</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>REMEDY-LNX-Snapshot1.vmsn
</Name>

    <Size>17982560154</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>69851</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>27122</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>107153</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>79991</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>68052</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>255408</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>27393</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>REMEDY-LNX.vmx</Name>
    <Size>2859</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>REMEDY-LNX.vmx</Name>
    <Size>265</Size>

```

```

        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>REMEDY-LNX.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>REMEDY-LNX.vmsd</Name>
        <Size>555</Size>
        <Type>snapshotList</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-
03" Unshared="67878482728" Uncommitted="74681475215"
Committed="67878482728">
        </StorageInfo>
        <Datastore Mor="datastore-1507"
Url="/vmfs/volumes/4e7a3cd5-831673df-33b6-d0d0fd09410b"
Name="B16-SP-DV-UCS-03">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-de2c-9235-8a78-5c24cd3d7cd4" ChangeId=""
EagerlyScrub="true" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1507"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0bca8bb6fde4190ec86cd43611aa0b10" Parent="[B16-SP-DV-
UCS-03] REMEDY-LNX/REMEDY-LNX.vmdk" Disk="[B16-SP-DV-UCS-03]
REMEDY-LNX/REMEDY-LNX-000001.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-963d-1d41-85c2-33397ca87ddf" ChangeId=""
EagerlyScrub="true" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1507"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ebf2f7a3d9fcba1750173ff85933e67d" Parent="[B16-SP-DV-
UCS-03] REMEDY-LNX/REMEDY-LNX_1.vmdk" Disk="[B16-SP-DV-UCS-03]
REMEDY-LNX/REMEDY-LNX_1-000001.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="1" Key="2001"
ControllerKey="1000" Type="" Label="Hard disk 2">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:6a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <Snapshot>CUSDP_Remeddy_Snapshot_01
</Snapshot>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SP-DV-046</Name>
        <Mor>vm-1549</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-046</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This VM is imaged by
Chandra Babu M</Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:47:10.526534Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d7513-2d44-baa2-2aec-
5c65799bf1ec</uuid>
        <instanceUuid>502d97e6-4e9f-d4e0-45e3-
7d729fc954cd</instanceUuid>
        <vmxDir>[B16-SP-DV-UCS-09] B16-SP-DV-
045</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.10.207</IpAddress>
        <Networks>VM Network(&lt;True&gt;);)
</Networks>
        <Nics>VM Network(&lt;true&gt;);)</Nics>
        <NicIpaddresses>(10.106.10.207)

```

```

(fe80::250:56ff:fead:9b6)</NicIpaddresses>
    <hostName>B16-SP-DV-046</hostName>
    <host>b16-sp-dv-ucs-09.cisco.com
</host>

    <hostMor>host-1539</hostMor>
    <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>

    <NumberOfDatastores>1
</NumberOfDatastores>

    <NumberOfBackingDisks>1
</NumberOfBackingDisks>

    <NumberOfFiles>12</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>

    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-09] B16-SP-DV-045/" suspendDir="[B16-
SP-DV-UCS-09] B16-SP-DV-045/" logDir="[B16-SP-DV-UCS-09] B16-SP-
DV-045/" vmxPath="[B16-SP-DV-UCS-09] B16-SP-DV-045/B16-SP-DV-
045.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-045.vmdk</Name>
        <Size>62914560</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>162617</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>64122</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>121869</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>61822</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>

```



```

        <Size>61879</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-045.vmx</Name>
        <Size>2931</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-045.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-045.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-045.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-045-
8c91ad3f.vswp</Name>
        <Size>17179869184</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-
09" Unshared="33008608623" Uncommitted="48596254720"
Committed="33008608623">
        </StorageInfo>
        <Datastore Mor="datastore-1540"
Url="/vmfs/volumes/4d1d8c3f-80b31bab-b7f1-001018687da2"
Name="B16-SP-DV-UCS-09">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-9e8b-9578-f5cd-ea4346c1060b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1540"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e6db02bf0899099b04e21aab31fda2c9" Parent=""
Disk="[B16-SP-DV-UCS-09] B16-SP-DV-045/B16-SP-DV-045.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:b6" AddressType="assigned"

```

```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /vmfs/volumes/3c3693e8-f77a642a-1910-
5c6bdcb26d3a/packages/4.1.0/vmtools/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-045</Name>
    <Mor>vm-1558</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-045</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Old IP 10.76.96.208
VM Desc Comptel - Dev - 2</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:26:47.297417Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>

```

```

                <uuid>422d79a9-d24e-0955-f326-
2980e35a7d88</uuid>
                <instanceUuid>502dc8d3-fa7d-b31b-c9a7-
5a7b984bf345</instanceUuid>
                <vmxDir>[B16-SP-DV-UCS-10] B16-SP-DV-
045</vmxDir>
                <template>>false</template>
                <IpAddress>10.106.10.206</IpAddress>
                <Networks>VM Network(&lt;False&gt;)
</Networks>
                <Nics>VM Network(&lt;false&gt;)</Nics>
                <NicIpaddresses>(10.106.10.206)
(fe80::250:56ff:fead:3004)</NicIpaddresses>
                <hostName>B16-SP-DV-045</hostName>
                <host>b16-sp-dv-ucs-10.cisco.com
</host>
                <hostMor>host-1553</hostMor>
                <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
                <NumberOfDatastores>1
</NumberOfDatastores>
                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                <NumberOfFiles>14</NumberOfFiles>
                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-10] B16-SP-DV-045/" suspendDir="[B16-
SP-DV-UCS-10] B16-SP-DV-045/" logDir="[B16-SP-DV-UCS-10] B16-SP-
DV-045/" vmxPath="[B16-SP-DV-UCS-10] B16-SP-DV-045/B16-SP-DV-
045.vmx">
                </VirtualMachineFileInfo>
                <VirtualHardware MemoryMB="33376"
NumCPUs="1">
                </VirtualHardware>
                <File Type="VmFileInfo">
                    <Name>B16-SP-DV-045.vmdk</Name>
                    <Size>41943040</Size>
                    <Type>diskDescriptor</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>vmware-8.log</Name>
                    <Size>125463</Size>
                    <Type>log</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>vmware-9.log</Name>
                    <Size>68079</Size>
                    <Type>log</Type>
                </File>

```

```

<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>66661</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>68133</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>29380</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>108231</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>61707</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-045.vmx</Name>
  <Size>3161</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-045.vmx</Name>
  <Size>268</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-045.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-045.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-045-
5a0170d3.vswp</Name>
  <Size>34997272576</Size>
  <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-

```

```

10" Unshared="60347137692" Uncommitted="17600348160"
Committed="60347137692">
    </StorageInfo>
    <Datastore Mor="datastore-1554"
Url="/vmfs/volumes/4d1d6680-485ae3f6-be25-001018687d42"
Name="B16-SP-DV-UCS-10">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-5f82-c804-f417-1c6d59919d28" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1554"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="71e2843ef6c6b91cb553db20bc19fee6" Parent=""
Disk="[B16-SP-DV-UCS-10] B16-SP-DV-045/B16-SP-DV-045.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:30:04" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>

```

```

        </VirtualMachine>
        <VirtualMachine>
            <Name>B16-SP-DV-035-FNMT</Name>
            <Mor>vm-1520</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-035-FNMT</Path>
            <ParentMor>group-v1459</ParentMor>
            <Annotation>CUSDP-FNMT-01 -
10.76.96.212</Annotation>
            <Version>vmx-07</Version>
            <GuestId>rhel5Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
            <BootOptionsSupported>>true
</BootOptionsSupported>
            <SwapPlacementSupported>>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2014-01-
01T07:28:55.643583Z</ChangeVersion>
            <powerState>poweredOn</powerState>
            <connectionState>connected
</connectionState>
            <uuid>564dbfa0-9a84-02c5-aeda-
70db0992a90f</uuid>
            <instanceUuid>52b31f58-f16d-87d9-bb2b-
f4d2c7b10707</instanceUuid>
            <vmxDir>[B16-SP-DV-UCS-05] CUSDP_FNMT_
212</vmxDir>
            <template>>false</template>
            <IpAddress></IpAddress>
            <Networks>VM Network(&lt;True&gt;)
</Networks>
            <Nics>None</Nics>
            <NicIpaddresses></NicIpaddresses>
            <hostName></hostName>
            <host>bl6-sp-dv-ucs-05.cisco.com
</host>
            <hostMor>host-1516</hostMor>
            <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>2
</NumberOfBackingDisks>
            <NumberOfFiles>16</NumberOfFiles>
            <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-05] CUSDP_FNMT_212/"
suspendDir="[B16-SP-DV-UCS-05] CUSDP_FNMT_212/" logDir="[B16-SP-
DV-UCS-05] CUSDP_FNMT_212/" vmxPath="[B16-SP-DV-UCS-05]
CUSDP_FNMT_212/CUSDP_FNMT_212.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4076"
NumCPUs="1">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>CUSDP_FNMT_212.vmdk</Name>
            <Size>22020096</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>CUSDP_FNMT_212_1.vmdk
</Name>
            <Size>16777216</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>62599</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-10.log</Name>
            <Size>125089</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-11.log</Name>
            <Size>484461</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-12.log</Name>
            <Size>97369</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-13.log</Name>
            <Size>583685</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-14.log</Name>
            <Size>64077</Size>
            <Type>log</Type>
        </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>63301</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>CUSDP_FNMT_212.vmx</Name>
      <Size>3084</Size>
      <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>CUSDP_FNMT_212.vmx</Name>
      <Size>269</Size>
      <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>CUSDP_FNMT_212.nvram
</Name>
      <Size>8684</Size>
      <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>CUSDP_FNMT_212.vmsd</Name>
      <Size>43</Size>
      <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>CUSDP_FNMT_212-
59413a0d.vswp</Name>
      <Size>4273995776</Size>
      <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-
05" Unshared="41778858749" Uncommitted="2225078272"
Committed="41778858749">
      </StorageInfo>
      <Datastore Mor="datastore-1517"
Url="/vmfs/volumes/4e7a4b7d-13fd4f50-7b3d-d0d0fd0952a5"
Name="B16-SP-DV-UCS-05">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-fcfc-6d85-cd83-e86e29b3b0b5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="22020096"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1517"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e7a977973835ef906f07d9ccb5a20cb7" Parent=""
Disk="[B16-SP-DV-UCS-05] CUSDP_FNMT_212/CUSDP_FNMT_212.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>

```



```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-76ad-6e8c-a9f1-ae72d2658e0b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="16777216"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1517"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a866ef178c6d5567992b0923f045cee4" Parent=""
Disk="[B16-SP-DV-UCS-05] CUSDP_FNMT_212/CUSDP_FNMT_212_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:6b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-048</Name>
    <Mor>vm-1560</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-048</Path>

```

```

VM desc : UWP
</Annotation>
<ParentMor>group-v1459</ParentMor>
<Annotation>Old IP 10.76.96.202

<Version>vmx-07</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>>true
</ChangeTrackingSupported>
<BootOptionsSupported>>true
</BootOptionsSupported>
<SwapPlacementSupported>>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
01T07:26:47.57326Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d8658-3e24-f56d-79d9-
91ed68f3b5af</uuid>
<instanceUuid>502de6b6-1a26-0446-d679-
3a18fd1de064</instanceUuid>
<vmxDir>[B16-SP-DV-UCS-10] B16-SP-DV-
018-James/</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-sp-dv-ucs-10.cisco.com
</host>
<hostMor>host-1553</hostMor>
<ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-10] B16-SP-DV-018-James/"
suspendDir="[B16-SP-DV-UCS-10] B16-SP-DV-018-James/"

```

```

logDir="[B16-SP-DV-UCS-10] B16-SP-DV-018-James/" vmxPath="[B16-
SP-DV-UCS-10] B16-SP-DV-018-James/B16-SP-DV-018-James.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="5120"
NumCPUs="1">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SP-DV-018-James.vmdk
  </Name>
    <Size>20971520</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>68188</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>224084</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>63755</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>63499</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>92298</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>66100</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>60063</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SP-DV-018-James.vmx
  </Name>
    <Size>3044</Size>
    <Type>config</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-018-James.vmx
</Name>
  <Size>274</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-018-James.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-018-James.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-018-James-
94290230.vswp</Name>
  <Size>5368709120</Size>
  <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-
10" Unshared="26844196092" Uncommitted="0"
Committed="26844196092">
  </StorageInfo>
  <Datastore Mor="datastore-1554"
Url="/vmfs/volumes/4d1d6680-485ae3f6-be25-001018687d42"
Name="B16-SP-DV-UCS-10">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-6dcd-a02f-d4b5-ddefb20f5763" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1554"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="08a12f427fe7813b7ae614b159d3bca4" Parent=""
Disk="[B16-SP-DV-UCS-10] B16-SP-DV-018-James/B16-SP-DV-018-
James.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0e:cf" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"

```

```

StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-047</Name>
    <Mor>vm-1503</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-047</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:30:21.630168Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected

```

```

</connectionState>
                                <uuid>420047e7-077c-3aef-0616-
f42215fd5442</uuid>
                                <instanceUuid>5000efb1-d904-d52e-2175-
75babe9f5fe8</instanceUuid>
                                <vmxDir>[B16-SP-DV-UCS-01] B16-SP-DV-
047_1/</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.10.208</IpAddress>
                                <Networks>VM Network(&lt;True&gt;)
</Networks>
                                <Nics>VM Network(&lt;true&gt;)</Nics>
                                <NicIpaddresses>(10.106.10.208)
</NicIpaddresses>
                                <hostName>B16-SP-DV-047</hostName>
                                <host>b16-sp-dv-ucs-01.cisco.com
</host>
                                <hostMor>host-1501</hostMor>
                                <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>2
</NumberOfBackingDisks>
                                <NumberOfFiles>11</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-01] B16-SP-DV-047_1/"
suspendDir="[B16-SP-DV-UCS-01] B16-SP-DV-047_1/" logDir="[B16-SP-
DV-UCS-01] B16-SP-DV-047_1/" vmxPath="[B16-SP-DV-UCS-01] B16-SP-
DV-047_1/B16-SP-DV-047.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>B16-SP-DV-047.vmdk</Name>
                                    <Size>52428800</Size>
                                    <Type>diskDescriptor</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>B16-SP-DV-047_1.vmdk
</Name>
                                    <Size>10485760</Size>
                                    <Type>diskDescriptor</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware-1.log</Name>
                                    <Size>141106</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>136384</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-047.vmx</Name>
        <Size>3293</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-047.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-047.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-047.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-047-
8d691850.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-
01" Unshared="25193377812" Uncommitted="43526389760"
Committed="25193377812">
        </StorageInfo>
        <Datastore Mor="datastore-1502"
Url="/vmfs/volumes/4e69ccb2-0eb60975-5fd5-d0d0fd097195"
Name="B16-SP-DV-UCS-01">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-48c4-8bc4-351a-7e92c0510381" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1502"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="eeaa4a944065dc844793d291e6a1fa43" Parent=""
Disk="[B16-SP-DV-UCS-01] B16-SP-DV-047_1/B16-SP-DV-047.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">

```

```

        </BackingDisk>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-c175-6516-e220-b37bab542953" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="10485760"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1502"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5c410b51a66668da533c30574862334a" Parent=""
Disk="[B16-SP-DV-UCS-01] B16-SP-DV-047_1/B16-SP-DV-047_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:7d:a4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-086</Name>
        <Mor>vm-1633</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-086</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>Clone of B16-SP-QA-011
</Annotation>
        <Version>vmx-07</Version>

```



```

                                <GuestId>rhel5Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
01T07:29:36.698497Z</ChangeVersion>
                                <powerState>poweredOff</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>42009d8f-5f79-016e-6479-
17b89c5876de</uuid>
                                <instanceUuid>5000c97f-341a-0d34-f5e2-
28eadff5c1f7</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
086/</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt;)
</Networks>
                                <Nics>VM Network(&lt;false&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scc-sp-esx-02.cisco.com</host>
                                <hostMor>host-1601</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-086/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-086/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-086/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-086/SCC-SP-VM-
086.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>SCC-SP-VM-086.vmx</Name>
  <Size>3122</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-086.vmx</Name>
  <Size>3367</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-086.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-086.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-086-000001.vmdk
</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-086-
Snapshot1.vmsn</Name>
  <Size>4300713395</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-82.log</Name>
  <Size>111636</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-83.log</Name>
  <Size>111638</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-84.log</Name>
  <Size>111643</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-85.log</Name>
  <Size>111662</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-86.log</Name>
            <Size>107231</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>106343</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-87.log</Name>
            <Size>112176</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="61971292641" Uncommitted="111646986240"
Committed="61971292641">
            </StorageInfo>
            <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-fcf6-f876-d6c0-152e8b28fe23" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2ebf1c691d3975919ad7d478e124ff4b" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-086/SCC-SP-VM-086.vmdk" Disk="[SP-SATA-STORE-
2] SCC-SP-VM-086/SCC-SP-VM-086-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:77" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot_after_cloned_20Sept
</Snapshot>
    </VirtualMachine>
    <VirtualMachine>
        <Name>SCC-SP-VM-085</Name>
        <Mor>vm-1735</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-085</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>Clone of B16-SP-QA-010
</Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:37.774118Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200b4f3-5a0c-b2a7-749d-
5435077a0f09</uuid>
        <instanceUuid>5000cdce-5257-9a6c-5dbf-
77d9054a5ef3</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
085</vmxDir>

```

```

<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>

<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>

<hostName></hostName>
<host>scc-sp-esx-06.cisco.com</host>
<hostMor>host-1732</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>

<NumberOfDatastores>1
</NumberOfDatastores>

<NumberOfBackingDisks>1
</NumberOfBackingDisks>

<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>

<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-085/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-085/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-085/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-085/SCC-SP-VM-
085.vmx">

</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"

NumCPUs="2">

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-085.vmx</Name>
  <Size>3221</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-085.vmx</Name>
  <Size>3367</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-085.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-085.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-085-000001.vmdk

```

```

</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-085-
Snapshot1.vmsn</Name>
        <Size>4300713395</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>72655</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>71734</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>106776</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>100820</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>143161</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>107707</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>106812</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="27951230332" Uncommitted="111630209024"
Committed="27951230332">
        </StorageInfo>
    <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-fcf6-f876-d6c0-152e8b28fe23" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1d00d2bf4f40f912c3fcefcdd7a72870" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-085/SCC-SP-VM-085.vmdk" Disk="[SP-SATA-STORE-
2] SCC-SP-VM-085/SCC-SP-VM-085-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:76" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <Snapshot>Snapshot_after_cloned_20Sept
</Snapshot>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-084</Name>

```

```

        <Mor>vm-1694</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-084</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>Clone of B16-SP-QA-009
</Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:32.336155Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>420028cf-8493-7345-4a31-
bb307bdeb14e</uuid>
        <instanceUuid>5000527b-d092-aad7-0fea-
2cd7fe547876</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
084</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scs-sp-esx-04.cisco.com</host>
        <hostMor>host-1675</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo

```



```

snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-084/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-084/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-084/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-084/SCC-SP-VM-
084.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-084.vmx</Name>
        <Size>3222</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-084.vmx</Name>
        <Size>3367</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-084.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-084.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-084-000001.vmdk
    </Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-084-
Snapshot1.vmsn</Name>
        <Size>4300713395</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-92.log</Name>
        <Size>111774</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-91.log</Name>
        <Size>111795</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-95.log</Name>

```

```

        <Size>107354</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-93.log</Name>
        <Size>111779</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-94.log</Name>
        <Size>111785</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-96.log</Name>
        <Size>112157</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>106493</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="68090783085" Uncommitted="111630209024"
Committed="68090783085">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-fcf6-f876-d6c0-152e8b28fe23" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9688d53332991aa3515a012870c5b16a" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-084/SCC-SP-VM-084.vmdk" Disk="[SP-SATA-STORE-
2] SCC-SP-VM-084/SCC-SP-VM-084-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:75" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot_after_cloned_20Sept
</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-083</Name>
    <Mor>vm-1682</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-083</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Clone of B16-SP-QA-008
</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:31.031045Z</ChangeVersion>
    <powerState>poweredOff</powerState>

```

```

</connectionState>          <connectionState>connected
                                <uuid>42007c67-fce0-d56d-f0c2-
d8acbd552109</uuid>
                                <instanceUuid>5000ece5-286a-0c35-7c12-
1d38ccc41b3e</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
083/</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt;)
</Networks>
                                <Nics>VM Network(&lt;false&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scc-sp-esx-04.cisco.com</host>
                                <hostMor>host-1675</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-083/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-083/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-083/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-083/SCC-SP-VM-
083.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-083.vmx</Name>
                                    <Size>3224</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-083.vmx</Name>
                                    <Size>3367</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-083.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-083.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-083-000001.vmdk
</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-083-
Snapshot1.vmsn</Name>
  <Size>4300713395</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>89970</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>107571</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-36.log</Name>
  <Size>111781</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-37.log</Name>
  <Size>107359</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-32.log</Name>
  <Size>111933</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-33.log</Name>
  <Size>111912</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-35.log</Name>
  <Size>111301</Size>
  <Type>log</Type>

```

```

        </File>
        <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="45136384561" Uncommitted="111646986240"
Committed="45136384561">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-e633-0ada-7f03-c2412a69d3a2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c962456628ae94721126e7e2c8ed9048" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-083/SCC-SP-VM-083.vmdk" Disk="[SP-SATA-STORE-
2] SCC-SP-VM-083/SCC-SP-VM-083-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:74" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"

```

```

StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot_after_cloned_20Sept
</Snapshot>
    </VirtualMachine>
    <VirtualMachine>
        <Name>SCC-SP-VM-009</Name>
        <Mor>vm-1724</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-009</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This VM instance
provisioned by Amit Saha.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:30:00.56022Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200b2fd-b60d-ad86-4ffd-
71c6d837241d</uuid>
        <instanceUuid>50006c2d-8fb0-aca3-7c5a-
a6df8123ce43</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
009</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scs-sp-esx-05.cisco.com</host>
        <hostMor>host-1708</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-009/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-009/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-009/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-009/SCC-SP-VM-
009.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="6144"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-009.vmx</Name>
            <Size>3008</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-009.vmx</Name>
            <Size>3367</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-009.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-009.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-009.vmdk</Name>
            <Size>62914560</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-48.log</Name>
            <Size>110764</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-47.log</Name>
            <Size>113718</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">

```



```

        <Name>vmware-49.log</Name>
        <Size>110772</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-50.log</Name>
        <Size>110763</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-51.log</Name>
        <Size>111263</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-52.log</Name>
        <Size>108160</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>109879</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="11730161514" Uncommitted="59300184064"
Committed="11730161514">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-bd8e-7aef-c97a-73071d104fb3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="78d9b876e79542db4b5174af600b1c0c" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-009/SCC-SP-VM-009.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:71" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-089</Name>
    <Mor>vm-1611</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-089</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>otherLinux64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:36.280609Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564dd85e-c218-d890-c7d8-
840ff81afabf</uuid>
    <instanceUuid>52b916da-0df3-855d-81fe-
387a711d34de</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] EM7-CU-5/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>

```

```

</Networks>
<Networks>VM Network(&lt;False&gt;)
</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>scc-sp-esx-02.cisco.com</host>
<hostMor>host-1601</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] EM7-CU-5/" suspendDir="[SP-SATA-
STORE-2] EM7-CU-5/" logDir="[SP-SATA-STORE-2] EM7-CU-5/"
vmxPath="[SP-SATA-STORE-2] EM7-CU-5/EM7-CU-5.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8988"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>EM7-CU-5.vmx</Name>
  <Size>2912</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>EM7-CU-5.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>EM7-CU-5.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>EM7-CU-5.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>EM7-CU-5.vmdk</Name>
  <Size>52428800</Size>
  <Type>diskDescriptor</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-26.log</Name>
      <Size>110652</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-27.log</Name>
      <Size>110651</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-28.log</Name>
      <Size>106068</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-25.log</Name>
      <Size>110654</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>104188</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-24.log</Name>
      <Size>110634</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-23.log</Name>
      <Size>110647</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="11797255090" Uncommitted="51557564416"
Committed="11797255090">
      </StorageInfo>
      <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-670f-3d91-47bb-66a9bac5f1ed" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bd506ebbee4f85346abf2ald451debfc" Parent="" Disk="[SP-
SATA-STORE-2] EM7-CU-5/EM7-CU-5.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"

```

```

ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:02:6d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-088</Name>
    <Mor>vm-1663</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-088</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM instance
provisioned by Amit Saha.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported>      <BootOptionsSupported>true
</SwapPlacementSupported>    <SwapPlacementSupported>true
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
01T07:29:41.648031Z</ChangeVersion>
                                <powerState>poweredOff</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>420008ef-dd86-d84f-19f6-
256b7ecff17f</uuid>
                                <instanceUuid>5000f31f-23c8-5268-822b-
8ada8919208d</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
088</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt;)
</Networks>
                                <Nics>VM Network(&lt;false&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scs-sp-esx-03.cisco.com</host>
                                <hostMor>host-1646</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>8</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-088/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-088/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-088/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-088/SCC-SP-VM-
088.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16384"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-088.vmx</Name>
                                    <Size>3021</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">

```

```

        <Name>SCC-SP-VM-088.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-088.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-088.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-088.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>108688</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>130340</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="10393736045" Uncommitted="92848324608"
Committed="10393736045">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-b6b4-24f3-f28a-a12a512c84cd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="07e9726b0c80454ebc5d44d6a5766ecf" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-088/SCC-SP-VM-088.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:3a:aa" AddressType="assigned"

```

```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-049</Name>
    <Mor>vm-1746</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-049</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Provisioned by Amit Saha.
</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:38.987958Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200bc86-22d8-9591-f810-
4700d33dbeca</uuid>

```



```

                <instanceUuid>500087f0-758e-f646-885f-
258d448a4170</instanceUuid>
                <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
049/</vmxDir>
                <template>>false</template>
                <IpAddress></IpAddress>
                <Networks>VM Network(&lt;False&gt; )
</Networks>
                <Nics>VM Network(&lt;false&gt; )</Nics>
                <NicIpaddresses>unassigned
</NicIpaddresses>
                <hostName></hostName>
                <host>scs-sp-esx-06.cisco.com</host>
                <hostMor>host-1732</hostMor>
                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                <NumberOfDatastores>1
</NumberOfDatastores>
                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                <NumberOfFiles>13</NumberOfFiles>
                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-049/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-049/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-049/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-049/SCC-SP-VM-
049.vmx">
                </VirtualMachineFileInfo>
                <VirtualHardware MemoryMB="8192"
NumCPUs="2">
                </VirtualHardware>
                <File Type="VmFileInfo">
                    <Name>SCC-SP-VM-049.vmx</Name>
                    <Size>2990</Size>
                    <Type>config</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>SCC-SP-VM-049.vmx</Name>
                    <Size>3367</Size>
                    <Type>extendedConfig</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>SCC-SP-VM-049.nvram</Name>
                    <Size>8684</Size>
                    <Type>nvram</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>SCC-SP-VM-049.vmsd</Name>
                    <Size>0</Size>

```

```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-049.vmdk</Name>
        <Size>62914560</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>192391</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>110345</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-17.log</Name>
        <Size>110690</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-18.log</Name>
        <Size>111338</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>110695</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>110691</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>110696</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="46313328079" Uncommitted="26864582656"
Committed="46313328079">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-a875-625a-4178-0470c84896d9" ChangeId=""

```

```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7500b4bebd4e17753a77fd62ea2a2fab" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-049/SCC-SP-VM-049.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:79" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-087</Name>
    <Mor>vm-1690</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-087</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>oracleLinux64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
</SwapPlacementSupported> <SwapPlacement>inherit</SwapPlacement>
01T07:29:37.269402Z</ChangeVersion> <ChangeVersion>2014-01-
</connectionState> <powerState>poweredOff</powerState>
494e4fd98687</uuid> <connectionState>connected
b07868d9443f</instanceUuid> <uuid>42008782-acc2-3e1e-d0b7-
087</vmxDir> <instanceUuid>50003d33-08eb-3312-b787-
<template>false</template> <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
<IpAddress></IpAddress> <template>false</template>
</Networks> <Networks>VM Network(&lt;False&gt;) <IpAddress></IpAddress>
</NicIpaddresses> <Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned <NicIpaddresses>unassigned
</ResourcePoolMor> <hostName></hostName>
</NumberOfDatastores> <host>scs-sp-esx-02.cisco.com</host>
</NumberOfBackingDisks> <hostMor>host-1601</hostMor>
</CpuFeatureMaskSupported> <ResourcePoolMor>resgroup-1456
</NumberOfFeatureMaskEntries> <NumberOfDatastores>1
</VirtualMachineFileInfo> <NumberOfBackingDisks>2
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-087/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-087/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-087/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-087/SCC-SP-VM-
087.vmx"> <NumberOfFiles>23</NumberOfFiles>
</VirtualMachineFileInfo> <CpuFeatureMaskSupported>true
NumCPUs="4"> <NumberOfFeatureMaskEntries>0
</VirtualHardware MemoryMB="65536" </NumberOfFeatureMaskEntries>
</VirtualHardware> <VirtualMachineFileInfo>
<File Type="VmFileInfo"> <VirtualHardware MemoryMB="65536"
<Name>SCC-SP-VM-087.vmx</Name> </VirtualHardware>
<Size>3274</Size> <File Type="VmFileInfo">
<Type>config</Type> <File Type="VmFileInfo">
</File> <File Type="VmFileInfo">

```

```

        <Name>SCC-SP-VM-087.vmx</Name>
        <Size>3367</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-087.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-087.vmsd</Name>
        <Size>1461</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-087-000003.vmdk
</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-087_1-
000002.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-087-
Snapshot1.vmsn</Name>
        <Size>42955238323</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-087-
Snapshot2.vmsn</Name>
        <Size>68725024724</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-087-
Snapshot3.vmsn</Name>
        <Size>68725042099</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-129.log</Name>
        <Size>168126</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-125.log</Name>
        <Size>116599</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-126.log</Name>
        <Size>114547</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-128.log</Name>
        <Size>115744</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-130.log</Name>
        <Size>169846</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>116765</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-127.log</Name>
        <Size>235612</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="254203036803" Uncommitted="241531854848"
Committed="254203036803">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-8535-9f06-0de6-94f87ec83dd2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="cc0d4f427ebf5864ac37bafff6aa4e75" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-087/SCC-SP-VM-087-000002.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-087/SCC-SP-VM-087-000003.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-4a25-0e47-96a7-ed74b7fc12d4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"

```

```

CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="836915a3ac281dc23caf566e0d016c8f" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-087/SCC-SP-VM-087_1-000001.vmdk" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-087/SCC-SP-VM-087_1-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:78" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot_OS_Installed
</Snapshot>
    <Snapshot>Oracle_DB_Installed
</Snapshot>
    <Snapshot>
JAVA_ENV_Set_Artifacts_copied7feb13</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-048</Name>
    <Mor>vm-1608</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-048</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M on 15-MAR-2012 for the user Sanjay Pataskar
on account of Mar12spataskaSCC1579.</Annotation>

```

```

                                <Version>vmx-08</Version>
                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
06T06:52:18.462829Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>422d1e7d-de32-be56-b842-
8830c0005c12</uuid>
                                <instanceUuid>502dd91c-224c-fd80-cc21-
434b35189f73</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
048</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.105.58.128</IpAddress>
                                <Networks>VM Network(&lt;True&gt;)
</Networks>
                                <Nics>VM Network(&lt;true&gt;)</Nics>
                                <NicIpaddresses>(10.105.58.128)
(fe80::250:56ff:fead:39c9)</NicIpaddresses>
                                <hostName>SCC-SP-VM-048</hostName>
                                <host>scc-sp-esx-05.cisco.com</host>
                                <hostMor>host-1708</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>19</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-048/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-048/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-048/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-048/SCC-SP-VM-
048.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16384"
NumCPUs="2">

```



```

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-048.vmx</Name>
  <Size>3122</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-048.vmx</Name>
  <Size>3367</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-048.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-048.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-048-000002.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-048-
Snapshot7.vmsn</Name>
  <Size>17185647743</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-048-
Snapshot8.vmsn</Name>
  <Size>17185647743</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-048-
970bcc23.vswp</Name>
  <Size>17179869184</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-SP-VM-048-
2534132771-1.vswp</Name>
  <Size>48234496</Size>
  <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-25.log</Name>
        <Size>105896</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>110870</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>110884</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>110880</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>112695</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-26.log</Name>
        <Size>127464</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>90893</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="71286321777" Uncommitted="42647597056"
Committed="71286321777">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-e232-a1b5-7ec7-fd3e3f2d55b4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7f53bdf37b63a52d54de334fc5bd15fd" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-048/SCC-SP-VM-048-000001.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-048/SCC-SP-VM-048-000002.vmdk"
AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:39:c9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-047</Name>
    <Mor>vm-1649</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-047</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M on 15-MAR-2012 for the user Sanjay Pataskar
on account of Marl2spataskaSCC1579.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
06T06:52:18.545696Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422da34b-1ac5-9bde-f77a-
f48da5da48ca</uuid>
    <instanceUuid>502d86ce-1a05-5056-ba86-
e4d9219dce80</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
047</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.127</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.105.58.127)
(fe80::250:56ff:fead:39c8)</NicIpaddresses>
    <hostName>SCC-SP-VM-047</hostName>
    <host>scs-sp-esx-02.cisco.com</host>
    <hostMor>host-1601</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>19</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-047/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-047/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-047/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-047/SCC-SP-VM-
047.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-047.vmx</Name>
        <Size>3122</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-047.vmx</Name>
        <Size>3367</Size>
        <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-047.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-047.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-047-000002.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-047-
Snapshot7.vmsn</Name>
  <Size>17185647743</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-047-
Snapshot8.vmsn</Name>
  <Size>17185647743</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-047-
970bcc22.vswp</Name>
  <Size>17179869184</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-SP-VM-047-
2534132770-1.vswp</Name>
  <Size>48234496</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>107359</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>105726</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-7.log</Name>
        <Size>110957</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>186779</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>110950</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>127365</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>91123</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="70972868230" Uncommitted="42647597056"
Committed="70972868230">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-78f2-391a-3b02-4d73f8813bf6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0ec698e7aba835d044abf5afc220a80b" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-047/SCC-SP-VM-047-000001.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-047/SCC-SP-VM-047-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:39:c8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"

```

```

StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-004</Name>
    <Mor>vm-1618</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-004</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M on 10-JAN-2012 for the user Sanjay Pataskar on
account of Jan12spataskaSCC713.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:36.641769Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42004d42-f072-9bc6-30e6-
41f4a899f5a8</uuid>
    <instanceUuid>500008a1-833c-a108-8dfc-

```

```

bdbe8d767125</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
004/</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt; )
</Networks>
                                <Nics>VM Network(&lt;false&gt; )</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scs-sp-esx-02.cisco.com</host>
                                <hostMor>host-1601</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>13</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-004/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-004/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-004/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-004/SCC-SP-VM-
004.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-004.vmx</Name>
                                    <Size>3079</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-004.vmx</Name>
                                    <Size>0</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-004.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-004.vmsd</Name>
                                    <Size>0</Size>
                                    <Type>snapshotList</Type>

```



```

</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-004.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-94.log</Name>
  <Size>108960</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-96.log</Name>
  <Size>105643</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-97.log</Name>
  <Size>105641</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>105747</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-98.log</Name>
  <Size>109433</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-93.log</Name>
  <Size>108963</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-95.log</Name>
  <Size>108961</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="6042660023" Uncommitted="41365340160"
Committed="6042660023">
  </StorageInfo>
  <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-e284-cb96-7e2c-4554f34cef43" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```

```

Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="de579e6f8b839d5a6a07b471c2582ec7" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-004/SCC-SP-VM-004.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:6c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/linux.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-046</Name>
    <Mor>vm-1585</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-046</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M on 15-MAR-2012 for the user Sanjay Pataskar
on account of Mar12spataskaSCC1579.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
06T06:52:11.454171Z</ChangeVersion>
</connectionState>
9672bdcf4c20</uuid>
95e602f2623a</instanceUuid>
046</vmxDir>
</Networks>
(fe80::250:56ff:fead:39c5)</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-046/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-046/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-046/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-046/SCC-SP-VM-
046.vmx">
NumCPUs="2">

```

```

        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-046.vmx</Name>
    <Size>3470</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-046.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-046.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-046-000002.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-046-
Snapshot15.vmsn</Name>
    <Size>17185647743</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-046-
Snapshot16.vmsn</Name>
    <Size>17185647743</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-046-
970bcc21.vswp</Name>
    <Size>17179869184</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-SP-VM-046-
2534132769-1.vswp</Name>
    <Size>48234496</Size>
    <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-57.log</Name>
    <Size>105619</Size>
    <Type>log</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-53.log</Name>
      <Size>110577</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-54.log</Name>
      <Size>110581</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-56.log</Name>
      <Size>113499</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-55.log</Name>
      <Size>110584</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-58.log</Name>
      <Size>127097</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>90676</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="73551244956" Uncommitted="42563710976"
Committed="73551244956">
      </StorageInfo>
      <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-faff-8a67-8829-8f96883477a0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="24e494741e795e83d83686e55d944715" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-046/SCC-SP-VM-046-000001.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-046/SCC-SP-VM-046-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:39:c5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <Snapshot>Snapshot1</Snapshot>
        <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-003</Name>
        <Mor>vm-1678</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-003</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This VM is imaged by
Chandra Babu M on 10-JAN-2012 for the user Sanjay Pataskar on
account of Jan12spataskaSCC713.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:30.302895Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>420001d0-2c65-3058-fe01-
8420b609332c</uuid>
        <instanceUuid>50008d7d-e771-da9d-205d-
6bf8ab5889f0</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
003</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scc-sp-esx-04.cisco.com</host>
        <hostMor>host-1675</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-003/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-003/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-003/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-003/SCC-SP-VM-
003.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-003.vmx</Name>
            <Size>3081</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-003.vmx</Name>
            <Size>3367</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-003.nvram</Name>
            <Size>8684</Size>

```

```

        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-003.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-003.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>108222</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>108364</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>110772</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>110774</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>111965</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>110775</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>110772</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="9887809880" Uncommitted="37520211968"
Committed="9887809880">
    </StorageInfo>
    <Datastore Mor="datastore-1572"

```



```

Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-feb9-fbbc-fd1f-2f77915c9550" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3abd5358092ff1b960f6a31c320477e7" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-003/SCC-SP-VM-003.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:6b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-045</Name>
    <Mor>vm-1642</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-045</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>winXPPro64Guest</GuestId>

```

```

                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
02T09:58:18.904767Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>422db973-54d2-4707-7139-
97f10660e644</uuid>
                                <instanceUuid>502dbe9f-eb04-ec32-9acd-
1c4a42eed324</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
045</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.105.58.125</IpAddress>
                                <Networks>VM Network(&lt;True&gt;)
</Networks>
                                <Nics>VM Network(&lt;true&gt;)</Nics>
                                <NicIpaddresses>(10.105.58.125)
</NicIpaddresses>
                                <hostName>scc-sp-vm-045</hostName>
                                <host>scc-sp-esx-04.cisco.com</host>
                                <hostMor>host-1675</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>2
</NumberOfBackingDisks>
                                <NumberOfFiles>25</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-045/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-045/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-045/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-045/SCC-SP-VM-
045.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">

```

```

        <Name>SCC-SP-VM-045.vmx</Name>
        <Size>3016</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-045.vmx</Name>
    <Size>2850</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-045.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-045.vmsd</Name>
    <Size>1499</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-045-000003.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-045_1-
000002.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-045-
Snapshot3.vmsn</Name>
        <Size>4300434715</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-045-
Snapshot4.vmsn</Name>
        <Size>4300465604</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-045-
Snapshot5.vmsn</Name>
        <Size>4300434597</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-045-
970bcc20.vswp</Name>

```

```

                <Size>4294967296</Size>
                <Type>swap</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmx-SCC-SP-VM-045-
2534132768-1.vswp</Name>
                <Size>48234496</Size>
                <Type>uwswap</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-9.log</Name>
                <Size>156091</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-11.log</Name>
                <Size>122898</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-10.log</Name>
                <Size>186049</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-7.log</Name>
                <Size>104112</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-8.log</Name>
                <Size>126821</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-12.log</Name>
                <Size>444203</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware.log</Name>
                <Size>101641</Size>
                <Type>log</Type>
            </File>
            <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="163337142540" Uncommitted="125996638208"
Committed="163337142540">
                </StorageInfo>
                <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
            </Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-30b1-30a3-2158-407701e75a2b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6a4e713246a8c3ec6290b758172a38a4" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-045/SCC-SP-VM-045-000002.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-045/SCC-SP-VM-045-000003.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-9100-3c42-1d5e-80eale2b77f5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b5ab215c2b437a2bbe80fa60fb1c8931" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-045/SCC-SP-VM-045_1-000001.vmdk" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-045/SCC-SP-VM-045_1-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:39:be" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD

```

```

drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot_
16Oct_before_DevnullSMTP_install</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
    <Snapshot>Snapshot3</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-002</Name>
    <Mor>vm-1588</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-002</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M on 10-JAN-2012 for the user Sanjay Pataskar on
account of Jan12spataskaSCC713.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:19.580763Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200e688-94af-437d-49fa-
a6cc42d1a4e2</uuid>
    <instanceUuid>5000f626-9def-8eae-0739-
7ac79908691c</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
002</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>scs-sp-esx-01.cisco.com</host>
    <hostMor>host-1569</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>

```

```

</NumberOfDatastores>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-002/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-002/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-002/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-002/SCC-SP-VM-
002.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-002.vmx</Name>
        <Size>3031</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-002.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-002.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-002.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-002.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>111162</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>111166</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>108390</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>107925</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-22.log</Name>
  <Size>111154</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>130466</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>107779</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="16466588685" Uncommitted="43826348032"
Committed="16466588685">
  </StorageInfo>
  <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-09ec-e15c-81ea-11d5e675e460" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="39e5aeec192b8c6e7da292034a14fe9f" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-002/SCC-SP-VM-002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
      </BackingDisk>
      <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:6a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```



```

NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-044</Name>
    <Mor>vm-1714</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-044</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:59.253496Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d6358-d931-6fac-e217-
8de26da8c7d2</uuid>
    <instanceUuid>502da444-1190-5b3e-55ed-
b7345f94c99a</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
044</vmxDir>

```

```

<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>

<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>

<hostName></hostName>
<host>scc-sp-esx-05.cisco.com</host>
<hostMor>host-1708</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>

<NumberOfDatastores>1
</NumberOfDatastores>

<NumberOfBackingDisks>2
</NumberOfBackingDisks>

<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>

<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-044/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-044/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-044/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-044/SCC-SP-VM-
044.vmx">

</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"

NumCPUs="8">

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-044.vmx</Name>
  <Size>2866</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-044.vmx</Name>
  <Size>3485</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-044.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-044.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-044.vmdk</Name>

```

```

        <Size>26214400</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-044_1.vmdk
</Name>

    <Size>62914560</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>118474</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-146.log</Name>
    <Size>118822</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-147.log</Name>
    <Size>118821</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-148.log</Name>
    <Size>118825</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-149.log</Name>
    <Size>118821</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-151.log</Name>
    <Size>115605</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-150.log</Name>
    <Size>118819</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="41022184918" Uncommitted="67828449280"
Committed="41022184918">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
            </Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-2a23-47d2-abc7-0d068389b51c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0dd942e5d433f489fe3d639e08b51b36" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-044/SCC-SP-VM-044.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-c617-c222-2503-30d6b5cc9d47" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2f7b7298852f3054a55e49fd76b7b465" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-044/SCC-SP-VM-044_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:73" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-001</Name>
    <Mor>vm-1756</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-001</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:36.234402Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42008358-d96d-b62d-bedb-
b13513833d06</uuid>
    <instanceUuid>5000489b-b20a-db38-edb4-
e702e754bbca</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
001</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>scc-sp-esx-06.cisco.com</host>
    <hostMor>host-1732</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1

```

```

</NumberOfBackingDisks>
    <NumberOfFiles>10</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-001/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-001/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-001/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-001/SCC-SP-VM-
001.vmx">
        </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-001.vmx</Name>
        <Size>2897</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-001.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-001.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-001.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-001-000002.vmdk
</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-001-
Snapshot1.vmsn</Name>
        <Size>17185718824</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>215369</Size>
        <Type>log</Type>
    </File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>142236</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="28983784790" Uncommitted="99819089920"
Committed="28983784790">
            </StorageInfo>
            <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-3c85-cb78-12e7-ba2dd2445ec5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="b73361a02312a84df549a0ab0ea153fc" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-001/SCC-SP-VM-001.vmdk" Disk="[SP-SATA-STORE-
1] SCC-SP-VM-001/SCC-SP-VM-001-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:00:fb" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                                </BackingFloppy>

```

```

        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <Snapshot>Snapshot1</Snapshot>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-043</Name>
        <Mor>vm-1584</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-043</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:18.254819Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d2793-9612-1806-29a4-
239ebde35632</uuid>
        <instanceUuid>502d0580-eaad-30bd-72ff-
b925d3e0efcd</instanceUuid>
        <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
043</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scc-sp-esx-01.cisco.com</host>
        <hostMor>host-1569</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>

```



```

        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-043/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-043/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-043/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-043/SCC-SP-VM-
043.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-043.vmx</Name>
            <Size>2793</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-043.vmx</Name>
            <Size>3470</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-043.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-043.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-043.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>189482</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>139003</Size>
            <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>106523</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>137478</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>106156</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>107082</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>107444</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="5078113107" Uncommitted="46624997376"
Committed="5078113107">
  </StorageInfo>
  <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-9e49-16aa-7b17-65425094d389" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="398c33d4775eebaf6d97b88e89c43c2a" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-043/SCC-SP-VM-043.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
      </BackingDisk>
      <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:72" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-008</Name>
    <Mor>vm-1652</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-008</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM instance
provisioned by Amit Saha</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:40.156265Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200d4ba-9534-29af-11d0-
44279d951014</uuid>
    <instanceUuid>50007d13-2e80-c906-766a-
54062be9c49f</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-

```

```

008/ </vmxDir>
                                <template>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt; )
</Networks>
                                <Nics>VM Network(&lt;false&gt; )</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scs-sp-esx-03.cisco.com</host>
                                <hostMor>host-1646</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>13</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-008/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-008/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-008/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-008/SCC-SP-VM-
008.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="8192"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-008.vmx</Name>
                                    <Size>3007</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-008.vmx</Name>
                                    <Size>3367</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-008.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-008.vmsd</Name>
                                    <Size>0</Size>
                                    <Type>snapshotList</Type>
                                </File>
                                <File Type="VmFileInfo">

```

```

        <Name>SCC-SP-VM-008.vmdk</Name>
        <Size>157286400</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-23.log</Name>
        <Size>107811</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-24.log</Name>
        <Size>107839</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>108082</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>111594</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>110781</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-20.log</Name>
        <Size>114032</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-22.log</Name>
        <Size>112046</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="13962576683" Uncommitted="155852013568"
Committed="13962576683">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-82e9-5685-5e30-78ed8a38a909" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="157286400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="671977ccal083625d106ee8c53a10281" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-008/SCC-SP-VM-008.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:70" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-042</Name>
    <Mor>vm-1582</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-042</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:16.783212Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422da66b-40fb-d3d5-9651-
882a2e017896</uuid>
    <instanceUuid>502d1a71-f660-536b-9328-
31b3d5374fcc</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
042</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>scc-sp-esx-01.cisco.com</host>
    <hostMor>host-1569</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-042/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-042/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-042/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-042/SCC-SP-VM-
042.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-042.vmx</Name>
        <Size>2984</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-042.vmx</Name>
        <Size>3367</Size>
        <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-042.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-042.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-042-000001.vmdk
</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-042-
Snapshot3.vmsn</Name>
  <Size>17185314935</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>107402</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-91.log</Name>
  <Size>111814</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-92.log</Name>
  <Size>111820</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-93.log</Name>
  <Size>111819</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-94.log</Name>
  <Size>111814</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-96.log</Name>
  <Size>107544</Size>
  <Type>log</Type>

```



```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-95.log</Name>
            <Size>111814</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="27335439037" Uncommitted="102939652096"
Committed="27335439037">
            </StorageInfo>
            <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-1463-9428-46bc-262f979008a7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2e0316486e51adfae21b01dd2189d399" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-042/SCC-SP-VM-042.vmdk" Disk="[SP-SATA-STORE-
1] SCC-SP-VM-042/SCC-SP-VM-042-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:71" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                            </BackingDiskCtrlr>
                        </BackingNetwork>
                    </BackingDisk>
                </Datastore>
            </StorageInfo>
        </File>
    </VmFile>
</VmFileList>

```

```

        </BackingCdrom>
        <Snapshot>Snapshot_5Dec2012</Snapshot>
    </VirtualMachine>
    <VirtualMachine>
        <Name>SCC-SP-VM-007</Name>
        <Mor>vm-1638</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-007</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This VM is imaged by
Chandra Babu M on 13-JAN-2012 for the user Sanjay Pataskar on
account of Jan12spataskaSCC713.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:29.023748Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42005679-1c08-835b-fb44-
9a5fafbab3e5</uuid>
        <instanceUuid>500043b3-fa30-6f21-fc61-
db2114874a70</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
007</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scc-sp-esx-04.cisco.com</host>
        <hostMor>host-1675</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>

```

```

        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-007/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-007/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-007/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-007/SCC-SP-VM-
007.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="32768"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-007.vmx</Name>
            <Size>3089</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-007.vmx</Name>
            <Size>3367</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-007.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-007.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-007-000001.vmdk
</Name>
            <Size>157286400</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-007-
Snapshot1.vmsn</Name>
            <Size>34365180023</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-18.log</Name>
            <Size>111349</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">

```

```

        <Name>vmware-20.log</Name>
        <Size>111242</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>133620</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>107868</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>108701</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-17.log</Name>
        <Size>147483</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-19.log</Name>
        <Size>111975</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="68583470729" Uncommitted="185332416512"
Committed="68583470729">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-19c1-5cf6-cd8c-454644a60277" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="157286400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6676cb566bacae8475b9323ad84d4e3c" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-007/SCC-SP-VM-007.vmdk" Disk="[SP-SATA-STORE-
2] SCC-SP-VM-007/SCC-SP-VM-007-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```

```

MacAddress="00:50:56:80:70:6f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot_26Nov2012
</Snapshot>
    </VirtualMachine>
    <VirtualMachine>
    <Name>SCC-SP-VM-041</Name>
    <Mor>vm-1679</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-041</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:30.461684Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>

```

```

ff16ad97fdb1</uuid>
                                <uuid>422defe5-beae-68e7-2eda-
                                <instanceUuid>502d83ec-0255-5ed2-e564-
deb5b75aae5a</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
041/</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt;)
</Networks>
                                <Nics>VM Network(&lt;false&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scs-sp-esx-04.cisco.com</host>
                                <hostMor>host-1675</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-041/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-041/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-041/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-041/SCC-SP-VM-
041.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="8192"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-041.vmx</Name>
                                    <Size>3007</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-041.vmx</Name>
                                    <Size>3367</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-041.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">

```

```

        <Name>SCC-SP-VM-041.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-041-000001.vmdk
</Name>

    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-041-

Snapshot5.vmsn</Name>

    <Size>8595713151</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>107424</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>110728</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>110719</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>110735</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-23.log</Name>
    <Size>110733</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>110722</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-24.log</Name>
    <Size>156872</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-

```

```

1" Unshared="19274363486" Uncommitted="94332940288"
Committed="19274363486">
    </StorageInfo>
    <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-f666-7ff7-544d-dlcd2f416a16" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1d5e867e8064efcd7ca17394e115b886" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-041/SCC-SP-VM-041.vmdk" Disk="[SP-SATA-STORE-
1] SCC-SP-VM-041/SCC-SP-VM-041-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
            </BackingDisk>
            <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:70" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                </BackingNetwork>
                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                    </BackingDiskCtrlr>
                    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                        </BackingCdrom>
                        <Snapshot>Snapshot_5Dec2012</Snapshot>
                    </VirtualMachine>
                </VirtualMachine>
            <Name>SCC-SP-VM-006</Name>
            <Mor>vm-1740</Mor>
            <MorType>VirtualMachine</MorType>

```



```

                                <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-006</Path>
                                <ParentMor>group-v1459</ParentMor>
                                <Annotation>Case 1 :
This VM is imaged by Chandra Babu M on 13-JAN-2012 for the user
Sanjay Pataskar on account of Jan12spataskaSCC713.

Case 2 :
This VM is re-imaged by Chandra Babu M on 17-JAN-2012 for the
user Sanjay Pataskar on account of Jan12spataskaSCC1525.

Case 3 :
This VM is re-imaged by Chandra Babu M on 28-FEB-2012 for the
user Sanjay Pataskar on account of Feb12spataskaSCC2822.
</Annotation>
                                <Version>vmx-08</Version>
                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
01T07:29:38.223548Z</ChangeVersion>
                                <powerState>poweredOff</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>42004e25-d677-a06a-61e3-
148fe1b21b67</uuid>
                                <instanceUuid>500054d1-af0b-f267-044c-
b47954ab416f</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
006</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt;)
</Networks>
                                <Nics>VM Network(&lt;false&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scc-sp-esx-06.cisco.com</host>
                                <hostMor>host-1732</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-006/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-006/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-006/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-006/SCC-SP-VM-
006.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="24576"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-006.vmx</Name>
            <Size>3336</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-006.vmx</Name>
            <Size>3367</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-006.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-006.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-006.vmdk</Name>
            <Size>314572800</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-79.log</Name>
            <Size>112293</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>108861</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">

```

```

                <Name>vmware-80.log</Name>
                <Size>108638</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-76.log</Name>
                <Size>111288</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-77.log</Name>
                <Size>111302</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-78.log</Name>
                <Size>111302</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-81.log</Name>
                <Size>108526</Size>
                <Type>log</Type>
            </File>
            <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="79367505037" Uncommitted="268688228352"
Committed="79367505037">
                </StorageInfo>
                <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                    </Datastore>
                    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-142e-e354-0506-7f08fb4d48f0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="314572800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4d06a3366ce55f18ca53c5d1adcb249" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-006/SCC-SP-VM-006.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:6e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-040</Name>
    <Mor>vm-1650</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-040</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:39.92615Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d075c-7602-0121-1ebf-
fbd61a07c907</uuid>
    <instanceUuid>502d8e43-62c9-bf45-abel-
20861aaddacc</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
040</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)

```

```

</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>scc-sp-esx-03.cisco.com</host>
<hostMor>host-1646</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-040/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-040/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-040/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-040/SCC-SP-VM-
040.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-040.vmx</Name>
  <Size>2849</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-040.vmx</Name>
  <Size>3470</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-040.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-040.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-040-000001.vmdk
</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-040-
Snapshot5.vmsn</Name>
            <Size>8595713151</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-25.log</Name>
            <Size>110382</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-26.log</Name>
            <Size>110381</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-27.log</Name>
            <Size>110380</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-28.log</Name>
            <Size>110382</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-30.log</Name>
            <Size>161010</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-29.log</Name>
            <Size>110381</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>106967</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="23849302469" Uncommitted="93846401024"
Committed="23849302469">
            </StorageInfo>
            <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-0f67-6b29-af98-641e1d32cf15" ChangeId=""

```

```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="46dc74d3984916c2219678014a57b2ea" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-040/SCC-SP-VM-040.vmdk" Disk="[SP-SATA-STORE-
1] SCC-SP-VM-040/SCC-SP-VM-040-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:6f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot_5Dec2012</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-005</Name>
    <Mor>vm-1603</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-005</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This instance provisioned
by Amit Saha</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
01T07:29:35.877826Z</ChangeVersion>
</connectionState>
fla5de12a16d</uuid>
940637209326</instanceUuid>
005</vmxDir>
</Networks>
</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-005/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-005/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-005/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-005/SCC-SP-VM-
005.vmx">
NumCPUs="1">

```

```

<ChangeTrackingSupported>true
<BootOptionsSupported>true
<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
<powerState>poweredOff</powerState>
<connectionState>connected
<uuid>4200cb41-b45d-1bef-2bfa-
<instanceUuid>5000935b-043f-5360-16cd-
<vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
<hostName></hostName>
<host>scs-sp-esx-02.cisco.com</host>
<hostMor>host-1601</hostMor>
<ResourcePoolMor>resgroup-1456
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="16896"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-005.vmx</Name>
  <Size>3086</Size>

```



```
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-005.vmx</Name>
    <Size>3367</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-005.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-005.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-005.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-69.log</Name>
    <Size>109505</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-72.log</Name>
    <Size>111877</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>106898</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-68.log</Name>
    <Size>109501</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-70.log</Name>
    <Size>109504</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-71.log</Name>
    <Size>110705</Size>
    <Type>log</Type>
</File>
```

```

        <File Type="VmFileInfo">
            <Name>vmware-67.log</Name>
            <Size>109502</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="25027146021" Uncommitted="78712438784"
Committed="25027146021">
            </StorageInfo>
            <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-807a-846e-e28f-5f27512b759c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="17326dba37060bdf5ded465eb4c029ce" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-005/SCC-SP-VM-005.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:6d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                            </VirtualMachine>

```

```

        <VirtualMachine>
            <Name>SCC-SP-VM-100</Name>
            <Mor>vm-1721</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-100</Path>
            <ParentMor>group-v1459</ParentMor>
            <Annotation>This VM is created by
Chandra Babu M on 25-JAN-2012 for the Sanjay Pataskar on account
of Jan12spataskaSCC2394.</Annotation>
            <Version>vmx-07</Version>
            <GuestId>rhel5Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2014-01-
06T05:46:28.905368Z</ChangeVersion>
            <powerState>poweredOn</powerState>
            <connectionState>connected
</connectionState>
            <uuid>42007a1d-7453-525c-55ec-
822247a2b081</uuid>
            <instanceUuid>50003ac8-8524-5ec1-4c17-
595aed4be563</instanceUuid>
            <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
100</vmxDir>
            <template>>false</template>
            <IpAddress></IpAddress>
            <Networks>VM Network(&lt;True&gt;)
</Networks>
            <Nics>VM Network(&lt;true&gt;)</Nics>
            <NicIpaddresses>unassigned
</NicIpaddresses>
            <hostName></hostName>
            <host>scc-sp-esx-05.cisco.com</host>
            <hostMor>host-1708</hostMor>
            <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>19</NumberOfFiles>
            <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-100/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-100/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-100/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-100/SCC-SP-VM-
100.vmx">
            </VirtualMachineFileInfo>
            <VirtualHardware MemoryMB="16384"
NumCPUs="2">
                </VirtualHardware>
                <File Type="VmFileInfo">
                    <Name>SCC-SP-VM-100.vmx</Name>
                    <Size>3183</Size>
                    <Type>config</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>SCC-SP-VM-100.vmx</Name>
                    <Size>0</Size>
                    <Type>extendedConfig</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>SCC-SP-VM-100.nvram</Name>
                    <Size>8684</Size>
                    <Type>nvram</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>SCC-SP-VM-100.vmsd</Name>
                    <Size>0</Size>
                    <Type>snapshotList</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>SCC-SP-VM-100-000002.vmdk
</Name>
                    <Size>83886080</Size>
                    <Type>diskDescriptor</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>SCC-SP-VM-100-
Snapshot3.vmsn</Name>
                    <Size>17185495213</Size>
                    <Type>snapshotData</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>SCC-SP-VM-100-
Snapshot4.vmsn</Name>
                    <Size>17185495213</Size>
                    <Type>snapshotData</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>SCC-SP-VM-100-
de9b3022.vswp</Name>

```

```

        <Size>17179869184</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-SP-VM-100-
3734712354-1.vswp</Name>
        <Size>48234496</Size>
        <Type>uwsrap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>106062</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>108932</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>104674</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>108934</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>103928</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>153757</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>90777</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="61194689309" Uncommitted="85261643776"
Committed="61194689309">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>

```

```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-a88e-7467-ad75-2c280d042f70" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="81c355d7ecfc69d1e74626b66a5bf794" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-100/SCC-SP-VM-100-000001.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-100/SCC-SP-VM-100-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:a1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <Snapshot>Snapshot1</Snapshot>
        <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SP-DV-036-DEL</Name>
        <Mor>vm-1514</Mor>
        <MorType>VirtualMachine</MorType>
        <Path> \(DC) SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-036-DEL</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>CUSDP_Fulfillment+JMS -
10.76.96.178</Annotation>
        <Version>vmx-07</Version>

```

```

        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:28:59.377427Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>564d70d5-3fe5-ee79-8e3e-
1f0aecc9933d</uuid>
        <instanceUuid>52343b72-7c8b-2675-153a-
a01b27c22204</instanceUuid>
        <vmxDir>[B16-SP-DV-UCS-04]
CUSDP_Comptel/</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>axiooss.axiom.com</hostName>
        <host>b16-sp-dv-ucs-04.cisco.com
</host>
        <hostMor>host-1512</hostMor>
        <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>2
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-04] CUSDP_Comptel/" suspendDir="[B16-
SP-DV-UCS-04] CUSDP_Comptel/" logDir="[B16-SP-DV-UCS-04]
CUSDP_Comptel/" vmxPath="[B16-SP-DV-UCS-04]
CUSDP_Comptel/CUSDP_Comptel.vmx">
</VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="67280"

```

NumCPUs="1">

</Name>

```
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>CUSDP_Comptel.vmdk</Name>
  <Size>26214400</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>CUSDP_Comptel_1.vmdk
  <Size>8388608</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>71547</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>69591</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>67171</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>67949</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>64372</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>64929</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>66990</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>CUSDP_Comptel.vmx</Name>
  <Size>3279</Size>
  <Type>config</Type>
```



```

        </File>
        <File Type="VmFileInfo">
            <Name>CUSDP_Comptel.vmx</Name>
            <Size>268</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>CUSDP_Comptel.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>CUSDP_Comptel.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <StorageInfo Datastore="B16-SP-DV-UCS-
04" Unshared="33337863045" Uncommitted="72648622080"
Committed="33337863045">
            </StorageInfo>
            <Datastore Mor="datastore-1513"
Url="/vmfs/volumes/4e7a42ea-34e6d0a8-9f23-d0d0fd09592f"
Name="B16-SP-DV-UCS-04">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-234d-b58e-1ea8-3ad783d6a8bf" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1513"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="42565df04bc0dbe36d6145128ab97022" Parent=""
Disk="[B16-SP-DV-UCS-04] CUSDP_Comptel/CUSDP_Comptel.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-e86e-a749-3b0f-2efc52d00efa" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="8388608"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1513"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="74cfac1415707cfe399abcc08faf8d0b" Parent=""
Disk="[B16-SP-DV-UCS-04] CUSDP_Comptel/CUSDP_Comptel_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:45" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-019</Name>
    <Mor>vm-1537</Mor>
    <MorType>VirtualMachine</MorType>
    <Path> \(DC) SCC-SP(DC) \vm \Discovered
virtual machine\B16-SP-DV-019</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Old IP 10.76.96.203
Old VM desc : EliteCore</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>

```

```

                                <ChangeVersion>2014-01-
01T07:27:15.348268Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>564d16ac-1eae-767e-9eeb-
293cb7c4cf3f</uuid>
                                <instanceUuid>5218b726-fe31-4cc8-159e-
71a001f68eed</instanceUuid>
                                <vmxDir>[B16-SP-DV-UCS-08] UWP_VM/
</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;True&gt; )
</Networks>
                                <Nics>VM Network(&lt;true&gt; )</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>b16-sp-dv-ucs-08.cisco.com
</host>
                                <hostMor>host-1532</hostMor>
                                <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>2
</NumberOfBackingDisks>
                                <NumberOfFiles>16</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-08] UWP_VM/" suspendDir="[B16-SP-DV-
UCS-08] UWP_VM/" logDir="[B16-SP-DV-UCS-08] UWP_VM/"
vmxPath="[B16-SP-DV-UCS-08] UWP_VM/UWP_VM.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="8192"
NumCPUs="4">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>UWP_VM.vmdk</Name>
                                    <Size>20971520</Size>
                                    <Type>diskDescriptor</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>UWP_VM_1.vmdk</Name>
                                    <Size>268435456</Size>
                                    <Type>diskDescriptor</Type>
                                </File>
                                <File Type="VmFileInfo">

```

```
        <Name>vmware-13.log</Name>
        <Size>67996</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>97502</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>94177</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>153339</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>67307</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>66677</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>66575</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>UWP_VM.vmx</Name>
    <Size>3025</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>UWP_VM.vmx</Name>
    <Size>261</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>UWP_VM.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>UWP_VM.vmsd</Name>
    <Size>0</Size>
```

```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>UWP_VM-d41a0b85.vswp
</Name>

        <Size>8589934592</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-
08" Unshared="304943304497" Uncommitted="0"
Committed="304943304497">
        </StorageInfo>
        <Datastore Mor="datastore-1533"
Url="/vmfs/volumes/4d1d875b-edc4023a-c947-001018688422"
Name="B16-SP-DV-UCS-08">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-b9ee-f1be-5fba-3bdd2465a665" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1533"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bf663ffa6012da29124c459ffeebdf6a" Parent=""
Disk="[B16-SP-DV-UCS-08] UWP_VM/UWP_VM.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-d703-3979-43cf-bed73e6f48d0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="268435456"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1533"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c4381ad9cc4580a4f561de146f8ac782" Parent=""
Disk="[B16-SP-DV-UCS-08] UWP_VM/UWP_VM_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:0c:29:c4:cf:3f" AddressType="generated"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-013</Name>
    <Mor>vm-1475</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-013</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>INFOVISTA-004 -
10.76.96.228</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:26:55.395047Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dcd63-eb6f-b4c1-a663-
ba145c8a53b4</uuid>
    <instanceUuid>502d8466-13b4-09e0-77a2-

```

```

da381e1845db</instanceUuid>
                                <vmxDir>[B16-SP-DV-MCS-03] INFOVISTA-
004/</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.10.223</IpAddress>
                                <Networks>VM Network(&lt;False&gt;)
</Networks>
                                <Nics>VM Network(&lt;false&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName>INFOVISTA-004</hostName>
                                <host>b16-sp-dv-mcs-03.cisco.com
</host>
                                <hostMor>host-1470</hostMor>
                                <ResourcePoolMor>resgroup-1452
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>14</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-MCS-03] INFOVISTA-004/" suspendDir="[B16-
SP-DV-MCS-03] INFOVISTA-004/" logDir="[B16-SP-DV-MCS-03]
INFOVISTA-004/" vmxPath="[B16-SP-DV-MCS-03] INFOVISTA-
004/INFOVISTA-004.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16104"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>INFOVISTA-004.vmdk</Name>
                                    <Size>41943040</Size>
                                    <Type>diskDescriptor</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware-7.log</Name>
                                    <Size>126183</Size>
                                    <Type>log</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware-8.log</Name>
                                    <Size>98262</Size>
                                    <Type>log</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware-3.log</Name>
                                    <Size>110715</Size>

```

```

        <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>100016</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>58881</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>67651</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>113987</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>INFOVISTA-004.vmx</Name>
    <Size>3311</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>INFOVISTA-004.vmx</Name>
    <Size>268</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>INFOVISTA-004.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>INFOVISTA-004.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>INFOVISTA-004-
6f9dbdec.vswp</Name>
    <Size>16886267904</Size>
    <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-MCS-
03" Unshared="30368498021" Uncommitted="29468131328"
Committed="30368498021">
</StorageInfo>

```



```

        <Datastore Mor="datastore-1471"
Url="/vmfs/volumes/4be39a55-61c89af5-5e0c-0024818a4124"
Name="B16-SP-DV-MCS-03">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-56ef-474a-230b-ef39c0a563e2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1471"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5bce812df6fc7b9d60a843271e544bce" Parent=""
Disk="[B16-SP-DV-MCS-03] INFOVISTA-004/INFOVISTA-004.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:c6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SP-DV-014</Name>
        <Mor>vm-1511</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-014</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This machine was initially
created by Sandeep Byrappa for the Case : Jan12lavysCC2540

```

```

</Annotation>
<Version>vmx-07</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>>true
</ChangeTrackingSupported>
<BootOptionsSupported>>true
</BootOptionsSupported>
<SwapPlacementSupported>>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
01T07:29:01.909102Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d7936-4413-1a23-2096-
b21360287502</uuid>
<instanceUuid>502d0cf1-2f6f-926c-5a89-
12e07fd16157</instanceUuid>
<vmxDir>[B16-SP-DV-UCS-03] CUSDP-
REMEDY-LNX</vmxDir>
<template>>false</template>
<IpAddress>10.106.10.224</IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>(10.106.10.224)
</NicIpaddresses>
<hostName>B16-SP-DV-014</hostName>
<host>b16-sp-dv-ucs-03.cisco.com
</host>
<hostMor>host-1506</hostMor>
<ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>2
</NumberOfBackingDisks>
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>2
</NumberOfFeatureMaskEntries>
<VirtualMachineFeatureMask level="-
2147483647" edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="">
</VirtualMachineFeatureMask>

```

```

                <VirtualMachineFeatureMask level="--
2147483647" edx="-----H-----"
ecx="-----"
ebx="-----"
eax="-----" vendor="amd">
                </VirtualMachineFeatureMask>
                <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-03] CUSDP-REMEDY-LNX/"
suspendDir="[B16-SP-DV-UCS-03] CUSDP-REMEDY-LNX/" logDir="[B16-
SP-DV-UCS-03] CUSDP-REMEDY-LNX/" vmxPath="[B16-SP-DV-UCS-03]
CUSDP-REMEDY-LNX/CUSDP-REMEDY-LNX.vmx">
                </VirtualMachineFileInfo>
                <VirtualHardware MemoryMB="16384"
NumCPUs="8">
                </VirtualHardware>
                <File Type="VmFileInfo">
                    <Name>CUSDP-REMEDY-LNX.vmdk
</Name>
                    <Size>26214400</Size>
                    <Type>diskDescriptor</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>CUSDP-REMEDY-LNX_1.vmdk
</Name>
                    <Size>62914560</Size>
                    <Type>diskDescriptor</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>vmware-43.log</Name>
                    <Size>29910</Size>
                    <Type>log</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>vmware-39.log</Name>
                    <Size>78021</Size>
                    <Type>log</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>vmware-40.log</Name>
                    <Size>86723</Size>
                    <Type>log</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>vmware-41.log</Name>
                    <Size>79957</Size>
                    <Type>log</Type>
                </File>
                <File Type="VmFileInfo">
                    <Name>vmware-38.log</Name>
                    <Size>146786</Size>
                    <Type>log</Type>
                </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-42.log</Name>
      <Size>82476</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>132374</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>CUSDP-REMEDY-LNX.vmx
</Name>
      <Size>4208</Size>
      <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>CUSDP-REMEDY-LNX.vmx
</Name>
      <Size>271</Size>
      <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>CUSDP-REMEDY-LNX.nvram
</Name>
      <Size>8684</Size>
      <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>CUSDP-REMEDY-LNX.vmsd
</Name>
      <Size>0</Size>
      <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>CUSDP-REMEDY-LNX-
bea0ef56.vswp</Name>
      <Size>5766119424</Size>
      <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-
03" Unshared="59390563890" Uncommitted="37682102272"
Committed="59390563890">
      </StorageInfo>
      <Datastore Mor="datastore-1507"
Url="/vmfs/volumes/4e7a3cd5-831673df-33b6-d0d0fd09410b"
Name="B16-SP-DV-UCS-03">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-0d0d-2300-fec3-0366b2242b45" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"

```

```

CompatibilityMode="" Mode="persistent" dsMor="datastore-1507"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="82cf874d30391f1daf454be2bdc50050" Parent=""
Disk="[B16-SP-DV-UCS-03] CUSDP-REMEDY-LNX/CUSDP-REMEDY-LNX.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-c6f1-ea91-54db-b919784fcc9c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1507"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="26562a33e53a028f2fdf28490b891ebd" Parent=""
Disk="[B16-SP-DV-UCS-03] CUSDP-REMEDY-LNX/CUSDP-REMEDY-LNX_
1.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:e6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-011</Name>
    <Mor>vm-1473</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered

```

```

virtual machine\B16-SP-DV-011</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>INFOVISTA-002 -
10.76.96.226</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:26:54.722969Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564de7ab-d85d-1fdd-1d87-
1e9825acf45e</uuid>
    <instanceUuid>52f40414-7fdf-2362-22be-
e2e787fb94d7</instanceUuid>
    <vmxDir>[B16-SP-DV-MCS-03] INFOVISTA-
002</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>bl6-sp-dv-mcs-03.cisco.com
</host>
    <hostMor>host-1470</hostMor>
    <ResourcePoolMor>resgroup-1452
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-MCS-03] INFOVISTA-002/" suspendDir="[B16-

```

```
SP-DV-MCS-03] INFOVISTA-002/" logDir="[B16-SP-DV-MCS-03]
INFOVISTA-002/" vmxPath="[B16-SP-DV-MCS-03] INFOVISTA-
002/INFOVISTA-002.vmx">
```

```
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"

NumCPUs="2">

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>INFOVISTA-002.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>65396</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>94536</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>2012081</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>67363</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>120823</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>66013</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>1983581</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>INFOVISTA-002.vmx</Name>
  <Size>3154</Size>
  <Type>config</Type>
</File>
```

```

        <File Type="VmFileInfo">
            <Name>INFOVISTA-002.vmx</Name>
            <Size>268</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>INFOVISTA-002.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>INFOVISTA-002.vmsd</Name>
            <Size>496</Size>
            <Type>snapshotList</Type>
        </File>
        <StorageInfo Datastore="B16-SP-DV-MCS-
03" Unshared="7836237066" Uncommitted="52297728000"
Committed="7836237066">
            </StorageInfo>
            <Datastore Mor="datastore-1471"
Url="/vmfs/volumes/4be39a55-61c89af5-5e0c-0024818a4124"
Name="B16-SP-DV-MCS-03">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-8fc3-4a68-4a37-86b402ae4ca2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1471"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2342693b0f3fff51a7aa2c821b0673f7" Parent=""
Disk="[B16-SP-DV-MCS-03] INFOVISTA-002/INFOVISTA-002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:0c:29:ac:f4:5e" AddressType="generated"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"

```



```

Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/linux.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-012</Name>
    <Mor>vm-1474</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-012</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>INFOVISTA-003 -
10.76.96.227</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:26:55.067008Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d5367-a097-0cd2-3b45-
92b6330bde00</uuid>
    <instanceUuid>502d5ec1-f3e3-c6a3-1da4-
b60813f0402a</instanceUuid>
    <vmxDir>[B16-SP-DV-MCS-03] INFOVISTA-
003</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.10.222</IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>

```

```

    <hostName>b16-sp-dv-012</hostName>
    <host>b16-sp-dv-mcs-03.cisco.com
</host>

    <hostMor>host-1470</hostMor>
    <ResourcePoolMor>resgroup-1452
</ResourcePoolMor>

    <NumberOfDatastores>1
</NumberOfDatastores>

    <NumberOfBackingDisks>1
</NumberOfBackingDisks>

    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>

    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-MCS-03] INFOVISTA-003/" suspendDir="[B16-
SP-DV-MCS-03] INFOVISTA-003/" logDir="[B16-SP-DV-MCS-03]
INFOVISTA-003/" vmxPath="[B16-SP-DV-MCS-03] INFOVISTA-
003/INFOVISTA-003.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>INFOVISTA-003.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>111045</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>94536</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>73981</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>10196788</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>122334</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>78294</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>64152</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>INFOVISTA-003.vmx</Name>
        <Size>3216</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>INFOVISTA-003.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>INFOVISTA-003.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>INFOVISTA-003.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-MCS-
03" Unshared="14946670369" Uncommitted="45193625600"
Committed="14946670369">
        </StorageInfo>
        <Datastore Mor="datastore-1471"
Url="/vmfs/volumes/4be39a55-61c89af5-5e0c-0024818a4124"
Name="B16-SP-DV-MCS-03">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-67c1-fb8f-517f-ddf9bc8fa2b8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1471"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="127443ebdf3fd2e9c5e359bffaaf61f5" Parent=""
Disk="[B16-SP-DV-MCS-03] INFOVISTA-003/INFOVISTA-003.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:c5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/linux.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-017</Name>
    <Mor>vm-1538</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-017</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>
CUSDP_DevSDP_for_platform_drop_validation_01 - 10.76.96.169
</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-

```

```

01T07:27:15.250215Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564dddcf-dbdb-ea88-73bc-
12db2b5bc291</uuid>
    <instanceUuid>52e3d938-ef97-44e2-f343-
431e1304839d</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-08] B16-SP-DV-
017/</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-ucs-08.cisco.com
</host>
    <hostMor>host-1532</hostMor>
    <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-08] B16-SP-DV-017/" suspendDir="[B16-
SP-DV-UCS-08] B16-SP-DV-017/" logDir="[B16-SP-DV-UCS-08] B16-SP-
DV-017/" vmxPath="[B16-SP-DV-UCS-08] B16-SP-DV-
017/CUSDP_DevSDP_for_platform_drop_v.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
    <Name>
CUSDP_DevSDP_for_platform_drop_v.vmdk</Name>
    <Size>251658240</Size>
    <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>63396</Size>
    <Type>log</Type>
    </File>

```

```

<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>92472</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>27994</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>68987</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>70164</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>64375</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>63428</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>
CUSDP_DevSDP_for_platform_drop_v.vmx</Name>
  <Size>3066</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>
CUSDP_DevSDP_for_platform_drop_v.vmx</Name>
  <Size>287</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>
CUSDP_DevSDP_for_platform_drop_v.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>
CUSDP_DevSDP_for_platform_drop_v.vmsd</Name>
  <Size>0</Size>

```

```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>
CUSDP_DevSDP_for_platform_drop_v-9ba4514c.vswp</Name>
        <Size>17179869184</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-
08" Unshared="98582275486" Uncommitted="176301277184"
Committed="98582275486">
        </StorageInfo>
        <Datastore Mor="datastore-1533"
Url="/vmfs/volumes/4d1d875b-edc4023a-c947-001018688422"
Name="B16-SP-DV-UCS-08">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-e78d-6654-84ea-99760c71ea46" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="251658240"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1533"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e8b933aa1254888c48011085bfa6f5e3" Parent=""
Disk="[B16-SP-DV-UCS-08] B16-SP-DV-
017/CUSDP_DevSDP_for_platform_drop_v.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:7a:2f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"

```

```

StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-015</Name>
    <Mor>vm-1526</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-015</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>VM has been Provisioned on
Oct12pawasingSCC2072 by ptirunag.</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:30:17.850214Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200ca7b-bed4-fb72-f9b9-
fa297162819b</uuid>
    <instanceUuid>5000de47-95aa-fe2d-5ed7-
f36f658b3e6d</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-06] B16-SP-DV-
015</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.10.225</IpAddress>
    <Networks>VM Network(&lt;False&gt; )
</Networks>
    <Nics>VM Network(&lt;false&gt; )</Nics>
    <NicIpaddresses>(10.106.10.225)
(fe80::250:56ff:fe80:7001)</NicIpaddresses>
    <hostName>B16-SP-DV-015</hostName>
    <host>b16-sp-dv-ucs-06.cisco.com

```



```

</host>
<hostMor>host-1521</hostMor>
<ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-06] B16-SP-DV-015/" suspendDir="[B16-
SP-DV-UCS-06] B16-SP-DV-015/" logDir="[B16-SP-DV-UCS-06] B16-SP-
DV-015/" vmxPath="[B16-SP-DV-UCS-06] B16-SP-DV-015/B16-SP-DV-
015.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="32768"
NumCPUs="1">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>
PrimeFulfillment_Template.vmdk</Name>
<Size>104857600</Size>
<Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
<Name>vmware-9.log</Name>
<Size>126157</Size>
<Type>log</Type>
</File>
<File Type="VmFileInfo">
<Name>vmware-4.log</Name>
<Size>123687</Size>
<Type>log</Type>
</File>
<File Type="VmFileInfo">
<Name>vmware-5.log</Name>
<Size>67284</Size>
<Type>log</Type>
</File>
<File Type="VmFileInfo">
<Name>vmware-6.log</Name>
<Size>170430</Size>
<Type>log</Type>
</File>
<File Type="VmFileInfo">
<Name>vmware-7.log</Name>
<Size>100797</Size>
<Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>29380</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>96872</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-015.vmx</Name>
  <Size>3194</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-015.vmx</Name>
  <Size>268</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-015.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-015.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-
06" Unshared="42950400276" Uncommitted="98784247808"
Committed="42950400276">
  </StorageInfo>
  <Datastore Mor="datastore-1522"
Url="/vmfs/volumes/4e7a4c9e-84d77a3e-164b-d0d0fd094057"
Name="B16-SP-DV-UCS-06">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-b579-03ac-a785-d9d69375785d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1522"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7dace1d285ec1973bb4f2d25bc9aaaf6" Parent=""
Disk="[B16-SP-DV-UCS-06]
PrimeFulfillment_Template/PrimeFulfillment_Template.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>

```

```

        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:01" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName="" /vmfs/volumes/2da668ef-40e5d96b-90bf-
855ddb9c5547/packages/4.1.0/vmtools/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SP-DV-016</Name>
        <Mor>vm-1531</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-016</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>CUSDP_James_01 -
10.76.96.218</Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:59.843126Z</ChangeVersion>
        <powerState>poweredOff</powerState>

```

```

</connectionState>          <connectionState>connected
a91d24f004e4</uuid>         <uuid>422dfe7a-6e02-179d-4fe2-
983b2b961477</instanceUuid> <instanceUuid>502da580-b7b6-05b3-14d6-
CUSDP_James_01</vmxDir>    <vmxDir>[B16-SP-DV-UCS-07]
                             <template>>false</template>
                             <IpAddress></IpAddress>
                             <Networks>VM Network(&lt;False&gt;)
</Networks>
                             <Nics>VM Network(&lt;false&gt;)</Nics>
                             <NicIpaddresses>unassigned
</NicIpaddresses>
                             <hostName></hostName>
                             <host>b16-sp-dv-ucs-07.cisco.com
</host>
                             <hostMor>host-1529</hostMor>
                             <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
                             <NumberOfDatastores>1
</NumberOfDatastores>
                             <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                             <NumberOfFiles>13</NumberOfFiles>
                             <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                             <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                             <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-07] CUSDP_James_01/"
suspendDir="[B16-SP-DV-UCS-07] CUSDP_James_01/" logDir="[B16-SP-
DV-UCS-07] CUSDP_James_01/" vmxPath="[B16-SP-DV-UCS-07]
CUSDP_James_01/CUSDP_James_01.vmx">
                             </VirtualMachineFileInfo>
                             <VirtualHardware MemoryMB="16904"
NumCPUs="4">
                             </VirtualHardware>
                             <File Type="VmFileInfo">
                                 <Name>CUSDP_James_01.vmdk</Name>
                                 <Size>41943040</Size>
                                 <Type>diskDescriptor</Type>
                             </File>
                             <File Type="VmFileInfo">
                                 <Name>vmware-1.log</Name>
                                 <Size>48796</Size>
                                 <Type>log</Type>
                             </File>
                             <File Type="VmFileInfo">
                                 <Name>vmware-2.log</Name>
                                 <Size>103197</Size>

```

```

        <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>66633</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>95922</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>65990</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>63987</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>CUSDP_James_01.vmx</Name>
    <Size>2884</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>CUSDP_James_01.vmx</Name>
    <Size>269</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>CUSDP_James_01.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>CUSDP_James_01.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>CUSDP_James_01-
6a8200a5.vswp</Name>
    <Size>17725128704</Size>
    <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-
07" Unshared="32770554015" Uncommitted="27904704512"
Committed="32770554015">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-1530"
Url="/vmfs/volumes/4e7a4c87-5ce2c6ac-32bc-d0d0fd0953c5"
Name="B16-SP-DV-UCS-07">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-4603-ca16-106c-f17e8867e5a4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1530"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a31e0d6575e09af88280dde3addb8019" Parent=""
Disk="[B16-SP-DV-UCS-07] CUSDP_James_01/CUSDP_James_01.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:65" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>

```

```

        <Name>SCC-SP-VM-013-Not Booting</Name>
        <Mor>vm-1710</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-013-Not Booting</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This VM instance
provisioned by Amit Saha.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:58.910853Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d8366-9c1d-64dd-3d62-
2c9283053fa0</uuid>
        <instanceUuid>502d02e4-d894-8763-53ae-
4402669eb44f</instanceUuid>
        <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
013</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scc-sp-esx-05.cisco.com</host>
        <hostMor>host-1708</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```

```

        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-013/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-013/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-013/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-013/SCC-SP-VM-
013.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-013.vmx</Name>
            <Size>2892</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-013.vmx</Name>
            <Size>268</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-013.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-013.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-013.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>268157</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>699744</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>151004</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>106302</Size>

```



```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>107296</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>107452</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>88814</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="20870300165" Uncommitted="73783115776"
Committed="20870300165">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-cf1d-dfe4-240f-1ff69a1979bb" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ed6fa66e0651f2868803e8c812e323f1" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-013/SCC-SP-VM-013.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:a7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-055</Name>
    <Mor>vm-1468</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-055</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-04</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>false
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T01:27:49.54977Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420064f6-851b-0323-bbb6-
fda9ec57cc2e</uuid>
    <instanceUuid>500005eb-d0fe-3a0a-5d74-
224b1c70cd80</instanceUuid>
    <vmxDir>[B16-SP-DV-MCS-02-B] B16-SP-
DV-055</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.11.5</IpAddress>
    <Networks>VLAN104-10.106.11.0/26
(&lt;False&gt;)</Networks>
    <Nics>VLAN104-10.106.11.0/26
(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>B16-SP-DV-055</hostName>

```

```

</host>
<host>b16-sp-dv-mcs-02.cisco.com
</host>
<hostMor>host-1464</hostMor>
<ResourcePoolMor>resgroup-1452
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-MCS-02-B] B16-SP-DV-055/"
suspendDir="[B16-SP-DV-MCS-02-B] B16-SP-DV-055/" logDir="[B16-SP-
DV-MCS-02-B] B16-SP-DV-055/" vmxPath="[B16-SP-DV-MCS-02-B] B16-
SP-DV-055/B16-SP-DV-055.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="2048"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-055.vmdk</Name>
  <Size>73400320</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>68213</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>67587</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>47932</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>58156</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>67872</Size>
  <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>79100</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>245594447</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-055.vmx</Name>
  <Size>2515</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-055.vmx</Name>
  <Size>268</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-055.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-055.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-055-
c1a52538.vswp</Name>
  <Size>2147483648</Size>
  <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-MCS-
02-B" Unshared="76353738511" Uncommitted="1201668096"
Committed="76353738511">
  </StorageInfo>
  <Datastore Mor="datastore-1466"
Url="/vmfs/volumes/4d5dd6b9-db77afad-2a32-0024818a182a"
Name="B16-SP-DV-MCS-02-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-aca3-946f-ca58-68594c35d799" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="73400320"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1466"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5899ae93148a8bfae59ec8dabda0f17c" Parent=""

```

```

Disk="[B16-SP-DV-MCS-02-B] B16-SP-DV-055/B16-SP-DV-055.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:2e:99" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN104-10.106.11.0/26" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/linux.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-053</Name>
    <Mor>vm-1568</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-053</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Old Host Name :
PrimeFulfillment-SDP2x-1

```

Old IP Address : 10.76.99.251

```
</Annotation>
                                <Version>vmx-07</Version>
                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
01T07:28:22.800641Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4200f287-dcc6-79e8-e542-
ff9aab5a3261</uuid>
                                <instanceUuid>5000ee4a-4462-4589-d5e7-
8b589411e32b</instanceUuid>
                                <vmxDir>[B16-SP-DV-UCS-11] B16-SP-DV-
050</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.106.11.2</IpAddress>
                                <Networks>VLAN104-10.106.11.0/26
(&lt;True&gt;)</Networks>
                                <Nics>VLAN104-10.106.11.0/26
(&lt;true&gt;)</Nics>
                                <NicIpaddresses>(10.106.11.2)
(fe80::250:56ff:fe80:2c26)</NicIpaddresses>
                                <hostName>goblin-01</hostName>
                                <host>b16-sp-dv-ucs-11.cisco.com
</host>
                                <hostMor>host-1562</hostMor>
                                <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>14</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-11] B16-SP-DV-050/" suspendDir="[B16-
SP-DV-UCS-11] B16-SP-DV-050/" logDir="[B16-SP-DV-UCS-11] B16-SP-
```

```
DV-050/" vmxPath="[B16-SP-DV-UCS-11] B16-SP-DV-050/B16-SP-DV-050.vmx">
```

```
</VirtualMachineFileInfo>  
<VirtualHardware MemoryMB="33376"
```

```
NumCPUs="8">
```

```
</VirtualHardware>  
<File Type="VmFileInfo">  
  <Name>B16-SP-DV-050.vmdk</Name>  
  <Size>104857600</Size>  
  <Type>diskDescriptor</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-7.log</Name>  
  <Size>74155</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-8.log</Name>  
  <Size>74423</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-3.log</Name>  
  <Size>77715</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-4.log</Name>  
  <Size>105990</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-5.log</Name>  
  <Size>74716</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-6.log</Name>  
  <Size>73909</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware.log</Name>  
  <Size>72813</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>B16-SP-DV-050.vmx</Name>  
  <Size>3179</Size>  
  <Type>config</Type>  
</File>  
<File Type="VmFileInfo">
```

```

        <Name>B16-SP-DV-050.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-050.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-050.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-050-
e4ce3a5c.vswp</Name>
        <Size>34997272576</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-
11" Unshared="66161517676" Uncommitted="76210503680"
Committed="66161517676">
        </StorageInfo>
        <Datastore Mor="datastore-1563"
Url="/vmfs/volumes/4d5e2dde-63618006-0cc9-0022bdd7b1e0"
Name="B16-SP-DV-UCS-11">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-e6ea-0dd0-68c8-c364b6f8170a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1563"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="cc5398465f4664089114c6f808a0f228" Parent=""
Disk="[B16-SP-DV-UCS-11] B16-SP-DV-050/B16-SP-DV-050.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:2c:26" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN104-10.106.11.0/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"

```



```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-003</Name>
    <Mor>vm-1485</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\"(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-003</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>FNMT - 10.106.10.213
</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T02:03:58.123982Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d4180-682b-20bb-23d2-
9fdc13e2f7a6</uuid>
    <instanceUuid>522f9267-61c9-e186-76d8-

```

```

babad142f5d6</instanceUuid>
RHEL_VMDK_FNMT/</vmxDir>
</Networks>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[B16-SP-DV-MCS-05-B] RHEL_VMDK_FNMT/"
suspendDir="[B16-SP-DV-MCS-05-B] RHEL_VMDK_FNMT/" logDir="[B16-
SP-DV-MCS-05-B] RHEL_VMDK_FNMT/" vmxPath="[B16-SP-DV-MCS-05-B]
RHEL_VMDK_FNMT/RHEL_VMDK_FNMT.vmx">
NumCPUs="2">

```

```

<vmxDir>[B16-SP-DV-MCS-05-B]
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
<hostName></hostName>
<host>b16-sp-dv-mcs-05.cisco.com
<hostMor>host-1481</hostMor>
<ResourcePoolMor>resgroup-1452
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>RHEL_VMDK_FNMT.vmdk</Name>
  <Size>33554432</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>23356</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>23375</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>57682</Size>

```

```

        <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>57748</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>22977</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>23170</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>58012</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>RHEL_VMDK_FNMT.vmx</Name>
    <Size>2946</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>RHEL_VMDK_FNMT.vmx</Name>
    <Size>269</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>RHEL_VMDK_FNMT.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>RHEL_VMDK_FNMT.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>RHEL_VMDK_FNMT-
4fc7a83b.vswp</Name>
    <Size>4294967296</Size>
    <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-MCS-
05-B" Unshared="38654984336" Uncommitted="0"
Committed="38654984336">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-1482"
Url="/vmfs/volumes/4be35800-b812d1da-f6c1-0024818a0ff6"
Name="B16-SP-DV-MCS-05-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-811e-459e-2a3d-0d80cd65764d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="33554432"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1482"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5d95d87fbb2aa1531a97f7ad568b77fb" Parent=""
Disk="[B16-SP-DV-MCS-05-B] RHEL_VMDK_FNMT/RHEL_VMDK_FNMT.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:0c:29:e2:f7:a6" AddressType="generated"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SP-DV-002</Name>
        <Mor>vm-1484</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-002</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>Nexus -10.106.10.212

```

```

</Annotation>
<Version>vmx-07</Version>
<GuestId>rhel5Guest</GuestId>
<GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>>true
</ChangeTrackingSupported>
<BootOptionsSupported>>true
</BootOptionsSupported>
<SwapPlacementSupported>>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
01T02:03:57.643997Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>564d28d0-7ed4-20c8-4b97-
9294f31b8f35</uuid>
<instanceUuid>52929290-b023-8459-2deb-
f43abb329952</instanceUuid>
<vmxDir>[B16-SP-DV-MCS-05-B]
RHEL_VMDK_NEXUS/</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-sp-dv-mcs-05.cisco.com
</host>
<hostMor>host-1481</hostMor>
<ResourcePoolMor>resgroup-1452
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-MCS-05-B] RHEL_VMDK_NEXUS/"
suspendDir="[B16-SP-DV-MCS-05-B] RHEL_VMDK_NEXUS/" logDir="[B16-
SP-DV-MCS-05-B] RHEL_VMDK_NEXUS/" vmxPath="[B16-SP-DV-MCS-05-B]
RHEL_VMDK_NEXUS/RHEL_VMDK_NEXUS.vmx">

```

```

</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="6144"
NumCPUs="1">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>RHEL_VMDK_NEXUS.vmdk
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>58224</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>58153</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>57479</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>132994</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>102160</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>81440</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>56945</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>RHEL_VMDK_NEXUS.vmx</Name>
  <Size>3157</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>RHEL_VMDK_NEXUS.vmx

```

```

</Name>
        <Size>270</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>RHEL_VMDK_NEXUS.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>RHEL_VMDK_NEXUS.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>RHEL_VMDK_NEXUS-
4948b379.vswp</Name>
        <Size>6442450944</Size>
        <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-MCS-
05-B" Unshared="49392683864" Uncommitted="0"
Committed="49392683864">
    </StorageInfo>
    <Datastore Mor="datastore-1482"
Url="/vmfs/volumes/4be35800-b812d1da-f6c1-0024818a0ff6"
Name="B16-SP-DV-MCS-05-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-c32b-17dd-8c6b-0c401c281287" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1482"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9d3b4e8e849526f85f89ae33c4748114" Parent=""
Disk="[B16-SP-DV-MCS-05-B] RHEL_VMDK_NEXUS/RHEL_VMDK_NEXUS.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:0c:29:1b:8f:35" AddressType="generated"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">

```

```

        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[B16-SP-DV-MCS-05-B] RHEL-5 i386 Disc_3.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1482" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SP-DV-010</Name>
        <Mor>vm-1476</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-010</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>INFOVISTA-001 -
10.76.96.172</Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:26:55.719721Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>

```



```

7f5eda14a4cc</uuid>
00aab9e9f7a7</instanceUuid>
001</vmxDir>
</Networks>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[B16-SP-DV-MCS-03] INFOVISTA-001/" suspendDir="[B16-
SP-DV-MCS-03] INFOVISTA-001/" logDir="[B16-SP-DV-MCS-03]
INFOVISTA-001/" vmxPath="[B16-SP-DV-MCS-03] INFOVISTA-
001/INFOVISTA-001.vmx">
NumCPUs="2">

```

```

<uuid>564d6d0d-08bc-9809-c0b3-
<instanceUuid>52459f53-91fe-cbf3-9461-
<vmxDir>[B16-SP-DV-MCS-03] INFOVISTA-
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
<hostName></hostName>
<host>b16-sp-dv-mcs-03.cisco.com
<hostMor>host-1470</hostMor>
<ResourcePoolMor>resgroup-1452
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="8192"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>INFOVISTA-001.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>61629</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>104534</Size>
  <Type>log</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-3.log</Name>
      <Size>122659</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-4.log</Name>
      <Size>4130616</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-5.log</Name>
      <Size>91478</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-6.log</Name>
      <Size>63313</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>62326</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>INFOVISTA-001.vmx</Name>
      <Size>3117</Size>
      <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>INFOVISTA-001.vmx</Name>
      <Size>268</Size>
      <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>INFOVISTA-001.nvram</Name>
      <Size>8684</Size>
      <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>INFOVISTA-001.vmsd</Name>
      <Size>0</Size>
      <Type>snapshotList</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-MCS-
03" Unshared="12523597994" Uncommitted="103445168128"
Committed="12523597994">
      </StorageInfo>
      <Datastore Mor="datastore-1471"
Url="/vmfs/volumes/4be39a55-61c89af5-5e0c-0024818a4124"
Name="B16-SP-DV-MCS-03">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-f906-f084-06e5-3784f4095496" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1471"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c43d7f3e2a2b50f2f7e7dc197c9bfd07" Parent=""
Disk="[B16-SP-DV-MCS-03] INFOVISTA-001/INFOVISTA-001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:0c:29:14:a4:cc" AddressType="generated"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-019 (LOAN)</Name>
        <Mor>vm-1604</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-019 (LOAN)</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This VM instance
provisioned by Amit Saha.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>

```

```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>>false
</ChangeTrackingSupported> <ChangeTrackingSupported>>true
</BootOptionsSupported> <BootOptionsSupported>>true
</SwapPlacementSupported> <SwapPlacementSupported>>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
01T07:29:36.489125Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d23c4-7af0-9848-4803-
1c8a63177671</uuid>
<instanceUuid>502d2fc9-9670-7164-e34d-
b7bbc69da316</instanceUuid>
<vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
019</vmxDir>
<template>>false</template>
<IpAddress>10.105.58.99</IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>(10.105.58.99)
(fe80::250:56ff:fead:32c4)</NicIpaddresses>
<hostName>SCC-SP-VM-019</hostName>
<host>scc-sp-esx-03.cisco.com</host>
<hostMor>host-1646</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-019/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-019/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-019/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-019/SCC-SP-VM-
019.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-SP-VM-019.vmx</Name>

```

```

        <Size>2939</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-019.vmx</Name>
    <Size>3470</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-019.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-019.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-019.vmdk</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-019-
970bcbcl.vswp</Name>
    <Size>17179869184</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-81.log</Name>
    <Size>109894</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-82.log</Name>
    <Size>109896</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-83.log</Name>
    <Size>109891</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-84.log</Name>
    <Size>105888</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>88672</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-80.log</Name>
        <Size>109893</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-85.log</Name>
        <Size>110739</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="22251542686" Uncommitted="38041354240"
Committed="22251542686">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-a776-d561-1262-301ce6bd9674" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e4d0a320103892df5a409d793e180475" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-019/SCC-SP-VM-019.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:c4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"

```

```

FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-007</Name>
    <Mor>vm-1493</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-007</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Weblogic - 10.76.96.191
</Annotation>
    <Version>vmx-07</Version>
    <GuestId>winNetStandardGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T02:01:27.830978Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d8d85-2729-f0ac-026d-
e7df75069fac</uuid>
    <instanceUuid>52713765-f2fe-5678-1f9d-
10550ebde6d3</instanceUuid>
    <vmxDir>[B16-SP-DV-MCS-06-B] SCC-SDP/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-mcs-06.cisco.com
</host>
    <hostMor>host-1488</hostMor>
    <ResourcePoolMor>resgroup-1452
</ResourcePoolMor>

```

```

        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-MCS-06-B] SCC-SDP/" suspendDir="[B16-SP-
DV-MCS-06-B] SCC-SDP/" logDir="[B16-SP-DV-MCS-06-B] SCC-SDP/"
vmxPath="[B16-SP-DV-MCS-06-B] SCC-SDP/SCC-SDP.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="2048"
NumCPUs="1">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SDP.vmdk</Name>
            <Size>31487400</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>93713</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>60325</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>69404</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>56296</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>86243</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>59945</Size>
            <Type>log</Type>
        </File>

```



```

    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>59120</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC-SDP.vmx</Name>
      <Size>2917</Size>
      <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC-SDP.vmx</Name>
      <Size>1848</Size>
      <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC-SDP.nvram</Name>
      <Size>8684</Size>
      <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC-SDP.vmsd</Name>
      <Size>0</Size>
      <Type>snapshotList</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-MCS-
06-B" Unshared="32243596567" Uncommitted="2147483648 "
Committed="32243596567">
      </StorageInfo>
      <Datastore Mor="datastore-1490"
Url="/vmfs/volumes/4be37ca6-7a72cd3e-337b-00248189fc88"
Name="B16-SP-DV-MCS-06-B">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-c87f-b908-9035-0cb35e662075" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="31487400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1490"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d53c08410449b9182ff336d159b2bf0d" Parent=""
Disk="[B16-SP-DV-MCS-06-B] SCC-SDP/SCC-SDP.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:0c:29:06:9f:ac" AddressType="generated"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"

```

```

StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <BackingUsbCtrlr HotAddRemove="false"
EhciEnabled="false" AutoConnect="true" ControllerUnitNumber="-1"
SharedBus="" BackingType="" FileName="" DeviceName="USB
controller " BusNum="2" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="2" Key="7000"
ControllerKey="100" Type="" Label="">
    </BackingUsbCtrlr>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-009</Name>
    <Mor>vm-1480</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-009</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>RHEL_Oracle - 10.76.96.180
</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported>          <BootOptionsSupported>true
</SwapPlacementSupported>        <SwapPlacementSupported>true
                                  <SwapPlacement>inherit</SwapPlacement>
                                  <ChangeVersion>2014-01-
01T01:38:46.946176Z</ChangeVersion>
                                  <powerState>poweredOff</powerState>
                                  <connectionState>connected
</connectionState>
                                  <uuid>564d1c2e-17b5-3547-3b1d-
afcea1060c1b</uuid>
                                  <instanceUuid>52544117-fddb-4e4f-fb62-
f4edf854fcfd</instanceUuid>
                                  <vmxDir>[B16-SP-DV-MCS-04-B]
RHEL_Oracle</vmxDir>
                                  <template>>false</template>
                                  <IpAddress></IpAddress>
                                  <Networks>VM Network(&lt;False&gt;)
</Networks>
                                  <Nics>VM Network(&lt;false&gt;)</Nics>
                                  <NicIpaddresses>unassigned
</NicIpaddresses>
                                  <hostName></hostName>
                                  <host>b16-sp-dv-mcs-04.cisco.com
</host>
                                  <hostMor>host-1477</hostMor>
                                  <ResourcePoolMor>resgroup-1452
</ResourcePoolMor>
                                  <NumberOfDatastores>1
</NumberOfDatastores>
                                  <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                  <NumberOfFiles>14</NumberOfFiles>
                                  <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                  <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                  <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-MCS-04-B] RHEL_Oracle/" suspendDir="[B16-
SP-DV-MCS-04-B] RHEL_Oracle/" logDir="[B16-SP-DV-MCS-04-B]
RHEL_Oracle/" vmxPath="[B16-SP-DV-MCS-04-B]
RHEL_Oracle/RHEL_Oracle.vmx">
                                  </VirtualMachineFileInfo>
                                  <VirtualHardware MemoryMB="12288"
NumCPUs="1">
                                  </VirtualHardware>
                                  <File Type="VmFileInfo">
                                  <Name>RHEL_Oracle.vmdk</Name>
                                  <Size>125829120</Size>
                                  <Type>diskDescriptor</Type>
                                  </File>

```

```
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>162210</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>55183</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>54990</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>84548</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>56427</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>56424</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>56268</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>RHEL_Oracle.vmx</Name>
  <Size>2957</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>RHEL_Oracle.vmx</Name>
  <Size>266</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>RHEL_Oracle.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>RHEL_Oracle.vmsd</Name>
```

```

        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>RHEL_Oracle-95b2ce47.vswp
</Name>

        <Size>12884901888</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-MCS-
04-B" Unshared="141734459177" Uncommitted="0"
Committed="141734459177">
        </StorageInfo>
        <Datastore Mor="datastore-1478"
Url="/vmfs/volumes/4be35675-a13301f4-c064-0024818a0dfa"
Name="B16-SP-DV-MCS-04-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-0175-17c1-479f-d6957a08ae17" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="125829120"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1478"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="564f41ed42cbc36351e3865f3f270409" Parent=""
Disk="[B16-SP-DV-MCS-04-B] RHEL_Oracle/RHEL_Oracle.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:0c:29:06:0c:1b" AddressType="generated"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"

```

```

AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-008</Name>
    <Mor>vm-1491</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-008</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>EM7 - 10.76.96.201
</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName>Red Hat Enterprise
Linux 5 (64-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T02:01:28.303457Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564dba4f-db9b-6550-98ef-
2c25647a1835</uuid>
    <instanceUuid>5244495e-1e45-21f5-0966-
ec7647f27130</instanceUuid>
    <vmxDir>[B16-SP-DV-MCS-06-B] EM7_1/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt; )
</Networks>
    <Nics>VM Network(&lt;false&gt; )</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>

```

```

        <hostName></hostName>
        <host>b16-sp-dv-mcs-06.cisco.com
</host>

        <hostMor>host-1488</hostMor>
        <ResourcePoolMor>resgroup-1452
</ResourcePoolMor>

        <NumberOfDatastores>1
</NumberOfDatastores>

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>

        <NumberOfFiles>16</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-MCS-06-B] EM7_1/" suspendDir="[B16-SP-DV-
MCS-06-B] EM7_1/" logDir="[B16-SP-DV-MCS-06-B] EM7_1/"
vmxPath="[B16-SP-DV-MCS-06-B] EM7_1/EM7_1.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="2048"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>EM7_1-000001.vmdk</Name>
            <Size>36700160</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>EM7_1-Snapshot1.vmsn
</Name>
            <Size>28388</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>59361</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>60382</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>84325</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>84382</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>117534</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>111020</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>84702</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>EM7_1.vmx</Name>
        <Size>3085</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>EM7_1.vmx</Name>
        <Size>260</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>EM7_1.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>EM7_1.vmsd</Name>
        <Size>889</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>EM7_1-0aa6c15f.vswp</Name>
        <Size>2147483648</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-MCS-
06-B" Unshared="55550079697" Uncommitted="21759975424"
Committed="55550079697">
        </StorageInfo>
        <Datastore Mor="datastore-1490"
Url="/vmfs/volumes/4be37ca6-7a72cd3e-337b-00248189fc88"
Name="B16-SP-DV-MCS-06-B">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-ebef-2f5c-49f4-f4dffa57a9ed" ChangeId=""

```



```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="36700160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1490"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7d1951427b78a6e07b6a03cb79a2eda7" Parent="[B16-SP-DV-
MCS-06-B] EM7_1/EM7_1.vmdk" Disk="[B16-SP-DV-MCS-06-B] EM7_1/EM7_
1-000001.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:0c:29:7a:18:35" AddressType="generated"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[B16-SP-DV-MCS-06-B] em7cd/EM7_G3-R5P1-9581_FINAL.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1490" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>EM7+PowerPacks_SDP_2
</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-QA-014</Name>
    <Mor>vm-1763</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered

```

```

virtual machine\B16-SP-QA-014</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel4_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T01:49:25.660489Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42350fbb-2677-7f9b-bbd9-
cfd2f407e6ae</uuid>
    <instanceUuid>50355a36-906c-bc60-50c5-
5dc34ff66595</instanceUuid>
    <vmxDir>[SCC04-SP-ESX-6] SCC04-SP-CEL-
5/</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.14.154</IpAddress>
    <Networks>VM Network(&lt;False&gt; )
</Networks>
    <Nics>VM Network(&lt;false&gt; )</Nics>
    <NicIpaddresses>(10.106.14.154)
</NicIpaddresses>
    <hostName>b16-sp-qa-014</hostName>
    <host>b16-sp-qa-ucs-08.cisco.com
</host>
    <hostMor>host-1758</hostMor>
    <ResourcePoolMor>resgroup-1458
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC04-SP-ESX-6] SCC04-SP-CEL-5/"
suspendDir="[SCC04-SP-ESX-6] SCC04-SP-CEL-5/" logDir="[SCC04-SP-
ESX-6] SCC04-SP-CEL-5/" vmxPath="[SCC04-SP-ESX-6] SCC04-SP-CEL-

```

5/SCC04-SP-CEL-5.vmx">

NumCPUs="4">

```
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC04-SP-CEL-5.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>134614</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>65396</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>87802</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>64901</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>144959</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>91213</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>59514</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-CEL-5.vmx</Name>
  <Size>2982</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-CEL-5.vmx</Name>
```

```

        <Size>269</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-CEL-5.nvram
</Name>

    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-CEL-5.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-CEL-5-
6b06d7d8.vswp</Name>

    <Size>0</Size>
    <Type>swap</Type>
</File>
<StorageInfo Datastore="SCC04-SP-ESX-
6" Unshared="25289168255" Uncommitted="82085675008"
Committed="25289168255">
    </StorageInfo>
    <Datastore Mor="datastore-1759"
Url="/vmfs/volumes/4e791ca7-47a146f6-7d78-0010188834d2"
Name="SCC04-SP-ESX-6">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-22ee-2df8-fc81-d2eaaea6e923" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1759"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e2576df69a8df253cbfaf269b53f6849" Parent=""
Disk="[SCC04-SP-ESX-6] SCC04-SP-CEL-5/SCC04-SP-CEL-5.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:01:66" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-053</Name>
    <Mor>vm-1664</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-053</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM proviioned by Amit
Saha.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:41.71366Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dc8ff-4d7a-84c5-829e-
af86a230147c</uuid>
    <instanceUuid>502db526-9877-d450-0350-
d0072a83455a</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
053</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.133</IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>

```

```

<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>(10.105.58.133)
</NicIpaddresses>
<hostName>SCC-SP-VM-
053.fabqa.cusdp.com</hostName>
<host>scc-sp-esx-03.cisco.com</host>
<hostMor>host-1646</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-053/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-053/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-053/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-053/SCC-SP-VM-
053.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-SP-VM-053.vmx</Name>
<Size>3073</Size>
<Type>config</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-SP-VM-053.vmx</Name>
<Size>2849</Size>
<Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-SP-VM-053.nvram</Name>
<Size>8684</Size>
<Type>nvram</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-SP-VM-053.vmsd</Name>
<Size>457</Size>
<Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
<Name>SCC-SP-VM-053-aux.xml
</Name>
<Size>0</Size>
<Type>snapshotManifestList

```

```

</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-053-000001.vmdk
</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-053-
Snapshot1.vmsn</Name>
  <Size>8599794345</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>180224</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>180012</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>561210</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>226128</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>811564</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>416669</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>561675</Size>
  <Type>log</Type>
</File>
  <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="39138496522" Uncommitted="83851374592"
Committed="39138496522">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-2ae4-2943-6ef0-cbae97ee22c7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a876f4d8d5e93f8e50f1fa6c940c5148" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-053/SCC-SP-VM-053.vmdk" Disk="[SP-SATA-STORE-
1] SCC-SP-VM-053/SCC-SP-VM-053-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:a9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
                            </BackingCdrom>
                            <Snapshot>Snapshot_12062012</Snapshot>
                        </VirtualMachine>
                    <VirtualMachine>
                        <Name>B16-SP-QA-016</Name>
                        <Mor>vm-1765</Mor>
                        <MorType>VirtualMachine</MorType>

```



```

virtual machine\B16-SP-QA-016</Path>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM instance
provisioned by Amit Saha</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T01:49:26.029388Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dfa69-da27-a806-53b3-
da9c67a134b0</uuid>
    <instanceUuid>502de71f-35a6-7105-a683-
bae21ce37d8f</instanceUuid>
    <vmxDir>[SCC04-SP-ESX-6] SCC04-SP-
RH50-5/</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.14.156</IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>(10.106.14.156)
(fe80::250:56ff:fead:31)</NicIpaddresses>
    <hostName>b16-sp-qa-016</hostName>
    <host>b16-sp-qa-ucs-08.cisco.com
</host>
    <hostMor>host-1758</hostMor>
    <ResourcePoolMor>resgroup-1458
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC04-SP-ESX-6] SCC04-SP-RH50-5/"

```

```
suspendDir="[SCC04-SP-ESX-6] SCC04-SP-RH50-5/" logDir="[SCC04-SP-ESX-6] SCC04-SP-RH50-5/" vmxPath="[SCC04-SP-ESX-6] SCC04-SP-RH50-5/SCC04-SP-RH50-5.vmx">
```

```
</VirtualMachineFileInfo>  
<VirtualHardware MemoryMB="1024"  
NumCPUs="2">  
</VirtualHardware>  
<File Type="VmFileInfo">  
  <Name>SCC04-SP-RH50-5.vmdk  
</Name>  
  <Size>41943040</Size>  
  <Type>diskDescriptor</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-7.log</Name>  
  <Size>67452</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-8.log</Name>  
  <Size>66619</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-3.log</Name>  
  <Size>61617</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-4.log</Name>  
  <Size>89474</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-5.log</Name>  
  <Size>110642</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-6.log</Name>  
  <Size>103014</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware.log</Name>  
  <Size>62979</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>SCC04-SP-RH50-5.vmx</Name>  
  <Size>2895</Size>  
  <Type>config</Type>
```

```

        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-SP-RH50-5.vmx
        </Name>
            <Size>270</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-SP-RH50-5.nvram
        </Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-SP-RH50-5.vmsd
        </Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-SP-RH50-5-
ef08ed03.vswp</Name>
            <Size>1073741824</Size>
            <Type>swap</Type>
        </File>
        <StorageInfo Datastore="SCC04-SP-ESX-
6" Unshared="6062392030" Uncommitted="37961596928"
Committed="6062392030">
            </StorageInfo>
            <Datastore Mor="datastore-1759"
Url="/vmfs/volumes/4e791ca7-47a146f6-7d78-0010188834d2"
Name="SCC04-SP-ESX-6">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-b3c0-e2f5-0b98-1f7e03d0758a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1759"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="804257e91a5b202743c4046bb9053938" Parent=""
Disk="[SCC04-SP-ESX-6] SCC04-SP-RH50-5/SCC04-SP-RH50-5.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:31" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"

```

```

StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-054</Name>
    <Mor>vm-1609</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-054</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:36.043561Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>

```

```

f2a4c65ba9ad</uuid>
f32f997c14cf</instanceUuid>
054</vmxDir>
</Networks>
</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-054/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-054/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-054/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-054/SCC-SP-VM-
054.vmx">
NumCPUs="2">
<uuid>422d7ec3-2670-0cc2-08bc-
<instanceUuid>502d95af-8dfe-9716-358a-
<vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
<hostName></hostName>
<host>scs-sp-esx-02.cisco.com</host>
<hostMor>host-1601</hostMor>
<ResourcePoolMor>resgroup-1456
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>12</NumberOfFiles>
<CpuFeatureMaskSupported>>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="16384"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-054.vmx</Name>
  <Size>2829</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-054.vmx</Name>
  <Size>3470</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-054.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>SCC-SP-VM-054.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-054.vmdk</Name>
        <Size>167772160</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>298501</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>110159</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>107794</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>106207</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>107165</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>105152</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="24860489769" Uncommitted="164281516032"
Committed="24860489769">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-218c-4a97-4710-94a0a3d5794a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ae21caa506b08fc825351c030084fcac" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-054/SCC-SP-VM-054.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:ac" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-QA-015</Name>
    <Mor>vm-1775</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-QA-015</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>+ Aug11mabhogalSCC1626 ::
This Machine is Created By Sandeep Byrappa on 16-AUG-2011 for
S+CC SP Team, User has been provisioned with Admin Rights.
+ Sep11jnagarhaSCC2244 :: Migration from 10.76.96.X network to
10.76.98.X</Annotation>
    <Version>vmx-07</Version>
    <GuestId>winXPProGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true

```

```

</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
31T23:34:07.151964Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4235dea3-aa09-abe0-a6dd-
ca5004ce3adb</uuid>
    <instanceUuid>503593ef-9075-688d-c971-
3ecc55133338</instanceUuid>
    <vmxDir>[SCC04-SP-ESX-02] SCC04-SP-XP-
01/</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.14.155</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.106.14.155)
</NicIpaddresses>
    <hostName>b16-sp-qa-015</hostName>
    <host>b16-sp-qa-ucs-09.cisco.com
</host>
    <hostMor>host-1766</hostMor>
    <ResourcePoolMor>resgroup-1458
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC04-SP-ESX-02] SCC04-SP-XP-01/"
suspendDir="[SCC04-SP-ESX-02] SCC04-SP-XP-01/" logDir="[SCC04-SP-
ESX-02] SCC04-SP-XP-01/" vmxPath="[SCC04-SP-ESX-02] SCC04-SP-XP-
01/SCC04-SP-XP-01.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-XP-01.vmdk</Name>
        <Size>83907495</Size>
        <Type>diskDescriptor</Type>

```



```
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>260878</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>100279</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>128282</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>67354</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>71974</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>90629</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>64683</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-XP-01.vmx</Name>
  <Size>3197</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-XP-01.vmx</Name>
  <Size>269</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-XP-01.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
```

```

    <File Type="VmFileInfo">
      <Name>SCC04-SP-XP-01.vmsd</Name>
      <Size>0</Size>
      <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-SP-XP-01-
f22e090b.vswp</Name>
      <Size>4294967296</Size>
      <Type>swap</Type>
    </File>
    <StorageInfo Datastore="SCC04-SP-ESX-
02" Unshared="89660336308" Uncommitted="556702720"
Committed="89660336308">
      </StorageInfo>
      <Datastore Mor="datastore-1767"
Url="/vmfs/volumes/4e20d614-3edde5bd-a9cd-d0d0fd092659"
Name="SCC04-SP-ESX-02">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-5ffa-5ac4-3fef-84db7be2390e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83907495"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1767"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="fffffffe" Parent="" Disk="[SCC04-SP-ESX-02] SCC04-SP-
XP-01/SCC04-SP-XP-01.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:03:65" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
            </BackingNetwork>
            <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
              </BackingFloppy>
              <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"

```

```

DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-055</Name>
    <Mor>vm-1635</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-055</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
06T08:45:04.156308Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d8087-b957-dab4-74a3-
b1b31e91bda0</uuid>
    <instanceUuid>502d58b6-2436-0373-8321-
8fac96c149c8</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
055</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.135</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.105.58.135)
(fe80::250:56ff:fead:3cef)</NicIpaddresses>
    <hostName>SCC-SP-VM-055</hostName>
    <host>scc-sp-esx-04.cisco.com</host>
    <hostMor>host-1675</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1

```

```

</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-055/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-055/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-055/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-055/SCC-SP-VM-
055.vmx">
        </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-055.vmx</Name>
        <Size>2878</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-055.vmx</Name>
        <Size>3470</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-055.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-055.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-055.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-055-
970bcc41.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-SCC-SP-VM-055-
2534132801-1.vswp</Name>
        <Size>48234496</Size>
        <Type>uwsap</Type>
    </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-65.log</Name>
      <Size>88535</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-60.log</Name>
      <Size>106877</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-62.log</Name>
      <Size>110528</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-63.log</Name>
      <Size>104397</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-61.log</Name>
      <Size>141430</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-64.log</Name>
      <Size>111486</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>89752</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="10606065701" Uncommitted="36687577088"
Committed="10606065701">
      </StorageInfo>
      <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-203e-9b91-3df9-b2410f1e73c9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6d170183bc1b6d288bcla4ba2b0c0865" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-055/SCC-SP-VM-055.vmdk"
AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:ef" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-QA-018</Name>
    <Mor>vm-1772</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-QA-018</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
31T23:34:06.804314Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
    <uuid>422d4360-f5da-7932-7154-
2996600f210f</uuid>
    <instanceUuid>502dd9ff-b5b2-bab4-90b6-
89d36cef01cc</instanceUuid>
    <vmxDir>[SCC04-SP-ESX-02] SCC04-SP-
RHEL55-1/</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.14.158</IpAddress>
    <Networks>VM Network(&lt;False&gt; )
</Networks>
    <Nics>VM Network(&lt;false&gt; )</Nics>
    <NicIpaddresses>(10.106.14.158)
(fe80::250:56ff:fead:34)</NicIpaddresses>
    <hostName>B16-SP-QA-018</hostName>
    <host>b16-sp-qa-ucs-09.cisco.com
</host>
    <hostMor>host-1766</hostMor>
    <ResourcePoolMor>resgroup-1458
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC04-SP-ESX-02] SCC04-SP-RHEL55-1/"
suspendDir="[SCC04-SP-ESX-02] SCC04-SP-RHEL55-1/" logDir="[SCC04-
SP-ESX-02] SCC04-SP-RHEL55-1/" vmxPath="[SCC04-SP-ESX-02] SCC04-
SP-RHEL55-1/SCC04-SP-RHEL55-1.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4128"
NumCPUs="2">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHEL55-1.vmdk
</Name>
        <Size>125829120</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>131118</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-8.log</Name>
        <Size>68861</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>164112</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>104738</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>73215</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>73329</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>67742</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-RHEL55-1.vmx
</Name>
    <Size>2843</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-RHEL55-1.vmx
</Name>
    <Size>272</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-RHEL55-1.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-RHEL55-1.vmsd
</Name>
    <Size>43</Size>
    <Type>snapshotList</Type>

```



```

        </File>
        <File Type="VmFileInfo">
            <Name>SCC04-SP-RHEL55-1-
39002408.vswp</Name>
            <Size>4328521728</Size>
            <Type>swap</Type>
        </File>
        <StorageInfo Datastore="SCC04-SP-ESX-
02" Unshared="37753625816" Uncommitted="95424610304"
Committed="37753625816">
            </StorageInfo>
            <Datastore Mor="datastore-1767"
Url="/vmfs/volumes/4e20d614-3edde5bd-a9cd-d0d0fd092659"
Name="SCC04-SP-ESX-02">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-6470-8846-7af9-cbb6b7f11340" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="125829120"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1767"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5f4c889864631d2e112024a73689fac3" Parent=""
Disk="[SCC04-SP-ESX-02] SCC04-SP-RHEL55-1/SCC04-SP-RHEL55-1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:34" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3000"
ControllerKey="200" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>

```

```

        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>SCC-SP-VM-096</Name>
        <Mor>vm-1754</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-096</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This VM is imaged by
Chandra Babu M on 5-MAR-2012 for the user Ramkumar Kuttuboyina on
account of Feb12rkuttuboSCC2360.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:39.617834Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42008822-8bee-e992-96b5-
f68aad0469d1</uuid>
        <instanceUuid>5000ff74-e47d-87ab-64d6-
6bb5de90819c</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
096</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scc-sp-esx-06.cisco.com</host>
        <hostMor>host-1732</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-096/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-096/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-096/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-096/SCC-SP-VM-
096.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-096.vmx</Name>
            <Size>3158</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-096.vmx</Name>
            <Size>3367</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-096.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-096.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-096-000001.vmdk
</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-096-
Snapshot3.vmsn</Name>
            <Size>17185647743</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-13.log</Name>
            <Size>110904</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-14.log</Name>

```

```

        <Size>110903</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-17.log</Name>
        <Size>108668</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>110903</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>110903</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>105305</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>125158</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="33146907008" Uncommitted="60090724352"
Committed="33146907008">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-b3b0-2434-f63a-b45b3d6167d8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f499c5877323224a6fb9193cbleee86c" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-096/SCC-SP-VM-096.vmdk" Disk="[SP-SATA-STORE-
2] SCC-SP-VM-096/SCC-SP-VM-096-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:97" AddressType="assigned"

```

```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-056</Name>
    <Mor>vm-1590</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-056</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Case 1:
Jan12spataskaSCC2394
This VM is created by Chandra Babu M on 25-JAN-2012 for the
Sanjay Pataskar on account of Jan12spataskaSCC2394.

Case 2 : May12mabhogalsYD_AS1955

Reimaged by Chandra Babu M</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>

```

```

                                <ChangeVersion>2014-01-
01T07:29:19.648316Z</ChangeVersion>
                                <powerState>poweredOff</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>42003a34-8530-8b71-83e2-
f4eff5a145bd</uuid>
                                <instanceUuid>5000f6b9-25c0-3f5f-6c17-
1c371582cb90</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
056</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt;)
</Networks>
                                <Nics>VM Network(&lt;false&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scs-sp-esx-01.cisco.com</host>
                                <hostMor>host-1569</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-056/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-056/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-056/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-056/SCC-SP-VM-
056.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16384"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-056.vmx</Name>
                                    <Size>3249</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-056.vmx</Name>
                                    <Size>3367</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">

```

```

        <Name>SCC-SP-VM-056.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-056.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-056-000001.vmdk
</Name>

    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-056-
Snapshot1.vmsn</Name>

    <Size>17185643647</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>98226</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>317174</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>103333</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>139990</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>108441</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>256027</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

                <Name>vmware-13.log</Name>
                <Size>112351</Size>
                <Type>log</Type>
            </File>
            <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="49405549561" Uncommitted="123391037440"
Committed="49405549561">
                </StorageInfo>
                <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                    </Datastore>
                    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-8e55-68ec-162e-8aaa0d8f7662" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="faa39bf3a47ea70ed26b1f9e6a69ddec" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-056/SCC-SP-VM-056.vmdk" Disk="[SP-SATA-STORE-
2] SCC-SP-VM-056/SCC-SP-VM-056-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:0d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                            </BackingNetwork>
                            <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                    </BackingCdrom>
                                    <Snapshot>Snapshot1</Snapshot>

```



```

        </VirtualMachine>
        <VirtualMachine>
            <Name>B16-SP-QA-017</Name>
            <Mor>vm-1760</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-QA-017</Path>
            <ParentMor>group-v1459</ParentMor>
            <Annotation></Annotation>
            <Version>vmx-07</Version>
            <GuestId>rhel5_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2014-01-
01T01:49:23.395083Z</ChangeVersion>
            <powerState>poweredOff</powerState>
            <connectionState>connected
</connectionState>
            <uuid>4235df8a-3880-6274-1116-
26e81b492f9e</uuid>
            <instanceUuid>50350552-e3e8-dca2-c843-
76e5cfd84f2c</instanceUuid>
            <vmxDir>[SCC04-SP-ESX-6] B16-SP-QA-
017</vmxDir>
            <template>>false</template>
            <IpAddress>10.106.14.157</IpAddress>
            <Networks>VM Network(&lt;False&gt;)
</Networks>
            <Nics>VM Network(&lt;false&gt;)</Nics>
            <NicIpaddresses>(10.106.14.157)
</NicIpaddresses>
            <hostName>b16-sp-qa-017</hostName>
            <host>b16-sp-qa-ucs-08.cisco.com
</host>
            <hostMor>host-1758</hostMor>
            <ResourcePoolMor>resgroup-1458
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>14</NumberOfFiles>
            <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SCC04-SP-ESX-6] B16-SP-QA-017/" suspendDir="[SCC04-
SP-ESX-6] B16-SP-QA-017/" logDir="[SCC04-SP-ESX-6] B16-SP-QA-
017/" vmxPath="[SCC04-SP-ESX-6] B16-SP-QA-017/SCC04-SP-CEL-
6.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC04-SP-CEL-6.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>63726</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>226110</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>55260</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>56462</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>113531</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>63428</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>57284</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">

```

```

        <Name>SCC04-SP-CEL-6.vmx</Name>
        <Size>2944</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-CEL-6.vmx</Name>
        <Size>269</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-CEL-6.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-CEL-6.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-CEL-6-
24474005.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="SCC04-SP-ESX-
6" Unshared="25021768739" Uncommitted="86648029184"
Committed="25021768739">
        </StorageInfo>
        <Datastore Mor="datastore-1759"
Url="/vmfs/volumes/4e791ca7-47a146f6-7d78-0010188834d2"
Name="SCC04-SP-ESX-6">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-6b81-de93-d677-441d2f59274d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1759"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1359c6fcdbaa0c99df6382f920853953" Parent=""
Disk="[SCC04-SP-ESX-6] B16-SP-QA-017/SCC04-SP-CEL-6.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:02:30" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-097</Name>
    <Mor>vm-1684</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-097</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M on 5-MAR-2012 for the user Ramkumar Kuttuboyina on
account of Feb12rkuttuboSCC2360.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:31.223557Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>420083d2-737e-e2ae-1a01-
688f3ea5feac</uuid>
        <instanceUuid>500091a2-4d9b-4394-8534-
c8672f7a2e25</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
097/</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scs-sp-esx-04.cisco.com</host>
        <hostMor>host-1675</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-097/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-097/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-097/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-097/SCC-SP-VM-
097.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-097.vmx</Name>
            <Size>3157</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-097.vmx</Name>
            <Size>3367</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-097.nvram</Name>
            <Size>8684</Size>

```

```

        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-097.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-097-000001.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-097-
Snapshot3.vmsn</Name>
    <Size>17185647743</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>110969</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>108732</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>105382</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-13.log</Name>
    <Size>110965</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>110967</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>110974</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>123005</Size>

```

```

                <Type>log</Type>
            </File>
            <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="31262614185" Uncommitted="60090724352"
Committed="31262614185">
                </StorageInfo>
                <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                    </Datastore>
                    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-0921-aea-8263-efb19fe7b3af" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="84b3ca27153d976e2bec9ef6664d81fe" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-097/SCC-SP-VM-097.vmdk" Disk="[SP-SATA-STORE-
2] SCC-SP-VM-097/SCC-SP-VM-097-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:98" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                            </BackingNetwork>
                            <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                    </BackingCdrom>
                                    <Snapshot>Snapshot1</Snapshot>
                                </VirtualMachine>
                            </VirtualMachine>

```

```

        <Name>SCC-SP-VM-057</Name>
        <Mor>vm-1681</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-057</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This VM is created by
Chandra Babu M on 25-JAN-2012 for the Sanjay Pataskar on account
of Jan12spataskaSCC2394.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:30.954117Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422dbde9-a502-73ff-bcda-
e60d16a4a90e</uuid>
        <instanceUuid>502dfc9b-9d04-47ba-5de3-
f7aedcbc5f89</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
057</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scc-sp-esx-04.cisco.com</host>
        <hostMor>host-1675</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0

```



```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-057/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-057/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-057/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-057/SCC-SP-VM-
057.vmx">
        </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-057.vmx</Name>
        <Size>3267</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-057.vmx</Name>
        <Size>3470</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-057.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-057.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-057.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>246739</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>111053</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>568991</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>

```

```

        <Size>136163</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>136624</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>94019</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>130484</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="37162972934" Uncommitted="87555112960"
Committed="37162972934">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-5b77-051b-9dc6-ef72ab0849f0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1d9de9c6549565928980c19e19590dfa" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-057/SCC-SP-VM-057.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:30:09" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-058</Name>
    <Mor>vm-1748</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-058</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is created by
Chandra Babu M on 25-JAN-2012 for the Sanjay Pataskar on account
of Jan12spataskaSCC2394.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:39.176123Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42009bbd-db85-ad57-8301-
61f94412d956</uuid>
    <instanceUuid>5000d3b2-017b-7b5b-6f39-
2b34769c3a46</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
058</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned

```

```

</NicIpaddresses>
    <hostName></hostName>
    <host>scs-sp-esx-06.cisco.com</host>
    <hostMor>host-1732</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>15</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-058/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-058/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-058/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-058/SCC-SP-VM-
058.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-058.vmx</Name>
        <Size>3260</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-058.vmx</Name>
        <Size>3367</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-058.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-058.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-058-000001.vmdk
</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-058-

```

Snapshot1.vmsn</Name>

```
<Size>17185288699</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-51.log</Name>
  <Size>108062</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-47.log</Name>
  <Size>112134</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>107892</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-46.log</Name>
  <Size>112133</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-49.log</Name>
  <Size>112132</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-50.log</Name>
  <Size>112142</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-48.log</Name>
  <Size>112200</Size>
  <Type>log</Type>
</File>
  <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="31981656001" Uncommitted="98812456960"
Committed="31981656001">
    </StorageInfo>
    <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
      </Datastore>
      <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-07ea-518e-9a5b-56e424cdab5a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e20a00ccb05ce63fde3df6bdf90f7029" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-058/SCC-SP-VM-058.vmdk" Disk="[SP-SATA-STORE-
2] SCC-SP-VM-058/SCC-SP-VM-058-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:0e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot_before_perl_9Nov
</Snapshot>
    </VirtualMachine>
</VirtualMachine>
    <Name>SCC-SP-VM-098</Name>
    <Mor>vm-1660</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-098</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is created by
Chandra Babu M on 25-JAN-2012 for the Sanjay Pataskar on account
of Jan12spataskaSCC2394.</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>

```

```

    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
20T05:35:03.446214Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200c4af-364b-73dd-a2b9-
7fb615d7c35b</uuid>
    <instanceUuid>50003c2d-e9df-f7c5-f11f-
745ee4583368</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
098</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.178</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.105.58.178)
(fe80::250:56ff:fe80:709c)</NicIpaddresses>
    <hostName>SCC-SP-VM-098</hostName>
    <host>scc-sp-esx-04.cisco.com</host>
    <hostMor>host-1675</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>19</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-098/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-098/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-098/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-098/SCC-SP-VM-
098.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-098.vmx</Name>
        <Size>3129</Size>
        <Type>config</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-098.vmx</Name>
  <Size>3367</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-098.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-098.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-098-000002.vmdk
</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-098-
Snapshot3.vmsn</Name>
  <Size>17185640893</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-098-
Snapshot4.vmsn</Name>
  <Size>17185640893</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-098-
de9b2d12.vswp</Name>
  <Size>17179869184</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-SP-VM-098-
3734711570-2.vswp</Name>
  <Size>48234496</Size>
  <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>106028</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```



```

        <Name>vmware-9.log</Name>
        <Size>110717</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>105119</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>89851</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>110733</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>127889</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>114246</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="74968099181" Uncommitted="105075494912"
Committed="74968099181">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-0241-b047-ecc2-a207ba32f237" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="497525e80b03c1e129b757da78dc002b" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-098/SCC-SP-VM-098-000001.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-098/SCC-SP-VM-098-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```

```

MacAddress="00:50:56:80:70:9c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-099</Name>
    <Mor>vm-1573</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-099</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is created by
Chandra Babu M on 25-JAN-2012 for the Sanjay Pataskar on account
of Jan12spataskaSCC2394.</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:15.485932Z</ChangeVersion>
    <powerState>poweredOff</powerState>

```

```

</connectionState>                                <connectionState>connected
4d777823b869</uuid>                                <uuid>420040b6-f696-0ae1-0089-
3527527d4d58</instanceUuid>                       <instanceUuid>5000335a-709c-3861-c147-
099/</vmxDir>                                       <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
</Networks>                                         <template>false</template>
</NicIpaddresses>                                   <IpAddress></IpAddress>
</ResourcePoolMor>                                 <Networks>VM Network(&lt;False&gt;)
</NumberOfDatastores>                              <Nics>VM Network(&lt;false&gt;)</Nics>
</NumberOfBackingDisks>                            <NicIpaddresses>unassigned
</CpuFeatureMaskSupported>                         <hostName></hostName>
</NumberOfFeatureMaskEntries>                      <host>scc-sp-esx-01.cisco.com</host>
<VirtualMachineFileInfo                             <hostMor>host-1569</hostMor>
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-099/"    <ResourcePoolMor>resgroup-1456
suspendDir="[SP-SATA-STORE-2] SCC-SP-VM-099/"
logDir="[SP-SATA-STORE-2] SCC-SP-
VM-099/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-
099.vmx">
</VirtualMachineFileInfo>                           <NumberOfDatastores>1
<VirtualHardware MemoryMB="16384"                 <NumberOfBackingDisks>1
NumCPUs="2">                                         <NumberOfFiles>13</NumberOfFiles>
</VirtualHardware>                                  <CpuFeatureMaskSupported>true
<File Type="VmFileInfo">                            <NumberOfFeatureMaskEntries>0
  <Name>SCC-SP-VM-099.vmx</Name>
  <Size>3122</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-099.vmx</Name>
  <Size>3382</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-099.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-099.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-099.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>110607</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>93584</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>110326</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>106108</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>105005</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>110320</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>171260</Size>
  <Type>log</Type>
</File>
  <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="10272672894" Uncommitted="114444795904"
Committed="10272672894">
    </StorageInfo>
    <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-

```

```

SATA-STORE-2">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-b80a-b01c-2105-9fed57351fdb" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="687eb2c28fe554d2573a701733c342e0" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-099/SCC-SP-VM-099.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:a0" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-059</Name>
    <Mor>vm-1640</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-059</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is created by
Chandra Babu M on 25-JAN-2012 for the Sanjay Pataskar on account
of Jan12spataskaSCC2394.</Annotation>
    <Version>vmx-08</Version>

```

```

                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
01T07:29:36.872982Z</ChangeVersion>
                                <powerState>poweredOff</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4200d9e3-4361-c858-1acc-
bde76aeef464</uuid>
                                <instanceUuid>50000f30-8f77-4230-1f42-
4f550206e233</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
059</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt;)
</Networks>
                                <Nics>VM Network(&lt;false&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scc-sp-esx-02.cisco.com</host>
                                <hostMor>host-1601</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>13</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-059/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-059/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-059/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-059/SCC-SP-VM-
059.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="32768"
NumCPUs="2">
                                </VirtualHardware>

```

```
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-059.vmx</Name>
  <Size>3141</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-059.vmx</Name>
  <Size>3367</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-059.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-059.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-059.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>136573</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>137657</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>145546</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>316114</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>99424</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
```

```

        <Size>105916</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>110937</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="23194519903" Uncommitted="97228226560"
Committed="23194519903">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-c068-779f-75db-45f2d6095931" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8ae333b458611c7c1a05bc9f4cd65cc7" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-059/SCC-SP-VM-059.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:0f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"

```



```

ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>SCC-SP-VM-109</Name>
  <Mor>vm-1613</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-109</Path>
  <ParentMor>group-v1459</ParentMor>
  <Annotation></Annotation>
  <Version>vmx-07</Version>
  <GuestId>otherLinuxGuest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
  <BootOptionsSupported>>true
</BootOptionsSupported>
  <SwapPlacementSupported>>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-
06T06:21:00.717399Z</ChangeVersion>
  <powerState>poweredOn</powerState>
  <connectionState>connected
</connectionState>
  <uuid>420017b3-afef-a57a-6326-
9cce8700dd02</uuid>
  <instanceUuid>50009ec3-5185-40de-68ec-
89ba4397b149</instanceUuid>
  <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
109</vmxDir>
  <template>>false</template>
  <IpAddress></IpAddress>
  <Networks>VM Network(&lt;True&gt;)
</Networks>
  <Nics>VM Network(&lt;true&gt;)</Nics>
  <NicIpaddresses>unassigned
</NicIpaddresses>
  <hostName></hostName>
  <host>scc-sp-esx-06.cisco.com</host>
  <hostMor>host-1732</hostMor>
  <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
  <NumberOfDatastores>1
</NumberOfDatastores>
  <NumberOfBackingDisks>1
</NumberOfBackingDisks>
  <NumberOfFiles>19</NumberOfFiles>
  <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-109/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-109/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-109/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-109/SCC-SP-VM-
109.vmx">
          </VirtualMachineFileInfo>
          <VirtualHardware MemoryMB="2048"
NumCPUs="2">
          </VirtualHardware>
          <File Type="VmFileInfo">
            <Name>SCC-SP-VM-109.vmx</Name>
            <Size>2906</Size>
            <Type>config</Type>
          </File>
          <File Type="VmFileInfo">
            <Name>SCC-SP-VM-109.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
          </File>
          <File Type="VmFileInfo">
            <Name>SCC-SP-VM-109.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
          </File>
          <File Type="VmFileInfo">
            <Name>SCC-SP-VM-109.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
          </File>
          <File Type="VmFileInfo">
            <Name>SCC-SP-VM-109-000002.vmdk
</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
          </File>
          <File Type="VmFileInfo">
            <Name>SCC-SP-VM-109-
Snapshot4.vmsn</Name>
            <Size>2152885168</Size>
            <Type>snapshotData</Type>
          </File>
          <File Type="VmFileInfo">
            <Name>SCC-SP-VM-109-
Snapshot5.vmsn</Name>
            <Size>2152885168</Size>
            <Type>snapshotData</Type>
          </File>
          <File Type="VmFileInfo">
            <Name>SCC-SP-VM-109-

```

```

de9b302b.vswp</Name>
    <Size>2147483648</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-SP-VM-109-
3734712363-1.vswp</Name>
    <Size>48234496</Size>
    <Type>uwsrap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-21.log</Name>
    <Size>129267</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>108574</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>108571</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>103559</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>108573</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-22.log</Name>
    <Size>148661</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>88726</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="14426556865" Uncommitted="42530156544"
Committed="14426556865">
    </StorageInfo>
    <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-8a9e-d8e0-4735-a19e69239e4b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2bfdce36b8978dcf4e717ea646b5de01" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-109/SCC-SP-VM-109-000001.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-109/SCC-SP-VM-109-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:aa" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <Snapshot>Snapshot1</Snapshot>
        <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-092</Name>
        <Mor>vm-1593</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-092</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-08</Version>

```

```

                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
01T07:29:19.864319Z</ChangeVersion>
                                <powerState>poweredOff</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>42000ed1-0444-4aec-9a5b-
9e9d8460ed38</uuid>
                                <instanceUuid>500075a3-e423-286c-7d98-
ed61738b53fa</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
092/</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt;)
</Networks>
                                <Nics>VM Network(&lt;false&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scs-sp-esx-01.cisco.com</host>
                                <hostMor>host-1569</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-092/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-092/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-092/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-092/SCC-SP-VM-
092.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16384"
NumCPUs="2">
                                </VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>SCC-SP-VM-092.vmx</Name>
  <Size>2999</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-092.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-092.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-092.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-092-000002.vmdk
</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-092-
Snapshot1.vmsn</Name>
  <Size>17185584172</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>179766</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>137507</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>105426</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>135092</Size>
  <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>115471</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>110688</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>109159</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="28478771844" Uncommitted="103040315392"
Committed="28478771844">
            </StorageInfo>
            <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-715d-54d0-03b8-4efbc15d7403" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c73aeb2c0095087b7cc95d69d00858a9" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-092/SCC-SP-VM-092.vmdk" Disk="[SP-SATA-STORE-
2] SCC-SP-VM-092/SCC-SP-VM-092-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:54" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Only_OS_6Feb2013</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-010(old)</Name>
    <Mor>vm-1580</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-010(old)</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM instance
provisioned by Amit Saha.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:23.998864Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d41c9-4a0d-dcb7-575f-
16ff73f3424c</uuid>
    <instanceUuid>502dcc58-c01d-e464-295f-
4e9c4f09b0e1</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
010</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>

```



```

        <host>scs-sp-esx-01.cisco.com</host>
        <hostMor>host-1569</hostMor>
        <ResourcePoolMor>resgroup-1456
    </ResourcePoolMor>
        <NumberOfDatastores>1
    </NumberOfDatastores>
        <NumberOfBackingDisks>1
    </NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-010/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-010/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-010/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-010/SCC-SP-VM-
010.vmx">
            </VirtualMachineFileInfo>
            <VirtualHardware MemoryMB="16384"
    </VirtualHardware>
            <File Type="VmFileInfo">
                <Name>SCC-SP-VM-010.vmx</Name>
                <Size>2856</Size>
                <Type>config</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>SCC-SP-VM-010.vmx</Name>
                <Size>268</Size>
                <Type>extendedConfig</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>SCC-SP-VM-010.nvram</Name>
                <Size>8684</Size>
                <Type>nvram</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>SCC-SP-VM-010.vmsd</Name>
                <Size>0</Size>
                <Type>snapshotList</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>SCC-SP-VM-010.vmdk</Name>
                <Size>83886080</Size>
                <Type>diskDescriptor</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware.log</Name>
                <Size>107691</Size>
                <Type>log</Type>
            </File>
        </File>
    NumCPUs="2">

```

```

    <File Type="VmFileInfo">
      <Name>vmware-2.log</Name>
      <Size>107395</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-3.log</Name>
      <Size>107077</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-4.log</Name>
      <Size>191704</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-5.log</Name>
      <Size>108129</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-6.log</Name>
      <Size>180934</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-7.log</Name>
      <Size>106831</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="11130507233" Uncommitted="92112224256"
Committed="11130507233">
      </StorageInfo>
      <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-c26f-e7b9-f7e3-7d3dc256d925" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0deab8a42cc7ea137c4c32a31d7dbe08" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-010/SCC-SP-VM-010.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```

```

MacAddress="00:50:56:ad:32:a4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-093</Name>
    <Mor>vm-1597</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-093</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T08:44:09.854758Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200ec28-2dfe-5fb1-60ec-
2492fb45adcc</uuid>

```

```

ce286342fc37</instanceUuid>
093</vmxDir>
</Networks>
(fe80::250:56ff:fe80:4567)</NicIpaddresses>
</hostName>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-093/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-093/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-093/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-093/SCC-SP-VM-
093.vmx">
NumCPUs="1">
</VirtualMachineFileInfo>
</VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-093.vmx</Name>
  <Size>2913</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-093.vmx</Name>
  <Size>3470</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-093.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-093.vmsd</Name>

```

```

        <Size>2038</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-093-000005.vmdk
</Name>

        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-093-

Snapshot1.vmsn</Name>

        <Size>4300816759</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-093-

Snapshot2.vmsn</Name>

        <Size>4300741779</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-093-

Snapshot3.vmsn</Name>

        <Size>4300745875</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-093-

Snapshot4.vmsn</Name>

        <Size>4300745875</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-093-

Snapshot5.vmsn</Name>

        <Size>4300745875</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-093-

de9b2d0d.vswp</Name>

        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-SP-VM-093-

3734711565-1.vswp</Name>

        <Size>47185920</Size>
        <Type>uwp</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-8.log</Name>
        <Size>111095</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>106238</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>107924</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>104807</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>117135</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-10.log</Name>
        <Size>181673</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>90725</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="56725043233" Uncommitted="85546856448"
Committed="56725043233">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                        </Datastore>
                        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-6879-2504-5e39-4f6e4a584b98" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="143b2dfceb988c07e630b89bbe9580ad" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-093/SCC-SP-VM-093-000004.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-093/SCC-SP-VM-093-000005.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:45:67" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
    <Snapshot>Snapshot3</Snapshot>
    <Snapshot>Snapshot4</Snapshot>
    <Snapshot>Snapshot5</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-018</Name>
    <Mor>vm-1636</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-018</Path>

```

```

<ParentMor>group-v1459</ParentMor>
<Annotation></Annotation>
<Version>vmx-07</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>>true
</ChangeTrackingSupported>
<BootOptionsSupported>>true
</BootOptionsSupported>
<SwapPlacementSupported>>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
01T07:29:38.162051Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42003a31-c0b1-507f-561b-
26bb87de497f</uuid>
<instanceUuid>50008ee4-51da-e75d-04a8-
e5b5cbf74129</instanceUuid>
<vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
018</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;),VM
Network(&lt;False&gt;)</Networks>
<Nics>VM Network(&lt;false&gt;),VM
Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned,unassigned
</NicIpaddresses>
<hostName></hostName>
<host>scs-sp-esx-03.cisco.com</host>
<hostMor>host-1646</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>2
</NumberOfBackingDisks>
<NumberOfFiles>18</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-018/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-018/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-018/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-018/SCC-SP-VM-
018.vmx">

```



```

</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="8">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-018.vmx</Name>
  <Size>3416</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-018.vmx</Name>
  <Size>3485</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-018.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-018.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-018-000001.vmdk
</Name>
  <Size>26214400</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-018_1-
000001.vmdk</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-018-
Snapshot3.vmsn</Name>
  <Size>17185811239</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>115314</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>121631</Size>
  <Type>log</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>121147</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-4.log</Name>
      <Size>117787</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-7.log</Name>
      <Size>118859</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-9.log</Name>
      <Size>132063</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-8.log</Name>
      <Size>185080</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="64104403473" Uncommitted="108480512000"
Committed="64104403473">
      </StorageInfo>
      <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-1c28-16e1-081f-acledbab6094" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6c490237c08e6871d30f610e82be12e2" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-018/SCC-SP-VM-018.vmdk" Disk="[SP-SATA-STORE-
1] SCC-SP-VM-018/SCC-SP-VM-018-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-f240-39cb-c3c0-dc1d6874cba3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="008b59ea8ca813bbff37267090285ec5" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-018/SCC-SP-VM-018_1.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-018/SCC-SP-VM-018_1-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:7f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:80" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</Snapshot>Snapshot1</Snapshot>

```

```

        </VirtualMachine>
        <VirtualMachine>
            <Name>SCC-SP-VM-094</Name>
            <Mor>vm-1579</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-094</Path>
            <ParentMor>group-v1459</ParentMor>
            <Annotation></Annotation>
            <Version>vmx-08</Version>
            <GuestId>winXPPro64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2014-01-
17T04:08:54.047243Z</ChangeVersion>
            <powerState>poweredOn</powerState>
            <connectionState>connected
</connectionState>
            <uuid>42007099-97c3-a7b9-4dc6-
a0bf45876ef5</uuid>
            <instanceUuid>5000689e-0b06-7174-18b1-
aeaa6a25cfff</instanceUuid>
            <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
094</vmxDir>
            <template>>false</template>
            <IpAddress>9.9.3.193</IpAddress>
            <Networks>VM Network(&lt;true&gt;)
</Networks>
            <Nics>unassigned(&lt;true&gt;), VM
Network(&lt;true&gt;)</Nics>
            <NicIpaddresses>(9.9.3.193),
(10.105.58.174)</NicIpaddresses>
            <hostName>cisco-7c7d7a969</hostName>
            <host>scc-sp-esx-01.cisco.com</host>
            <hostMor>host-1569</hostMor>
            <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>15</NumberOfFiles>
            <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>

```

```

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-094/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-094/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-094/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-094/SCC-SP-VM-
094.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="2048"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-094.vmx</Name>
            <Size>2881</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-094.vmx</Name>
            <Size>2747</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-094.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-094.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-094.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-094-
de9b2d0e.vswp</Name>
            <Size>2147483648</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmx-SCC-SP-VM-094-
3734711566-1.vswp</Name>
            <Size>48234496</Size>
            <Type>uwsap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-17.log</Name>
            <Size>110498</Size>
            <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>110528</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>109717</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>105201</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>106048</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>
  <Size>103751</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>108467</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="15101311498" Uncommitted="30044848128"
Committed="15101311498">
  </StorageInfo>
  <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-0efd-dafb-3ff3-7b31acd0c9f8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="52338dae03abfd5e7a2d1940ce3f41c7" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-094/SCC-SP-VM-094.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:67" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-095</Name>
        <Mor>vm-1586</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-095</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This VM is imaged by
Chandra Babu M on 5-MAR-2012 for the user Ramkumar Kuttuboyina on
account of Feb12rkuttuboSCC2360.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:19.202582Z</ChangeVersion>

```

```

        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42004916-b856-861e-a7cd-
6c68418270ca</uuid>
        <instanceUuid>5000cf34-64f8-9b39-63f6-
1eb71e3b9a68</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
095</vmxDir>
        <template>>false</template>
        <IpAddress>10.105.58.175</IpAddress>
        <Networks>VM Network(&lt;False&gt; )
</Networks>
        <Nics>VM Network(&lt;false&gt; )</Nics>
        <NicIpaddresses>(10.105.58.175)
(fe80::250:56ff:fe80:7096)</NicIpaddresses>
        <hostName>SCC-SP-VM-095</hostName>
        <host>scc-sp-esx-01.cisco.com</host>
        <hostMor>host-1569</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>16</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-095/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-095/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-095/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-095/SCC-SP-VM-
095.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-095.vmx</Name>
            <Size>3157</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-095.vmx</Name>
            <Size>3367</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-095.nvram</Name>
            <Size>8684</Size>

```



```

        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-095.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-095-000001.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-095-
Snapshot3.vmsn</Name>
  <Size>17185314329</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-095-
de9b2d0f.vswp</Name>
  <Size>17179869184</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>108720</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>110968</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>110967</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-19.log</Name>
  <Size>105368</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>110977</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-21.log</Name>

```

```

        <Size>142559</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>92416</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="48123383832" Uncommitted="42776637440"
Committed="48123383832">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-ebbd-33bb-d741-297b0c43b116" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f0344c1b6e16137da9342545a1449b72" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-095/SCC-SP-VM-095.vmdk" Disk="[SP-SATA-STORE-
2] SCC-SP-VM-095/SCC-SP-VM-095-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:96" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"

```

```

StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
  <Snapshot>Snapshot1</Snapshot>
</VirtualMachine>
<VirtualMachine>
  <Name>SCC-SP-VM-103</Name>
  <Mor>vm-1685</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-103</Path>
  <ParentMor>group-v1459</ParentMor>
  <Annotation>This VM is created by
Chandra Babu M on 25-JAN-2012 for the Sanjay Pataskar on account
of Jan12spataskaSCC2394.</Annotation>
  <Version>vmx-07</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-
06T04:47:54.391117Z</ChangeVersion>
  <powerState>poweredOn</powerState>
  <connectionState>connected
</connectionState>
  <uuid>42005d06-e79b-cf2d-0c0e-
4c8fc98ca3fe</uuid>
  <instanceUuid>500068d8-4f67-295d-bd7e-
0c842fc50025</instanceUuid>
  <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
103</vmxDir>
  <template>>false</template>
  <IpAddress>10.105.58.183</IpAddress>
  <Networks>VM Network(&lt;True&gt;)
</Networks>
  <Nics>VM Network(&lt;true&gt;)</Nics>
  <NicIpaddresses>(10.105.58.183)
(fe80::250:56ff:fe80:70a4)</NicIpaddresses>
  <hostName>SCC-SP-VM-103</hostName>
  <host>scc-sp-esx-04.cisco.com</host>
  <hostMor>host-1675</hostMor>
  <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
  <NumberOfDatastores>1
</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>19</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-103/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-103/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-103/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-103/SCC-SP-VM-
103.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-103.vmx</Name>
            <Size>3130</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-103.vmx</Name>
            <Size>3382</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-103.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-103.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-103-000002.vmdk
</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-103-
Snapshot3.vmsn</Name>
            <Size>8595372887</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-103-
Snapshot4.vmsn</Name>
            <Size>8595372887</Size>

```

```

                <Type>snapshotData</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>SCC-SP-VM-103-
de9b3025.vswp</Name>

                <Size>8589934592</Size>
                <Type>swap</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmx-SCC-SP-VM-103-
3734712357-1.vswp</Name>

                <Size>48234496</Size>
                <Type>uwswap</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-3.log</Name>
                <Size>123267</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-2.log</Name>
                <Size>169917</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-5.log</Name>
                <Size>105056</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-4.log</Name>
                <Size>174126</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-6.log</Name>
                <Size>106261</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-7.log</Name>
                <Size>129737</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware.log</Name>
                <Size>92245</Size>
                <Type>log</Type>
            </File>
            <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="42408153099" Uncommitted="85244866560"
Committed="42408153099">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-74cd-52b2-f6b0-1cb7ab3e1b3c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0da870cef147c57406805fc769a1f02a" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-103/SCC-SP-VM-103-000001.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-103/SCC-SP-VM-103-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:a4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <Snapshot>Snapshot1</Snapshot>
        <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-014</Name>
        <Mor>vm-1589</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered

```

```

virtual machine\SCC-SP-VM-014</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M on 13-JAN-2012 for the user Sanjay Pataskar on
account of Jan12spataskaSCC713.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:37.416843Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200f29c-4eb1-febd-81bb-
3833a7aaaa5c</uuid>
    <instanceUuid>500056b9-adea-96f4-f3a0-
8d013b3a3841</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
014/</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>scs-sp-esx-03.cisco.com</host>
    <hostMor>host-1646</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-014/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-014/" logDir="[SP-SATA-STORE-2] SCC-SP-

```

```
VM-014/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-014/SCC-SP-VM-014.vmx">
```

```
</VirtualMachineFileInfo>  
<VirtualHardware MemoryMB="16384"
```

```
NumCPUs="2">
```

```
</VirtualHardware>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-014.vmx</Name>  
  <Size>3082</Size>  
  <Type>config</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-014.vmx</Name>  
  <Size>3367</Size>  
  <Type>extendedConfig</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-014.nvram</Name>  
  <Size>8684</Size>  
  <Type>nvram</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-014.vmsd</Name>  
  <Size>0</Size>  
  <Type>snapshotList</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-014.vmdk</Name>  
  <Size>157286400</Size>  
  <Type>diskDescriptor</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-53.log</Name>  
  <Size>123027</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-48.log</Name>  
  <Size>110791</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-49.log</Name>  
  <Size>110772</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-50.log</Name>  
  <Size>111326</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">
```



```

                <Name>vmware-51.log</Name>
                <Size>108219</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-52.log</Name>
                <Size>109402</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware.log</Name>
                <Size>109137</Size>
                <Type>log</Type>
            </File>
            <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="50563132527" Uncommitted="127841402880"
Committed="50563132527">
                </StorageInfo>
                <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                        </Datastore>
                        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-d549-de5b-cfe5-acdb3bb67af0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="157286400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3faeda03a67f34bd57a47cfeb05291b5" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-014/SCC-SP-VM-014.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:75" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                        </BackingNetwork>
                                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">

```

```

        </BackingDiskCtrl>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>SCC-SP-VM-104</Name>
        <Mor>vm-1574</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-104</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This VM is created by
Chandra Babu M on 25-JAN-2012 for the Sanjay Pataskar on account
of Jan12spataskaSCC2394.</Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:15.592588Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200c3e3-07a8-eb17-1c7a-
1a6b8894c6ea</uuid>
        <instanceUuid>50000b14-3c75-8eb0-71de-
a967543f1c86</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
104</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt; )
</Networks>
        <Nics>VM Network(&lt;false&gt; )</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scc-sp-esx-01.cisco.com</host>
        <hostMor>host-1569</hostMor>

```

```

</ResourcePoolMor>                                <ResourcePoolMor>resgroup-1456
</NumberOfDatastores>                             <NumberOfDatastores>1
</NumberOfBackingDisks>                           <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                        <NumberOfFiles>13</NumberOfFiles>
</NumberOfFeatureMaskEntries>                     <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries>                     <NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo                           <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-104/"   suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-104/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-104/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-104/SCC-SP-VM-
104.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-104.vmx</Name>
  <Size>3122</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-104.vmx</Name>
  <Size>3382</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-104.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-104.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-104.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>105142</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>

```

```

        <Size>110749</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>106089</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>110754</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>110754</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>110751</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>110751</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="14984931218" Uncommitted="79667724288"
Committed="14984931218">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-7862-d418-9ae5-678a8126b46e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="77acfa17b9894f1d191396e69976a68d" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-104/SCC-SP-VM-104.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:a5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-015</Name>
    <Mor>vm-1654</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-015</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M on 13-JAN-2012 for the user Sanjay Pataskar on
account of Jan12spataskaSCC713.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:40.354278Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42009e4b-d899-4bd5-49e9-
cd2f8e0e6f47</uuid>

```

```

        <instanceUuid>50005072-b5aa-f9f2-41dd-
fb155ffbbbe6</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
015/</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt; )
</Networks>
        <Nics>VM Network(&lt;false&gt; )</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scs-sp-esx-03.cisco.com</host>
        <hostMor>host-1646</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-015/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-015/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-015/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-015/SCC-SP-VM-
015.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-015.vmx</Name>
            <Size>3082</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-015.vmx</Name>
            <Size>3367</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-015.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-015.vmsd</Name>
            <Size>0</Size>

```

```

        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-015.vmdk</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>138114</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-104.log</Name>
    <Size>110768</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-105.log</Name>
    <Size>110770</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-106.log</Name>
    <Size>110769</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-107.log</Name>
    <Size>110703</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-102.log</Name>
    <Size>287318</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-103.log</Name>
    <Size>114038</Size>
    <Type>log</Type>
</File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="14904408301" Uncommitted="88338399232"
Committed="14904408301">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-0219-9dd0-d4af-f085c4821be4" ChangeId=""

```

```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0ba501b98ac5e442d170a9f3e29ef122" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-015/SCC-SP-VM-015.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:76" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-016</Name>
    <Mor>vm-1726</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-016</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M on 13-JAN-2012 for the user Sanjay Pataskar on
account of Jan12spataskaSCC713.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>

```



```

</ChangeTrackingSupported>      <ChangeTrackingSupported>true
</BootOptionsSupported>        <BootOptionsSupported>true
</SwapPlacementSupported>      <SwapPlacementSupported>true
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
02T08:40:46.12005Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>422d31dc-8c7e-a641-a60f-
56c3e753d20b</uuid>
                                <instanceUuid>502da35d-6c34-33d9-7235-
2d420acd059d</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
016</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.105.58.96</IpAddress>
                                <Networks>VM Network(&lt;True&gt;)
</Networks>
                                <Nics>VM Network(&lt;true&gt;)</Nics>
                                <NicIpaddresses>(10.105.58.96)
(fe80::250:56ff:fead:32a9)</NicIpaddresses>
                                <hostName>SCC-SP-VM-016</hostName>
                                <host>scc-sp-esx-05.cisco.com</host>
                                <hostMor>host-1708</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>19</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-016/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-016/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-016/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-016/SCC-SP-VM-
016.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16384"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-016.vmx</Name>
                                    <Size>2983</Size>
                                    <Type>config</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-016.vmx</Name>
  <Size>3470</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-016.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-016.vmsd</Name>
  <Size>827</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-016-000002.vmdk
</Name>
  <Size>314572800</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-016-
Snapshot1.vmsn</Name>
  <Size>17186104318</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-016-
Snapshot15.vmsn</Name>
  <Size>17185310839</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-016-
970bcbbe.vswp</Name>
  <Size>17179869184</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-SP-VM-016-
2534132670-1.vswp</Name>
  <Size>48234496</Size>
  <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-169.log</Name>
  <Size>112752</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-171.log</Name>
        <Size>108125</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-170.log</Name>
        <Size>112756</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-173.log</Name>
        <Size>108539</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-172.log</Name>
        <Size>316657</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-168.log</Name>
        <Size>112748</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>92911</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="549408997977" Uncommitted="63803133952"
Committed="549408997977">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-bde3-6784-5bf8-0d501729c4fd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="314572800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9ab6d51ec854b0a3c2e3bdlb90da96b2" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-016/SCC-SP-VM-016-000001.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-016/SCC-SP-VM-016-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```

```

MacAddress="00:50:56:ad:32:a9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Only OS</Snapshot>
    <Snapshot>Snapshot_27June</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-107</Name>
    <Mor>vm-1737</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-107</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M on 9-MAR-2012 for the user Sanjay Pataskar on
account of Mar12spataskaSCC1025.</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
06T08:40:57.161591Z</ChangeVersion>
    <powerState>poweredOn</powerState>

```

```

</connectionState>                                <connectionState>connected
1belb933e4da</uuid>                                <uuid>42004df2-7610-e6a6-78d3-
61alea74b7cb</instanceUuid>                      <instanceUuid>5000883a-46d3-dc54-4c48-
107/</vmxDir>                                       <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
</Networks>                                         <template>false</template>
</NicIpaddresses>                                   <IpAddress></IpAddress>
</ResourcePoolMor>                                  <Networks>VM Network(&lt;True&gt;)
</NumberOfDatastores>                              <Nics>VM Network(&lt;true&gt;)</Nics>
</NumberOfBackingDisks>                            <NicIpaddresses>unassigned
</CpuFeatureMaskSupported>                          <hostName></hostName>
</NumberOfFeatureMaskEntries>                      <host>scc-sp-esx-06.cisco.com</host>
<VirtualMachineFileInfo                             <hostMor>host-1732</hostMor>
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-107/"    <ResourcePoolMor>resgroup-1456
suspendDir="[SP-SATA-STORE-2] SCC-SP-VM-107/"
logDir="[SP-SATA-STORE-2] SCC-SP-
VM-107/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-
107.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-107.vmx</Name>
  <Size>2988</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-107.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-107.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-107.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-107-000002.vmdk
</Name>
  <Size>31457280</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-107-
Snapshot5.vmsn</Name>
  <Size>4300593325</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-107-
Snapshot6.vmsn</Name>
  <Size>4300593325</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-107-
de9b3029.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-SP-VM-107-
3734712361-1.vswp</Name>
  <Size>48234496</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>208945</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>162758</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>104003</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

                <Name>vmware-4.log</Name>
                <Size>122732</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware.log</Name>
                <Size>90366</Size>
                <Type>log</Type>
            </File>
            <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="18775302550" Uncommitted="31390105600"
Committed="18775302550">
                </StorageInfo>
                <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                    </Datastore>
                    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-0821-9876-cdd3-7747b348f322" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="31457280"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3ebal7653b9902cfc2e9af571edecff4" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-107/SCC-SP-VM-107-000001.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-107/SCC-SP-VM-107-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:a8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                            </BackingNetwork>
                            <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"

```

```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-017</Name>
    <Mor>vm-1712</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-017</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is imaged by
Chandra Babu M on 17-JAN-2012 for the user Manjit Singh Bhogal
on account of Jan12mabhogalSCC1510.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>otherGuest64</GuestId>
    <GuestOSAltName>EM7</GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:59.060906Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42001479-e872-d2f3-323b-
d163b453de9a</uuid>
    <instanceUuid>5000e668-8736-907d-0150-
18ale6dcc2c3</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
017</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>scc-sp-esx-05.cisco.com</host>
    <hostMor>host-1708</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>

```



```

</NumberOfDatastores>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-017/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-017/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-017/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-017/SCC-SP-VM-
017.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-017.vmx</Name>
        <Size>3007</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-017.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-017.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-017.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-017.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>87187</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>129167</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>288942</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>159654</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>129425</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>156123</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>131202</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="8335175439" Uncommitted="43368120320"
Committed="8335175439">
  </StorageInfo>
  <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-381e-2565-78ea-9daa1342c48d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="61f70fca9ce2531b6dac3dc0fd8aleb0" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-017/SCC-SP-VM-017.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
      </BackingDisk>
      <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:7a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-010</Name>
    <Mor>vm-1587</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-010</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM instance
provisioned by Amit Saha.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:19.495281Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42005133-3f24-287a-9a5d-
eeeb4b777a39</uuid>
    <instanceUuid>50003ce3-f41b-c2cc-ce38-
1797d918a240</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-

```

```

010/</vmxDir>
                                <template>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt; )
</Networks>
                                <Nics>VM Network(&lt;false&gt; )</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scc-sp-esx-01.cisco.com</host>
                                <hostMor>host-1569</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>13</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-010/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-010/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-010/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-010/SCC-SP-VM-
010.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16384"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-010.vmx</Name>
                                    <Size>3132</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-010.vmx</Name>
                                    <Size>3367</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-010.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-010.vmsd</Name>
                                    <Size>0</Size>
                                    <Type>snapshotList</Type>
                                </File>
                                <File Type="VmFileInfo">

```

```

        <Name>SCC-SP-VM-010.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-46.log</Name>
        <Size>110956</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-48.log</Name>
        <Size>110968</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-51.log</Name>
        <Size>108128</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>109672</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-50.log</Name>
        <Size>111106</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-47.log</Name>
        <Size>110956</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-49.log</Name>
        <Size>110983</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="10437264880" Uncommitted="92805332992"
Committed="10437264880">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-2018-3d33-a89d-735745791b91" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="aec723d1afc026126daf452a48cd759d" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-010/SCC-SP-VM-010.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:72" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-108</Name>
    <Mor>vm-1576</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-108</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This instance created by
Amit Saha.</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>

```

```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
06T06:03:29.386324Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200a53c-alad-d8f5-cd45-
724ea39220dd</uuid>
        <instanceUuid>50003515-41ae-fadf-c0bc-
d7eeaa04c919</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
108</vmxDir>
        <template>>false</template>
        <IpAddress>10.105.58.188</IpAddress>
        <Networks>VM Network(&lt;True&gt;)
</Networks>
        <Nics>VM Network(&lt;true&gt;)</Nics>
        <NicIpaddresses>(10.105.58.188)
(fe80::250:56ff:fe80:70a9)</NicIpaddresses>
        <hostName>SCC-SP-VM-108</hostName>
        <host>scc-sp-esx-01.cisco.com</host>
        <hostMor>host-1569</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>19</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-108/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-108/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-108/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-108/SCC-SP-VM-
108.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-108.vmx</Name>
            <Size>3081</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-108.vmx</Name>
            <Size>3382</Size>

```

```

        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-108.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-108.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-108-000002.vmdk
</Name>
    <Size>209715200</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-108-
Snapshot3.vmsn</Name>
    <Size>8595373493</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-108-
Snapshot4.vmsn</Name>
    <Size>8595373493</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-108-
de9b302a.vswp</Name>
    <Size>8589934592</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-SP-VM-108-
3734712362-1.vswp</Name>
    <Size>48234496</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>110330</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-13.log</Name>
    <Size>110328</Size>
    <Type>log</Type>
</File>

```



```

    <File Type="VmFileInfo">
      <Name>vmware-11.log</Name>
      <Size>110329</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-15.log</Name>
      <Size>106081</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-14.log</Name>
      <Size>104996</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-16.log</Name>
      <Size>129971</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>92200</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="47969107936" Uncommitted="211157626880"
Committed="47969107936">
      </StorageInfo>
      <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-9640-0276-bdf3-93239172c68d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="051fadaf74584c1f991f22f4847d435b" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-108/SCC-SP-VM-108-000001.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-108/SCC-SP-VM-108-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:a9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-105</Name>
    <Mor>vm-1722</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-105</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
06T04:12:00.67861Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200236b-805e-9633-b7e5-
e47bb9097b75</uuid>
    <instanceUuid>5000ee40-f46e-92f7-ab1d-
77e5839036d5</instanceUuid>

```

```

105/
```

```

<vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
105/
```

```

</vmxDir>
<template>>false</template>
<IpAddress>10.105.58.185</IpAddress>
<Networks>VM Network(&lt;True&gt;)
</Networks>
<Nics>VM Network(&lt;true&gt;)</Nics>
<NicIpaddresses>(10.105.58.185)
(fe80::250:56ff:fe80:70a6)</NicIpaddresses>
<hostName>SCC-SP-VM-105</hostName>
<host>scc-sp-esx-05.cisco.com</host>
<hostMor>host-1708</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>2
</NumberOfBackingDisks>
<NumberOfFiles>23</NumberOfFiles>
<CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-105/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-105/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-105/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-105/SCC-SP-VM-
105.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="8">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-105.vmx</Name>
  <Size>3228</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-105.vmx</Name>
  <Size>3382</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-105.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-105.vmsd</Name>
  <Size>1053</Size>
  <Type>snapshotList</Type>
</File>

```

```

<File Type="VmFileInfo">
  <Name>SCC-SP-VM-105-000002.vmdk
</Name>
  <Size>26214400</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-105_1-
000002.vmdk</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-105-
Snapshot3.vmsn</Name>
  <Size>17185720561</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-105-
Snapshot4.vmsn</Name>
  <Size>17185720561</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-105-
de9b3027.vswp</Name>
  <Size>17179869184</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-SP-VM-105-
3734712359-1.vswp</Name>
  <Size>54525952</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-17.log</Name>
  <Size>119572</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-18.log</Name>
  <Size>119574</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-20.log</Name>
  <Size>116037</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-19.log</Name>
        <Size>113628</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>119570</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-21.log</Name>
        <Size>151974</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>102078</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="97559850110" Uncommitted="89036505088"
Committed="97559850110">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-6a35-3379-6b9f-adc712b6acdd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3122284f81a529c9989a61735b99ef76" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-105/SCC-SP-VM-105-000001.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-105/SCC-SP-VM-105-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-6204-651b-d8c8-652919438bf3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8868c5186aabf286d489f2d61d6178b3" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-105/SCC-SP-VM-105_1-000001.vmdk" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-105/SCC-SP-VM-105_1-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">

```

```

        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:a6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <Snapshot>Snapshot1</Snapshot>
        <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
        <Name>sdp-vc</Name>
        <Mor>vm-1535</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\sdp-vc</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-07</Version>
        <GuestId>winNetStandard64Guest
</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-

```

```

01T07:27:14.986788Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d4ce5-cf3f-69f2-ec4f-
21cd20e7dce9</uuid>
    <instanceUuid>527b53b0-cb28-2774-0176-
05a8f4046e36</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-08] sdp-vc/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-ucs-08.cisco.com
</host>
    <hostMor>host-1532</hostMor>
    <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-08] sdp-vc/" suspendDir="[B16-SP-DV-
UCS-08] sdp-vc/" logDir="[B16-SP-DV-UCS-08] sdp-vc/"
vmxPath="[B16-SP-DV-UCS-08] sdp-vc/sdp-vc.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>sdp-vc.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>46164</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>

```

```

        <Size>71169</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>47040</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>49025</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>47452</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>47730</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>sdp-vc.vmx</Name>
    <Size>2831</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>sdp-vc.vmx</Name>
    <Size>261</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>sdp-vc.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>sdp-vc.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>sdp-vc-1b10c894.vswp
</Name>
        <Size>2147483648</Size>
        <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-
08" Unshared="2147804497" Uncommitted="42949672960"
Committed="2147804497">

```



```

        </StorageInfo>
        <Datastore Mor="datastore-1533"
Url="/vmfs/volumes/4d1d875b-edc4023a-c947-001018688422"
Name="B16-SP-DV-UCS-08">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-86d6-fe9c-dd15-6ea7c8434c2f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1533"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8e43c95alb4622f7625eb681ffffffe" Parent=""
Disk="[B16-SP-DV-UCS-08] sdp-vc/sdp-vc.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:0c:29:e7:dc:e9" AddressType="generated"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>

```

```

        <Name>SCC-SP-VM-011</Name>
        <Mor>vm-1577</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-011</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This VM instance
provisioned by Amit Saha.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:16.075564Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200ff1a-6417-7684-0aad-
abba98605f63</uuid>
        <instanceUuid>5000e28a-5b12-08e4-57ca-
7bf425564e23</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
011</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scc-sp-esx-01.cisco.com</host>
        <hostMor>host-1569</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```

```

        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-011/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-011/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-011/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-011/SCC-SP-VM-
011.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-011.vmx</Name>
            <Size>3008</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-011.vmx</Name>
            <Size>3367</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-011.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-011.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-011.vmdk</Name>
            <Size>209715200</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-12.log</Name>
            <Size>107832</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>110701</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-10.log</Name>
            <Size>110712</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-11.log</Name>
            <Size>111809</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>110705</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>109373</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>110700</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="52269154763" Uncommitted="166937559040"
Committed="52269154763">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-4d4f-a87e-a48f-6ca0b2b3c40e" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5c3e466f5b3545257c6cb4665d2e6abd" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-011/SCC-SP-VM-011.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:73" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-106</Name>
    <Mor>vm-1661</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-106</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:41.341246Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42003203-37b3-6750-2a93-
317cb5d6bf3c</uuid>
    <instanceUuid>500077e1-ada3-e51e-eb69-
7618cbc8dfef</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
106</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>scs-sp-esx-03.cisco.com</host>

```

```

        <hostMor>host-1646</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>2
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-106/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-106/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-106/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-106/SCC-SP-VM-
106.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs=" 8">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-106.vmx</Name>
            <Size>3212</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-106.vmx</Name>
            <Size>3382</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-106.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-106.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-106.vmdk</Name>
            <Size>26214400</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-106_1.vmdk
</Name>
            <Size>62914560</Size>
            <Type>diskDescriptor</Type>
        </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware-18.log</Name>
      <Size>119571</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-20.log</Name>
      <Size>119571</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-17.log</Name>
      <Size>119569</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-19.log</Name>
      <Size>119567</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-22.log</Name>
      <Size>113628</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-21.log</Name>
      <Size>119572</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>116103</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="38533913707" Uncommitted="70316720128"
Committed="38533913707">
      </StorageInfo>
      <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-a76c-f5a6-fee2-f31bb37afb12" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="bc7b52536247233959bd762c7d0879a9" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-106/SCC-SP-VM-106.vmdk"
AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-1b98-2a89-7bd1-334d3ee57e04" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="fc2231c33fad66f00ddb915b58015b5a" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-106/SCC-SP-VM-106_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:a7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-012</Name>
    <Mor>vm-1668</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-012</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>

```



```

                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
08T05:44:24.496923Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4200b240-d4d3-a0ec-be6a-
46e7953f0390</uuid>
                                <instanceUuid>500048cb-6b11-bae7-4ab5-
491a2b93e087</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
012</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.105.58.92</IpAddress>
                                <Networks>VM Network(&lt;True&gt;)
</Networks>
                                <Nics>VM Network(&lt;true&gt;)</Nics>
                                <NicIpaddresses>(10.105.58.92)
(fe80::250:56ff:fe80:74b4)</NicIpaddresses>
                                <hostName>SCC-SP-VM-012.cisco.com
</hostName>
                                <host>scc-sp-esx-01.cisco.com</host>
                                <hostMor>host-1569</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>24</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-012/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-012/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-012/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-012/SCC-SP-VM-
012.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16384"
NumCPUs="4">
                                </VirtualHardware>

```

```

<File Type="VmFileInfo">
  <Name>SCC-SP-VM-012.vmx</Name>
  <Size>3069</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-012.vmx</Name>
  <Size>3367</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-012.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-012.vmsd</Name>
  <Size>2040</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-012-000005.vmdk
</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-012-
Snapshot1.vmsn</Name>
  <Size>17185709203</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-012-
Snapshot2.vmsn</Name>
  <Size>17185376395</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-012-
Snapshot3.vmsn</Name>
  <Size>17185376395</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-012-
Snapshot4.vmsn</Name>
  <Size>17185709203</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-012-

```

```

Snapshot5.vmsn</Name>
    <Size>17185709203</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-012-
970bcbba.vswp</Name>
    <Size>17179869184</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-SP-VM-012-
2534132666-1.vswp</Name>
    <Size>50331648</Size>
    <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>109866</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>149298</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>157987</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>272308</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>136897</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>94580</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="171012368191" Uncommitted="52546031616"
Committed="171012368191">
    </StorageInfo>
    <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-

```

```

SATA-STORE-1">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-3e02-15ff-d65a-fc799cbd09b8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1df6498d7d6f2fd571be76acc5adfc39" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-012/SCC-SP-VM-012-000004.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-012/SCC-SP-VM-012-000005.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:74:b4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
    <Snapshot>Snapshot3</Snapshot>
    <Snapshot>Snapshot4</Snapshot>

```

```

        <Snapshot>Snapshot5</Snapshot>
    </VirtualMachine>
    <VirtualMachine>
        <Name>SCC-SP-VM-013</Name>
        <Mor>vm-1741</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-013</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This VM instance
provisioned by Amit Saha.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:38.316679Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42005a45-0855-6c77-d303-
027ed93cd497</uuid>
        <instanceUuid>50000cc1-327a-3813-efa4-
b415fe9f9573</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
013</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scc-sp-esx-06.cisco.com</host>
        <hostMor>host-1732</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true

```



```

        <File Type="VmFileInfo">
            <Name>vmware-26.log</Name>
            <Size>107697</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>108762</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-27.log</Name>
            <Size>107827</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-22.log</Name>
            <Size>111077</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="22171892372" Uncommitted="72480784384"
Committed="22171892372">
            </StorageInfo>
            <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-bcc7-182f-7bbd-18080979695b" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="551ae4f1b87389d2927ba9313f2681d2" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-013/SCC-SP-VM-013.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:74" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"

```

```

EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-090</Name>
    <Mor>vm-1753</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-090</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Clone of scc-sp-vm-053,
used for IOPS as per sanjay patasar request.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>windows7Server64Guest
</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:39.530941Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200266f-724a-ccd0-deeb-
af47f1e00a33</uuid>
    <instanceUuid>5000d098-6f51-1d8b-da3a-
d8d6c9b14ab4</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
090</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.170</IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>

```



```

        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>(10.105.58.170)
</NicIpaddresses>
        <hostName>SCC-SP-VM-
053.fabqa.cusdp.com</hostName>
        <host>scc-sp-esx-06.cisco.com</host>
        <hostMor>host-1732</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>2
</NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-090/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-090/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-090/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-090/SCC-SP-VM-
090.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-090.vmx</Name>
            <Size>3394</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-090.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-090.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-090.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-090.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>

```

```

(independent) </Name>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-090_1.vmdk
            <Size>31457280</Size>
            <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>540215</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>561210</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>226128</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>190746</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>170922</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>906854</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>420105</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="20890662178" Uncommitted="69473468416"
Committed="20890662178">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-2dbb-96bf-ea3a-dlee5cc66635" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```

```

Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="98360636692c5051481e73c9b7d55083" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-090/SCC-SP-VM-090.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingDisk
LunUuid="020005000060060160e0a02e009a5372b30d28e211524149442035"
DeviceName="vml.020005000060060160e0a02e009a5372b30d28e2115241494
42035" DiskUuid="" ChangeId="" EagerlyScrub="false"
UseAutoDetect="false" WriteThru="false" Thin="false"
Split="false" CapacityKB="31457280"
CompatibilityMode="physicalMode" Mode="independent_persistent"
dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskRawDiskMappingVer1BackingInfo"
ContentId="" Parent="" Disk="[SP-SATA-STORE-2] SCC-SP-VM-090/SCC-
SP-VM-090_1.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="1" Key="2001"
ControllerKey="1000" Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:2a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>

```

```

        <VirtualMachine>
            <Name>SCC-SP-VM-050</Name>
            <Mor>vm-1747</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-050</Path>
            <ParentMor>group-v1459</ParentMor>
            <Annotation>This VM imaged by Chandra
Babu M</Annotation>
            <Version>vmx-08</Version>
            <GuestId>rhel5_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
            <BootOptionsSupported>>true
</BootOptionsSupported>
            <SwapPlacementSupported>>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2014-01-
01T07:29:39.089264Z</ChangeVersion>
            <powerState>poweredOff</powerState>
            <connectionState>connected
</connectionState>
            <uuid>422d5d99-8c4e-23d7-b38b-
445dcc9bf932</uuid>
            <instanceUuid>502de212-2142-4402-9a96-
60a693595fe0</instanceUuid>
            <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
050</vmxDir>
            <template>>false</template>
            <IpAddress></IpAddress>
            <Networks>VM Network(&lt;False&gt;)
</Networks>
            <Nics>VM Network(&lt;false&gt;)</Nics>
            <NicIpaddresses>unassigned
</NicIpaddresses>
            <hostName></hostName>
            <host>scc-sp-esx-06.cisco.com</host>
            <hostMor>host-1732</hostMor>
            <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>13</NumberOfFiles>
            <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
            <NumberOfFeatureMaskEntries>0

```

```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-050/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-050/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-050/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-050/SCC-SP-VM-
050.vmx">
        </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-050.vmx</Name>
            <Size>2890</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-050.vmx</Name>
            <Size>3470</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-050.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-050.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-050.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>136540</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-42.log</Name>
            <Size>110528</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-43.log</Name>
            <Size>110538</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-45.log</Name>

```

```

        <Size>110528</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-44.log</Name>
        <Size>110530</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-47.log</Name>
        <Size>106466</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-46.log</Name>
        <Size>110524</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="25382641354" Uncommitted="90744881152"
Committed="25382641354">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-2a17-84b2-6fb3-b18ea2b27bfa" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f5460783aea585822dc825c244eb68cb" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-050/SCC-SP-VM-050.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:18:68" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-051</Name>
    <Mor>vm-1595</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-051</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T09:50:39.238601Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200b9a0-eef2-2af5-70b3-
bc59e5ed6367</uuid>
    <instanceUuid>50007332-0172-fb2b-00b9-
66c1d9b39d27</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
051</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.131</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.105.58.131)
(fe80::250:56ff:fe80:15b6)</NicIpaddresses>
    <hostName>SCC-SP-VM-051</hostName>

```

```

        <host>scs-sp-esx-01.cisco.com</host>
        <hostMor>host-1569</hostMor>
        <ResourcePoolMor>resgroup-1456
    </ResourcePoolMor>
        <NumberOfDatastores>1
    </NumberOfDatastores>
        <NumberOfBackingDisks>1
    </NumberOfBackingDisks>
        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
    </CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
    </NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-051/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-051/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-051/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-051/SCC-SP-VM-
051.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16440"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-051.vmx</Name>
            <Size>2912</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-051.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-051.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-051.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-051-000002.vmdk
    </Name>
            <Size>157286400</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-051-
Snapshot1.vmsn</Name>
            <Size>17244031095</Size>

```



```

        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-051-
Snapshot2.vmsn</Name>

        <Size>17244363903</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-051-
970bcc3d.vswp</Name>

        <Size>17238589440</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-SCC-SP-VM-051-
2534132797-1.vswp</Name>

        <Size>48234496</Size>
        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>118183</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>118096</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>90372</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="59900546621" Uncommitted="160859635712"
Committed="59900546621">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-a2d7-723e-aa7d-6370859f37cc" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="157286400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="aeab0f09baa8501421346c3d31312ff2" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-051/SCC-SP-VM-051-000001.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-051/SCC-SP-VM-051-000002.vmdk"

```

```

AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:15:b6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1_18Feb2013
</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-091</Name>
    <Mor>vm-1687</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-091</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>otherGuest64</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:32.029273Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200995d-78b7-1e79-bf5a-
502992620315</uuid>
    <instanceUuid>5000c50c-4e3e-9a84-aaad-
a2e61cdfb20c</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
091</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>scc-sp-esx-04.cisco.com</host>
    <hostMor>host-1675</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-091/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-091/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-091/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-091/SCC-SP-VM-
091.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="24576"
NumCPUs="8">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-091.vmx</Name>
        <Size>2802</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-091.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-091.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-091.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-091-000002.vmdk
</Name>
  <Size>146800640</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-091-
Snapshot1.vmsn</Name>
  <Size>25771174214</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-091-
Snapshot2.vmsn</Name>
  <Size>25775369232</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>94198</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>268511</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>115976</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>115368</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>110374</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>116543</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="65590487326" Uncommitted="170187001856"
Committed="65590487326">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-47a5-090e-149d-441a7d0dcabd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="146800640"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="623b66f6e921f060444c73a3d5d5d928" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-091/SCC-SP-VM-091-000001.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-091/SCC-SP-VM-091-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:29" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"

```

```

ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot_w%2fo_OS_7Nov
</Snapshot>
    <Snapshot>Snapshot_23Nov2012
</Snapshot>
    </VirtualMachine>
    <VirtualMachine>
        <Name>SCC-SP-VM-052</Name>
        <Mor>vm-1645</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-052</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
05T09:36:00.583609Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42005207-20db-31ee-b5ae-
31826ef986ef</uuid>
        <instanceUuid>50009491-1660-36aa-060c-
4ec59f06de34</instanceUuid>
        <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
052</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;True&gt;)
</Networks>
        <Nics>VM Network(&lt;true&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scs-sp-esx-03.cisco.com</host>
        <hostMor>host-1646</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-052/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-052/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-052/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-052/SCC-SP-VM-
052.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="1">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-052.vmx</Name>
            <Size>2837</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-052.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-052.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-052.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-052-000001.vmdk
</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-052-
Snapshot1.vmsn</Name>
            <Size>4300600158</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-052-
970bcc3e.vswp</Name>
            <Size>4294967296</Size>

```

```

                <Type>swap</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmx-SCC-SP-VM-052-
2534132798-1.vswp</Name>
                <Size>47185920</Size>
                <Type>uwswap</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-1.log</Name>
                <Size>134541</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-3.log</Name>
                <Size>112396</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-2.log</Name>
                <Size>168717</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware.log</Name>
                <Size>88446</Size>
                <Type>log</Type>
            </File>
            <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="18901574019" Uncommitted="42664374272"
Committed="18901574019">
                </StorageInfo>
                <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                    </Datastore>
                    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-4445-17b2-b96e-ad4184600588" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="857aeb05d72b326c80ab04dc003a199a" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-052/SCC-SP-VM-052.vmdk" Disk="[SP-SATA-STORE-
1] SCC-SP-VM-052/SCC-SP-VM-052-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:50:0a" AddressType="assigned"

```



```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/linux.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-040 (Remedy-SDP)</Name>
    <Mor>vm-1551</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-040 (Remedy-SDP)</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM imaged by Chandra
Babu M
Old Hostname SCC-SP-RHEL54-2
Old IP Address : 10.76.96.195
VM Desc : Remedy</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>

```

```

</ChangeTrackingEnabled> <ChangeTrackingEnabled>>false
</ChangeTrackingSupported> <ChangeTrackingSupported>>true
</BootOptionsSupported> <BootOptionsSupported>>true
</SwapPlacementSupported> <SwapPlacementSupported>>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
01T07:47:10.733946Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>42006beb-caff-cde2-6640-
1369a5729417</uuid>
<instanceUuid>5000e75c-107c-670e-3a7c-
459c73366ebc</instanceUuid>
<vmxDir>[B16-SP-DV-UCS-09] B16-SP-DV-
040(Remedy-SDP)</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;),VM
Network(&lt;False&gt;)</Networks>
<Nics>VM Network(&lt;false&gt;),VM
Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned,unassigned
</NicIpaddresses>
<hostName></hostName>
<host>b16-sp-dv-ucs-09.cisco.com
</host>
<hostMor>host-1539</hostMor>
<ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>2
</NumberOfBackingDisks>
<NumberOfFiles>16</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-09] B16-SP-DV-040(Remedy-SDP) / "
suspendDir="[B16-SP-DV-UCS-09] B16-SP-DV-040(Remedy-SDP) / "
logDir="[B16-SP-DV-UCS-09] B16-SP-DV-040(Remedy-SDP) / "
vmxPath="[B16-SP-DV-UCS-09] B16-SP-DV-040(Remedy-SDP) / B16-SP-DV-
040(Remedy-SDP).vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="8">

```

```

SDP) .vmdk</Name>
    </VirtualHardware>
    <File Type="VmFileInfo">
      <Name>B16-SP-DV-040 (Remedy-
        <Size>26214400</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>B16-SP-DV-040 (Remedy-SDP)_
        <Size>62914560</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-7.log</Name>
      <Size>81515</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-9.log</Name>
      <Size>85621</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-11.log</Name>
      <Size>75873</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-6.log</Name>
      <Size>172806</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-8.log</Name>
      <Size>76444</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-10.log</Name>
      <Size>96476</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>71577</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>B16-SP-DV-040 (Remedy-
        <Size>3633</Size>
SDP) .vmx</Name>

```

```

        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-040(Remedy-
SDP).vmxf</Name>

        <Size>280</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-040(Remedy-
SDP).nvram</Name>

        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-040(Remedy-
SDP).vmsd</Name>

        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-040(Remedy-SDP)-
173b43c5.vswp</Name>

        <Size>17179869184</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-
09" Unshared="58689472708" Uncommitted="49759125504"
Committed="58689472708">
        </StorageInfo>
        <Datastore Mor="datastore-1540"
Url="/vmfs/volumes/4d1d8c3f-80b31bab-b7f1-001018687da2"
Name="B16-SP-DV-UCS-09">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-7264-636a-8dbe-4551940ecf13" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1540"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="13e9a64b624ac2e4856e6e72e1ffff110" Parent=""
Disk="[B16-SP-DV-UCS-09] B16-SP-DV-040(Remedy-SDP)/B16-SP-DV-040
(Remedy-SDP).vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-8b73-0d8d-81cf-3b7efbaa04bd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1540"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="86c877ee880c61ac682b98398a16690a" Parent=""
Disk="[B16-SP-DV-UCS-09] B16-SP-DV-040(Remedy-SDP)/B16-SP-DV-040
(Remedy-SDP)_1.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="1" Key="2001"
ControllerKey="1000" Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:a4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:a5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>

```

```
virtual machine\B16-SP-DV-029</Path>
    <Name>B16-SP-DV-029</Name>
    <Mor>vm-1527</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Old hostname : CUSDP_Build
```

Old IP address: 10.76.96.213

```
VM Desc : Build machine</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:30:18.130893Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422de9a2-00ab-6fe9-4708-
81eb33683fdf</uuid>
    <instanceUuid>502da229-f9e5-5372-7949-
92a23d18f2ad</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-06]
    CUSDP_Build</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-ucs-06.cisco.com
</host>
    <hostMor>host-1521</hostMor>
    <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
```

```

        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-06] CUSDP_Build/" suspendDir="[B16-
SP-DV-UCS-06] CUSDP_Build/" logDir="[B16-SP-DV-UCS-06]
CUSDP_Build/" vmxPath="[B16-SP-DV-UCS-06]
CUSDP_Build/CUSDP_Build.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16500"
NumCPUs="8">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>CUSDP_Build-000003.vmdk
</Name>
            <Size>262144000</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>CUSDP_Build-Snapshot5.vmsn
</Name>
            <Size>17307352129</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>218437</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>254406</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>107640</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-5.log</Name>
            <Size>156308</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>123089</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>

```

```

        <Size>77409</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>72596</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CUSDP_Build.vmx</Name>
        <Size>3026</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CUSDP_Build.vmx</Name>
        <Size>266</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CUSDP_Build.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CUSDP_Build.vmsd</Name>
        <Size>497</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CUSDP_Build-8ea3be62.vswp
</Name>
        <Size>17301504000</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-
06" Unshared="304790681896" Uncommitted="266690109440"
Committed="304790681896">
        </StorageInfo>
        <Datastore Mor="datastore-1522"
Url="/vmfs/volumes/4e7a4c9e-84d77a3e-164b-d0d0fd094057"
Name="B16-SP-DV-UCS-06">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-23ec-7b39-a093-e91c5f476830" ChangeId=""
EagerlyScrub="true" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="262144000"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1522"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="cb21a4750bc28ec7a41efe582ec595f1" Parent="[B16-SP-DV-
UCS-06] CUSDP_Build/CUSDP_Build.vmdk" Disk="[B16-SP-DV-UCS-06]
CUSDP_Build/CUSDP_Build-000003.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"

```



```

ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:62" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>B16-SP-DV-029-SNAPSHOT-01
</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-024</Name>
    <Mor>vm-1561</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-024</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Old IP 10.76.96.209
VM Desc OBRM-RHEL</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>

```

```

    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:26:47.823723Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d3f1e-847b-3a1c-f95f-
e5db80883949</uuid>
    <instanceUuid>52241dfe-1ff6-1b22-cedb-
004eb4376d01</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-10] OBRM-RHEL-
VM/</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;True&gt; )
</Networks>
    <Nics>VM Network(&lt;true&gt; )</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-ucs-10.cisco.com
</host>
    <hostMor>host-1553</hostMor>
    <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-10] OBRM-RHEL-VM/" suspendDir="[B16-
SP-DV-UCS-10] OBRM-RHEL-VM/" logDir="[B16-SP-DV-UCS-10] OBRM-
RHEL-VM/" vmxPath="[B16-SP-DV-UCS-10] OBRM-RHEL-VM/OBRM-RHEL-
VM.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>OBRM-RHEL-VM.vmdk</Name>
        <Size>83886080</Size>

```

```
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>513403</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>63647</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>71209</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>91332</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>61857</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>86182</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>59331</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>OBRM-RHEL-VM.vmx</Name>
    <Size>2909</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>OBRM-RHEL-VM.vmx</Name>
    <Size>267</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>OBRM-RHEL-VM.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
```

```

        <File Type="VmFileInfo">
            <Name>OBRM-RHEL-VM.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>OBRM-RHEL-VM-d49766a5.vswp
</Name>
            <Size>8589934592</Size>
            <Type>swap</Type>
        </File>
        <StorageInfo Datastore="B16-SP-DV-UCS-
10" Unshared="64812393306" Uncommitted="29677846528"
Committed="64812393306">
            </StorageInfo>
            <Datastore Mor="datastore-1554"
Url="/vmfs/volumes/4d1d6680-485ae3f6-be25-001018687d42"
Name="B16-SP-DV-UCS-10">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-b9af-b5ab-9b6d-94fd713a0f03" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1554"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e63bfaa60b9821a4ecdf4b6b01ad9a0e" Parent=""
Disk="[B16-SP-DV-UCS-10] OBRM-RHEL-VM/OBRM-RHEL-VM.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:00:1d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingFloppy UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-023</Name>
    <Mor>vm-1534</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-023</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:27:14.853907Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42358cb9-24d2-af45-b217-
fa05b4e72369</uuid>
    <instanceUuid>5035a29c-e6ba-5e92-3689-
5da46dbe4dae</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-08] test-sp/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.76.96.206</IpAddress>
    <Networks>VM Network(&lt;False&gt;
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName>SCC04-SP-RHVM-1</hostName>

```

```

</host>
<host>b16-sp-dv-ucs-08.cisco.com
</host>
<hostMor>host-1532</hostMor>
<ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-08] test-sp/" suspendDir="[B16-SP-DV-
UCS-08] test-sp/" logDir="[B16-SP-DV-UCS-08] test-sp/"
vmxPath="[B16-SP-DV-UCS-08] test-sp/test-sp.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>test-sp.vmdk</Name>
  <Size>146800640</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>64627</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>97464</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>66234</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>67909</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>66009</Size>
  <Type>log</Type>
</File>

```

```

      <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>65003</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>test-sp.vmx</Name>
        <Size>2938</Size>
        <Type>config</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>test-sp.vmx</Name>
        <Size>262</Size>
        <Type>extendedConfig</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>test-sp.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>test-sp.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>test-sp-ccd544d7.vswp
    </Name>
        <Size>17179869184</Size>
        <Type>swap</Type>
      </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-
08" Unshared="167504164270" Uncommitted="0"
Committed="167504164270">
      </StorageInfo>
      <Datastore Mor="datastore-1533"
Url="/vmfs/volumes/4d1d875b-edc4023a-c947-001018688422"
Name="B16-SP-DV-UCS-08">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-952e-7d2a-c253-ef2984b90956" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="146800640"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1533"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2161dd626d19a159094729789d250a5f" Parent=""
Disk="[B16-SP-DV-UCS-08] test-sp/test-sp.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""

```

```

PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:00:1c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SP-DV-022</Name>
        <Mor>vm-1556</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-022</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>cusdp-plmgr1.233
</Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true

```



```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:26:47.026106Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d8fa6-a9c4-013a-0056-
f9959960a11e</uuid>
    <instanceUuid>521b5e51-eb72-dc88-1606-
c6940a689648</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-10] cusdp-
plmgr1.233/</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-ucs-10.cisco.com
</host>
    <hostMor>host-1553</hostMor>
    <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-10] cusdp-plmgr1.233/"
suspendDir="[B16-SP-DV-UCS-10] cusdp-plmgr1.233/" logDir="[B16-
SP-DV-UCS-10] cusdp-plmgr1.233/" vmxPath="[B16-SP-DV-UCS-10]
cusdp-plmgr1.233/cusdp-plmgr1.210.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4032"
NumCPUs="1">
</VirtualHardware>
    <File Type="VmFileInfo">
        <Name>cusdp-plmgr1.210.vmdk
</Name>
        <Size>33554432</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>

```

```

        <Size>61279</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>61236</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>61557</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>88517</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>60836</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>63781</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>58342</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>cusdp-plmgr1.210.vmx
</Name>
        <Size>2985</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>cusdp-plmgr1.210.vmx
</Name>
        <Size>271</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>cusdp-plmgr1.210.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">

```

```

</Name>
                                <Name>cusdp-plmgr1.210.vmsd
                                <Size>0</Size>
                                <Type>snapshotList</Type>
</File>
                                <File Type="VmFileInfo">
                                <Name>cusdp-plmgr1.210-
d83c7bf2.vswp</Name>
                                <Size>4227858432</Size>
                                <Type>swap</Type>
</File>
                                <StorageInfo Datastore="B16-SP-DV-UCS-
10" Unshared="26080650263" Uncommitted="12507414528"
Committed="26080650263">
                                </StorageInfo>
                                <Datastore Mor="datastore-1554"
Url="/vmfs/volumes/4d1d6680-485ae3f6-be25-001018687d42"
Name="B16-SP-DV-UCS-10">
                                </Datastore>
                                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-593f-24bb-323c-ac95e3cbed70" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="33554432"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1554"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="810965b6984930b42730ab9a793834c3" Parent=""
Disk="[B16-SP-DV-UCS-10] cusdp-plmgr1.233/cusdp-plmgr1.210.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:3c:e4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingFloppy UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-021</Name>
    <Mor>vm-1544</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-021</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Old Host name : SCC-BGL04-
SP-NBMM-01
VM Desc : NBM Manager
Old IP address : 10.76.96.205</Annotation>
    <Version>vmx-07</Version>
    <GuestId>otherLinuxGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:47:10.109887Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564d31a3-1e4a-5d88-8d9f-
e01b28b79bbd</uuid>
    <instanceUuid>52ded2a2-a16a-3cb3-300c-
a30611a47bf1</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-09] SCC-BGL04-
SP-NBMM-01</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>

```

```

</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[B16-SP-DV-UCS-09] SCC-BGL04-SP-NBMM-01/"
suspendDir="[B16-SP-DV-UCS-09] SCC-BGL04-SP-NBMM-01/"
logDir="[B16-SP-DV-UCS-09] SCC-BGL04-SP-NBMM-01/" vmxPath="[B16-
SP-DV-UCS-09] SCC-BGL04-SP-NBMM-01/SCC-BGL04-SP-NBMM-01.vmx">
NumCPUs="2">
</Name>

```

```

<NicIpaddresses>unassigned
<hostName></hostName>
<host>b16-sp-dv-ucs-09.cisco.com
<hostMor>host-1539</hostMor>
<ResourcePoolMor>resgroup-1454
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-09] SCC-BGL04-SP-NBMM-01/"
suspendDir="[B16-SP-DV-UCS-09] SCC-BGL04-SP-NBMM-01/"
logDir="[B16-SP-DV-UCS-09] SCC-BGL04-SP-NBMM-01/" vmxPath="[B16-
SP-DV-UCS-09] SCC-BGL04-SP-NBMM-01/SCC-BGL04-SP-NBMM-01.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="2048"
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-BGL04-SP-NBMM-01.vmdk
<Size>31457280</Size>
<Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
<Name>vmware-55.log</Name>
<Size>67811</Size>
<Type>log</Type>
</File>
<File Type="VmFileInfo">
<Name>vmware-57.log</Name>
<Size>60313</Size>
<Type>log</Type>
</File>
<File Type="VmFileInfo">
<Name>vmware-53.log</Name>
<Size>66018</Size>
<Type>log</Type>
</File>
<File Type="VmFileInfo">
<Name>vmware-52.log</Name>
<Size>62593</Size>
<Type>log</Type>
</File>

```

```

<File Type="VmFileInfo">
  <Name>vmware-54.log</Name>
  <Size>64226</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-56.log</Name>
  <Size>113287</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>60521</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-SP-NBMM-01.vmx
</Name>
  <Size>3071</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-SP-NBMM-01.vmx
</Name>
  <Size>275</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-SP-NBMM-01.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-SP-NBMM-01.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-BGL04-SP-NBMM-01-
3e61cd8d.vswp</Name>
  <Size>2147483648</Size>
  <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-
09" Unshared="34360245648" Uncommitted="0"
Committed="34360245648">
  </StorageInfo>
  <Datastore Mor="datastore-1540"
Url="/vmfs/volumes/4d1d8c3f-80b31bab-b7f1-001018687da2"
Name="B16-SP-DV-UCS-09">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-e64a-a5e4-1df0-f2a686b307f5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="31457280"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1540"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c86729a8d95f7869ede40f4313da4431" Parent=""
Disk="[B16-SP-DV-UCS-09] SCC-BGL04-SP-NBMM-01/SCC-BGL04-SP-NBMM-
01.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:00:04" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>B16-SP-DV-027</Name>
  <Mor>vm-1564</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)SCC-SP(DC)\vm\Discovered

```

```

virtual machine\B16-SP-DV-027</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Old Host Name : SCC04-SP-
RHVM-9
Old IP Address : 10.76.96.171

Vm Desc : Remedy - SSP</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:28:22.344454Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4235d468-a199-1926-a24e-
384b969f2b93</uuid>
    <instanceUuid>50357065-4ceb-68af-5eed-
7331b2e26d5a</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-11] SCC04-SP-
RHVM-9</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>bl6-sp-dv-ucs-11.cisco.com
</host>
    <hostMor>host-1562</hostMor>
    <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0

```



```

</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-11] SCC04-SP-RHVM-9/"
suspendDir="[B16-SP-DV-UCS-11] SCC04-SP-RHVM-9/" logDir="[B16-SP-
DV-UCS-11] SCC04-SP-RHVM-9/" vmxPath="[B16-SP-DV-UCS-11] SCC04-
SP-RHVM-9/SCC04-SP-RHVM-9.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHVM-9-
000001.vmdk</Name>
        <Size>125829120</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHVM-9-
Snapshot1.vmsn</Name>
        <Size>28565</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>69190</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>74491</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>67695</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>103492</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>69316</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>73805</Size>
        <Type>log</Type>
    </File>

```

```

    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>68153</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-SP-RHVM-9.vmx</Name>
      <Size>3081</Size>
      <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-SP-RHVM-9.vmx
</Name>
      <Size>270</Size>
      <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-SP-RHVM-9.nvram
</Name>
      <Size>8684</Size>
      <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-SP-RHVM-9.vmsd
</Name>
      <Size>444</Size>
      <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-SP-RHVM-9-
9c192cd7.vswp</Name>
      <Size>17179869184</Size>
      <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-
11" Unshared="50760284914" Uncommitted="224118190080"
Committed="50760284914">
      </StorageInfo>
      <Datastore Mor="datastore-1563"
Url="/vmfs/volumes/4d5e2dde-63618006-0cc9-0022bdd7b1e0"
Name="B16-SP-DV-UCS-11">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-59b9-d068-cf61-1a617443c69e" ChangeId=""
EagerlyScrub="true" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="125829120"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1563"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5337173dbfe0ad5db27a4b11b951cb0a" Parent="[B16-SP-DV-
UCS-11] SCC04-SP-RHVM-9/SCC04-SP-RHVM-9.vmdk" Disk="[B16-SP-DV-
UCS-11] SCC04-SP-RHVM-9/SCC04-SP-RHVM-9-000001.vmdk"
AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:02:16" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>DROPl_B16-SP-DV-027
</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-025</Name>
    <Mor>vm-1559</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-025</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>

```

```

    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:26:47.404885Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d7985-ab99-fca3-c6af-
bed2d035b93d</uuid>
    <instanceUuid>502dc337-0803-82ba-d823-
7d347cd5fce4</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-10] B16-SP-DV-
025</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.10.235</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.106.10.235)
(fe80::250:56ff:fead:ec1)</NicIpaddresses>
    <hostName>b16-sp-dv-025.cisco.com
</hostName>
    <host>b16-sp-dv-ucs-10.cisco.com
</host>
    <hostMor>host-1553</hostMor>
    <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>2
</NumberOfBackingDisks>
    <NumberOfFiles>16</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-10] B16-SP-DV-025/" suspendDir="[B16-
SP-DV-UCS-10] B16-SP-DV-025/" logDir="[B16-SP-DV-UCS-10] B16-SP-
DV-025/" vmxPath="[B16-SP-DV-UCS-10] B16-SP-DV-025/B16-SP-DV-
025.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="32576"
NumCPUs="4">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-025.vmdk</Name>

```

```

        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SP-DV-025_1.vmdk
</Name>

        <Size>20971520</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>99422</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>167330</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>100797</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-8.log</Name>
    <Size>29380</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>69118</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>100012</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>66604</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SP-DV-025.vmx</Name>
    <Size>3157</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SP-DV-025.vmx</Name>
    <Size>268</Size>

```

```

        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SP-DV-025.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SP-DV-025.vmsd</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SP-DV-025-
5a017091.vswp</Name>
    <Size>34158411776</Size>
    <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-
10" Unshared="66994166442" Uncommitted="74539073536"
Committed="66994166442">
    </StorageInfo>
    <Datastore Mor="datastore-1554"
Url="/vmfs/volumes/4d1d6680-485ae3f6-be25-001018687d42"
Name="B16-SP-DV-UCS-10">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-b579-03ac-a785-d9d69375785d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1554"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="93fcbf6722d76ba66c453aa274a63348" Parent=""
Disk="[B16-SP-DV-UCS-10] B16-SP-DV-025/B16-SP-DV-025.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
            </BackingDisk>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-c479-ea0e-2e6d-de0290c32852" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1554"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="74dabb72701a04f8d749b42b7cbdd7e1" Parent=""
Disk="[B16-SP-DV-UCS-10] B16-SP-DV-025/B16-SP-DV-025_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"

```

```

MacAddress="00:50:56:ad:0e:c1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC04-SP-CEL-3-1</Name>
    <Mor>vm-1546</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC04-SP-CEL-3-1</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel4_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>

```

```

                                <ChangeVersion>2014-01-
01T07:47:10.369236Z</ChangeVersion>
                                <powerState>poweredOff</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4235a77f-b6bb-e490-a838-
cf0f9dc56733</uuid>
                                <instanceUuid>503586f1-26f6-6bc5-7a2d-
f0625226edb2</instanceUuid>
                                <vmxDir>[B16-SP-DV-UCS-09] SCC04-SP-
CEL-3-1/</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>QA - SCC-SP(&lt;False&gt;)
</Networks>
                                <Nics>QA - SCC-SP(&lt;false&gt;)
</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>b16-sp-dv-ucs-09.cisco.com
</host>
                                <hostMor>host-1539</hostMor>
                                <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>14</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-09] SCC04-SP-CEL-3-1/"
suspendDir="[B16-SP-DV-UCS-09] SCC04-SP-CEL-3-1/" logDir="[B16-
SP-DV-UCS-09] SCC04-SP-CEL-3-1/" vmxPath="[B16-SP-DV-UCS-09]
SCC04-SP-CEL-3-1/SCC04-SP-CEL-3-1.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="4">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC04-SP-CEL-3-1.vmdk
</Name>
                                    <Size>104857600</Size>
                                    <Type>diskDescriptor</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware-13.log</Name>
                                    <Size>63189</Size>

```



```

        <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-10.log</Name>
    <Size>73629</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>61126</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>63668</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-9.log</Name>
    <Size>144959</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>167696</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>57701</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-CEL-3-1.vmx
</Name>
    <Size>3128</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-CEL-3-1.vmx
</Name>
    <Size>271</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-CEL-3-1.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-CEL-3-1.vmsd

```

```

</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-CEL-3-1-
08c15c25.vswp</Name>
        <Size>0</Size>
        <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-
09" Unshared="27063342566" Uncommitted="80311484416"
Committed="27063342566">
    </StorageInfo>
    <Datastore Mor="datastore-1540"
Url="/vmfs/volumes/4d1d8c3f-80b31bab-b7f1-001018687da2"
Name="B16-SP-DV-UCS-09">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-22ee-2df8-fc81-d2eaaea6e923" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1540"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="caa5a91ec00dc86acbc720c9d1dab26e" Parent=""
Disk="[B16-SP-DV-UCS-09] SCC04-SP-CEL-3-1/SCC04-SP-CEL-3-1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:02:0a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="QA - SCC-SP" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"

```

```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-020</Name>
    <Mor>vm-1557</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-020</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Old Host name : UWP DB
Old IP: 10.76.96.204</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:26:47.210625Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d7c70-3e64-d22f-0f29-
a70cd43c8b31</uuid>
    <instanceUuid>502de7eb-fcdf-aa8e-ae36-
7bea828c83a0</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-10] B16-SP-DV-
020-CLONE</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-ucs-10.cisco.com
</host>
    <hostMor>host-1553</hostMor>
    <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-10] B16-SP-DV-020-CLONE/"
suspendDir="[B16-SP-DV-UCS-10] B16-SP-DV-020-CLONE/"
logDir="[B16-SP-DV-UCS-10] B16-SP-DV-020-CLONE/" vmxPath="[B16-
SP-DV-UCS-10] B16-SP-DV-020-CLONE/B16-SP-DV-020-CLONE.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="1">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SP-DV-020-CLONE.vmdk
</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>63328</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>64530</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-10.log</Name>
            <Size>66771</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-11.log</Name>
            <Size>62964</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-6.log</Name>
            <Size>127647</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-9.log</Name>
            <Size>94220</Size>
            <Type>log</Type>
        </File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>60535</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SP-DV-020-CLONE.vmx
</Name>
            <Size>3041</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SP-DV-020-CLONE.vmx
</Name>
            <Size>274</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SP-DV-020-CLONE.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SP-DV-020-CLONE.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SP-DV-020-CLONE-
180e3eca.vswp</Name>
            <Size>4294967296</Size>
            <Type>swap</Type>
        </File>
        <StorageInfo Datastore="B16-SP-DV-UCS-
10" Unshared="47245192730" Uncommitted="0"
Committed="47245192730">
            </StorageInfo>
            <Datastore Mor="datastore-1554"
Url="/vmfs/volumes/4d1d6680-485ae3f6-be25-001018687d42"
Name="B16-SP-DV-UCS-10">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-9f93-8a75-8b3a-793cfbd6d8d5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1554"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d8e9ffb655387ed38c58cd68ff42c053" Parent=""
Disk="[B16-SP-DV-UCS-10] B16-SP-DV-020-CLONE/B16-SP-DV-020-
CLONE.vmdk" AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:09:a8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>Windows_VMDK_VistaPortal</Name>
    <Mor>vm-1487</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\Windows_VMDK_VistaPortal</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>winNetEnterpriseGuest
</GuestId>
    <GuestOSAltName>Microsoft Windows
Server 2003, Enterprise Edition (32-bit)</GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>

```

```

    <ChangeTrackingSupported>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T02:03:58.342092Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>564ddd57-0851-1f33-34c5-
ddfad4ecl6d</uuid>
    <instanceUuid>525ale6b-4914-2fc6-aa12-
f338995cbcf7</instanceUuid>
    <vmxDir>[B16-SP-DV-MCS-05-B]
Windows_VMDK_VistaPortal/</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-mcs-05.cisco.com
</host>
    <hostMor>host-1481</hostMor>
    <ResourcePoolMor>resgroup-1452
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-MCS-05-B] Windows_VMDK_VistaPortal/"
suspendDir="[B16-SP-DV-MCS-05-B] Windows_VMDK_VistaPortal/"
logDir="[B16-SP-DV-MCS-05-B] Windows_VMDK_VistaPortal/"
vmxPath="[B16-SP-DV-MCS-05-B]
Windows_VMDK_VistaPortal/Windows_VMDK_VistaPortal.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="1">
    </VirtualHardware>
    <File Type="VmFileInfo">
    <Name>

```

```

Windows_VMDK_VistaPortal.vmdk</Name>
    <Size>20971520</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>20819</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>20819</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>20819</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>38555</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>40805</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>42459</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>39167</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>
Windows_VMDK_VistaPortal.vmx</Name>
    <Size>3054</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>
Windows_VMDK_VistaPortal.vmx</Name>
    <Size>279</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">

```



```

                                <Name>
Windows_VMDK_VistaPortal.nvram</Name>
                                <Size>8684</Size>
                                <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>
Windows_VMDK_VistaPortal.vmsd</Name>
                                    <Size>0</Size>
                                    <Type>snapshotList</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>Windows_VMDK_VistaPortal-
d5108clf.vswp</Name>
                                    <Size>2147483648</Size>
                                    <Type>swap</Type>
                                </File>
                                <StorageInfo Datastore="B16-SP-DV-MCS-
05-B" Unshared="23622556051" Uncommitted="0"
Committed="23622556051">
                                    </StorageInfo>
                                    <Datastore Mor="datastore-1482"
Url="/vmfs/volumes/4be35800-b812d1da-f6c1-0024818a0ff6"
Name="B16-SP-DV-MCS-05-B">
                                        </Datastore>
                                        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-5905-d485-f8ea-88bc949e5ec8" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1482"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7ccc7f57bfba4db0b992f0961f3f4618" Parent=""
Disk="[B16-SP-DV-MCS-05-B]
Windows_VMDK_VistaPortal/Windows_VMDK_VistaPortal.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                                            </BackingDisk>
                                            <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:0c:29:ec:1d:6d" AddressType="generated"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                                </BackingNetwork>
                                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI

```

```

controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>scc04-sp-cel-4</Name>
    <Mor>vm-1545</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\scc04-sp-cel-4</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel4_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:47:10.282484Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42355358-3e4e-c08f-c962-
232b42b40e57</uuid>
    <instanceUuid>5035715d-30af-bf47-c0db-
d4cecd854b94</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-09] scc04-sp-
cel-4-1/</vmxDir>

```

```

        <template>false</template>
        <IpAddress></IpAddress>
        <Networks>QA - SCC-SP(&lt;False&gt;)
</Networks>
        <Nics>QA - SCC-SP(&lt;false&gt;)
</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sp-dv-ucs-09.cisco.com
</host>
        <hostMor>host-1539</hostMor>
        <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-09] scc04-sp-cel-4-1/"
suspendDir="[B16-SP-DV-UCS-09] scc04-sp-cel-4-1/" logDir="[B16-
SP-DV-UCS-09] scc04-sp-cel-4-1/" vmxPath="[B16-SP-DV-UCS-09]
scc04-sp-cel-4-1/scc04-sp-cel-4-1.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="4">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>scc04-sp-cel-4-1.vmdk
</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-13.log</Name>
            <Size>59561</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-10.log</Name>
            <Size>109071</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-12.log</Name>
            <Size>141370</Size>
            <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>64530</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>63004</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>92057</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>565686</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>scc04-sp-cel-4-1.vmx
</Name>
  <Size>3125</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>scc04-sp-cel-4-1.vmx
</Name>
  <Size>271</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>scc04-sp-cel-4-1.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>scc04-sp-cel-4-1.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>scc04-sp-cel-4-1-
5d6b0966.vswp</Name>
  <Size>0</Size>
  <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-

```

```

09" Unshared="35530008498" Uncommitted="71845281792"
Committed="35530008498">
    </StorageInfo>
    <Datastore Mor="datastore-1540"
Url="/vmfs/volumes/4d1d8c3f-80b31bab-b7f1-001018687da2"
Name="B16-SP-DV-UCS-09">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-22ee-2df8-fc81-d2eaaea6e923" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1540"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="6985722812f2a616453263bcf68aed40" Parent=""
Disk="[B16-SP-DV-UCS-09] scc04-sp-cel-4-1/scc04-sp-cel-4-1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:02:11" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="QA - SCC-SP" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-064</Name>
    <Mor>vm-1686</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-064</Path>

```

```

<ParentMor>group-v1459</ParentMor>
<Annotation></Annotation>
<Version>vmx-08</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>>true
</ChangeTrackingSupported>
<BootOptionsSupported>>true
</BootOptionsSupported>
<SwapPlacementSupported>>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
01T07:29:31.941127Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d138c-4cca-2a7f-78e8-
2419bcc30594</uuid>
<instanceUuid>502d2789-f2ca-0405-23ad-
a00b06a3b157</instanceUuid>
<vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
064</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>scc-sp-esx-04.cisco.com</host>
<hostMor>host-1675</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>2
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-064/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-064/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-064/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-064/SCC-SP-VM-
064.vmx">
</VirtualMachineFileInfo>

```

NumCPUs="8">

```
<VirtualHardware MemoryMB="16384"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-064.vmx</Name>
  <Size>3211</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-064.vmx</Name>
  <Size>3485</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-064.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-064.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-064.vmdk</Name>
  <Size>26214400</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-064_1.vmdk
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>115270</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-146.log</Name>
  <Size>119762</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-144.log</Name>
  <Size>120215</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-145.log</Name>
  <Size>119775</Size>
```

</Name>

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-149.log</Name>
        <Size>119758</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-147.log</Name>
        <Size>116544</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-148.log</Name>
        <Size>122904</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="44440549064" Uncommitted="64410091520"
Committed="44440549064">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-980b-cc64-406f-fab940b20093" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5f34468d9b0be295b305df05dd10f94c" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-064/SCC-SP-VM-064.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-035e-c92e-1c0c-2aea1313b9e4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7d8cd57d41f3cb827cc67194b7d5f46e" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-064/SCC-SP-VM-064_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
                                </BackingDisk>
                                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:30:10" AddressType="assigned"

```



```

UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-063</Name>
    <Mor>vm-1697</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-063</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:32.645124Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420001fb-66af-5849-dd64-
01d1d14988de</uuid>
    <instanceUuid>5000d307-d63c-b929-fbc9-

```

```

6517bfff3e2c</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
063/</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt;)
</Networks>
                                <Nics>VM Network(&lt;false&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scs-sp-esx-04.cisco.com</host>
                                <hostMor>host-1675</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>2
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-063/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-063/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-063/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-063/SCC-SP-VM-
063.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16384"
NumCPUs="8">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-063.vmx</Name>
                                    <Size>3183</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-063.vmx</Name>
                                    <Size>3485</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-063.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-063.vmsd</Name>
                                    <Size>0</Size>
                                    <Type>snapshotList</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-063.vmdk</Name>
  <Size>26214400</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-063_1.vmdk
</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>144805</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>121321</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>150703</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>115202</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>120138</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>120146</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>122643</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="43966653414" Uncommitted="64884047872"
Committed="43966653414">
  </StorageInfo>
  <Datastore Mor="datastore-1572"

```

```

Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-d0c4-7fb9-4ba4-53b3654a2209" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9f228a90dece56dce69af879b481ca77" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-063/SCC-SP-VM-063.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-8fa3-7546-1590-19582eeb0b04" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="1535f7ade061c1025ef528eb28a22065" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-063/SCC-SP-VM-063_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:12" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">
    </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">

```

```

        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SP-QA-006</Name>
        <Mor>vm-1768</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-QA-006</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel4_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
    </ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
    </ChangeTrackingSupported>
        <BootOptionsSupported>true
    </BootOptionsSupported>
        <SwapPlacementSupported>true
    </SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
31T23:34:06.388853Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
    </connectionState>
        <uuid>42359496-147a-80c1-61c7-
e372b2e0cd31</uuid>
        <instanceUuid>5035f092-aa65-339f-bd59-
6aa7b6cde6e4</instanceUuid>
        <vmxDir>[SCC04-SP-ESX-02] SCC04-SP-
CEL-8</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.14.146</IpAddress>
        <Networks>VM Network(&lt;False&gt;)
    </Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
    </NicIpaddresses>
        <hostName>B16-SP-QA-006</hostName>
        <host>b16-sp-qa-ucs-09.cisco.com
    </host>
        <hostMor>host-1766</hostMor>
        <ResourcePoolMor>resgroup-1458
    </ResourcePoolMor>
        <NumberOfDatastores>1
    </NumberOfDatastores>
        <NumberOfBackingDisks>1
    </NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo
snapshotDir="[SCC04-SP-ESX-02] SCC04-SP-CEL-8/"
suspendDir="[SCC04-SP-ESX-02] SCC04-SP-CEL-8/" logDir="[SCC04-SP-
ESX-02] SCC04-SP-CEL-8/" vmxPath="[SCC04-SP-ESX-02] SCC04-SP-CEL-
8/SCC04-SP-CEL-8.vmx">
      </VirtualMachineFileInfo>
      <VirtualHardware MemoryMB="4096"
NumCPUs="4">
      </VirtualHardware>
      <File Type="VmFileInfo">
        <Name>SCC04-SP-CEL-8.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>168881</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-11.log</Name>
        <Size>61299</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>66979</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>91006</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>70334</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware-16.log</Name>
        <Size>67911</Size>
        <Type>log</Type>
      </File>
      <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>63218</Size>
        <Type>log</Type>
      </File>

```

```

    <File Type="VmFileInfo">
      <Name>SCC04-SP-CEL-8.vmx</Name>
      <Size>2983</Size>
      <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-SP-CEL-8.vmx</Name>
      <Size>269</Size>
      <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-SP-CEL-8.nvram
</Name>
      <Size>8684</Size>
      <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-SP-CEL-8.vmsd</Name>
      <Size>0</Size>
      <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>SCC04-SP-CEL-8-
f0ac81ce.vswp</Name>
      <Size>0</Size>
      <Type>swap</Type>
    </File>
    <StorageInfo Datastore="SCC04-SP-ESX-
02" Unshared="28565909485" Uncommitted="78808875008"
Committed="28565909485">
      </StorageInfo>
      <Datastore Mor="datastore-1767"
Url="/vmfs/volumes/4e20d614-3edde5bd-a9cd-d0d0fd092659"
Name="SCC04-SP-ESX-02">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-6bb4-425d-5449-ee0f137a7056" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1767"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="62eeb720532c8fd5f4467e89b0843ca8" Parent=""
Disk="[SCC04-SP-ESX-02] SCC04-SP-CEL-8/SCC04-SP-CEL-8.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
          </BackingDisk>
          <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:01:79" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```

```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-066</Name>
    <Mor>vm-1716</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-066</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This instance created by
Amit Saha.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:59.410716Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200f9a0-7b0f-612f-2c2e-
495a112e9afd</uuid>
    <instanceUuid>5000b992-e948-8d84-e269-
8b6cdb8fbbd4</instanceUuid>

```



```

066/ </vmxDir>
</Networks>
</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-066/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-066/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-066/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-066/SCC-SP-VM-
066.vmx">
NumCPUs="2">
<vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
<hostName></hostName>
<host>scs-sp-esx-05.cisco.com</host>
<hostMor>host-1708</hostMor>
<ResourcePoolMor>resgroup-1456
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-066/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-066/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-066/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-066/SCC-SP-VM-
066.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="8192"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-066.vmx</Name>
  <Size>3089</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-066.vmx</Name>
  <Size>3367</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-066.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-066.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>

```

```

    <File Type="VmFileInfo">
      <Name>SCC-SP-VM-066.vmdk</Name>
      <Size>209715200</Size>
      <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-38.log</Name>
      <Size>107154</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-36.log</Name>
      <Size>110265</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-34.log</Name>
      <Size>110261</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>106800</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-33.log</Name>
      <Size>110261</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-35.log</Name>
      <Size>110261</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-37.log</Name>
      <Size>110262</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="100250937460" Uncommitted="123250737152"
Committed="100250937460">
      </StorageInfo>
      <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-049a-13d9-8896-7aef08alf063" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="209715200"

```

```

CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="00bf0ddfe37d279b1659d68cd667106a" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-066/SCC-SP-VM-066.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:14" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-QA-007</Name>
    <Mor>vm-1769</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-QA-007</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel4_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>

```

```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-
31T23:34:06.521046Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42357f04-a863-9f72-4247-
4f27e272cc18</uuid>
        <instanceUuid>5035518d-b245-9979-01a2-
4831ffbelef3</instanceUuid>
        <vmxDir>[SCC04-SP-ESX-02] SCC04-SP-
CEL-7/</vmxDir>
        <template>false</template>
        <IpAddress>10.106.14.147</IpAddress>
        <Networks>VM Network(&lt;False&gt; )
</Networks>
        <Nics>VM Network(&lt;false&gt; )</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName>B16-SP-QA-007</hostName>
        <host>b16-sp-qa-ucs-09.cisco.com
</host>
        <hostMor>host-1766</hostMor>
        <ResourcePoolMor>resgroup-1458
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SCC04-SP-ESX-02] SCC04-SP-CEL-7/"
suspendDir="[SCC04-SP-ESX-02] SCC04-SP-CEL-7/" logDir="[SCC04-SP-
ESX-02] SCC04-SP-CEL-7/" vmxPath="[SCC04-SP-ESX-02] SCC04-SP-CEL-
7/SCC04-SP-CEL-7.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="4">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC04-SP-CEL-7.vmdk</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-12.log</Name>

```

```

        <Size>114401</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-11.log</Name>
    <Size>61299</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>66973</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-13.log</Name>
    <Size>64622</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>69748</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>68890</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>63189</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-CEL-7.vmx</Name>
    <Size>2982</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-CEL-7.vmx</Name>
    <Size>269</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-CEL-7.nvram
</Name>

    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-CEL-7.vmsd</Name>
    <Size>0</Size>

```

```

        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-CEL-7-
f0ac81cd.vswp</Name>

        <Size>0</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="SCC04-SP-ESX-
02" Unshared="25308951922" Uncommitted="82065752064"
Committed="25308951922">
        </StorageInfo>
        <Datastore Mor="datastore-1767"
Url="/vmfs/volumes/4e20d614-3edde5bd-a9cd-d0d0fd092659"
Name="SCC04-SP-ESX-02">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-684b-5a6d-70f6-0a842ed9d0f7" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1767"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="43dd3124bc1268eb52986e60792f7eb4" Parent=""
Disk="[SCC04-SP-ESX-02] SCC04-SP-CEL-7/SCC04-SP-CEL-7.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:01:6f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"

```

```

ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>SCC-SP-VM-065</Name>
  <Mor>vm-1578</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-065</Path>
  <ParentMor>group-v1459</ParentMor>
  <Annotation>This VM is imaged by
Chandra Babu M on 9-MAR-2012 for the user Sanjay Pataskar on
account of Mar12spataskaSCC1025.</Annotation>
  <Version>vmx-08</Version>
  <GuestId>rhel5Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
  <BootOptionsSupported>>true
</BootOptionsSupported>
  <SwapPlacementSupported>>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-
01T07:29:16.177064Z</ChangeVersion>
  <powerState>poweredOff</powerState>
  <connectionState>connected
</connectionState>
  <uuid>42003f5a-dac1-29ed-5685-
c07df6a43b36</uuid>
  <instanceUuid>5000abbe-5899-9de8-6472-
6f135032233b</instanceUuid>
  <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
065</vmxDir>
  <template>>false</template>
  <IpAddress></IpAddress>
  <Networks>VM Network(&lt;False&gt;)
</Networks>
  <Nics>VM Network(&lt;false&gt;)</Nics>
  <NicIpaddresses>unassigned
</NicIpaddresses>
  <hostName></hostName>
  <host>scc-sp-esx-01.cisco.com</host>
  <hostMor>host-1569</hostMor>
  <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
  <NumberOfDatastores>1
</NumberOfDatastores>
  <NumberOfBackingDisks>1
</NumberOfBackingDisks>

```

```

        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-065/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-065/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-065/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-065/SCC-SP-VM-
065.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-065.vmx</Name>
            <Size>3139</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-065.vmx</Name>
            <Size>3367</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-065.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-065.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-065.vmdk</Name>
            <Size>31457280</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-45.log</Name>
            <Size>107194</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-40.log</Name>
            <Size>110128</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>106697</Size>

```



```

        <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-44.log</Name>
    <Size>110117</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-42.log</Name>
    <Size>110103</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-41.log</Name>
    <Size>110120</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-43.log</Name>
    <Size>110173</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="6424356298" Uncommitted="30246240256"
Committed="6424356298">
    </StorageInfo>
    <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-63c4-393f-e83b-38f966759f32" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="31457280"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e58840c6a2cb06a57ccl1d0b4dccc1d70" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-065/SCC-SP-VM-065.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
            </BackingDisk>
            <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:13" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">

```

```

        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-QA-008</Name>
    <Mor>vm-1770</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-QA-008</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-
31T23:34:06.611014Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4235cdb5-fae9-51b5-4223-
ede4cf5b8c19</uuid>
    <instanceUuid>503548b2-dcdb-7fb1-21f0-
72b674f0cdfb</instanceUuid>
    <vmxDir>[SCC04-SP-ESX-02] SCC04-SP-
RHVM-5</vmxDir>
    <template>>false</template>
    <IpAddress>10.106.14.148</IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>

```

```

        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>(10.106.14.148)
(fe80::250:56ff:feb5:103)</NicIpaddresses>
        <hostName>B16-SP-QA-008</hostName>
        <host>b16-sp-qa-ucs-09.cisco.com
</host>

        <hostMor>host-1766</hostMor>
        <ResourcePoolMor>resgroup-1458
</ResourcePoolMor>

        <NumberOfDatastores>1
</NumberOfDatastores>

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>

        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>

        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SCC04-SP-ESX-02] SCC04-SP-RHVM-5/"
suspendDir="[SCC04-SP-ESX-02] SCC04-SP-RHVM-5/" logDir="[SCC04-
SP-ESX-02] SCC04-SP-RHVM-5/" vmxPath="[SCC04-SP-ESX-02] SCC04-SP-
RHVM-5/SCC04-SP-RHVM-5.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC04-SP-RHVM-5.vmdk
</Name>

            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
</File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>92967</Size>
            <Type>log</Type>
</File>
        <File Type="VmFileInfo">
            <Name>vmware-8.log</Name>
            <Size>155813</Size>
            <Type>log</Type>
</File>
        <File Type="VmFileInfo">
            <Name>vmware-7.log</Name>
            <Size>71723</Size>
            <Type>log</Type>
</File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>70193</Size>
            <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>78336</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>74296</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>68070</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RHVM-5.vmx</Name>
  <Size>3166</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RHVM-5.vmx
  </Name>
  <Size>3384</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RHVM-5.nvram
  </Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RHVM-5.vmsd
  </Name>
  <Size>43</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RHVM-5-
29766934.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
<StorageInfo Datastore="SCC04-SP-ESX-
02" Unshared="44560912924" Uncommitted="67108864000"
Committed="44560912924">
  </StorageInfo>
  <Datastore Mor="datastore-1767"
Url="/vmfs/volumes/4e20d614-3edde5bd-a9cd-d0d0fd092659"
Name="SCC04-SP-ESX-02">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-e633-0ada-7f03-c2412a69d3a2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1767"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a41a14c41c4dfa9b1e515ea8452b29f5" Parent=""
Disk="[SCC04-SP-ESX-02] SCC04-SP-RHVM-5/SCC04-SP-RHVM-5.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:01:03" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>SCC-SP-VM-068</Name>
  <Mor>vm-1641</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)SCC-SP(DC)\vm\Discovered

```

```

virtual machine\SCC-SP-VM-068</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This instance provisioned
by Amit Saha.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:36.973536Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200c72d-0440-220e-8edd-
5d6af24a2e72</uuid>
    <instanceUuid>5000acae-1aea-a492-5a4d-
163a72d3d5b9</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
068/</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>scs-sp-esx-02.cisco.com</host>
    <hostMor>host-1601</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-068/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-068/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-068/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-068/SCC-SP-VM-

```

068.vmx">

NumCPUs="2">

```
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-068.vmx</Name>
  <Size>3154</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-068.vmx</Name>
  <Size>3367</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-068.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-068.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-068.vmdk</Name>
  <Size>31457280</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-36.log</Name>
  <Size>110180</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-34.log</Name>
  <Size>110154</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>106026</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-33.log</Name>
  <Size>110155</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-38.log</Name>
```

```

        <Size>111426</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-37.log</Name>
        <Size>107264</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-35.log</Name>
        <Size>110171</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="7120611621" Uncommitted="29549985792"
Committed="7120611621">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-12e6-5719-5d1f-173e902a27b4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="31457280"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="cc89a280b143c9d31e0bdda86a4dd227" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-068/SCC-SP-VM-068.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:15" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>

```



```

        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SP-QA-009</Name>
        <Mor>vm-1764</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-QA-009</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T01:49:25.896616Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42350fe7-3b95-230e-cafe-
620c888cf764</uuid>
        <instanceUuid>50350485-73bf-a78f-6aa1-
d38d61f747dd</instanceUuid>
        <vmxDir>[SCC04-SP-ESX-6] SCC04-SP-
RHVM-4</vmxDir>
        <template>>false</template>
        <IpAddress>10.106.14.149</IpAddress>
        <Networks>VM Network(&lt;False&gt; )
</Networks>
        <Nics>VM Network(&lt;false&gt; )</Nics>
        <NicIpaddresses>(10.106.14.149)
(fe80::250:56ff:feb5:102)</NicIpaddresses>
        <hostName>b16-sp-qa-009</hostName>
        <host>b16-sp-qa-ucs-08.cisco.com
</host>
        <hostMor>host-1758</hostMor>
        <ResourcePoolMor>resgroup-1458
</ResourcePoolMor>

```

```

</NumberOfDatastores>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SCC04-SP-ESX-6] SCC04-SP-RHVM-4/"
suspendDir="[SCC04-SP-ESX-6] SCC04-SP-RHVM-4/" logDir="[SCC04-SP-
ESX-6] SCC04-SP-RHVM-4/" vmxPath="[SCC04-SP-ESX-6] SCC04-SP-RHVM-
4/SCC04-SP-RHVM-4.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHVM-4.vmdk
</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>102676</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>94119</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>67677</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>70758</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>116884</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>186342</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>64568</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHVM-4.vmx</Name>
        <Size>3166</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHVM-4.vmx
</Name>
        <Size>3384</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHVM-4.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHVM-4.vmsd
</Name>
        <Size>43</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHVM-4-
ef1b80e0.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="SCC04-SP-ESX-
6" Unshared="67564664838" Uncommitted="44105203712"
Committed="67564664838">
        </StorageInfo>
        <Datastore Mor="datastore-1759"
Url="/vmfs/volumes/4e791ca7-47a146f6-7d78-0010188834d2"
Name="SCC04-SP-ESX-6">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-fcf6-f876-d6c0-152e8b28fe23" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1759"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4f5b97959a535b3a3b6b4501f7c50b2e" Parent=""
Disk="[SCC04-SP-ESX-6] SCC04-SP-RHVM-4/SCC04-SP-RHVM-4.vmdk"

```

```

AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:01:02" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-067</Name>
    <Mor>vm-1734</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-067</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>otherGuest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true

```

```

</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:37.721966Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422db789-5ce3-1cdf-4678-
a33ce4e8cb9a</uuid>
    <instanceUuid>502d7c05-eee1-22b4-f4b7-
2342700a388c</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
067/</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>scs-sp-esx-06.cisco.com</host>
    <hostMor>host-1732</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-067/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-067/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-067/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-067/SCC-SP-VM-
067.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-067.vmx</Name>
        <Size>2859</Size>
        <Type>config</Type>
    </File>

```

```
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-067.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-067.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-067.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-067.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>185244</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>117264</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>96332</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>101155</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>102796</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>20316</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
```

```

                <Size>129601</Size>
                <Type>log</Type>
            </File>
            <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="23868451163" Uncommitted="21392064512"
Committed="23868451163">
                </StorageInfo>
                <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                    </Datastore>
                    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-f739-f564-04c4-616fb593f539" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e0fad2378820af955f06e39b9a3b2302" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-067/SCC-SP-VM-067.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:30:12" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                            </BackingNetwork>
                            <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                </BackingDiskCtrlr>
                                <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                    </BackingCdrom>
                                </VirtualMachine>
                            </VirtualMachine>
                        <Name>SCC-SP-VM-069</Name>

```

```

        <Mor>vm-1653</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-069</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This instance provisioned
by Amit Saha.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
01T07:29:40.223494Z</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42002635-f1d8-b21f-a274-
0bc05e1a2ef2</uuid>
        <instanceUuid>5000ba05-1571-26a1-8080-
f088fd16b052</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
069/</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scs-sp-esx-03.cisco.com</host>
        <hostMor>host-1646</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo

```



```
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-069/" suspendDir="[SP-SATA-STORE-2] SCC-SP-VM-069/" logDir="[SP-SATA-STORE-2] SCC-SP-VM-069/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-069/SCC-SP-VM-069.vmx">
```

```
</VirtualMachineFileInfo>  
<VirtualHardware MemoryMB="16384"
```

```
NumCPUs="2">
```

```
</VirtualHardware>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-069.vmx</Name>  
  <Size>3069</Size>  
  <Type>config</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-069.vmx</Name>  
  <Size>3367</Size>  
  <Type>extendedConfig</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-069.nvram</Name>  
  <Size>8684</Size>  
  <Type>nvram</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-069.vmsd</Name>  
  <Size>0</Size>  
  <Type>snapshotList</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-069.vmdk</Name>  
  <Size>83886080</Size>  
  <Type>diskDescriptor</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-30.log</Name>  
  <Size>106868</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-26.log</Name>  
  <Size>110179</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware.log</Name>  
  <Size>143029</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-25.log</Name>  
  <Size>110177</Size>  
  <Type>log</Type>
```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-28.log</Name>
            <Size>110192</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-27.log</Name>
            <Size>110192</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-29.log</Name>
            <Size>110762</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="23642011015" Uncommitted="79600615424"
Committed="23642011015">
            </StorageInfo>
            <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-d7ed-6522-4b1f-0442e2db25fe" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d020a51bd03b168061da075f205c18d8" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-069/SCC-SP-VM-069.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:16" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-119</Name>
    <Mor>vm-1644</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-119</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
08T09:05:37.833839Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200aa1e-93f6-7f8a-5039-
6fa0489636c1</uuid>
    <instanceUuid>50003517-320b-a76a-1a79-
8f6c42340782</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
119</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.199</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.105.58.199)
(fe80::250:56ff:fe80:2cf2)</NicIpaddresses>
    <hostName>SCC-SP-VM-119.cisco.com
</hostName>
    <host>scc-sp-esx-04.cisco.com</host>

```

```

        <hostMor>host-1675</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>21</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-119/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-119/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-119/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-119/SCC-SP-VM-
119.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-119.vmx</Name>
            <Size>3064</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-119.vmx</Name>
            <Size>3470</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-119.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-119.vmsd</Name>
            <Size>1199</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-119-000003.vmdk
</Name>
            <Size>62914560</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-119-
Snapshot1.vmsn</Name>
            <Size>17185718723</Size>
            <Type>snapshotData</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-119-
Snapshot2.vmsn</Name>
  <Size>17185313323</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-119-
Snapshot3.vmsn</Name>
  <Size>17185313323</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-119-
de9b304c.vswp</Name>
  <Size>17179869184</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-SP-VM-119-
3734712396-1.vswp</Name>
  <Size>48234496</Size>
  <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>106623</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>121362</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>185474</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>89587</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-5.log</Name>
  <Size>168729</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>

```

```

        <Size>248642</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>240674</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="79215144381" Uncommitted="64189501440"
Committed="79215144381">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-55c5-afb0-4a49-5c0e461f7307" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3c9f6e819b8a39aec57b9dc2be35291a" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-119/SCC-SP-VM-119-000002.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-119/SCC-SP-VM-119-000003.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:2c:f2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"

```

```

StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-025</Name>
    <Mor>vm-1698</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-025</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T09:50:31.01826Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dd0cb-df9f-978e-a555-
d2fe05407d8e</uuid>
    <instanceUuid>502de4d5-eb5e-9ba8-f00a-
226b1a2913aa</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
025</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.105</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.105.58.105)
(fe80::250:56ff:fead:c5e)</NicIpaddresses>

```

```

        <hostName>SCC-SP-VM-025</hostName>
        <host>scc-sp-esx-04.cisco.com</host>
        <hostMor>host-1675</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>21</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-025/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-025/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-025/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-025/SCC-SP-VM-
025.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16440"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-025.vmx</Name>
            <Size>2942</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-025.vmx</Name>
            <Size>3470</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-025.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-025.vmsd</Name>
            <Size>1251</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-025-000003.vmdk
</Name>
            <Size>157286400</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-025-
Snapshot3.vmsn</Name>

```



```

        <Size>17186106465</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-025-
Snapshot6.vmsn</Name>
        <Size>17244367999</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-025-
Snapshot7.vmsn</Name>
        <Size>17244367999</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-025-
970bcbde.vswp</Name>
        <Size>17238589440</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-SP-VM-025-
2534132702-1.vswp</Name>
        <Size>48234496</Size>
        <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-121.log</Name>
    <Size>107861</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-123.log</Name>
    <Size>110156</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-124.log</Name>
    <Size>144992</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-122.log</Name>
    <Size>148252</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-125.log</Name>
    <Size>119752</Size>
    <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-126.log</Name>
            <Size>121936</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>91044</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="80565954067" Uncommitted="160859635712"
Committed="80565954067">
            </StorageInfo>
            <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-e037-8fdc-7b7f-f037a1425a22" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="157286400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="66249b45953578c5abdf8c7ed69d376a" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-025/SCC-SP-VM-025-000001.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-025/SCC-SP-VM-025-000003.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:5e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Fresh_OS_8Jan13</Snapshot>
    <Snapshot>Sanapshot1_18Feb2013
</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-114</Name>
    <Mor>vm-1738</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-114</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Provisioned by Amit Saha.
</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
06T09:37:09.616107Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>420012b1-d86c-2f7e-f11a-
deb758db055b</uuid>
    <instanceUuid>50006429-b47c-d576-134d-
04e93c446cbb</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
114</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.194</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.105.58.194)
(fe80::250:56ff:fe80:70af)</NicIpaddresses>
    <hostName>SCC-SP-VM-114</hostName>
    <host>scc-sp-esx-06.cisco.com</host>
    <hostMor>host-1732</hostMor>

```

```

</ResourcePoolMor>                                <ResourcePoolMor>resgroup-1456
</NumberOfDatastores>                             <NumberOfDatastores>1
</NumberOfBackingDisks>                           <NumberOfBackingDisks>1
</CpuFeatureMaskSupported>                        <NumberOfFiles>17</NumberOfFiles>
</NumberOfFeatureMaskEntries>                     <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries>                     <NumberOfFeatureMaskEntries>0
</VirtualMachineFileInfo>                         <VirtualMachineFileInfo>
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-114/"    suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-114/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-114/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-114/SCC-SP-VM-
114.vmx">
</VirtualMachineFileInfo>                         <VirtualHardware MemoryMB="8192"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-114.vmx</Name>
  <Size>2993</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-114.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-114.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-114.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-114-000001.vmdk
</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-114-
Snapshot5.vmsn</Name>
  <Size>8595702205</Size>
  <Type>snapshotData</Type>
</File>

```

```

de9b3047.vswp</Name>
    <File Type="VmFileInfo">
      <Name>SCC-SP-VM-114-
        <Size>8589934592</Size>
        <Type>swap</Type>
      </File>
    <File Type="VmFileInfo">
      <Name>vmx-SCC-SP-VM-114-
        <Size>48234496</Size>
        <Type>uwswap</Type>
      </File>
    <File Type="VmFileInfo">
      <Name>vmware-2.log</Name>
      <Size>141441</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-3.log</Name>
      <Size>92927</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-1.log</Name>
      <Size>153279</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-4.log</Name>
      <Size>169459</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-5.log</Name>
      <Size>105807</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-6.log</Name>
      <Size>106652</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>132039</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="24470044990" Uncommitted="42765037568"
Committed="24470044990">
      </StorageInfo>
    <Datastore Mor="datastore-1572"

```

```

Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-d7e6-bf32-1f60-1b73bb47eca4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="da2d4bce4e91be0cfefa980ac601c0ee" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-114/SCC-SP-VM-114.vmdk" Disk="[SP-SATA-STORE-
2] SCC-SP-VM-114/SCC-SP-VM-114-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:af" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-024</Name>
    <Mor>vm-1666</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-024</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>

```

```

                                <Version>vmx-08</Version>
                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
06T07:52:44.227393Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>42001592-cc9d-d9cc-22f8-
c818fa3e40f4</uuid>
                                <instanceUuid>50003332-4514-3433-5859-
074575a1160e</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
024</vmxDir>
                                <template>>false</template>
                                <IpAddress>10.105.58.104</IpAddress>
                                <Networks>VM Network(&lt;True&gt;)
</Networks>
                                <Nics>VM Network(&lt;true&gt;)</Nics>
                                <NicIpaddresses>(10.105.58.104)
(fe80::250:56ff:fe80:45e1)</NicIpaddresses>
                                <hostName>SCC-SP-VM-024.cisco.com
</hostName>
                                <host>scs-sp-esx-03.cisco.com</host>
                                <hostMor>host-1646</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>19</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-024/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-024/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-024/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-024/SCC-SP-VM-
024.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16440"

```

NumCPUs="1">

```
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-024.vmx</Name>
  <Size>2917</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-024.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-024.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-024.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-024-000003.vmdk
</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-024-
Snapshot1.vmsn</Name>
  <Size>17244363923</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-024-
Snapshot5.vmsn</Name>
  <Size>17244031115</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-024-
970bcbdd.vswp</Name>
  <Size>17238589440</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-SP-VM-024-
2534132701-1.vswp</Name>
  <Size>47185920</Size>
  <Type>uwsnap</Type>
</File>
```



```

    <File Type="VmFileInfo">
      <Name>vmware-18.log</Name>
      <Size>130138</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-21.log</Name>
      <Size>105548</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-16.log</Name>
      <Size>129413</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-17.log</Name>
      <Size>129411</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-19.log</Name>
      <Size>106439</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware-20.log</Name>
      <Size>142316</Size>
      <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
      <Name>vmware.log</Name>
      <Size>90494</Size>
      <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="67399134030" Uncommitted="82560512000"
Committed="67399134030">
      </StorageInfo>
      <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-7c5b-7c89-d546-1c4c6a04928d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d4aaa664017f0cfbeeddf6e3f017219e" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-024/SCC-SP-VM-024.vmdk" Disk="[SP-SATA-STORE-
1] SCC-SP-VM-024/SCC-SP-VM-024-000003.vmdk"

```

```

AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:45:e1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-026</Name>
    <Mor>vm-1713</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-026</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>

```

```

</ChangeTrackingSupported>      <ChangeTrackingSupported>true
</BootOptionsSupported>        <BootOptionsSupported>true
</SwapPlacementSupported>      <SwapPlacementSupported>true
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
01T07:29:59.123835Z</ChangeVersion>
                                <powerState>poweredOff</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>422d924d-d021-5a6b-0170-
deeb95ed188b</uuid>
                                <instanceUuid>502d7d2d-36b8-5995-5440-
4bc3f975b611</instanceUuid>
                                <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
026</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;False&gt;)
</Networks>
                                <Nics>VM Network(&lt;false&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>scs-sp-esx-05.cisco.com</host>
                                <hostMor>host-1708</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>13</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-026/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-026/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-026/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-026/SCC-SP-VM-
026.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="8192"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-026.vmx</Name>
                                    <Size>2843</Size>
                                    <Type>config</Type>

```

```
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-026.vmx</Name>
  <Size>3470</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-026.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-026.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-026.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-25.log</Name>
  <Size>109712</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>109708</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>109709</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>109702</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-29.log</Name>
  <Size>106611</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>107584</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
```

```

        <Name>vmware-24.log</Name>
        <Size>109711</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="13510630918" Uncommitted="81142022144"
Committed="13510630918">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-a125-68a8-d814-5f233b0687a1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="62410325d20f6f8c0375beb86d307ace" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-026/SCC-SP-VM-026.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                        </BackingDisk>
                        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:5f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                                </BackingNetwork>
                                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                        </BackingDiskCtrlr>
                                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                                </BackingCdrom>
                                </VirtualMachine>
        </VirtualMachine>

```

```

        <Name>SCC-SP-VM-111</Name>
        <Mor>vm-1755</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-111</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This instance provisioned
by Amit Saha.</Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
06T06:27:37.086042Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200de27-8cd5-4b32-4ab2-
33d8e945ec84</uuid>
        <instanceUuid>5000d225-b5f3-76d6-22d1-
b5f56d0486e4</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
111</vmxDir>
        <template>>false</template>
        <IpAddress>10.105.58.191</IpAddress>
        <Networks>VM Network(&lt;True&gt;)
</Networks>
        <Nics>VM Network(&lt;true&gt;)</Nics>
        <NicIpaddresses>(10.105.58.191)
(fe80::250:56ff:fe80:70ac)</NicIpaddresses>
        <hostName>SCC-SP-VM-111</hostName>
        <host>scc-sp-esx-06.cisco.com</host>
        <hostMor>host-1732</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1
</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>19</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```

```

        <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-111/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-111/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-111/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-111/SCC-SP-VM-
111.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-111.vmx</Name>
            <Size>3059</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-111.vmx</Name>
            <Size>3382</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-111.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-111.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-111-000002.vmdk
</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-111-
Snapshot3.vmsn</Name>
            <Size>17185640893</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-111-
Snapshot4.vmsn</Name>
            <Size>17185640893</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-111-
de9b3044.vswp</Name>
            <Size>17179869184</Size>
            <Type>swap</Type>

```

```

3734712388-1.vswp</Name>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-SP-VM-111-
    <Size>48234496</Size>
    <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>104977</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>105879</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>110309</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-7.log</Name>
  <Size>110310</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-6.log</Name>
  <Size>173933</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>189866</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>92076</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="68102064325" Uncommitted="85664296960"
Committed="68102064325">
  </StorageInfo>
  <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-a3af-fd22-90e1-dd2a71b267ee" ChangeId=""

```



```

EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="058180e7bb878e9f9c965daebf71a322" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-111/SCC-SP-VM-111-000001.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-111/SCC-SP-VM-111-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:ac" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-021</Name>
    <Mor>vm-1701</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-021</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false

```

```

</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
08T05:44:32.028317Z</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>420064cf-1e7a-dc98-514d-
4e5c717d13ec</uuid>
<instanceUuid>50009d0e-b76f-01a5-1431-
dfccf4fd1ff8</instanceUuid>
<vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
021</vmxDir>
<template>>false</template>
<IpAddress>10.105.58.101</IpAddress>
<Networks>VM Network(&lt;True&gt;)
</Networks>
<Nics>VM Network(&lt;true&gt;)</Nics>
<NicIpaddresses>(10.105.58.101)
(fe80::250:56ff:fe80:387a)</NicIpaddresses>
<hostName>SCC-SP-VM-021.cisco.com
</hostName>
<host>scc-sp-esx-04.cisco.com</host>
<hostMor>host-1675</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>23</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-021/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-021/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-021/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-021/SCC-SP-VM-
021.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-SP-VM-021.vmx</Name>

```

```

        <Size>3033</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-021.vmx</Name>
    <Size>3470</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-021.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-021.vmsd</Name>
    <Size>2038</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-021-000005.vmdk
</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-021-
Snapshot5.vmsn</Name>
    <Size>17185713299</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-021-
Snapshot6.vmsn</Name>
    <Size>17186174532</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-021-
Snapshot7.vmsn</Name>
    <Size>17185380491</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-021-
Snapshot8.vmsn</Name>
    <Size>17185713299</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-021-
Snapshot9.vmsn</Name>
    <Size>17185713299</Size>

```

```

        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-021-
970bcbda.vswp</Name>
        <Size>17179869184</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-SP-VM-021-
2534132698-1.vswp</Name>
        <Size>50331648</Size>
        <Type>uwswap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>217809</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>185255</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>433518</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>136026</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>94467</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="167992381460" Uncommitted="56572563456"
Committed="167992381460">
    </StorageInfo>
    <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-4fee-b9b3-5d5d-f5a67498cf38" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="023379e00d55e1358fb825d3de934c28" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-021/SCC-SP-VM-021-000004.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-021/SCC-SP-VM-021-000005.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:38:7a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[SP-SATA-STORE-1] ISO/rhel-server-5.5-x86_64-dvd.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1571" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
    <Snapshot>Snapshot3</Snapshot>
    <Snapshot>Snapshot4</Snapshot>
    <Snapshot>Snapshot5</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-020</Name>
    <Mor>vm-1619</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered

```

```

virtual machine\SCC-SP-VM-020</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This instance created by
Amit Saha.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>oracleLinux64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
23T10:19:24.622873Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d311d-0369-c178-9479-
e7e53c72f99a</uuid>
    <instanceUuid>502d668d-f40c-cd60-bbd6-
6129d913907a</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
020</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>None</Nics>
    <NicIpaddresses></NicIpaddresses>
    <hostName></hostName>
    <host>scs-sp-esx-02.cisco.com</host>
    <hostMor>host-1601</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>2
</NumberOfBackingDisks>
    <NumberOfFiles>53</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-020/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-020/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-020/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-020/SCC-SP-VM-
020.vmx">

```

```

</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="122880"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-020.vmx</Name>
  <Size>3257</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-020.vmx</Name>
  <Size>3470</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-020.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-020.vmsd</Name>
  <Size>6254</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-020-000012.vmdk
</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-020_1-
000011.vmdk</Name>
  <Size>1932735283</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-020-
Snapshot1.vmsn</Name>
  <Size>42955114615</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-020-
Snapshot2.vmsn</Name>
  <Size>68724918391</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-020-
Snapshot4.vmsn</Name>
  <Size>68724918391</Size>

```

```

        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-020-

Snapshot7.vmsn</Name>

        <Size>68724978849</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-020-

Snapshot10.vmsn</Name>

        <Size>128854460535</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-020-

Snapshot11.vmsn</Name>

        <Size>128854460535</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-020-

Snapshot12.vmsn</Name>

        <Size>128854460535</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-020-

Snapshot13.vmsn</Name>

        <Size>128854520993</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-020-

Snapshot14.vmsn</Name>

        <Size>128854520993</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-020-

Snapshot15.vmsn</Name>

        <Size>128854520993</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-020-

Snapshot42.vmsn</Name>

        <Size>128854520993</Size>
        <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-020-

```



```

Snapshot43.vmsn</Name>
    <Size>128854464631</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-020-
Snapshot44.vmsn</Name>
    <Size>128854464631</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-12.log</Name>
    <Size>170931</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>144085</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>128230</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>128511</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-13.log</Name>
    <Size>302412</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-14.log</Name>
    <Size>307802</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>139935</Size>
    <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="1898400070448" Uncommitted="2179549203456"
Committed="1898400070448">
    </StorageInfo>
    <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-18ac-dc02-82f3-aed477efa485" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5dabea82bc73ff15bc326d7e66cac5e7" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-020/SCC-SP-VM-020-000013.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-020/SCC-SP-VM-020-000012.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-4229-ebd6-796d-47fda7c87b42" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="1932735283"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f61330dcf576d5b14bbd48cf662eb20e" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-020/SCC-SP-VM-020_1-000012.vmdk" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-020/SCC-SP-VM-020_1-000011.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:32:c9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">

```

```

        </BackingCdrom>
        <Snapshot>Fresh OS</Snapshot>
        <Snapshot>Oracle Installed 130212
</Snapshot>

        <Snapshot>20March2012</Snapshot>
        <Snapshot>Snapshot_30412</Snapshot>
        <Snapshot>Snapshot_240512</Snapshot>
        <Snapshot>Snapshot_90612</Snapshot>
        <Snapshot>Snapshot_28June2012
</Snapshot>

        <Snapshot>Snapshot_20July</Snapshot>
        <Snapshot>Snapshot_29Aug12</Snapshot>
        <Snapshot>Snapshot_20Sept2012
</Snapshot>

        <Snapshot>Snapshot_10Nov2012
</Snapshot>

        <Snapshot>Snapshot_12Nov2012
</Snapshot>

        <Snapshot>Snapshot_21Dec2012
</Snapshot>
    </VirtualMachine>
    <VirtualMachine>
        <Name>SCC-SP-VM-110</Name>
        <Mor>vm-1575</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-110</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation>This instance provisioned
by Amit Saha.</Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-
06T09:35:19.06196Z</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4200276c-ef99-d1de-5cff-
c94681ffe9a6</uuid>
        <instanceUuid>500079fd-a038-dac4-508a-
5f6dcelfcf8d</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-

```

```

110/</vmxDir>
                                <template>false</template>
                                <IpAddress>10.105.58.190</IpAddress>
                                <Networks>VM Network(&lt;true&gt;);
</Networks>
                                <Nics>VM Network(&lt;true&gt;)</Nics>
                                <NicIpaddresses>(10.105.58.190)
(fe80::250:56ff:fe80:70ab)</NicIpaddresses>
                                <hostName>SCC-SP-VM-110.cisco.com
</hostName>
                                <host>scc-sp-esx-01.cisco.com</host>
                                <hostMor>host-1569</hostMor>
                                <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
                                <NumberOfDatastores>2
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>15</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-110/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-110/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-110/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-110/SCC-SP-VM-
110.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"
NumCPUs="2">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-110.vmx</Name>
                                    <Size>3226</Size>
                                    <Type>config</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-110.vmx</Name>
                                    <Size>3470</Size>
                                    <Type>extendedConfig</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-110.nvram</Name>
                                    <Size>8684</Size>
                                    <Type>nvram</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>SCC-SP-VM-110.vmsd</Name>
                                    <Size>0</Size>
                                    <Type>snapshotList</Type>
                                </File>

```

```
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-110.vmdk</Name>
  <Size>31457280</Size>
  <Type>diskDescriptor</Type>
</File>
de9b3043.vswp</Name>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-110-
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>
3734712387-1.vswp</Name>
<File Type="VmFileInfo">
  <Name>vmx-SCC-SP-VM-110-
  <Size>48234496</Size>
  <Type>uwsap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>106997</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>106144</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>110322</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>105053</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>261538</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>170706</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>91075</Size>
  <Type>log</Type>
</File>
```

```

                <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="12903694895" Uncommitted="23652728832"
Committed="12903694895">
                </StorageInfo>
                <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-c1ec-0ba9-b134-02ac55d8bbfb" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="31457280"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="047213edd6a77af85c7433c9a86389b4" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-110/SCC-SP-VM-110.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:ab" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                </BackingNetwork>
                <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                </BackingDiskCtrlr>
                <BackingCdrom UseAutoDetect="false"
FileName="[SP-SATA-STORE-1] ISO/RHEL-DVD.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1571" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                </BackingCdrom>
        </VirtualMachine>
</VirtualMachine>

```

```

virtual machine\SCC-SP-VM-023</Path>
<Name>SCC-SP-VM-023</Name>
<Mor>vm-1657</Mor>
<MorType>VirtualMachine</MorType>
<Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-023</Path>
<ParentMor>group-v1459</ParentMor>
<Annotation></Annotation>
<Version>vmx-08</Version>
<GuestId>rhel5Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>true
</ChangeTrackingSupported>
<BootOptionsSupported>true
</BootOptionsSupported>
<SwapPlacementSupported>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
01T07:29:40.760668Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>422d44b2-5ac7-0b7f-40e2-
212a0015da73</uuid>
<instanceUuid>502da36e-fa4a-f65a-4ccc-
2d8b6faf816a</instanceUuid>
<vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
023</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>scs-sp-esx-03.cisco.com</host>
<hostMor>host-1646</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo

```

```
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-023/" suspendDir="[SP-SATA-STORE-1] SCC-SP-VM-023/" logDir="[SP-SATA-STORE-1] SCC-SP-VM-023/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-023/SCC-SP-VM-023.vmx">
```

```
</VirtualMachineFileInfo>  
<VirtualHardware MemoryMB="32768"
```

```
NumCPUs="2">
```

```
</VirtualHardware>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-023.vmx</Name>  
  <Size>2806</Size>  
  <Type>config</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-023.vmx</Name>  
  <Size>3367</Size>  
  <Type>extendedConfig</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-023.nvram</Name>  
  <Size>8684</Size>  
  <Type>nvram</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-023.vmsd</Name>  
  <Size>0</Size>  
  <Type>snapshotList</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>SCC-SP-VM-023.vmdk</Name>  
  <Size>167772160</Size>  
  <Type>diskDescriptor</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-113.log</Name>  
  <Size>109582</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-114.log</Name>  
  <Size>109517</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-115.log</Name>  
  <Size>109516</Size>  
  <Type>log</Type>  
</File>  
<File Type="VmFileInfo">  
  <Name>vmware-116.log</Name>  
  <Size>106608</Size>  
  <Type>log</Type>
```



```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-111.log</Name>
            <Size>109516</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>107652</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-112.log</Name>
            <Size>109518</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="5372631614" Uncommitted="200949170176"
Committed="5372631614">
            </StorageInfo>
            <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-1b1d-edb2-019f-384965dfb940" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="167772160"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="42506d6a177c54ea75b8aa967fbf9247" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-023/SCC-SP-VM-023.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:0c:5c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-113</Name>
    <Mor>vm-1614</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-113</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This instance provisioned
by Amit Saha</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
20T05:34:58.662234Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42000fd9-a473-3ed4-5c5e-
7b706ef243b4</uuid>
    <instanceUuid>50006e8b-a5e6-4cdf-1138-
7cc245d215d7</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
113</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.193</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.105.58.193)
(fe80::250:56ff:fe80:70ae)</NicIpaddresses>
    <hostName>SCC-SP-VM-113</hostName>
    <host>scc-sp-esx-04.cisco.com</host>

```

```

<hostMor>host-1675</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>15</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-113/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-113/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-113/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-113/SCC-SP-VM-
113.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"
NumCPUs="2">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-113.vmx</Name>
  <Size>3133</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-113.vmx</Name>
  <Size>3382</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-113.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-113.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-113.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-113-
de9b3046.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>
</File>

```

```

3734712390-2.vswp</Name>
    <File Type="VmFileInfo">
        <Name>vmx-SCC-SP-VM-113-
            <Size>48234496</Size>
            <Type>uwswap</Type>
        </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>106823</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>93231</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>107422</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>89050</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>165114</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>105721</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>110873</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="8533056345" Uncommitted="38760611840"
Committed="8533056345">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-ee36-089e-99ab-2aed4ea90248" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```

```

Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="005c959296c313bb7615bfe7061d5c0f" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-113/SCC-SP-VM-113.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:ae" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-022</Name>
    <Mor>vm-1742</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-022</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true

```

```

</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
02T08:42:15.741944Z</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dd6cc-e833-076d-a991-
568a7b4646de</uuid>
    <instanceUuid>502dddc2-63df-de8f-aeb9-
35921cd7425b</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-
022/</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.102</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.105.58.102)
(fe80::250:56ff:fead:39a4)</NicIpaddresses>
    <hostName>SCC-SP-VM-022</hostName>
    <host>scc-sp-esx-06.cisco.com</host>
    <hostMor>host-1732</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>25</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-1] SCC-SP-VM-022/" suspendDir="[SP-
SATA-STORE-1] SCC-SP-VM-022/" logDir="[SP-SATA-STORE-1] SCC-SP-
VM-022/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-022/SCC-SP-VM-
022.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-022.vmx</Name>
        <Size>2987</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-022.vmx</Name>

```

```

        <Size>3367</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-022.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-022.vmsd</Name>
    <Size>2072</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-022-000005.vmdk
</Name>
    <Size>83886080</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-022-
Snapshot5.vmsn</Name>
    <Size>17185647743</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-022-
Snapshot6.vmsn</Name>
    <Size>17185647743</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-022-
Snapshot7.vmsn</Name>
    <Size>17185647743</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-022-
Snapshot8.vmsn</Name>
    <Size>17185647743</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-022-
Snapshot9.vmsn</Name>
    <Size>17185647743</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-022-
970bcbdb.vswp</Name>

```

```

                <Size>17179869184</Size>
                <Type>swap</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmx-SCC-SP-VM-022-
2534132699-1.vswp</Name>
                <Size>48234496</Size>
                <Type>uwswap</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-32.log</Name>
                <Size>107879</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-33.log</Name>
                <Size>130225</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-30.log</Name>
                <Size>109996</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-31.log</Name>
                <Size>106905</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-34.log</Name>
                <Size>240537</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware-35.log</Name>
                <Size>186860</Size>
                <Type>log</Type>
            </File>
            <File Type="VmFileInfo">
                <Name>vmware.log</Name>
                <Size>108969</Size>
                <Type>log</Type>
            </File>
            <StorageInfo Datastore="SP-SATA-STORE-
1" Unshared="173413831132" Uncommitted="76520714240"
Committed="173413831132">
                </StorageInfo>
                <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                    </Datastore>

```



```

        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-52de-7253-2ff3-3295ad0dba24" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="cf70c79f07ca9edbbedd5be9a0510a86" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-022/SCC-SP-VM-022-000004.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-022/SCC-SP-VM-022-000005.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:39:a4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <Snapshot>Fresh_OS_28Jan13</Snapshot>
        <Snapshot>Snapshot2_on 15Feb2013
</Snapshot>
        <Snapshot>Sanpshot3_19Feb13</Snapshot>
        <Snapshot>Snapshot4</Snapshot>
        <Snapshot>Snapshot5</Snapshot>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-112</Name>
        <Mor>vm-1677</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-112</Path>

```

```

by Amit Saha</Annotation>
<ParentMor>group-v1459</ParentMor>
<Annotation>This instance provisioned
<Version>vmx-07</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>>true
</ChangeTrackingSupported>
<BootOptionsSupported>>true
</BootOptionsSupported>
<SwapPlacementSupported>>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
01T07:29:30.203247Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
</connectionState>
<uuid>4200a737-e82c-56eb-0bc4-
d195f25b347d</uuid>
<instanceUuid>5000006c-09f1-69e0-e48b-
b67cc8e718d6</instanceUuid>
<vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
112</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
</NicIpaddresses>
<hostName></hostName>
<host>scc-sp-esx-04.cisco.com</host>
<hostMor>host-1675</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-112/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-112/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-112/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-112/SCC-SP-VM-
112.vmx">

```

NumCPUs="2">

```
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-112.vmx</Name>
  <Size>3150</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-112.vmx</Name>
  <Size>3382</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-112.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-112.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-112.vmdk</Name>
  <Size>83886080</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>110379</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>110375</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>110375</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>110377</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>106189</Size>
```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-13.log</Name>
        <Size>110377</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>105043</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="13117415515" Uncommitted="90125172736"
Committed="13117415515">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-47f7-75db-392e-37d3759f4e29" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0488f18b0360de5e62332c6f81526b2b" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-112/SCC-SP-VM-112.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:ad" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>
                        <BackingCdrom UseAutoDetect="false"

```

```

FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-060</Name>
    <Mor>vm-1648</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-060</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is created by
Chandra Babu M on 25-JAN-2012 for the Sanjay Pataskar on account
of Jan12spataskaSCC2394.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:39.377359Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200f104-2c25-4749-b3bc-
ad009108c08c</uuid>
    <instanceUuid>50001d2b-9ddc-74f4-d7bd-
d19b3bea2159</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
060</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>scc-sp-esx-03.cisco.com</host>
    <hostMor>host-1646</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>

```

```

</NumberOfDatastores>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-060/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-060/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-060/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-060/SCC-SP-VM-
060.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-060.vmx</Name>
        <Size>3141</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-060.vmx</Name>
        <Size>3367</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-060.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-060.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-060.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>110263</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-15.log</Name>
        <Size>107343</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>110266</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-14.log</Name>
  <Size>110265</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>110263</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>108721</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-16.log</Name>
  <Size>106921</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="20714349538" Uncommitted="73938305024"
Committed="20714349538">
  </StorageInfo>
  <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-68ef-b24e-7d2b-8c0b97608b86" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="107be94a5b68ed649fd19967ba9f538d" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-060/SCC-SP-VM-060.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
      </BackingDisk>
      <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:11" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-QA-012</Name>
    <Mor>vm-1762</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-QA-012</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel4_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T01:49:24.69969Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42358052-ee96-382e-89a5-
c4087a43fec2</uuid>
    <instanceUuid>50354fd4-283e-04ea-4da0-
bd317ed192fe</instanceUuid>
    <vmxDir>[SCC04-SP-ESX-6] SCC04-SP-
CEL1</vmxDir>

```



```

<template>false</template>
<IpAddress>10.106.14.152</IpAddress>
<Networks>VM Network(&lt;False&gt;)
</Networks>

<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>(10.106.14.152)

</NicIpaddresses>

<hostName>b16-sp-qa-012</hostName>
<host>b16-sp-qa-ucs-08.cisco.com

</host>

<hostMor>host-1758</hostMor>
<ResourcePoolMor>resgroup-1458

</ResourcePoolMor>

<NumberOfDatastores>1

</NumberOfDatastores>

<NumberOfBackingDisks>1

</NumberOfBackingDisks>

<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>>true

</CpuFeatureMaskSupported>

<NumberOfFeatureMaskEntries>0

</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[SCC04-SP-ESX-6] SCC04-SP-CEL1/" suspendDir="[SCC04-
SP-ESX-6] SCC04-SP-CEL1/" logDir="[SCC04-SP-ESX-6] SCC04-SP-
CEL1/" vmxPath="[SCC04-SP-ESX-6] SCC04-SP-CEL1/SCC04-SP-
CEL1.vmx">

</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="4096"

NumCPUs="4">

</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC04-SP-CEL1.vmdk</Name>
  <Size>104857600</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>145033</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>85623</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-15.log</Name>
  <Size>1602903</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-13.log</Name>
        <Size>90165</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-14.log</Name>
        <Size>591007</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-12.log</Name>
        <Size>858917</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>58935</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-CEL1.vmx</Name>
        <Size>2977</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-CEL1.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-CEL1.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-CEL1.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-CEL1-
ade8ef47.vswp</Name>
        <Size>0</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="SCC04-SP-ESX-
6" Unshared="35970650416" Uncommitted="71406977024"
Committed="35970650416">
        </StorageInfo>
        <Datastore Mor="datastore-1759"
Url="/vmfs/volumes/4e791ca7-47a146f6-7d78-0010188834d2"
Name="SCC04-SP-ESX-6">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-5a07-160e-1f45-a533b518d340" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1759"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a8b9d4717a773e7ad99c4ffcb766435e" Parent=""
Disk="[SCC04-SP-ESX-6] SCC04-SP-CELL1/SCC04-SP-CELL1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:01:77" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SP-QA-011</Name>
        <Mor>vm-1771</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-QA-011</Path>
        <ParentMor>group-v1459</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
31T23:34:06.714081Z</ChangeVersion>
</connectionState>
a75b484cce30</uuid>
30bfd450ff2c</instanceUuid>
RHVM-2</vmxDir>
</Networks>
(fe80::250:56ff:feb5:eb)</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SCC04-SP-ESX-02] SCC04-SP-RHVM-2/"
suspendDir="[SCC04-SP-ESX-02] SCC04-SP-RHVM-2/" logDir="[SCC04-
SP-ESX-02] SCC04-SP-RHVM-2/" vmxPath="[SCC04-SP-ESX-02] SCC04-SP-
RHVM-2/SCC04-SP-RHVM-2.vmx">
NumCPUs="2">

```

```

<ChangeTrackingSupported>true
<BootOptionsSupported>true
<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2013-12-
<powerState>poweredOff</powerState>
<connectionState>connected
<uuid>4235328b-7c08-2be4-0755-
<instanceUuid>50350c19-d71c-fe8b-e5cb-
<vmxDir>[SCC04-SP-ESX-02] SCC04-SP-
<template>>false</template>
<IpAddress>10.106.14.151</IpAddress>
<Networks>VM Network(&lt;False&gt;)
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>(10.106.14.151)
<hostName>b16-sp-qa-011</hostName>
<host>b16-sp-qa-ucs-09.cisco.com
<hostMor>host-1766</hostMor>
<ResourcePoolMor>resgroup-1458
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
<VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC04-SP-RHVM-2.vmdk

```

</Name>

```
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>204197</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-7.log</Name>
    <Size>124409</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>69924</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>219614</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-5.log</Name>
    <Size>71542</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-6.log</Name>
    <Size>72406</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>67874</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-RHVM-2.vmx</Name>
    <Size>3034</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-RHVM-2.vmx.f
```

</Name>

```
        <Size>3384</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-RHVM-2.nvram
```

```

</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-RHVM-2.vmsd
</Name>
        <Size>43</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-RHVM-2-
29766931.vswp</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
</File>
<StorageInfo Datastore="SCC04-SP-ESX-
02" Unshared="61423282016" Uncommitted="50246713344"
Committed="61423282016">
    </StorageInfo>
    <Datastore Mor="datastore-1767"
Url="/vmfs/volumes/4e20d614-3edde5bd-a9cd-d0d0fd092659"
Name="SCC04-SP-ESX-02">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-fcf6-f876-d6c0-152e8b28fe23" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1767"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0d0129141211d163884322199c8305c9" Parent=""
Disk="[SCC04-SP-ESX-02] SCC04-SP-RHVM-2/SCC04-SP-RHVM-2.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:00:eb" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualPCNet32" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-062</Name>
    <Mor>vm-1750</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-062</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is created by
Chandra Babu M on 25-JAN-2012 for the Sanjay Pataskar on account
of Jan12spataskaSCC2394.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:39.384564Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422dabe6-23f2-17bb-0683-
eef355cfdfaf</uuid>
    <instanceUuid>502d53ad-c28a-289e-25f9-
88bb8105d487</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
062</vmxDir>
    <template>>false</template>

```

```

</Networks>
</NicIpaddresses>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-062/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-062/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-062/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-062/SCC-SP-VM-
062.vmx">
NumCPUs="2">
</VirtualMachineFileInfo>
</VirtualHardware MemoryMB="8192"
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-062.vmx</Name>
  <Size>3090</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-062.vmx</Name>
  <Size>0</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-062.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-062.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-062.vmdk</Name>
  <Size>83886080</Size>

```



```

        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>148032</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>95015</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>107973</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>136642</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>103425</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>106904</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>20336</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-
2" Unshared="19212739573" Uncommitted="75439865856"
Committed="19212739573">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-b3df-2417-e1a0-538216772d19" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="55bcc7249cd87921d3fb5e29dc1bef0" Parent="" Disk="[SP-

```

```

SATA-STORE-2] SCC-SP-VM-062/SCC-SP-VM-062.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:30:0e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-061</Name>
    <Mor>vm-1715</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-SP-VM-061</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>This VM is created by
Chandra Babu M on 25-JAN-2012 for the Sanjay Pataskar on account
of Jan12spataskaSCC2394.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>true

```

```

</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:29:59.329918Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4200a2e9-bd3d-4598-d6de-
0c25a5032bd2</uuid>
    <instanceUuid>50002392-2d46-776c-68e3-
6cc18f72e467</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-
061</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>scs-sp-esx-05.cisco.com</host>
    <hostMor>host-1708</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>13</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[SP-SATA-STORE-2] SCC-SP-VM-061/" suspendDir="[SP-
SATA-STORE-2] SCC-SP-VM-061/" logDir="[SP-SATA-STORE-2] SCC-SP-
VM-061/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-061/SCC-SP-VM-
061.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-061.vmx</Name>
        <Size>3092</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-061.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>

```

```
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-061.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-061.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-061.vmdk</Name>
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-13.log</Name>
  <Size>138275</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-12.log</Name>
  <Size>97770</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-10.log</Name>
  <Size>118100</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-8.log</Name>
  <Size>21991</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-9.log</Name>
  <Size>331022</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>106818</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-11.log</Name>
  <Size>138786</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-
```

```

2" Unshared="16862066618" Uncommitted="43431034880"
Committed="16862066618">
    </StorageInfo>
    <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-b675-28ae-7faa-7b0882404212" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e59026c5599679a32b69f0dbc5daa55f" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-061/SCC-SP-VM-061.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:10" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-032</Name>
    <Mor>vm-1552</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-032</Path>

```

```

                                <ParentMor>group-v1459</ParentMor>
                                <Annotation>Old Hostnam e:
Oracle11g_big
Old IP address10.76.96.196
VM Desc : Oracle11g</Annotation>
                                <Version>vmx-07</Version>
                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
01T07:47:11.095561Z</ChangeVersion>
                                <powerState>poweredOn</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>422deb6d-caa2-e0a0-5c65-
0c88bd726240</uuid>
                                <instanceUuid>502d3401-6b66-d2fc-3a08-
5633bc4025df</instanceUuid>
                                <vmxDir>[B16-SP-DV-UCS-09] B16-SP-DV-
032</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>VM Network(&lt;True&gt;)
</Networks>
                                <Nics>VM Network(&lt;true&gt;)</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>b16-sp-dv-ucs-09.cisco.com
</host>
                                <hostMor>host-1539</hostMor>
                                <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>2
</NumberOfBackingDisks>
                                <NumberOfFiles>16</NumberOfFiles>
                                <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```

```

                                <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-09] B16-SP-DV-032/" suspendDir="[B16-
SP-DV-UCS-09] B16-SP-DV-032/" logDir="[B16-SP-DV-UCS-09] B16-SP-
DV-032/" vmxPath="[B16-SP-DV-UCS-09] B16-SP-DV-
032/Oracle11g_Big.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="16104"
NumCPUs="1">
                                </VirtualHardware>
                                <File Type="VmFileInfo">
                                    <Name>Oracle11g_Big.vmdk</Name>
                                    <Size>146800640</Size>
                                    <Type>diskDescriptor</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>Oracle11g_Big_1.vmdk
</Name>
                                    <Size>20971520</Size>
                                    <Type>diskDescriptor</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware-9.log</Name>
                                    <Size>101807</Size>
                                    <Type>log</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware-10.log</Name>
                                    <Size>72548</Size>
                                    <Type>log</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware-11.log</Name>
                                    <Size>208452</Size>
                                    <Type>log</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware-12.log</Name>
                                    <Size>71069</Size>
                                    <Type>log</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware-13.log</Name>
                                    <Size>71222</Size>
                                    <Type>log</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware-14.log</Name>
                                    <Size>126124</Size>
                                    <Type>log</Type>
                                </File>
                                <File Type="VmFileInfo">
                                    <Name>vmware.log</Name>

```

```

        <Size>61792</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>Oracle11g_Big.vmx</Name>
        <Size>3326</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>Oracle11g_Big.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>Oracle11g_Big.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>Oracle11g_Big.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>Oracle11g_Big-
8c91ad1b.vswp</Name>
        <Size>16886267904</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-
09" Unshared="146308535576" Uncommitted="42377150464"
Committed="146308535576">
        </StorageInfo>
        <Datastore Mor="datastore-1540"
Url="/vmfs/volumes/4d1d8c3f-80b31bab-b7f1-001018687da2"
Name="B16-SP-DV-UCS-09">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-a9da-bb68-892d-bb383fea63ac" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="146800640"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1540"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="684b2ed4e8a7d1c665fe7c06c8117fd4" Parent=""
Disk="[B16-SP-DV-UCS-09] B16-SP-DV-032/Oracle11g_Big.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-d781-8257-63d9-ca2eb6479980" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```



```

Thin="true" Split="false" CapacityKB="20971520"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1540"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="164d2b57339b030864928c495b8b58a6" Parent=""
Disk="[B16-SP-DV-UCS-09] B16-SP-DV-032/Oracle11g_Big_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:53:31" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[B16-SP-DV-UCS-09] ISO/rhel-server-5.5-x86_64-dvd.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1540" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC04-SP-RHVM-6</Name>
    <Mor>vm-1542</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC04-SP-RHVM-6</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>

```

```

                                <GuestId>rhel5_64Guest</GuestId>
                                <GuestOSAltName></GuestOSAltName>
                                <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
                                <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
                                <BootOptionsSupported>>true
</BootOptionsSupported>
                                <SwapPlacementSupported>>true
</SwapPlacementSupported>
                                <SwapPlacement>inherit</SwapPlacement>
                                <ChangeVersion>2014-01-
01T07:47:09.75351Z</ChangeVersion>
                                <powerState>poweredOff</powerState>
                                <connectionState>connected
</connectionState>
                                <uuid>4235d989-0bd4-539e-9d04-
66a111312898</uuid>
                                <instanceUuid>5035ece2-7d1a-7ec9-2647-
45b01b20c7c2</instanceUuid>
                                <vmxDir>[B16-SP-DV-UCS-09] SCC04-SP-
RHVM-6/</vmxDir>
                                <template>>false</template>
                                <IpAddress></IpAddress>
                                <Networks>QA - SCC-SP(&lt;False&gt;)
</Networks>
                                <Nics>QA - SCC-SP(&lt;false&gt;)
</Nics>
                                <NicIpaddresses>unassigned
</NicIpaddresses>
                                <hostName></hostName>
                                <host>b16-sp-dv-ucs-09.cisco.com
</host>
                                <hostMor>host-1539</hostMor>
                                <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
                                <NumberOfDatastores>1
</NumberOfDatastores>
                                <NumberOfBackingDisks>1
</NumberOfBackingDisks>
                                <NumberOfFiles>10</NumberOfFiles>
                                <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
                                <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
                                <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-09] SCC04-SP-RHVM-6/"
suspendDir="[B16-SP-DV-UCS-09] SCC04-SP-RHVM-6/" logDir="[B16-SP-
DV-UCS-09] SCC04-SP-RHVM-6/" vmxPath="[B16-SP-DV-UCS-09] SCC04-
SP-RHVM-6/SCC04-SP-RHVM-6.vmx">
                                </VirtualMachineFileInfo>
                                <VirtualHardware MemoryMB="4096"

```

NumCPUs=" 2">

</Name>

</Name>

</Name>

</Name>

```
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RHVM-6.vmdk
  <Size>41943040</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>87601</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>166584</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>68014</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>64360</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RHVM-6.vmx</Name>
  <Size>2873</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RHVM-6.vmx.f
  <Size>3384</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RHVM-6.nvram
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC04-SP-RHVM-6.vmsd
  <Size>43</Size>
  <Type>snapshotList</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-
```

```

09" Unshared="7628792494" Uncommitted="39616249856"
Committed="7628792494">
    </StorageInfo>
    <Datastore Mor="datastore-1540"
Url="/vmfs/volumes/4d1d8c3f-80b31bab-b7f1-001018687da2"
Name="B16-SP-DV-UCS-09">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29b-cd8a-1bf4-0e9e-a6759258bf93" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1540"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="091ecd6569bbbfbeba52eca9546f1f2a" Parent=""
Disk="[B16-SP-DV-UCS-09] SCC04-SP-RHVM-6/SCC04-SP-RHVM-6.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:01:b6" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="QA - SCC-SP" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>

```

```

        </VirtualMachine>
        <VirtualMachine>
            <Name>B16-SP-DV-033</Name>
            <Mor>vm-1524</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-033</Path>
            <ParentMor>group-v1459</ParentMor>
            <Annotation>Old Host Name :
PrimeFulfillment-SDP2x-1
Old IP Address : 10.76.99.251
</Annotation>
            <Version>vmx-07</Version>
            <GuestId>rhel5_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
            <BootOptionsSupported>>true
</BootOptionsSupported>
            <SwapPlacementSupported>>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2014-01-
01T07:30:17.162016Z</ChangeVersion>
            <powerState>poweredOn</powerState>
            <connectionState>connected
</connectionState>
            <uuid>422d4ade-5592-bc3f-bbf4-
8febd475163f</uuid>
            <instanceUuid>502d75bb-c492-1d5c-0369-
e99929afba89</instanceUuid>
            <vmxDir>[B16-SP-DV-UCS-06]
PrimeFulfillment-SDP2x-1_1</vmxDir>
            <template>>false</template>
            <IpAddress>10.106.10.243</IpAddress>
            <Networks>VM Network(&lt;True&gt;)
</Networks>
            <Nics>VM Network(&lt;true&gt;)</Nics>
            <NicIpaddresses>(10.106.10.243)
(fe80::250:56ff:fead:5f9c)</NicIpaddresses>
            <hostName>B16-SP-DV-033</hostName>
            <host>b16-sp-dv-ucs-06.cisco.com
</host>
            <hostMor>host-1521</hostMor>
            <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>14</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-06] PrimeFulfillment-SDP2x-1_1/"
suspendDir="[B16-SP-DV-UCS-06] PrimeFulfillment-SDP2x-1_1/"
logDir="[B16-SP-DV-UCS-06] PrimeFulfillment-SDP2x-1_1/"
vmxPath="[B16-SP-DV-UCS-06] PrimeFulfillment-SDP2x-1_
1/PrimeFulfillment-SDP2x-1.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="33376"
NumCPUs="8">
</VirtualHardware>
<File Type="VmFileInfo">
        <Name>PrimeFulfillment-SDP2x-
178.vmdk</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>78865</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>212896</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>103723</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>77689</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>78401</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>72692</Size>
        <Type>log</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>73762</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>PrimeFulfillment-SDP2x-
1.vmx</Name>
  <Size>2886</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>PrimeFulfillment-SDP2x-
1.vmx</Name>
  <Size>279</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>PrimeFulfillment-SDP2x-
1.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>PrimeFulfillment-SDP2x-
1.vmsd</Name>
  <Size>43</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>PrimeFulfillment-SDP2x-1-
42638e7f.vswp</Name>
  <Size>34997272576</Size>
  <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-
06" Unshared="64392714066" Uncommitted="13554941952"
Committed="64392714066">
  </StorageInfo>
  <Datastore Mor="datastore-1522"
Url="/vmfs/volumes/4e7a4c9e-84d77a3e-164b-d0d0fd094057"
Name="B16-SP-DV-UCS-06">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-e6ea-0dd0-68c8-c364b6f8170a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1522"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="92e9a8f515fd28c2788ef467686d8886" Parent=""
Disk="[B16-SP-DV-UCS-06] PrimeFulfillment-SDP2x-

```

```

1/PrimeFulfillment-SDP2x-178.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:5f:9c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC04-SP-RHVM-7</Name>
    <Mor>vm-1543</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC04-SP-RHVM-7</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true

```



```

</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:47:09.92271Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42355234-0a9f-7bd3-f5b9-
3d7082c8971f</uuid>
    <instanceUuid>5035f2e2-6008-dae4-aa0b-
ccd6f042b1a9</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-09] SCC04-SP-
RHVM-7/</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>QA - SCC-SP(&lt;False&gt;)
</Networks>
    <Nics>QA - SCC-SP(&lt;false&gt;)
</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-ucs-09.cisco.com
</host>
    <hostMor>host-1539</hostMor>
    <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
    <NumberOfDatastores>1
</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>11</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-09] SCC04-SP-RHVM-7/"
suspendDir="[B16-SP-DV-UCS-09] SCC04-SP-RHVM-7/" logDir="[B16-SP-
DV-UCS-09] SCC04-SP-RHVM-7/" vmxPath="[B16-SP-DV-UCS-09] SCC04-
SP-RHVM-7/SCC04-SP-RHVM-7.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC04-SP-RHVM-7.vmdk
</Name>

```

```

        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>143913</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>87601</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>102222</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>69166</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>64736</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-RHVM-7.vmx</Name>
    <Size>3068</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-RHVM-7.vmx.f
</Name>
    <Size>270</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-RHVM-7.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC04-SP-RHVM-7.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-

```

```

09" Unshared="8964756435" Uncommitted="38280364032"
Committed="8964756435">
    </StorageInfo>
    <Datastore Mor="datastore-1540"
Url="/vmfs/volumes/4d1d8c3f-80b31bab-b7f1-001018687da2"
Name="B16-SP-DV-UCS-09">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-cb80-50e7-a7d9-77f75a3f3274" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1540"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="543eec12a52b3adb5ce8568b182075e8" Parent=""
Disk="[B16-SP-DV-UCS-09] SCC04-SP-RHVM-7/SCC04-SP-RHVM-7.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:01:b7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="QA - SCC-SP" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>

```

```

        </VirtualMachine>
        <VirtualMachine>
            <Name>B16-SP-DV-034</Name>
            <Mor>vm-1518</Mor>
            <MorType>VirtualMachine</MorType>
            <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-034</Path>
            <ParentMor>group-v1459</ParentMor>
            <Annotation>CUSDP_Nexus_01 -
10.76.96.211</Annotation>
            <Version>vmx-07</Version>
            <GuestId>rhel5_64Guest</GuestId>
            <GuestOSAltName></GuestOSAltName>
            <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
            <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
            <BootOptionsSupported>true
</BootOptionsSupported>
            <SwapPlacementSupported>true
</SwapPlacementSupported>
            <SwapPlacement>inherit</SwapPlacement>
            <ChangeVersion>2014-01-
01T07:28:55.303747Z</ChangeVersion>
            <powerState>poweredOn</powerState>
            <connectionState>connected
</connectionState>
            <uuid>422dda0b-4f7e-e08a-9fb2-
0411f73b2974</uuid>
            <instanceUuid>502dc9eb-918d-de81-4baa-
a6cd2c31c79d</instanceUuid>
            <vmxDir>[B16-SP-DV-UCS-05]
CUSDP_Nexus_01</vmxDir>
            <template>>false</template>
            <IpAddress></IpAddress>
            <Networks>VM Network(&lt;True&gt;)
</Networks>
            <Nics>VM Network(&lt;true&gt;)</Nics>
            <NicIpaddresses>unassigned
</NicIpaddresses>
            <hostName></hostName>
            <host>bl6-sp-dv-ucs-05.cisco.com
</host>
            <hostMor>host-1516</hostMor>
            <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
            <NumberOfDatastores>1
</NumberOfDatastores>
            <NumberOfBackingDisks>1
</NumberOfBackingDisks>
            <NumberOfFiles>16</NumberOfFiles>
            <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-05] CUSDP_Nexus_01/"
suspendDir="[B16-SP-DV-UCS-05] CUSDP_Nexus_01/" logDir="[B16-SP-
DV-UCS-05] CUSDP_Nexus_01/" vmxPath="[B16-SP-DV-UCS-05]
CUSDP_Nexus_01/CUSDP_Nexus_01.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16904"
NumCPUs="8">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>CUSDP_Nexus_01-000001.vmdk
</Name>
        <Size>52428800</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>CUSDP_Nexus_01-
Snapshot1.vmsn</Name>
        <Size>17730757918</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-7.log</Name>
        <Size>67919</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-8.log</Name>
        <Size>71050</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>74112</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>72497</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>100587</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-9.log</Name>
        <Size>152911</Size>

```

```

        <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>67128</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>CUSDP_Nexus_01.vmx</Name>
    <Size>2892</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>CUSDP_Nexus_01.vmx</Name>
    <Size>269</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>CUSDP_Nexus_01.nvram
</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>CUSDP_Nexus_01.vmsd</Name>
    <Size>492</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>CUSDP_Nexus_01-
0c7a08f7.vswp</Name>
    <Size>17725128704</Size>
    <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-
05" Unshared="78506948749" Uncommitted="64323739648"
Committed="78506948749">
    </StorageInfo>
    <Datastore Mor="datastore-1517"
Url="/vmfs/volumes/4e7a4b7d-13fd4f50-7b3d-d0d0fd0952a5"
Name="B16-SP-DV-UCS-05">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-f583-7025-2aff-419f5119c519" ChangeId=""
EagerlyScrub="true" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1517"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="639a2b54c312f04e20a93618c4786443" Parent="[B16-SP-DV-
UCS-05] CUSDP_Nexus_01/CUSDP_Nexus_01.vmdk" Disk="[B16-SP-DV-UCS-
05] CUSDP_Nexus_01/CUSDP_Nexus_01-000001.vmdk"
AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:63" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>CUSDP_Nexus_Snapshot_01
</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-037</Name>
    <Mor>vm-1515</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-037</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>CUSDP_UWP_01 -
10.76.96.217</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false

```

```

</ChangeTrackingEnabled>
</ChangeTrackingSupported>
</BootOptionsSupported>
</SwapPlacementSupported>
01T07:28:59.517874Z</ChangeVersion>
</connectionState>
7ee45712769a</uuid>
bb0285c2983c</instanceUuid>
01/</vmxDir>
</Networks>
</NicIpaddresses>
</host>
</ResourcePoolMor>
</NumberOfDatastores>
</NumberOfBackingDisks>
</CpuFeatureMaskSupported>
</NumberOfFeatureMaskEntries>
snapshotDir="[B16-SP-DV-UCS-04] CUSDP_UWP_01/" suspendDir="[B16-
SP-DV-UCS-04] CUSDP_UWP_01/" logDir="[B16-SP-DV-UCS-04]
CUSDP_UWP_01/" vmxPath="[B16-SP-DV-UCS-04] CUSDP_UWP_
01/CUSDP_UWP_01.vmx">
NumCPUs="1">

```

```

<ChangeTrackingSupported>true
<BootOptionsSupported>true
<SwapPlacementSupported>true
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-
01T07:28:59.517874Z</ChangeVersion>
<powerState>poweredOff</powerState>
<connectionState>connected
<uuid>564dc02b-e168-ca99-5028-
7ee45712769a</uuid>
<instanceUuid>52d4181d-a62c-e57c-78ae-
bb0285c2983c</instanceUuid>
<vmxDir>[B16-SP-DV-UCS-04] CUSDP_UWP_
01/</vmxDir>
<template>>false</template>
<IpAddress></IpAddress>
<Networks>VM Network(&lt;False&gt;)
<Nics>VM Network(&lt;false&gt;)</Nics>
<NicIpaddresses>unassigned
<hostName></hostName>
<host>b16-sp-dv-ucs-04.cisco.com
<hostMor>host-1512</hostMor>
<ResourcePoolMor>resgroup-1454
<NumberOfDatastores>1
<NumberOfBackingDisks>1
<NumberOfFiles>14</NumberOfFiles>
<CpuFeatureMaskSupported>true
<NumberOfFeatureMaskEntries>0
<VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-04] CUSDP_UWP_01/" suspendDir="[B16-
SP-DV-UCS-04] CUSDP_UWP_01/" logDir="[B16-SP-DV-UCS-04]
CUSDP_UWP_01/" vmxPath="[B16-SP-DV-UCS-04] CUSDP_UWP_
01/CUSDP_UWP_01.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="14972"
</VirtualHardware>
<File Type="VmFileInfo">
<Name>CUSDP_UWP_01.vmdk</Name>

```



```
        <Size>52428800</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-19.log</Name>
    <Size>60934</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-20.log</Name>
    <Size>89176</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-15.log</Name>
    <Size>27090</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-16.log</Name>
    <Size>27090</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-17.log</Name>
    <Size>62115</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-18.log</Name>
    <Size>119850</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>60954</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>CUSDP_UWP_01.vmx</Name>
    <Size>2996</Size>
    <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>CUSDP_UWP_01.vmx</Name>
    <Size>267</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>CUSDP_UWP_01.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
```

```

</File>
<File Type="VmFileInfo">
  <Name>CUSDP_UWP_01.vmsd</Name>
  <Size>43</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>CUSDP_UWP_01-c317df3a.vswp
</Name>
  <Size>15699279872</Size>
  <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-
04" Unshared="34412626890" Uncommitted="34974203904"
Committed="34412626890">
  </StorageInfo>
  <Datastore Mor="datastore-1513"
Url="/vmfs/volumes/4e7a42ea-34e6d0a8-9f23-d0d0fd09592f"
Name="B16-SP-DV-UCS-04">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-b986-19d5-ac36-89d5c36e7ef1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1513"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="22196844eee914425c895333ee3613d5" Parent=""
Disk="[B16-SP-DV-UCS-04] CUSDP_UWP_01/CUSDP_UWP_01.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
      </BackingDisk>
      <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:00:66" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
          </BackingDiskCtrlr>
          <BackingCdrom UseAutoDetect="false"

```

```

FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-038</Name>
    <Mor>vm-1550</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\B16-SP-DV-038</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation>Old Hostname : cusdp-
oral.170

Old IP address : 10.76.96.170

VM Desc : Oracle</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-
01T07:47:10.653562Z</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42005b51-c1ff-68bf-eba5-
b7aadeac7fce</uuid>
    <instanceUuid>50005ae4-d030-d2ad-1c65-
afddf9ade574</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-09] New Virtual
Machine</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-ucs-09.cisco.com

```

```

</host>
<hostMor>host-1539</hostMor>
<ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
<NumberOfDatastores>1
</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>13</NumberOfFiles>
<CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-09] New Virtual Machine/"
suspendDir="[B16-SP-DV-UCS-09] New Virtual Machine/"
logDir="[B16-SP-DV-UCS-09] New Virtual Machine/" vmxPath="[B16-
SP-DV-UCS-09] New Virtual Machine/New Virtual Machine.vmx">
</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="65536"
NumCPUs="4">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>New Virtual Machine.vmdk
  <Size>125829120</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-27.log</Name>
  <Size>64195</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-24.log</Name>
  <Size>71597</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-28.log</Name>
  <Size>62333</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-26.log</Name>
  <Size>64192</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>66390</Size>
  <Type>log</Type>
</Name>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-25.log</Name>
            <Size>77373</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-29.log</Name>
            <Size>61244</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.vmx
</Name>
            <Size>3131</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.vmx
</Name>
            <Size>274</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>New Virtual Machine.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <StorageInfo Datastore="B16-SP-DV-UCS-
09" Unshared="103993004721" Uncommitted="93575970816"
Committed="103993004721">
            </StorageInfo>
            <Datastore Mor="datastore-1540"
Url="/vmfs/volumes/4d1d8c3f-80b31bab-b7f1-001018687da2"
Name="B16-SP-DV-UCS-09">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-93ca-6224-39e1-47f0alac4380" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="125829120"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1540"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d6e6549d861799679a3c0144c6dc576f" Parent=""
Disk="[B16-SP-DV-UCS-09] New Virtual Machine/New Virtual
Machine.vmdk" AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:6f:73" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-04-SP-RHVM</Name>
    <Mor>vm-1547</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Discovered
virtual machine\SCC-04-SP-RHVM</Path>
    <ParentMor>group-v1459</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>

```

```

</BootOptionsSupported> <BootOptionsSupported>true
</SwapPlacementSupported> <SwapPlacementSupported>true
</SwapPlacementSupported> <SwapPlacement>inherit</SwapPlacement>
01T07:47:10.451533Z</ChangeVersion> <ChangeVersion>2014-01-
</connectionState> <powerState>poweredOff</powerState>
</connectionState> <connectionState>connected
5ffffaa172f1</uuid> <uuid>4235e9bc-a7ec-5f6b-b160-
d9fc065c425e</instanceUuid> <instanceUuid>50351822-e656-c96a-a7c0-
RHVM/</vmxDir> <vmxDir>[B16-SP-DV-UCS-09] SCC-04-SP-
</Networks> <template>>false</template>
</Networks> <IpAddress></IpAddress>
</Nics> <Networks>QA - SCC-SP(&lt;False&gt;)
</Nics> <Nics>QA - SCC-SP(&lt;false&gt;)
</NicIpaddresses> <NicIpaddresses>unassigned
</host> <hostName></hostName>
</host> <host>b16-sp-dv-ucs-09.cisco.com
</ResourcePoolMor> <hostMor>host-1539</hostMor>
</ResourcePoolMor> <ResourcePoolMor>resgroup-1454
</NumberOfDatastores> <NumberOfDatastores>1
</NumberOfBackingDisks> <NumberOfBackingDisks>1
</CpuFeatureMaskSupported> <NumberOfFiles>12</NumberOfFiles>
</CpuFeatureMaskSupported> <CpuFeatureMaskSupported>true
</NumberOfFeatureMaskEntries> <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries> <VirtualMachineFileInfo
snapshotDir="[B16-SP-DV-UCS-09] SCC-04-SP-RHVM/"
suspendDir="[B16-SP-DV-UCS-09] SCC-04-SP-RHVM/" logDir="[B16-SP-
DV-UCS-09] SCC-04-SP-RHVM/" vmxPath="[B16-SP-DV-UCS-09] SCC-04-
SP-RHVM/SCC-04-SP-RHVM.vmx">
</VirtualMachineFileInfo>
NumCPUs="2"> <VirtualHardware MemoryMB="4096"
</VirtualHardware>
<File Type="VmFileInfo">
<Name>SCC-04-SP-RHVM.vmdk</Name>
<Size>41943040</Size>
<Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>168715</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-3.log</Name>
  <Size>68331</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>91267</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-4.log</Name>
  <Size>69224</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>62252</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-04-SP-RHVM.vmx</Name>
  <Size>3095</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-04-SP-RHVM.vmx</Name>
  <Size>269</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-04-SP-RHVM.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-04-SP-RHVM.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-04-SP-RHVM-
48c4f83d.vswp</Name>
  <Size>4294967296</Size>
  <Type>swap</Type>

```



```

        </File>
        <StorageInfo Datastore="B16-SP-DV-UCS-
09" Unshared="10838553923" Uncommitted="36406558720"
Committed="10838553923">
        </StorageInfo>
        <Datastore Mor="datastore-1540"
Url="/vmfs/volumes/4d1d8c3f-80b31bab-b7f1-001018687da2"
Name="B16-SP-DV-UCS-09">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-a845-a9f7-4adf-edccdfecb8f4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1540"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a80c1524efae95dee2ba19004e5622b5" Parent=""
Disk="[B16-SP-DV-UCS-09] SCC-04-SP-RHVM/SCC-04-SP-RHVM.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid=""
PortKey="" PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:b5:02:2c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="QA - SCC-SP" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"

```

```

ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    </VirtualMachine>
</Folder>
<VirtualMachine>
    <Name>SCC-SP-VM-101-TEMPLATE</Name>
    <Mor>vm-7794</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-101-
TEMPLATE</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation>This VM is created by Chandra
Babu M on 25-JAN-2012 for the Sanjay Pataskar on account of
Jan12spataskaSCC2394.</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-08T08:15:12.243397Z
</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42009243-0c26-4314-87d7-205d0a67ce60
</uuid>
    <instanceUuid>500066ab-495d-dab5-937e-
18b7bfa2a8e7</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-101-
TEMPLATE</vmxDir>
    <template>true</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>None</Nics>
    <NicIpaddresses></NicIpaddresses>
    <hostName></hostName>
    <host>scc-sp-esx-06.cisco.com</host>
    <hostMor>host-1732</hostMor>
    <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
    <NumberOfDatastores>1</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>9</NumberOfFiles>

```

```

        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-1] SCC-SP-VM-101-TEMPLATE/" suspendDir="[SP-SATA-
STORE-1] SCC-SP-VM-101-TEMPLATE/" logDir="[SP-SATA-STORE-1] SCC-
SP-VM-101-TEMPLATE/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-101-
TEMPLATE/SCC-SP-VM-101-TEMPLATE.vmtx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="32768"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-101-TEMPLATE.vmtx
</Name>
                <Size>2817</Size>
                <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-101-TEMPLATE.vmx
</Name>
                <Size>0</Size>
                <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-101-TEMPLATE.vmsd
</Name>
                <Size>0</Size>
                <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-101-TEMPLATE.vmdk
</Name>
                <Size>83886080</Size>
                <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>71785</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>141798</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>75017</Size>
            <Type>log</Type>
        </File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>247179</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-1"
Unshared="13040629732" Uncommitted="107381587968"
Committed="13040629732">
            </StorageInfo>
            <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-1a2b-0c97-8def-248c6981a65d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ce5295d8c8f0ea580445d9d6fb45608d" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-101-TEMPLATE/SCC-SP-VM-101-TEMPLATE.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:c9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                            </VirtualMachine>

```

```

    <VirtualMachine>
      <Name>SCC-SP-VM-116-TEMPLATE</Name>
      <Mor>vm-6126</Mor>
      <MorType>VirtualMachine</MorType>
      <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-116-
TEMPLATE</Path>
      <ParentMor>group-v1447</ParentMor>
      <Annotation>This VM imaged by Chandra Babu
M</Annotation>
      <Version>vmx-08</Version>
      <GuestId>rhel5_64Guest</GuestId>
      <GuestOSAltName></GuestOSAltName>
      <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
      <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
      <BootOptionsSupported>>true
</BootOptionsSupported>
      <SwapPlacementSupported>>true
</SwapPlacementSupported>
      <SwapPlacement>inherit</SwapPlacement>
      <ChangeVersion>2013-11-22T10:09:22.703323Z
</ChangeVersion>
      <powerState>poweredOff</powerState>
      <connectionState>connected
</connectionState>
      <uuid>4200157d-64ec-f1de-c945-053677368683
</uuid>
      <instanceUuid>5000376e-0a87-cfc3-9de1-
27f1b6974edb</instanceUuid>
      <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-116-
TEMPLATE</vmxDir>
      <template>>true</template>
      <IpAddress></IpAddress>
      <Networks>VM Network(&lt;False&gt;)
</Networks>
      <Nics>None</Nics>
      <NicIpaddresses></NicIpaddresses>
      <hostName></hostName>
      <host>scc-sp-esx-01.cisco.com</host>
      <hostMor>host-1569</hostMor>
      <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
      <NumberOfDatastores>1</NumberOfDatastores>
      <NumberOfBackingDisks>1
</NumberOfBackingDisks>
      <NumberOfFiles>10</NumberOfFiles>
      <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo snapshotDir="[SP-

```

```

SATA-STORE-1] SCC-SP-VM-116-TEMPLATE/" suspendDir="[SP-SATA-
STORE-1] SCC-SP-VM-116-TEMPLATE/" logDir="[SP-SATA-STORE-1] SCC-
SP-VM-116-TEMPLATE/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-116-
TEMPLATE/SCC-SP-VM-116-TEMPLATE.vmtx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="12288"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-116-TEMPLATE.vmtx
</Name>
        <Size>2757</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-116-TEMPLATE.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-116-TEMPLATE.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-116-TEMPLATE.vmdk
</Name>
        <Size>188743680</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>172222</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>85853</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>106835</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>251502</Size>
        <Type>log</Type>
    </File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>108284</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-1"
Unshared="14105123229" Uncommitted="192216629248"
Committed="14105123229">
            </StorageInfo>
            <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-404a-e9b0-2751-2ead11554b8c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="188743680"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c40c12004193c7388b1922c225977c3b" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-116-TEMPLATE/SCC-SP-VM-116-TEMPLATE.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:c4" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                </BackingCdrom>
                            </VirtualMachine>

```

```

    <VirtualMachine>
      <Name>SCC-SP-VM-102-TEMPLATE</Name>
      <Mor>vm-7795</Mor>
      <MorType>VirtualMachine</MorType>
      <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-102-
TEMPLATE</Path>
      <ParentMor>group-v1447</ParentMor>
      <Annotation>This VM is created by Chandra
Babu M on 25-JAN-2012 for the Sanjay Pataskar on account of
Jan12spataskaSCC2394.</Annotation>
      <Version>vmx-07</Version>
      <GuestId>rhel5_64Guest</GuestId>
      <GuestOSAltName></GuestOSAltName>
      <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
      <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
      <BootOptionsSupported>true
</BootOptionsSupported>
      <SwapPlacementSupported>true
</SwapPlacementSupported>
      <SwapPlacement>inherit</SwapPlacement>
      <ChangeVersion>2014-01-08T08:16:13.145238Z
</ChangeVersion>
      <powerState>poweredOff</powerState>
      <connectionState>connected
</connectionState>
      <uuid>4200670b-1008-96f6-c441-92e4804da0d4
</uuid>
      <instanceUuid>5000f246-9563-4a7a-6f95-
66elafe3abc9</instanceUuid>
      <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-102-
TEMPLATE</vmxDir>
      <template>true</template>
      <IpAddress></IpAddress>
      <Networks>VM Network(&lt;False&gt;)
</Networks>
      <Nics>None</Nics>
      <NicIpaddresses></NicIpaddresses>
      <hostName></hostName>
      <host>scc-sp-esx-06.cisco.com</host>
      <hostMor>host-1732</hostMor>
      <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
      <NumberOfDatastores>1</NumberOfDatastores>
      <NumberOfBackingDisks>1
</NumberOfBackingDisks>
      <NumberOfFiles>9</NumberOfFiles>
      <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>

```



```

        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-1] SCC-SP-VM-102-TEMPLATE/" suspendDir="[SP-SATA-
STORE-1] SCC-SP-VM-102-TEMPLATE/" logDir="[SP-SATA-STORE-1] SCC-
SP-VM-102-TEMPLATE/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-102-
TEMPLATE/SCC-SP-VM-102-TEMPLATE.vmtx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-102-TEMPLATE.vmtx
</Name>
            <Size>2818</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-102-TEMPLATE.vmx
</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-102-TEMPLATE.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-102-TEMPLATE.vmdk
</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>141247</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>71790</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>177374</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>99848</Size>
            <Type>log</Type>

```

```

        </File>
        <StorageInfo Datastore="SP-SATA-STORE-1"
Unshared="10023831061" Uncommitted="50268798976"
Committed="10023831061">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-7fdc-7a04-71c9-9e7be4f50615" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ceb5950bbfed976c409ca4df4ad18d73" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-102-TEMPLATE/SCC-SP-VM-102-TEMPLATE.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:80:70:b7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-118</Name>
        <Mor>vm-6333</Mor>
        <MorType>VirtualMachine</MorType>

```

```

</Path>
<Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-118
</Path>
<ParentMor>group-v1447</ParentMor>
<Annotation></Annotation>
<Version>vmx-08</Version>
<GuestId>rhel5_64Guest</GuestId>
<GuestOSAltName></GuestOSAltName>
<ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
<ChangeTrackingSupported>>true
</ChangeTrackingSupported>
<BootOptionsSupported>>true
</BootOptionsSupported>
<SwapPlacementSupported>>true
</SwapPlacementSupported>
<SwapPlacement>inherit</SwapPlacement>
<ChangeVersion>2014-01-06T06:39:33.082209Z
</ChangeVersion>
<powerState>poweredOn</powerState>
<connectionState>connected
</connectionState>
<uuid>4224a9b9-2f97-e7ea-3eb5-89e54db3afc1
</uuid>
<instanceUuid>5024b918-3740-c152-87b3-
dcab36fe6c1f</instanceUuid>
<vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-118/
</vmxDir>
<template>>false</template>
<IpAddress>10.105.58.198</IpAddress>
<Networks>VM Network(&lt;True&gt;)
</Networks>
<Nics>VM Network(&lt;true&gt;)</Nics>
<NicIpaddresses>(10.105.58.198)
(fe80::250:56ff:fea4:640)</NicIpaddresses>
<hostName>SCC-SP-VM-118.cisco.com
</hostName>
<host>scs-sp-esx-03.cisco.com</host>
<hostMor>host-1646</hostMor>
<ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
<NumberOfDatastores>1</NumberOfDatastores>
<NumberOfBackingDisks>1
</NumberOfBackingDisks>
<NumberOfFiles>21</NumberOfFiles>
<CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
<NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
<VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-1] SCC-SP-VM-118/" suspendDir="[SP-SATA-STORE-1] SCC-
SP-VM-118/" logDir="[SP-SATA-STORE-1] SCC-SP-VM-118/"
vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-118/SCC-SP-VM-118.vmx">

```

```

</VirtualMachineFileInfo>
<VirtualHardware MemoryMB="16384"
NumCPUs="1">
</VirtualHardware>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-118.vmx</Name>
  <Size>2885</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-118.vmx</Name>
  <Size>3470</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-118.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-118.vmsd</Name>
  <Size>2015</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-118-000005.vmdk</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-118-Snapshot1.vmsn
</Name>
  <Size>17185718685</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-118-Snapshot2.vmsn
</Name>
  <Size>17185313323</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-118-Snapshot3.vmsn
</Name>
  <Size>17185313323</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-118-Snapshot4.vmsn
</Name>
  <Size>17185647763</Size>
  <Type>snapshotData</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-118-Snapshot5.vmsn
</Name>
            <Size>17185647763</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-118-970bd001.vswp
</Name>
            <Size>17179869184</Size>
            <Type>swap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmx-SCC-SP-VM-118-2534133761-
1.vswp</Name>
            <Size>47185920</Size>
            <Type>uwsnap</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-1.log</Name>
            <Size>207801</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>173628</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>92072</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-1"
Unshared="115098053460" Uncommitted="64139169792"
Committed="115098053460">
            </StorageInfo>
            <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-95f4-c122-20e1-3f76c78ebfca" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="cd4abe60fbalef1f2c1dc840d7f99de8" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-118/SCC-SP-VM-118-000003.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-118/SCC-SP-VM-118-000005.vmdk"
AllowGuestControl="false" StartConnected="false"

```

```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:06:40" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
    <Snapshot>Snapshot3</Snapshot>
    <Snapshot>Snapshot4</Snapshot>
    <Snapshot>Snapshot5</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-042</Name>
    <Mor>vm-6130</Mor>
    <MorType>VirtualMachine</MorType>
    <Path> \(DC) SCC-SP(DC)\vm\B16-SP-DV-042
</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>

```

```

        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-01T07:30:22.496563Z
</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42245cde-65b4-44f6-eb15-a891bb4cdfb8
</uuid>
        <instanceUuid>50242f5d-1ff6-5534-92ed-
8474d6847735</instanceUuid>
        <vmxDir>[B16-SP-DV-UCS-01] B16-SP-DV-042/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;True&gt;)
</Networks>
        <Nics>VM Network(&lt;true&gt;)</Nics>
        <NicIpaddresses>unassigned</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sp-dv-ucs-01.cisco.com</host>
        <hostMor>host-1501</hostMor>
        <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>10</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[B16-
SP-DV-UCS-01] B16-SP-DV-042/" suspendDir="[B16-SP-DV-UCS-01] B16-
SP-DV-042/" logDir="[B16-SP-DV-UCS-01] B16-SP-DV-042/"
vmxPath="[B16-SP-DV-UCS-01] B16-SP-DV-042/B16-SP-DV-042.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="2048"
NumCPUs="1">
        </VirtualHardware>
        <File Type="VmFileInfo">
        <Name>B16-SP-DV-042.vmdk</Name>
        <Size>52428800</Size>
        <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>121164</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-2.log</Name>
  <Size>62851</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>61161</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-042.vmx</Name>
  <Size>2746</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-042.vmx</Name>
  <Size>268</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-042.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-042.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-042-3df493db.vswp
</Name>
  <Size>2147483648</Size>
  <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-01"
Unshared="55834832197" Uncommitted="0" Committed="55834832197">
  </StorageInfo>
  <Datastore Mor="datastore-1502"
Url="/vmfs/volumes/4e69ccb2-0eb60975-5fd5-d0d0fd097195"
Name="B16-SP-DV-UCS-01">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C297-8837-d5b4-6fec-d915e57c31e9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"

```



```

Thin="false" Split="false" CapacityKB="52428800"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1502"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5cfecd6010fc2c36c215c1080e29e06e" Parent=""
Disk="[B16-SP-DV-UCS-01] B16-SP-DV-042/B16-SP-DV-042.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:02:c2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[B16-SP-DV-UCS-01] rhel-server-5.5-x86_64-dvd.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1502" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>Goblin with FastStream</Name>
    <Mor>vm-6128</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Goblin with
FastStream</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-04</Version>

```

```

        <GuestId>otherLinux64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>false
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-11-23T08:31:14.512458Z
</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422410bf-a855-eced-ed1f-05d9e74df64e
</uuid>
        <instanceUuid>5024f649-5d30-8695-b41d-
de758ec1200f</instanceUuid>
        <vmxDir>[B16-SP-DV-UCS-10] Goblin with
FastStream/</vmxDir>
        <template>>true</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sp-dv-ucs-10.cisco.com</host>
        <hostMor>host-1553</hostMor>
        <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>6</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[B16-
SP-DV-UCS-10] Goblin with FastStream/" suspendDir="[B16-SP-DV-
UCS-10] Goblin with FastStream/" logDir="[B16-SP-DV-UCS-10]
Goblin with FastStream/" vmxPath="[B16-SP-DV-UCS-10] Goblin with
FastStream/Goblin with FastStream.vmtx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
        <Name>Goblin with FastStream.vmdk

```

```

</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>Goblin with FastStream.vmx
</Name>
        <Size>2077</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>Goblin with FastStream.vmx
</Name>
        <Size>277</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>Goblin with FastStream.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>Goblin with FastStream.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-10"
Unshared="107374193923" Uncommitted="17179869184"
Committed="107374193923">
    </StorageInfo>
    <Datastore Mor="datastore-1554"
Url="/vmfs/volumes/4d1d6680-485ae3f6-be25-001018687d42"
Name="B16-SP-DV-UCS-10">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-5e00-0002-c55e-dd8feffd5765" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1554"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="da8cc4878651fd09c1cfff8ff5ba901a6" Parent=""
Disk="[B16-SP-DV-UCS-10] Goblin with FastStream/Goblin with
FastStream.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:41:d8" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"

```

```

WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[B16-SP-DV-MCS-07] ISO/RHEL5.4-Server-x86_64-DVD.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1835" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-115</Name>
    <Mor>vm-6376</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-115
</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-09T10:51:24.944147Z

```

```

</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42244b3f-606d-3afc-38b4-fe8bdd9e5aac
</uuid>
    <instanceUuid>5024ea12-0ca9-bd3d-2ee2-
3ab8f9d14b1d</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-115/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.195</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.105.58.195)
(fe80::250:56ff:fea4:345e)</NicIpaddresses>
    <hostName>SCC-SP-VM-115.cisco.com
</hostName>
    <host>scc-sp-esx-01.cisco.com</host>
    <hostMor>host-1569</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>18</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-115/" suspendDir="[SP-SATA-STORE-2] SCC-
SP-VM-115/" logDir="[SP-SATA-STORE-2] SCC-SP-VM-115/"
vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-115/SCC-SP-VM-115.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="1">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-115.vmx</Name>
        <Size>2887</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-115.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-115.nvram</Name>
        <Size>8684</Size>

```

```

        <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-115.vmsd</Name>
    <Size>826</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-115-000001.vmdk</Name>
    <Size>62914560</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-115-Snapshot1.vmsn
</Name>
    <Size>8595376267</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-115-Snapshot8.vmsn
</Name>
    <Size>8595709075</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-115-de9b3048.vswp
</Name>
    <Size>8589934592</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-SP-VM-115-3734712392-
1.vswp</Name>
    <Size>49283072</Size>
    <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>165385</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>117179</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>106108</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-2.log</Name>
        <Size>132159</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>107791</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>137423</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="33987159528" Uncommitted="64239833088"
Committed="33987159528">
    </StorageInfo>
    <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-ff07-abbe-7846-76b695e19392" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="fcee6cb13fb95a4892450269ff4cd406" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-115/SCC-SP-VM-115-000002.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-115/SCC-SP-VM-115-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:34:5e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"

```

```

Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-059</Name>
    <Mor>vm-5308</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\B16-SP-DV-059
</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-01T01:33:47.18459Z
</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42245f9b-b152-36b6-eb11-b5f0a4b2968f
</uuid>
    <instanceUuid>50243267-433a-2b8f-2f30-
fe6112a4b4ce</instanceUuid>
    <vmxDir>[B16-SP-DV-MCS-01] B16-SP-DV-059/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)

```



```

</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-mcs-01.cisco.com</host>
    <hostMor>host-1460</hostMor>
    <ResourcePoolMor>resgroup-1452
</ResourcePoolMor>
    <NumberOfDatastores>1</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>9</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo snapshotDir="[B16-
SP-DV-MCS-01] B16-SP-DV-059/" suspendDir="[B16-SP-DV-MCS-01] B16-
SP-DV-059/" logDir="[B16-SP-DV-MCS-01] B16-SP-DV-059/"
vmxPath="[B16-SP-DV-MCS-01] B16-SP-DV-059/B16-SP-DV-059.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="1">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-059.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>62907</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>89837</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-059.vmx</Name>
        <Size>2973</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-059.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-059.nvram</Name>
        <Size>8684</Size>

```

```

        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-059.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-059-fe8a7dea.vswp
</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-MCS-01"
Unshared="90194478339" Uncommitted="0" Committed="90194478339">
    </StorageInfo>
    <Datastore Mor="datastore-1461"
Url="/vmfs/volumes/4be39947-7e07b1aa-debb-0024818a4848"
Name="B16-SP-DV-MCS-01">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-2f1a-9f93-2e42-2f7451095252" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1461"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2313e3de12e9358f10f9dd7f7de47e3f" Parent=""
Disk="[B16-SP-DV-MCS-01] B16-SP-DV-059/B16-SP-DV-059.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:1a:10" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"

```

```

FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[B16-SP-DV-MCS-01] ISO/Linux/RHEL5.4-Server-x86_64-
DVD.iso" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1461" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>RF-Tool-B16-SP-DV-049</Name>
    <Mor>vm-6364</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\RF-Tool-B16-SP-DV-
049</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation>Cisco Centos6.2 Template
</Annotation>
    <Version>vmx-07</Version>
    <GuestId>centos64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-10T04:28:40.426612Z
</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42240213-ala8-5fc3-5495-0ccaf28a7012
</uuid>
    <instanceUuid>5024bf2a-6590-f355-7f64-
b4be02bd25ec</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-06] RF-Tool-B16-SP-
DV-049</vmxDir>
    <template>>true</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>

```

```

        <NicIpaddresses>unassigned</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sp-dv-ucs-06.cisco.com</host>
        <hostMor>host-1521</hostMor>
        <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>6</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[B16-
SP-DV-UCS-06] RF-Tool-B16-SP-DV-049/" suspendDir="[B16-SP-DV-UCS-
06] RF-Tool-B16-SP-DV-049/" logDir="[B16-SP-DV-UCS-06] RF-Tool-
B16-SP-DV-049/" vmxPath="[B16-SP-DV-UCS-06] RF-Tool-B16-SP-DV-
049/RF-Tool-B16-SP-DV-049.vmtx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="2048"
NumCPUs="1">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>RF-Tool-B16-SP-DV-049.vmdk
</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>RF-Tool-B16-SP-DV-049.vmx</Name>
            <Size>2758</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>RF-Tool-B16-SP-DV-049.vmx
</Name>
            <Size>276</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>RF-Tool-B16-SP-DV-049.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>RF-Tool-B16-SP-DV-049.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>

```

```

        <StorageInfo Datastore="B16-SP-DV-UCS-06"
Unshared="4208996313" Uncommitted="40888172544"
Committed="4208996313">
        </StorageInfo>
        <Datastore Mor="datastore-1522"
Url="/vmfs/volumes/4e7a4c9e-84d77a3e-164b-d0d0fd094057"
Name="B16-SP-DV-UCS-06">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-010a-eb52-9f0a-093040d34b39" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1522"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="f5c231768d5db8be42f858d6c583ca32" Parent=""
Disk="[B16-SP-DV-UCS-06] RF-Tool-B16-SP-DV-049/RF-Tool-B16-SP-DV-
049.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:3b:81" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="floppy0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="cdrom1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">

```

```

        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SP-DV-056</Name>
        <Mor>vm-3791</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\< (DC) SCC-SP (DC) \vm\B16-SP-DV-056
</Path>

        <ParentMor>group-v1447</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-01T07:26:47.660102Z
</ChangeVersion>

        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>

        <uuid>4224b1fd-6e63-d2b6-45f5-d0741b8c95b4
</uuid>
        <instanceUuid>5024826d-1164-81d0-c9a4-
487f8b3ab4f5</instanceUuid>
        <vmxDir>[B16-SP-DV-UCS-10] B16-SP-DV-056/
</vmxDir>

        <template>>false</template>
        <IpAddress>10.106.11.6</IpAddress>
        <Networks>VLAN104-10.106.11.0/26
(&lt;True&gt;),VLAN104-10.106.11.0/26(&lt;True&gt;)</Networks>
        <Nics>VLAN104-10.106.11.0/26
(&lt;true&gt;),VLAN104-10.106.11.0/26(&lt;true&gt;)</Nics>
        <NicIpaddresses>(10.106.11.6)
(fe80::250:56ff:fea4:3533),(10.106.11.7)
(fe80::250:56ff:fea4:327d)</NicIpaddresses>
        <hostName>SCC-SP-DV-056</hostName>
        <host>b16-sp-dv-ucs-10.cisco.com</host>
        <hostMor>host-1553</hostMor>
        <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>

        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>2
</NumberOfBackingDisks>
        <NumberOfFiles>12</NumberOfFiles>
        <CpuFeatureMaskSupported>true

```

```

</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo snapshotDir="[B16-
SP-DV-UCS-10] B16-SP-DV-056/" suspendDir="[B16-SP-DV-UCS-10] B16-
SP-DV-056/" logDir="[B16-SP-DV-UCS-10] B16-SP-DV-056/"
vmxPath="[B16-SP-DV-UCS-10] B16-SP-DV-056/B16-SP-DV-056.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="8">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-056.vmdk</Name>
        <Size>26214400</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-056_1.vmdk</Name>
        <Size>62914560</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>74950</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>71704</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>69863</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-056.vmx</Name>
        <Size>3078</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-056.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-056.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>B16-SP-DV-056.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-056-5a0170f5.vswp
</Name>

        <Size>17179869184</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-10"
Unshared="59003601122" Uncommitted="49444552704"
Committed="59003601122">
        </StorageInfo>
        <Datastore Mor="datastore-1554"
Url="/vmfs/volumes/4d1d6680-485ae3f6-be25-001018687d42"
Name="B16-SP-DV-UCS-10">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-64ea-74e8-2474-5d1aa39c4980" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1554"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="04715b277ef81d3d8e35687634a0d501" Parent=""
Disk="[B16-SP-DV-UCS-10] B16-SP-DV-056/B16-SP-DV-056.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-466d-c768-5820-f626682d3a5f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1554"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="2ec0866eaf85c18c081e93722bcae7ec" Parent=""
Disk="[B16-SP-DV-UCS-10] B16-SP-DV-056/B16-SP-DV-056_1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
        </BackingDisk>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:35:33" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN104-10.106.11.0/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network
adapter 1">

```



```

        </BackingNetwork>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:32:7d" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VLAN104-10.106.11.0/26" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-117</Name>
    <Mor>vm-7813</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-117
</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>

```

```

        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-10T08:53:29.817603Z
</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422462c5-dd34-c6cf-d829-ae4ff045b788
</uuid>
        <instanceUuid>50249735-c0cb-79c0-1307-
1965325b245e</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-117/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.105.58.197</IpAddress>
        <Networks>VM Network(&lt;True&gt;)
</Networks>
        <Nics>VM Network(&lt;true&gt;)</Nics>
        <NicIpaddresses>(10.105.58.197)
(fe80::250:56ff:fea4:4747)</NicIpaddresses>
        <hostName>SCC-SP-VM-117.cisco.com
</hostName>
        <host>scs-sp-esx-03.cisco.com</host>
        <hostMor>host-1646</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>16</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-117/" suspendDir="[SP-SATA-STORE-2] SCC-
SP-VM-117/" logDir="[SP-SATA-STORE-2] SCC-SP-VM-117/"
vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-117/SCC-SP-VM-117.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="1">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-117.vmx</Name>
            <Size>2886</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-117.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-117.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-117.vmsd</Name>
  <Size>1313</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-117-000003.vmdk</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-117-Snapshot1.vmsn
</Name>
  <Size>8595376267</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-117-Snapshot2.vmsn
</Name>
  <Size>8595376267</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-117-Snapshot3.vmsn
</Name>
  <Size>8595376267</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-117-de9b304a.vswp
</Name>
  <Size>8589934592</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-SP-VM-117-3734712394-
1.vswp</Name>
  <Size>47185920</Size>
  <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>115367</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware.log</Name>
        <Size>137661</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="43354617944" Uncommitted="62411116544"
Committed="43354617944">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-1ed7-8201-4939-365905ccd922" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="01c14cd20c8d9ad6e8ea2b810a97d904" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-117/SCC-SP-VM-117-000001.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-117/SCC-SP-VM-117-000003.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:47:47" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"

```

```

FileName="" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
    <Snapshot>Snapshot3</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-082</Name>
    <Mor>vm-6324</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-082
</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation>This VM is imaged by Chandra
Babu M on 5-MAR-2012 for the user Ramkumar Kuttuboyina on account
of Feb12rkuttuboSCC2360.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-01T07:29:23.211906Z
</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422494df-df14-e0c6-c9b8-e3603e708714
</uuid>
    <instanceUuid>5024a9ed-27fe-68a4-ad38-
89c02a5a791c</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-082/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.162</IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>(10.105.58.162)
(fe80::250:56ff:fea4:4e90)</NicIpaddresses>
    <hostName>SCC-SP-VM-082</hostName>
    <host>scc-sp-esx-01.cisco.com</host>
    <hostMor>host-1569</hostMor>

```

```

        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>7</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-082/" suspendDir="[SP-SATA-STORE-2] SCC-
SP-VM-082/" logDir="[SP-SATA-STORE-2] SCC-SP-VM-082/"
vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-082/SCC-SP-VM-082.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-082.vmx</Name>
            <Size>3037</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-082.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-082.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-082.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-082.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>105239</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="13883263200" Uncommitted="46408990720"
Committed="13883263200">
        </StorageInfo>

```

```

        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-cfeb-cb1d-88f6-a32112b3dba2" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4bbc8cb5d988f0d9ffdb22a54cabbf3e" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-082/SCC-SP-VM-082.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4e:90" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-116</Name>
        <Mor>vm-6372</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-116
</Path>
        <ParentMor>group-v1447</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-08</Version>

```

```

        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-10T03:11:17.997729Z
</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42244a15-ee76-6114-4e54-5ddc4e88f918
</uuid>
        <instanceUuid>50244f05-a8f0-ca2f-46e0-
14c352742dd9</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-116/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.105.58.196</IpAddress>
        <Networks>VM Network(&lt;True&gt;)
</Networks>
        <Nics>VM Network(&lt;true&gt;)</Nics>
        <NicIpaddresses>(10.105.58.196)
(fe80::250:56ff:fea4:5c7f)</NicIpaddresses>
        <hostName>SCC-SP-VM-116</hostName>
        <host>scc-sp-esx-04.cisco.com</host>
        <hostMor>host-1675</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>17</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-116/" suspendDir="[SP-SATA-STORE-2] SCC-
SP-VM-116/" logDir="[SP-SATA-STORE-2] SCC-SP-VM-116/"
vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-116/SCC-SP-VM-116.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="1">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-116.vmx</Name>

```



```

        <Size>2886</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-116.vmx</Name>
    <Size>0</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-116.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-116.vmsd</Name>
    <Size>838</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-116-000001.vmdk</Name>
    <Size>62914560</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-116-Snapshot1.vmsn
</Name>
    <Size>8595376267</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-116-Snapshot4.vmsn
</Name>
    <Size>8595376267</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-116-de9b3049.vswp
</Name>
    <Size>8589934592</Size>
    <Type>swap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmx-SCC-SP-VM-116-3734712393-
1.vswp</Name>
    <Size>47185920</Size>
    <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>193091</Size>
    <Type>log</Type>
</File>

```

```

        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>143568</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>107758</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-3.log</Name>
            <Size>106144</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware-2.log</Name>
            <Size>121568</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="34235245327" Uncommitted="64122392576"
Committed="34235245327">
            </StorageInfo>
            <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-638f-bdc0-739b-00ca2c0c8878" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="29fb13e4779e4d1a01bf03014c1200df" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-116/SCC-SP-VM-116-000002.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-116/SCC-SP-VM-116-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:5c:7f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>

```

```

        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <Snapshot>Snapshot1</Snapshot>
        <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-081</Name>
        <Mor>vm-6323</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-081
</Path>
        <ParentMor>group-v1447</ParentMor>
        <Annotation>This VM is imaged by Chandra
Babu M on 5-MAR-2012 for the user Ramkumar Kuttuboyina on account
of Feb12rkuttuboSCC2360.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-01T07:29:36.753326Z
</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422438e0-4531-2d99-98e9-58f145ff613f

```

```

</uuid>
        <instanceUuid>50247b04-290c-4d1f-3c60-
d6210b3482ae</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-081/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.105.58.161</IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>(10.105.58.161)
(fe80::250:56ff:fea4:32f3)</NicIpaddresses>
        <hostName>SCC-SP-VM-081</hostName>
        <host>scc-sp-esx-06.cisco.com</host>
        <hostMor>host-1732</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>7</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-081/" suspendDir="[SP-SATA-STORE-2] SCC-
SP-VM-081/" logDir="[SP-SATA-STORE-2] SCC-SP-VM-081/"
vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-081/SCC-SP-VM-081.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
                <Name>SCC-SP-VM-081.vmx</Name>
                <Size>3037</Size>
                <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
                <Name>SCC-SP-VM-081.vmx</Name>
                <Size>0</Size>
                <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
                <Name>SCC-SP-VM-081.nvram</Name>
                <Size>8684</Size>
                <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
                <Name>SCC-SP-VM-081.vmsd</Name>
                <Size>0</Size>
                <Type>snapshotList</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-081.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>105188</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="15773845677" Uncommitted="44518408192"
Committed="15773845677">
            </StorageInfo>
            <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-47ef-c559-2b0e-b4f1fa7d0da5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="badab0a14e12ec1c0ad4b318aa236fd8" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-081/SCC-SP-VM-081.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:32:f3" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>SCC-SP-VM-080</Name>
  <Mor>vm-6322</Mor>
  <MorType>VirtualMachine</MorType>
  <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-080
</Path>
  <ParentMor>group-v1447</ParentMor>
  <Annotation>This VM is imaged by Chandra
Babu M on 5-MAR-2012 for the user Ramkumar Kuttuboyina on account
of Feb12rkuttuboSCC2360.</Annotation>
  <Version>vmx-08</Version>
  <GuestId>rhel5_64Guest</GuestId>
  <GuestOSAltName></GuestOSAltName>
  <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
  <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
  <BootOptionsSupported>true
</BootOptionsSupported>
  <SwapPlacementSupported>true
</SwapPlacementSupported>
  <SwapPlacement>inherit</SwapPlacement>
  <ChangeVersion>2014-01-01T07:29:38.505498Z
</ChangeVersion>
  <powerState>poweredOff</powerState>
  <connectionState>connected
</connectionState>
  <uuid>42248f64-1a3e-83a0-1d1a-f9ef36d59447
</uuid>
  <instanceUuid>50241bc2-b051-8a0b-6027-
5f12623f0fd9</instanceUuid>
  <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-080/
</vmxDir>
  <template>>false</template>
  <IpAddress>10.105.58.160</IpAddress>
  <Networks>VM Network(&lt;False&gt;)
</Networks>
  <Nics>VM Network(&lt;false&gt;)</Nics>
  <NicIpaddresses>(10.105.58.160)
(fe80::250:56ff:fea4:65ed)</NicIpaddresses>
  <hostName>SCC-SP-VM-080</hostName>
  <host>scc-sp-esx-03.cisco.com</host>
  <hostMor>host-1646</hostMor>
  <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
  <NumberOfDatastores>1</NumberOfDatastores>

```

```

        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>7</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-080/" suspendDir="[SP-SATA-STORE-2] SCC-
SP-VM-080/" logDir="[SP-SATA-STORE-2] SCC-SP-VM-080/"
vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-080/SCC-SP-VM-080.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-080.vmx</Name>
            <Size>3036</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-080.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-080.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-080.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-080.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>105241</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="13850757345" Uncommitted="46441496576"
Committed="13850757345">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-c170-6389-6132-819d3ba32428" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5b931a33e3a7f1c9131b83ffbf8cdf28" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-080/SCC-SP-VM-080.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:65:ed" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-082-TEMPLATE2</Name>
        <Mor>vm-6282</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-082-
TEMPLATE2</Path>
        <ParentMor>group-v1447</ParentMor>
        <Annotation>This VM is imaged by Chandra
Babu M on 5-MAR-2012 for the user Ramkumar Kuttuboyina on account
of Feb12rkuttuboSCC2360.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>

```



```

        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-03T15:49:32.494272Z
</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d10cf-7b79-cc5b-6f2e-5e1dda0e42bf
</uuid>
        <instanceUuid>502d7095-2f7a-efc2-5686-
3dcf53efa880</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-082-
TEMPLATE2/</vmxDir>
        <template>>true</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>None</Nics>
        <NicIpaddresses></NicIpaddresses>
        <hostName></hostName>
        <host>scc-sp-esx-01.cisco.com</host>
        <hostMor>host-1569</hostMor>
        <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>10</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-082-TEMPLATE2/" suspendDir="[SP-SATA-
STORE-2] SCC-SP-VM-082-TEMPLATE2/" logDir="[SP-SATA-STORE-2] SCC-
SP-VM-082-TEMPLATE2/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-082-
TEMPLATE2/SCC-SP-VM-082-TEMPLATE2.vmtx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
        <Name>SCC-SP-VM-082-TEMPLATE2.vmtx
</Name>

```

```

        <Size>2812</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-082-TEMPLATE2.vmx
    </Name>

        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-082-TEMPLATE2.nvram
    </Name>

        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-082-TEMPLATE2.vmsd
    </Name>

        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-082-TEMPLATE2.vmdk
    </Name>

        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>129022</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>94702</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>159253</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>193275</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="13861713892" Uncommitted="46431010816"
Committed="13861713892">
    </StorageInfo>
    <Datastore Mor="datastore-1572"

```

```

Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-f53f-f66a-afa8-4747e568739d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="c77767e8915d5023ce2c1482da75bbbc" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-082-TEMPLATE2/SCC-SP-VM-082-
TEMPLATE2.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
            </BackingDisk>
                <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:66:3c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                                    </BackingDiskCtrlr>
                                        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
                                            </BackingCdrom>
                                                </VirtualMachine>
                                                    <VirtualMachine>
                                                        <Name>SCC-SP-VM-081-TEMPLATE2</Name>
                                                        <Mor>vm-6281</Mor>
                                                        <MorType>VirtualMachine</MorType>
                                                        <Path> \(DC) SCC-SP (DC) \vm\SCC-SP-VM-081-
TEMPLATE2</Path>
                                                        <ParentMor>group-v1447</ParentMor>
                                                        <Annotation>This VM is imaged by Chandra
Babu M on 5-MAR-2012 for the user Ramkumar Kuttuboyina on account
of Feb12rkuttuboSCC2360.</Annotation>

```

```

        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-03T15:48:45.674006Z
</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422d07d3-9bf3-3fe8-9c2e-4494b0ef0a9c
</uuid>
        <instanceUuid>502df5f6-fbbe-0139-3ff3-
ec10abf81193</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-081-
TEMPLATE2/</vmxDir>
        <template>>true</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>None</Nics>
        <NicIpaddresses></NicIpaddresses>
        <hostName></hostName>
        <host>scs-sp-esx-01.cisco.com</host>
        <hostMor>host-1569</hostMor>
        <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>11</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-081-TEMPLATE2/" suspendDir="[SP-SATA-
STORE-2] SCC-SP-VM-081-TEMPLATE2/" logDir="[SP-SATA-STORE-2] SCC-
SP-VM-081-TEMPLATE2/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-081-
TEMPLATE2/SCC-SP-VM-081-TEMPLATE2.vmtx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">

```

```

        <Name>SCC-SP-VM-081-TEMPLATE2.vmtx
</Name>
        <Size>2812</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC-SP-VM-081-TEMPLATE2.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC-SP-VM-081-TEMPLATE2.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
        <Name>SCC-SP-VM-081-TEMPLATE2.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>181508</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>95367</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>160622</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>189672</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>100855</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>155014</Size>
        <Type>log</Type>

```

```

        </File>
        <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="15763080282" Uncommitted="44529942528"
Committed="15763080282">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-2a22-6357-2af5-06a9ec983241" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e19bbd0238800186efdbcdc2e2defeab" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-081-TEMPLATE2/SCC-SP-VM-081-
TEMPLATE2.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:66:3b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-082-TEMPLATE3</Name>
        <Mor>vm-6279</Mor>
        <MorType>VirtualMachine</MorType>

```

```

        <Path>\\(DC)SCC-SP(DC)\vm\SCC-SP-VM-082-
TEMPLATE3</Path>
        <ParentMor>group-v1447</ParentMor>
        <Annotation>This VM is imaged by Chandra
Babu M on 5-MAR-2012 for the user Ramkumar Kuttuboyina on account
of Feb12rkuttuboSCC2360.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-03T15:39:34.403345Z
</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4224f3dd-2537-4a79-52ab-b607cdaa4f14
</uuid>
        <instanceUuid>5024aba3-5f84-86ed-f11c-
958012b21577</instanceUuid>
        <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-082-
TEMPLATE3</vmxDir>
        <template>true</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned</NicIpaddresses>
        <hostName></hostName>
        <host>scs-sp-esx-02.cisco.com</host>
        <hostMor>host-1601</hostMor>
        <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>6</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-1] SCC-SP-VM-082-TEMPLATE3/" suspendDir="[SP-SATA-
STORE-1] SCC-SP-VM-082-TEMPLATE3/" logDir="[SP-SATA-STORE-1] SCC-
SP-VM-082-TEMPLATE3/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-082-

```

```

TEMPLATE3/SCC-SP-VM-082-TEMPLATE3.vmtx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-082-TEMPLATE3.vmx
</Name>
        <Size>2820</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-082-TEMPLATE3.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-082-TEMPLATE3.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-082-TEMPLATE3.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-082-TEMPLATE3.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-1"
Unshared="13880012016" Uncommitted="46412136448"
Committed="13880012016">
    </StorageInfo>
    <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-1179-bb4a-c904-83268c9f5cf3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="9a26e6de0bca8c90d33c17a73c4e3ab4" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-082-TEMPLATE3/SCC-SP-VM-082-
TEMPLATE3.vmdk" AllowGuestControl="false" StartConnected="false"

```



```

Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:44:55" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-080-TEMPLATE3</Name>
    <Mor>vm-6277</Mor>
    <MorType>VirtualMachine</MorType>
    <Path> \(DC) SCC-SP(DC) \vm\SCC-SP-VM-080-
TEMPLATE3</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation>This VM is imaged by Chandra
Babu M on 5-MAR-2012 for the user Ramkumar Kuttuboyina on account
of Feb12rkuttuboSCC2360.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>

```

```

        <ChangeVersion>2013-12-03T15:27:09.405712Z
</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42242320-1e48-e6bc-44c0-87f4dcb10c1a
</uuid>
        <instanceUuid>5024ae3e-d413-a8f1-f9c8-
479e5c76d95a</instanceUuid>
        <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-080-
TEMPLATE3/</vmxDir>
        <template>true</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned</NicIpaddresses>
        <hostName></hostName>
        <host>scc-sp-esx-02.cisco.com</host>
        <hostMor>host-1601</hostMor>
        <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>6</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-1] SCC-SP-VM-080-TEMPLATE3/" suspendDir="[SP-SATA-
STORE-1] SCC-SP-VM-080-TEMPLATE3/" logDir="[SP-SATA-STORE-1] SCC-
SP-VM-080-TEMPLATE3/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-080-
TEMPLATE3/SCC-SP-VM-080-TEMPLATE3.vmtx">
</VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
</VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-080-TEMPLATE3.vmx
</Name>
            <Size>2820</Size>
            <Type>config</Type>
</File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-080-TEMPLATE3.vmx
</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
</File>
        <File Type="VmFileInfo">

```

```

</Name>
    <Name>SCC-SP-VM-080-TEMPLATE3.nvram
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-080-TEMPLATE3.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-080-TEMPLATE3.vmdk
</Name>
    <Size>41943040</Size>
    <Type>diskDescriptor</Type>
</File>
    <StorageInfo Datastore="SP-SATA-STORE-1"
Unshared="13847506160" Uncommitted="46444642304"
Committed="13847506160">
    </StorageInfo>
    <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-4c42-c5ff-0233-e49fb1168fd1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="3cfbb17be1d470af592d3a84ab8f73c" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-080-TEMPLATE3/SCC-SP-VM-080-
TEMPLATE3.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4e:fd" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>Goblin_Template_21_11_2013</Name>
    <Mor>vm-6123</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\Goblin_Template_21
_11_2013</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-04</Version>
    <GuestId>otherLinux64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>false
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-11-21T07:57:58.978014Z
</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224b6bf-43f8-f73a-d316-c45beca04fa8
</uuid>
    <instanceUuid>5024e8cb-a424-c261-89c2-
3616f77afab1</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-10] Goblin_Template_
21_11_2013</vmxDir>
    <template>>true</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-ucs-10.cisco.com</host>
    <hostMor>host-1553</hostMor>

```

```

        <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>6</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[B16-
SP-DV-UCS-10] Goblin_Template_21_11_2013/" suspendDir="[B16-SP-
DV-UCS-10] Goblin_Template_21_11_2013/" logDir="[B16-SP-DV-UCS-
10] Goblin_Template_21_11_2013/" vmxPath="[B16-SP-DV-UCS-10]
Goblin_Template_21_11_2013/Goblin_Template_21_11_2013.vmtx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>Goblin_Template_21_11_2013.vmdk
</Name>
            <Size>104857600</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>Goblin_Template_21_11_2013.vmx
</Name>
            <Size>2093</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>Goblin_Template_21_11_2013.vmx
</Name>
            <Size>281</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>Goblin_Template_21_11_2013.nvram
</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>Goblin_Template_21_11_2013.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <StorageInfo Datastore="B16-SP-DV-UCS-10"
Unshared="107374193947" Uncommitted="17179869184"
Committed="107374193947">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-1554"
Url="/vmfs/volumes/4d1d6680-485ae3f6-be25-001018687d42"
Name="B16-SP-DV-UCS-10">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-5e00-0002-c55e-dd8feffd5765" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1554"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="7bada19264be0c86a0997e2f56b15256" Parent=""
Disk="[B16-SP-DV-UCS-10] Goblin_Template_21_11_
2013/Goblin_Template_21_11_2013.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:07:c1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[B16-SP-DV-MCS-07] ISO/RHEL5.4-Server-x86_64-DVD.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1835" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>

```

```

    <VirtualMachine>
      <Name>B16-SP-DV-005</Name>
      <Mor>vm-5454</Mor>
      <MorType>VirtualMachine</MorType>
      <Path>\(DC)SCC-SP(DC)\vm\B16-SP-DV-005
</Path>

      <ParentMor>group-v1447</ParentMor>
      <Annotation></Annotation>
      <Version>vmx-04</Version>
      <GuestId>otherLinux64Guest</GuestId>
      <GuestOSAltName></GuestOSAltName>
      <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
      <ChangeTrackingSupported>>false
</ChangeTrackingSupported>
      <BootOptionsSupported>>true
</BootOptionsSupported>
      <SwapPlacementSupported>>true
</SwapPlacementSupported>
      <SwapPlacement>inherit</SwapPlacement>
      <ChangeVersion>2014-01-01T01:24:52.883097Z
</ChangeVersion>

      <powerState>poweredOn</powerState>
      <connectionState>connected
</connectionState>

      <uuid>42241038-df3b-9fcd-1547-af42dae120f8
</uuid>
      <instanceUuid>5024150b-cdbf-1f07-b852-
27bb2e814e90</instanceUuid>
      <vmxDir>[B16-SP-DV-MCS-07] B16-SP-DV-005/
</vmxDir>

      <template>>false</template>
      <IpAddress></IpAddress>
      <Networks>VM Network(&lt;True&gt;)
</Networks>

      <Nics>None</Nics>
      <NicIpaddresses></NicIpaddresses>
      <hostName></hostName>
      <host>b16-sp-dv-mcs-07.cisco.com</host>
      <hostMor>host-1834</hostMor>
      <ResourcePoolMor>resgroup-1452
</ResourcePoolMor>

      <NumberOfDatastores>1</NumberOfDatastores>
      <NumberOfBackingDisks>1
</NumberOfBackingDisks>
      <NumberOfFiles>12</NumberOfFiles>
      <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo snapshotDir="[B16-
SP-DV-MCS-07] B16-SP-DV-005/" suspendDir="[B16-SP-DV-MCS-07] B16-

```

```

SP-DV-005/" logDir="[B16-SP-DV-MCS-07] B16-SP-DV-005/"
vmxPath="[B16-SP-DV-MCS-07] B16-SP-DV-005/B16-SP-DV-005.vmx">
  </VirtualMachineFileInfo>
  <VirtualHardware MemoryMB="16384"
NumCPUs="2">
  </VirtualHardware>
  <File Type="VmFileInfo">
    <Name>B16-SP-DV-005.vmdk</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>307840</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>143373</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-3.log</Name>
    <Size>88048</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware-4.log</Name>
    <Size>85037</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>vmware.log</Name>
    <Size>86183</Size>
    <Type>log</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SP-DV-005.vmx</Name>
    <Size>2291</Size>
    <Type>config</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SP-DV-005.vmx</Name>
    <Size>268</Size>
    <Type>extendedConfig</Type>
  </File>
  <File Type="VmFileInfo">
    <Name>B16-SP-DV-005.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
  </File>
  <File Type="VmFileInfo">

```



```

        <Name>B16-SP-DV-005.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-005-6346f63d.vswp
</Name>

        <Size>17179869184</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-MCS-07"
Unshared="124554773762" Uncommitted="0" Committed="124554773762">
    </StorageInfo>
    <Datastore Mor="datastore-1835"
Url="/vmfs/volumes/4be39c11-c72dca1e-c065-0024818a4e4c"
Name="B16-SP-DV-MCS-07">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-5e00-0002-c55e-dd8feffd5765" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1835"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="dce6db9d209458f2130b36c23f96a8d3" Parent=""
Disk="[B16-SP-DV-MCS-07] B16-SP-DV-005/B16-SP-DV-005.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:51:de" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"

```

```

AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[B16-SP-DV-MCS-07] ISO/RHEL5.4-Server-x86_64-DVD.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1835" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-120</Name>
    <Mor>vm-5460</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-120
</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-01T07:29:36.226186Z
</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224ed75-3706-2e03-7d3e-d2c9d82a0f0c
</uuid>
    <instanceUuid>50244816-8fc9-7df8-e785-
2792c6d6eaa3</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-120/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned</NicIpaddresses>
    <hostName></hostName>
    <host>scs-sp-esx-04.cisco.com</host>
    <hostMor>host-1675</hostMor>

```

```

        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>9</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-1] SCC-SP-VM-120/" suspendDir="[SP-SATA-STORE-1] SCC-
SP-VM-120/" logDir="[SP-SATA-STORE-1] SCC-SP-VM-120/"
vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-120/SCC-SP-VM-120.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="1">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-120.vmx</Name>
            <Size>2795</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-120.vmx</Name>
            <Size>3470</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-120.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-120.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-120-000001.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-120-Snapshot1.vmsn
</Name>
            <Size>17185718793</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>185763</Size>

```

```

        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-1"
Unshared="33531290129" Uncommitted="94729269248"
Committed="33531290129">
    </StorageInfo>
    <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-9c75-46b5-3885-c55c1f22d36c" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="13516f7c0d949e9d34856afa6149a0a4" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-120/SCC-SP-VM-120.vmdk" Disk="[SP-SATA-STORE-
1] SCC-SP-VM-120/SCC-SP-VM-120-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:62:01" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="" /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"

```

```

dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-080-TEMPLATE2</Name>
    <Mor>vm-6280</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-080-
TEMPLATE2</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation>This VM is imaged by Chandra
Babu M on 5-MAR-2012 for the user Ramkumar Kuttuboyina on account
of Feb12rkuttuboSCC2360.</Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-12-03T15:46:20.950374Z
</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422d4601-ba95-587a-f887-83f1cad89bc2
</uuid>
    <instanceUuid>502dbb2f-6422-7d4b-4a57-
24296f5c2b16</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-080-
TEMPLATE2</vmxDir>
    <template>>true</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>None</Nics>
    <NicIpaddresses></NicIpaddresses>
    <hostName></hostName>
    <host>scc-sp-esx-01.cisco.com</host>
    <hostMor>host-1569</hostMor>
    <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
    <NumberOfDatastores>1</NumberOfDatastores>
    <NumberOfBackingDisks>1

```

```

</NumberOfBackingDisks>
    <NumberOfFiles>11</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-080-TEMPLATE2/" suspendDir="[SP-SATA-
STORE-2] SCC-SP-VM-080-TEMPLATE2/" logDir="[SP-SATA-STORE-2] SCC-
SP-VM-080-TEMPLATE2/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-080-
TEMPLATE2/SCC-SP-VM-080-TEMPLATE2.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-080-TEMPLATE2.vmtx
</Name>
        <Size>2812</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-080-TEMPLATE2.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-080-TEMPLATE2.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-080-TEMPLATE2.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>104067</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>95116</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>151476</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>287648</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>133208</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>131984</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="13830575175" Uncommitted="46462468096"
Committed="13830575175">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C293-6019-592b-2700-f75f9b78d9d4" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="d524c24a4fff437b96c15e4b311bb269" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-080-TEMPLATE2/SCC-SP-VM-080-
TEMPLATE2.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:ad:66:3a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrl HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"

```

```

StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-004</Name>
    <Mor>vm-6232</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\B16-SP-DV-004
</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>otherGuest64</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-01T02:03:58.567714Z
</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42244536-2b93-e409-7b89-832aff7f0555
</uuid>
    <instanceUuid>5024775e-68c9-86e7-a2db-
3658cf5c95c5</instanceUuid>
    <vmxDir>[B16-SP-DV-MCS-05-A] B16-SP-DV-004/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>SCC-SP-DEV-2(&lt;False&gt;)
</Networks>
    <Nics>SCC-SP-DEV-2(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-mcs-05.cisco.com</host>
    <hostMor>host-1481</hostMor>

```



```

        <ResourcePoolMor>resgroup-1452
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>5</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[B16-
SP-DV-MCS-05-A] B16-SP-DV-004/" suspendDir="[B16-SP-DV-MCS-05-A]
B16-SP-DV-004/" logDir="[B16-SP-DV-MCS-05-A] B16-SP-DV-004/"
vmxPath="[B16-SP-DV-MCS-05-A] B16-SP-DV-004/B16-SP-DV-004.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="6144"
NumCPUs="1">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>B16-SP-DV-004.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SP-DV-004.vmx</Name>
            <Size>1691</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SP-DV-004.vmx</Name>
            <Size>268</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>B16-SP-DV-004.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <StorageInfo Datastore="B16-SP-DV-MCS-05-A"
Unshared="85899348333" Uncommitted="6442450944"
Committed="85899348333">
        </StorageInfo>
        <Datastore Mor="datastore-1483"
Url="/vmfs/volumes/4be37831-7127979d-bf58-0024818a0ff4"
Name="B16-SP-DV-MCS-05-A">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-acae-33ee-5b4b-f2fa8caae8c9" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1483"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"

```

```

ContentId="d84cdffb8593fbdc82f3de641268f05a" Parent=""
Disk="[B16-SP-DV-MCS-05-A] B16-SP-DV-004/B16-SP-DV-004.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:5f:e1" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="SCC-SP-DEV-2" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized"
DeviceName="/vmfs/devices/gen SCSI/mpx.vmhba0:C0:T0:L0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-121</Name>
    <Mor>vm-5374</Mor>
    <MorType>VirtualMachine</MorType>
    <Path> \(DC) SCC-SP(DC)\vm\SCC-SP-VM-121
</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>

```

```

        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-01T07:29:37.855524Z
</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42247c17-201a-4e77-2352-70ac43898cc8
</uuid>
        <instanceUuid>50243bc6-e5bf-2917-4e61-
20a35f77ef73</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-121/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;),VM
Network(&lt;False&gt;)</Networks>
        <Nics>VM Network(&lt;false&gt;),VM Network
(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned,unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>scs-sp-esx-03.cisco.com</host>
        <hostMor>host-1646</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>2
</NumberOfBackingDisks>
        <NumberOfFiles>18</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-121/" suspendDir="[SP-SATA-STORE-2] SCC-
SP-VM-121/" logDir="[SP-SATA-STORE-2] SCC-SP-VM-121/"
vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-121/SCC-SP-VM-121.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="8">
        </VirtualHardware>
        <File Type="VmFileInfo">
        <Name>SCC-SP-VM-121.vmx</Name>

```

```

        <Size>3475</Size>
        <Type>config</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-121.vmx</Name>
    <Size>3367</Size>
    <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-121.nvram</Name>
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-121.vmsd</Name>
    <Size>1055</Size>
    <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-121-000001.vmdk</Name>
    <Size>26214400</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-121_1-000001.vmdk
</Name>
    <Size>62914560</Size>
    <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-121-Snapshot1.vmsn
</Name>
    <Size>17185539099</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>SCC-SP-VM-121-Snapshot2.vmsn
</Name>
    <Size>17185813038</Size>
    <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-1.log</Name>
    <Size>147186</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">
    <Name>vmware-2.log</Name>
    <Size>129931</Size>
    <Type>log</Type>
</File>
<File Type="VmFileInfo">

```

```

        <Name>vmware-0.log</Name>
        <Size>184163</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>172295</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="81669431797" Uncommitted="104621752320"
Committed="81669431797">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29e-b8b4-61d9-e779-1589df01a216" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="26214400"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="944a88d1d7655c4efe09f03057703095" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-121/SCC-SP-VM-121-000002.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-121/SCC-SP-VM-121-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-4d14-4461-1f90-075b39e681c0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="eae8b6c9a06c6a50a4fbc5eba9f17e88" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-121/SCC-SP-VM-121_1-000002.vmdk" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-121/SCC-SP-VM-121_1-000001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="1" Key="2001" ControllerKey="1000"
Type="" Label="Hard disk 2">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:75:5f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualVmxnet3" Label="Network

```

```

adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:5a:80" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-028</Name>
    <Mor>vm-6210</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\B16-SP-DV-028
</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>centos64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true

```

```

</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-01T07:28:23.228314Z
</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224060d-6e6b-fed1-7cf0-79565cb62be8
</uuid>
    <instanceUuid>50249139-34c1-7d29-51b8-
9d37fa13daa6</instanceUuid>
    <vmxDir>[B16-SP-DV-UCS-11] SPP_MSA_12.4.8
_Patch_8/</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;True&gt;),VM
Network(&lt;True&gt;)</Networks>
    <Nics>VM Network(&lt;true&gt;),VM Network
(&lt;true&gt;)</Nics>
    <NicIpaddresses>unassigned,unassigned
</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-ucs-11.cisco.com</host>
    <hostMor>host-1562</hostMor>
    <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
    <NumberOfDatastores>1</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>9</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo snapshotDir="[B16-
SP-DV-UCS-11] SPP_MSA_12.4.8_Patch_8/" suspendDir="[B16-SP-DV-
UCS-11] SPP_MSA_12.4.8_Patch_8/" logDir="[B16-SP-DV-UCS-11]
SPP_MSA_12.4.8_Patch_8/" vmxPath="[B16-SP-DV-UCS-11] SPP_MSA_
12.4.8_Patch_8/SPP_MSA_12.4.8_Patch_8.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
    <Name>SPP_MSA_12.4.8_Patch_8.vmdk
</Name>
    <Size>104857600</Size>
    <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware-1.log</Name>
  <Size>90813</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>64130</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>SPP_MSA_12.4.8_Patch_8.vmx
</Name>
  <Size>2894</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>SPP_MSA_12.4.8_Patch_8.vmx
</Name>
  <Size>277</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>SPP_MSA_12.4.8_Patch_8.nvram
</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>SPP_MSA_12.4.8_Patch_8.vmsd
</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SPP_MSA_12.4.8_Patch_8-
385d89bd.vswp</Name>
  <Size>17179869184</Size>
  <Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-11"
Unshared="124554218867" Uncommitted="0" Committed="124554218867">
  </StorageInfo>
  <Datastore Mor="datastore-1563"
Url="/vmfs/volumes/4d5e2dde-63618006-0cc9-0022bdd7b1e0"
Name="B16-SP-DV-UCS-11">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-14d4-cd72-969f-a9e4d773e8de" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="104857600"

```



```

CompatibilityMode="" Mode="persistent" dsMor="datastore-1563"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="210c05393f84bledf9fed65fbf42911b" Parent=""
Disk="[B16-SP-DV-UCS-11] SPP_MSA_12.4.8_Patch_8/SPP_MSA_12.4.8
_Patch_8.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:2c:27" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:16:8c" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD/DVD Drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>

```

```

    </VirtualMachine>
  <VirtualMachine>
    <Name>SCC-SP-VM-122</Name>
    <Mor>vm-5359</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\< (DC) SCC-SP (DC) \vm\SCC-SP-VM-122
</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-01T07:29:22.589635Z
</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42246fce-d721-f0d8-de77-0e4719168b88
</uuid>
    <instanceUuid>50246ffe-29f0-ec73-746d-
66012ef95255</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-122/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned</NicIpaddresses>
    <hostName></hostName>
    <host>scc-sp-esx-01.cisco.com</host>
    <hostMor>host-1569</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>10</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo snapshotDir="[SP-

```

```

SATA-STORE-2] SCC-SP-VM-122/" suspendDir="[SP-SATA-STORE-2] SCC-
SP-VM-122/" logDir="[SP-SATA-STORE-2] SCC-SP-VM-122/"
vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-122/SCC-SP-VM-122.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="1">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-122.vmx</Name>
        <Size>2855</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-122.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-122.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-122.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-122-000002.vmdk</Name>
        <Size>62914560</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-122-Snapshot1.vmsn
</Name>
        <Size>8595784227</Size>
        <Type>snapshotData</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>221632</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>108113</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="28430067795" Uncommitted="59010617344"
Committed="28430067795">
    </StorageInfo>

```

```

        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-51bf-f215-c0a3-d54d2976fb30" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a9791a7d50298eaa139084c622a3df27" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-122/SCC-SP-VM-122.vmdk" Disk="[SP-SATA-STORE-
2] SCC-SP-VM-122/SCC-SP-VM-122-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:48:3b" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
        <Snapshot>Snapshot1</Snapshot>
</VirtualMachine>

```

```

    <VirtualMachine>
      <Name>SCC-SP-VM-123</Name>
      <Mor>vm-3571</Mor>
      <MorType>VirtualMachine</MorType>
      <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-123
</Path>

      <ParentMor>group-v1447</ParentMor>
      <Annotation></Annotation>
      <Version>vmx-08</Version>
      <GuestId>windows7_64Guest</GuestId>
      <GuestOSAltName></GuestOSAltName>
      <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
      <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
      <BootOptionsSupported>true
</BootOptionsSupported>
      <SwapPlacementSupported>true
</SwapPlacementSupported>
      <SwapPlacement>inherit</SwapPlacement>
      <ChangeVersion>2014-01-01T07:29:37.5129Z
</ChangeVersion>

      <powerState>poweredOff</powerState>
      <connectionState>connected
</connectionState>

      <uuid>422446ac-e7ac-9d03-227a-c994599952dc
</uuid>
      <instanceUuid>50247efd-41ba-f4d9-8010-
b5512a9fed5c</instanceUuid>
      <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-123/
</vmxDir>

      <template>>false</template>
      <IpAddress>10.105.58.203</IpAddress>
      <Networks>VM Network(&lt;False&gt;)
</Networks>

      <Nics>VM Network(&lt;false&gt;)</Nics>
      <NicIpaddresses>(fe80::1c8d:3596:2d22:ca20)
(10.105.58.203)</NicIpaddresses>
      <hostName>SCC-SP-VM-123</hostName>
      <host>scc-sp-esx-03.cisco.com</host>
      <hostMor>host-1646</hostMor>
      <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>

      <NumberOfDatastores>1</NumberOfDatastores>
      <NumberOfBackingDisks>1
</NumberOfBackingDisks>
      <NumberOfFiles>12</NumberOfFiles>
      <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
      <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
      <VirtualMachineFileInfo snapshotDir="[SP-

```

```

SATA-STORE-2] SCC-SP-VM-123/" suspendDir="[SP-SATA-STORE-2] SCC-
SP-VM-123/" logDir="[SP-SATA-STORE-2] SCC-SP-VM-123/"
vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-123/SCC-SP-VM-123.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-123.vmx</Name>
        <Size>2927</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-123.vmx</Name>
        <Size>2850</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-123.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-123.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-123.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-123-de9b3067.vswp
</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>972989</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>120548</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>233354</Size>
        <Type>log</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>vmware-4.log</Name>
            <Size>120556</Size>
            <Type>log</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>vmware.log</Name>
            <Size>949829</Size>
            <Type>log</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="26456935641" Uncommitted="63906578432"
Committed="26456935641">
            </StorageInfo>
            <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-3d4e-6702-a8fc-5746498a6958" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a09ae3d688155fdd976969501ac74474" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-123/SCC-SP-VM-123.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:72:cf" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingCdrom UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-036-TEMPLATE2</Name>
    <Mor>vm-3782</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-036-
TEMPLATE2</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-07-22T10:39:01.54057Z
</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224bf48-e63f-45f9-8e31-763f40bb6058
</uuid>
    <instanceUuid>50245280-9b63-ec44-a914-
2b171ad92209</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-036-
TEMPLATE2</vmxDir>
    <template>true</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned</NicIpaddresses>
    <hostName></hostName>
    <host>scc-sp-esx-02.cisco.com</host>
    <hostMor>host-1601</hostMor>
    <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
    <NumberOfDatastores>1</NumberOfDatastores>
    <NumberOfBackingDisks>1

```



```

</NumberOfBackingDisks>
    <NumberOfFiles>6</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-036-TEMPLATE2/" suspendDir="[SP-SATA-
STORE-2] SCC-SP-VM-036-TEMPLATE2/" logDir="[SP-SATA-STORE-2] SCC-
SP-VM-036-TEMPLATE2/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-036-
TEMPLATE2/SCC-SP-VM-036-TEMPLATE2.vmtx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-036-TEMPLATE2.vmx
</Name>
        <Size>2685</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-036-TEMPLATE2.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-036-TEMPLATE2.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-036-TEMPLATE2.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-036-TEMPLATE2.vmdk
</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="17294175337" Uncommitted="85947645952"
Committed="17294175337">
    </StorageInfo>
    <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">

```

```

        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-e957-521b-35d4-eb31f6835835" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="294ed61f55d2b78b92ea339a3db3b931" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-036-TEMPLATE2/SCC-SP-VM-036-
TEMPLATE2.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:60:e7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>B16-SP-DV-001</Name>
        <Mor>vm-5307</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\B16-SP-DV-001
</Path>

        <ParentMor>group-v1447</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false

```

```

</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-01T01:33:46.680597Z
</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224799f-c530-867c-9184-fb6cdc9837d1
</uuid>
    <instanceUuid>50248570-5046-7bb8-3ac7-
54c1f9849165</instanceUuid>
    <vmxDir>[B16-SP-DV-MCS-01] B16-SP-DV-001/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned</NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-mcs-01.cisco.com</host>
    <hostMor>host-1460</hostMor>
    <ResourcePoolMor>resgroup-1452
</ResourcePoolMor>
    <NumberOfDatastores>1</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>10</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo snapshotDir="[B16-
SP-DV-MCS-01] B16-SP-DV-001/" suspendDir="[B16-SP-DV-MCS-01] B16-
SP-DV-001/" logDir="[B16-SP-DV-MCS-01] B16-SP-DV-001/"
vmxPath="[B16-SP-DV-MCS-01] B16-SP-DV-001/B16-SP-DV-001.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="4096"
NumCPUs="1">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-001.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">

```

```

        <Name>vmware-1.log</Name>
        <Size>119615</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>63578</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>60939</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-001.vmx</Name>
        <Size>2971</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-001.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-001.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-001.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-001-fe8a7d3d.vswp
</Name>
        <Size>4294967296</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-MCS-01"
Unshared="90194569725" Uncommitted="0" Committed="90194569725">
    </StorageInfo>
    <Datastore Mor="datastore-1461"
Url="/vmfs/volumes/4be39947-7e07b1aa-debb-0024818a4848"
Name="B16-SP-DV-MCS-01">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C295-d33c-d017-81a0-6b0d08a6b802" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1461"

```

```

BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="55502b4126be25fe798dd882be61bf4f" Parent=""
Disk="[B16-SP-DV-MCS-01] B16-SP-DV-001/B16-SP-DV-001.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:23:38" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[B16-SP-DV-MCS-01] ISO/Linux/RHEL5.4-Server-x86_64-
DVD.iso" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1461" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-028-Del</Name>
    <Mor>vm-5461</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\\(DC)SCC-SP(DC)\vm\B16-SP-DV-028-Del
</Path>

    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>otherGuest64</GuestId>

```

```

        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-01T07:28:23.063467Z
</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422404e1-cd97-6cbf-c6ef-56b3a52046c2
</uuid>
        <instanceUuid>50243613-591c-088a-1c23-
1313f77b6999</instanceUuid>
        <vmxDir>[B16-SP-DV-UCS-11] B16-SP-DV-028/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sp-dv-ucs-11.cisco.com</host>
        <hostMor>host-1562</hostMor>
        <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>7</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[B16-
SP-DV-UCS-11] B16-SP-DV-028/" suspendDir="[B16-SP-DV-UCS-11] B16-
SP-DV-028/" logDir="[B16-SP-DV-UCS-11] B16-SP-DV-028/"
vmxPath="[B16-SP-DV-UCS-11] B16-SP-DV-028/B16-SP-DV-028.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="10240"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
        <Name>B16-SP-DV-028.vmdk</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>305695</Size>
  <Type>log</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-028.vmx</Name>
  <Size>2727</Size>
  <Type>config</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-028.vmx</Name>
  <Size>268</Size>
  <Type>extendedConfig</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-028.nvram</Name>
  <Size>8684</Size>
  <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
  <Name>B16-SP-DV-028.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-11"
Unshared="107374500250" Uncommitted="10737418240"
Committed="107374500250">
  </StorageInfo>
  <Datastore Mor="datastore-1563"
Url="/vmfs/volumes/4d5e2dde-63618006-0cc9-0022bdd7b1e0"
Name="B16-SP-DV-UCS-11">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C290-b149-5a18-bdd4-e0b9cc4b68b3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1563"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="4388a8527a0e0ac7659dad10bcf64223" Parent=""
Disk="[B16-SP-DV-UCS-11] B16-SP-DV-028/B16-SP-DV-028.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:0a:76" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[B16-SP-DV-UCS-11] OEL 5.9/V36332-01.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1563" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-006</Name>
    <Mor>vm-5457</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\<(DC)SCC-SP(DC)\vm\B16-SP-DV-006
</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-01T01:48:38.652354Z
</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected

```



```

</connectionState>
    <uuid>42248876-f1bf-7fe3-8406-882658bd0184
</uuid>
    <instanceUuid>50244f76-4bf9-6ca9-f5fd-
571430636f41</instanceUuid>
    <vmxDir>[B16-SP-DV-MCS-08-B] B16-SP-DV-006/
</vmxDir>
    <template>>false</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>None</Nics>
    <NicIpaddresses></NicIpaddresses>
    <hostName></hostName>
    <host>b16-sp-dv-mcs-08.cisco.com</host>
    <hostMor>host-1495</hostMor>
    <ResourcePoolMor>resgroup-1452
</ResourcePoolMor>
    <NumberOfDatastores>1</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>14</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo snapshotDir="[B16-
SP-DV-MCS-08-B] B16-SP-DV-006/" suspendDir="[B16-SP-DV-MCS-08-B]
B16-SP-DV-006/" logDir="[B16-SP-DV-MCS-08-B] B16-SP-DV-006/"
vmxPath="[B16-SP-DV-MCS-08-B] B16-SP-DV-006/B16-SP-DV-006.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="8192"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-006.vmdk</Name>
        <Size>94371840</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>39443</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>42728</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-3.log</Name>
        <Size>44431</Size>

```

```

        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-4.log</Name>
        <Size>42636</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-5.log</Name>
        <Size>145804</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-6.log</Name>
        <Size>86452</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>56127</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-006.vmx</Name>
        <Size>2975</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-006.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-006.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-006.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-006-99a2e3dd.vswp
</Name>
        <Size>8589934592</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-MCS-08-B"
Unshared="105227168754" Uncommitted="0" Committed="105227168754">
    </StorageInfo>
    <Datastore Mor="datastore-1496"

```

```

Url="/vmfs/volumes/4be3b8a3-257b431a-5a5d-0024818a1a76"
Name="B16-SP-DV-MCS-08-B">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-4d2c-0183-75a7-d1e969a4621d" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="94371840"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1496"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="a8c745ac566cea6d7b86229956bf5fca" Parent=""
Disk="[B16-SP-DV-MCS-08-B] B16-SP-DV-006/B16-SP-DV-006.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
  </BackingDisk>
  <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4e:a7" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
  </BackingNetwork>
  <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
  </BackingDiskCtrlr>
  <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
  </BackingFloppy>
  <BackingCdrom UseAutoDetect="false"
FileName="[B16-SP-DV-MCS-08-B] rhel-server-5.4-i386-dvd.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1496" DeviceName="" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
  </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
  <Name>SCC-SP-TEST-WIN1</Name>

```

```

        <Mor>vm-4829</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-TEST-WIN1
</Path>
        <ParentMor>group-v1447</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-08</Version>
        <GuestId>windows7_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>true
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-01T07:29:36.110628Z
</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42247a41-dc5d-1be2-e88b-f961514520c4
</uuid>
        <instanceUuid>50245f22-f1a2-02ae-670b-
0c0fb9661bfe</instanceUuid>
        <vmxDir>[SP-SATA-STORE-1] SCC-SP-TEST-WIN1/
</vmxDir>
        <template>false</template>
        <IpAddress></IpAddress>
        <Networks>PLATFORM-DEV
(&lt;False&gt;), PLATFORM-DEV(&lt;False&gt;)</Networks>
        <Nics>PLATFORM-DEV(&lt;false&gt;), PLATFORM-
DEV(&lt;false&gt;)</Nics>
        <NicIpaddresses>(fe80::8100:91dd:d4fb:bb1c)
(10.106.8.237)(169.254.187.28), unassigned</NicIpaddresses>
        <hostName>SCC-TEST-WIN1.scc-dv.com
</hostName>
        <host>scc-sp-esx-04.cisco.com</host>
        <hostMor>host-1675</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>9</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-

```

```

SATA-STORE-1] SCC-SP-TEST-WIN1/" suspendDir="[SP-SATA-STORE-1]
SCC-SP-TEST-WIN1/" logDir="[SP-SATA-STORE-1] SCC-SP-TEST-WIN1/"
vmxPath="[SP-SATA-STORE-1] SCC-SP-TEST-WIN1/SCC-SP-TEST-
WIN1.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-TEST-WIN1.vmx</Name>
        <Size>3347</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-TEST-WIN1.vmx</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-TEST-WIN1.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-TEST-WIN1.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-TEST-WIN1.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-TEST-WIN1-24c64483.vswp
</Name>
        <Size>2147483648</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>91787</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>187259</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-1"
Unshared="24270631173" Uncommitted="63943278592"
Committed="24270631173">

```

```

        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C299-49a4-cbcf-21a8-ad9dee90c9b3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="8907c7a3f7d7490918c6869eb9c54eda" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-TEST-WIN1/SCC-SP-TEST-WIN1.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:04:47" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4d:bf" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="PLATFORM-DEV" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicSASController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemotePassthroughBackingInfo"
dsMor="Uninitialized"
DeviceName="/usr/lib/vmware/isoimages/windows.iso"

```

```

AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-039</Name>
    <Mor>vm-7803</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-039
</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-09T06:05:40.280276Z
</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42249f91-63ef-16f5-bc7b-13c2e7de6d0b
</uuid>
    <instanceUuid>5024f95f-edd9-46ac-4f66-
cbd421b5cac2</instanceUuid>
    <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-039/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.119</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>
    <NicIpaddresses>(10.105.58.119)
(fe80::250:56ff:fea4:4ccc)</NicIpaddresses>
    <hostName>SCC-SP-VM-039.cisco.com
</hostName>
    <host>scs-sp-esx-06.cisco.com</host>
    <hostMor>host-1732</hostMor>
    <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
    <NumberOfDatastores>1</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>

```

```

        <NumberOfFiles>15</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-1] SCC-SP-VM-039/" suspendDir="[SP-SATA-STORE-1] SCC-
SP-VM-039/" logDir="[SP-SATA-STORE-1] SCC-SP-VM-039/"
vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-039/SCC-SP-VM-039.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="1">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-039.vmx</Name>
            <Size>2942</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-039.vmx</Name>
            <Size>268</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-039.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-039.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-039-000002.vmdk</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-039-Snapshot1.vmsn
</Name>
            <Size>17185717958</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-039-Snapshot2.vmsn
</Name>
            <Size>17185309227</Size>
            <Type>snapshotData</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-039-970bcc03.vswp

```



```

</Name>
        <Size>17179869184</Size>
        <Type>swap</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmx-SCC-SP-VM-039-2534132739-
1.vswp</Name>
        <Size>47185920</Size>
        <Type>uwsnap</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>83772</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware-2.log</Name>
        <Size>229596</Size>
        <Type>log</Type>
</File>
<File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>119739</Size>
        <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-1"
Unshared="59176921914" Uncommitted="85714628608"
Committed="59176921914">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
        </Datastore>
        <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-0407-6d25-75e8-d741ca5b584f" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e445613c814c0004516a4df689decf77" Parent="[SP-SATA-
STORE-1] SCC-SP-VM-039/SCC-SP-VM-039-000001.vmdk" Disk="[SP-SATA-
STORE-1] SCC-SP-VM-039/SCC-SP-VM-039-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
        </BackingDisk>
        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4c:cc" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"

```

```

NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-027</Name>
    <Mor>vm-8444</Mor>
    <MorType>VirtualMachine</MorType>
    <Path> \(DC) SCC-SP(DC) \vm\SCC-SP-VM-027
</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-18T09:57:42.808747Z
</ChangeVersion>

```

```

        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422418e5-a51a-fc69-1026-736508ca52b1
</uuid>
        <instanceUuid>5024daa3-a7e4-e7d3-b591-
072e4dad0912</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-027/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.105.58.107</IpAddress>
        <Networks>VM Network(&lt;True&gt;)
</Networks>
        <Nics>VM Network(&lt;true&gt;)</Nics>
        <NicIpaddresses>(10.105.58.107)
(fe80::250:56ff:fea4:6bla)</NicIpaddresses>
        <hostName>scc-sp-vm-027.cisco.com
</hostName>
        <host>scc-sp-esx-02.cisco.com</host>
        <hostMor>host-1601</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>13</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-027/" suspendDir="[SP-SATA-STORE-2] SCC-
SP-VM-027/" logDir="[SP-SATA-STORE-2] SCC-SP-VM-027/"
vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-027/SCC-SP-VM-027.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="8192"
NumCPUs="1">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-027.vmx</Name>
            <Size>2878</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-027.vmx</Name>
            <Size>3470</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-027.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>

```

```

</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-027.vmsd</Name>
  <Size>0</Size>
  <Type>snapshotList</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-027-Snapshot1.vmsn
</Name>
  <Size>8595783480</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-027-Snapshot2.vmsn
</Name>
  <Size>8595378731</Size>
  <Type>snapshotData</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-027-000002.vmdk</Name>
  <Size>62914560</Size>
  <Type>diskDescriptor</Type>
</File>
<File Type="VmFileInfo">
  <Name>SCC-SP-VM-027-de9b2c2a.vswp
</Name>
  <Size>8589934592</Size>
  <Type>swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmx-SCC-SP-VM-027-3734711338-
1.vswp</Name>
  <Size>47185920</Size>
  <Type>u.swap</Type>
</File>
<File Type="VmFileInfo">
  <Name>vmware.log</Name>
  <Size>179670</Size>
  <Type>log</Type>
</File>
<StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="35396987377" Uncommitted="64004952064"
Committed="35396987377">
  </StorageInfo>
  <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
  </Datastore>
  <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-f73e-d335-6ec1-cfa10c9431c1" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"

```

```

CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="98ab62478fc2dd2c93034806939944ed" Parent="[SP-SATA-
STORE-2] SCC-SP-VM-027/SCC-SP-VM-027-000001.vmdk" Disk="[SP-SATA-
STORE-2] SCC-SP-VM-027/SCC-SP-VM-027-000002.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:6b:1a" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[] /usr/lib/vmware/isoimages/linux.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
    <Snapshot>Snapshot1</Snapshot>
    <Snapshot>Snapshot2</Snapshot>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-081-TEMPLATE3</Name>
    <Mor>vm-6278</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-081-
TEMPLATE3</Path>
    <ParentMor>group-v1447</ParentMor>

```

```

        <Annotation>This VM is imaged by Chandra
Babu M on 5-MAR-2012 for the user Ramkumar Kuttuboyina on account
of Feb12rkuttuboSCC2360.</Annotation>
        <Version>vmx-08</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2013-12-03T15:34:32.633919Z
</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4224f11f-ec67-7c44-8f80-93b02d7a5a3d
</uuid>
        <instanceUuid>5024af92-0bcc-2c99-9770-
0f12cea88620</instanceUuid>
        <vmxDir>[SP-SATA-STORE-1] SCC-SP-VM-081-
TEMPLATE3/</vmxDir>
        <template>>true</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned</NicIpaddresses>
        <hostName></hostName>
        <host>scs-sp-esx-03.cisco.com</host>
        <hostMor>host-1646</hostMor>
        <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>6</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-1] SCC-SP-VM-081-TEMPLATE3/" suspendDir="[SP-SATA-
STORE-1] SCC-SP-VM-081-TEMPLATE3/" logDir="[SP-SATA-STORE-1] SCC-
SP-VM-081-TEMPLATE3/" vmxPath="[SP-SATA-STORE-1] SCC-SP-VM-081-
TEMPLATE3/SCC-SP-VM-081-TEMPLATE3.vmtx">
</VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"

```

```

NumCPUs=" 2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-081-TEMPLATE3.vmx
</Name>
        <Size>2820</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-081-TEMPLATE3.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-081-TEMPLATE3.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-081-TEMPLATE3.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-081-TEMPLATE3.vmdk
</Name>
        <Size>41943040</Size>
        <Type>diskDescriptor</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-1"
Unshared="15773740272" Uncommitted="44518408192"
Committed="15773740272">
        </StorageInfo>
        <Datastore Mor="datastore-1571"
Url="/vmfs/volumes/4f0d754e-7569c76c-dc5a-0025b5105a9f" Name="SP-
SATA-STORE-1">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C291-ade7-2ad0-07d8-4b0b7820def6" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1571"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="0ae3e0e2aa3d68476d5b6d77feb6b31a" Parent="" Disk="[SP-
SATA-STORE-1] SCC-SP-VM-081-TEMPLATE3/SCC-SP-VM-081-
TEMPLATE3.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>

```

```

        <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4d:9f" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
        </BackingNetwork>
        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
        </BackingDiskCtrlr>
        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
        <Name>SCC-SP-VM-101</Name>
        <Mor>vm-7796</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-101
</Path>
        <ParentMor>group-v1447</ParentMor>
        <Annotation>This VM is created by Chandra
Babu M on 25-JAN-2012 for the Sanjay Pataskar on account of
Jan12spataskaSCC2394.</Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-20T05:35:03.941454Z
</ChangeVersion>
        <powerState>poweredOn</powerState>

```



```

        <connectionState>connected
</connectionState>
        <uuid>42248df1-ac32-96be-a194-c6d8768e6b21
</uuid>
        <instanceUuid>50241084-a5f5-6702-0acc-
1e343fece501</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-101_1/
</vmxDir>
        <template>>false</template>
        <IpAddress>10.105.58.181</IpAddress>
        <Networks>VM Network(&lt;True&gt;)
</Networks>
        <Nics>VM Network(&lt;true&gt;)</Nics>
        <NicIpaddresses>(10.105.58.181)
(fe80::250:56ff:fea4:3cdb)</NicIpaddresses>
        <hostName>SCC-SP-VM-101</hostName>
        <host>scs-sp-esx-01.cisco.com</host>
        <hostMor>host-1569</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>10</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-101_1/" suspendDir="[SP-SATA-STORE-2]
SCC-SP-VM-101_1/" logDir="[SP-SATA-STORE-2] SCC-SP-VM-101_1/"
vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-101_1/SCC-SP-VM-101.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="32768"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-101.vmx</Name>
            <Size>3063</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-101.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-101.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">

```

```

        <Name>SCC-SP-VM-101.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-101.vmdk</Name>
        <Size>83886080</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-101-f227d153.vswp
</Name>

        <Size>34359738368</Size>
        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-SCC-SP-VM-101-4062695763-
2.vswp</Name>

        <Size>48234496</Size>
        <Type>uwsnap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>120301</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>110721</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="47466132561" Uncommitted="72841428992"
Committed="47466132561">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C296-07db-5aaf-4927-01698b7f22ac" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5e2a1c4df32b710080dcfbc6f4e40489" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-101_1/SCC-SP-VM-101.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid="" PortKey=""

```

```

PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:3c:db" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>B16-SP-DV-005-Fast-stream</Name>
    <Mor>vm-6166</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\B16-SP-DV-005-
Fast-stream</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-04</Version>
    <GuestId>otherLinux64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>false
</ChangeTrackingSupported>
    <BootOptionsSupported>>true
</BootOptionsSupported>
    <SwapPlacementSupported>>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-11-26T05:48:00.3062Z
</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42246476-5fd5-e79a-3db3-d34c628f3fb3

```

```

</uuid>
        <instanceUuid>50247e93-bee1-d05a-b2c0-
fa03aa4b621f</instanceUuid>
        <vmxDir>[B16-SP-DV-UCS-10] B16-SP-DV-005-
Fast-stream/</vmxDir>
        <template>>true</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sp-dv-ucs-10.cisco.com</host>
        <hostMor>host-1553</hostMor>
        <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>6</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[B16-
SP-DV-UCS-10] B16-SP-DV-005-Fast-stream/" suspendDir="[B16-SP-DV-
UCS-10] B16-SP-DV-005-Fast-stream/" logDir="[B16-SP-DV-UCS-10]
B16-SP-DV-005-Fast-stream/" vmxPath="[B16-SP-DV-UCS-10] B16-SP-
DV-005-Fast-stream/B16-SP-DV-005-Fast-stream.vmtx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
        <Name>B16-SP-DV-005-Fast-stream.vmdk
</Name>
        <Size>104857600</Size>
        <Type>diskDescriptor</Type>
</File>
        <File Type="VmFileInfo">
        <Name>B16-SP-DV-005-Fast-stream.vmx
</Name>
        <Size>2089</Size>
        <Type>config</Type>
</File>
        <File Type="VmFileInfo">
        <Name>B16-SP-DV-005-Fast-stream.vmx
</Name>
        <Size>280</Size>
        <Type>extendedConfig</Type>
</File>
        <File Type="VmFileInfo">

```

```

</Name>
    <Name>B16-SP-DV-005-Fast-stream.nvram
    <Size>8684</Size>
    <Type>nvram</Type>
</File>
<File Type="VmFileInfo">
    <Name>B16-SP-DV-005-Fast-stream.vmsd
</Name>
    <Size>0</Size>
    <Type>snapshotList</Type>
</File>
    <StorageInfo Datastore="B16-SP-DV-UCS-10"
Unshared="107374193941" Uncommitted="17179869184"
Committed="107374193941">
    </StorageInfo>
    <Datastore Mor="datastore-1554"
Url="/vmfs/volumes/4d1d6680-485ae3f6-be25-001018687d42"
Name="B16-SP-DV-UCS-10">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C294-5e00-0002-c55e-dd8feffd5765" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1554"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="da8cc4878651fd09c1cff8ff5ba901a6" Parent=""
Disk="[B16-SP-DV-UCS-10] B16-SP-DV-005-Fast-stream/B16-SP-DV-005-
Fast-stream.vmdk" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="0" Key="2000"
ControllerKey="1000" Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:24:9e" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""

```

```

BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="/dev/fd0"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[B16-SP-DV-MCS-07] ISO/RHEL5.4-Server-x86_64-DVD.iso"
BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1835" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-102</Name>
    <Mor>vm-7797</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-102
</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation>This VM is created by Chandra
Babu M on 25-JAN-2012 for the Sanjay Pataskar on account of
Jan12spataskaSCC2394.</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-08T08:32:10.919509Z
</ChangeVersion>
    <powerState>poweredOn</powerState>
    <connectionState>connected
</connectionState>
    <uuid>42245390-ea6f-f5bf-205d-5e34e8890013
</uuid>
    <instanceUuid>50244b46-e85f-fbd3-cbab-
731098f72e99</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-102/
</vmxDir>
    <template>>false</template>
    <IpAddress>10.105.58.182</IpAddress>
    <Networks>VM Network(&lt;True&gt;)
</Networks>
    <Nics>VM Network(&lt;true&gt;)</Nics>

```

```

        <NicIpaddresses>(10.105.58.182)
(fe80::250:56ff:fea4:3505)</NicIpaddresses>
        <hostName>SCC-SP-VM-102</hostName>
        <host>scc-sp-esx-05.cisco.com</host>
        <hostMor>host-1708</hostMor>
        <ResourcePoolMor>resgroup-1456
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>9</NumberOfFiles>
        <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-102/" suspendDir="[SP-SATA-STORE-2] SCC-
SP-VM-102/" logDir="[SP-SATA-STORE-2] SCC-SP-VM-102/"
vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-102/SCC-SP-VM-102.vmx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-102.vmx</Name>
            <Size>3012</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-102.vmx</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-102.nvram</Name>
            <Size>8684</Size>
            <Type>nvram</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-102.vmsd</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-102.vmdk</Name>
            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-102-de9b3024.vswp
</Name>
            <Size>17179869184</Size>

```

```

        <Type>swap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmx-SCC-SP-VM-102-3734712356-
1.vswp</Name>
        <Size>48234496</Size>
        <Type>uwswap</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>151891</Size>
        <Type>log</Type>
    </File>
    <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="27441397507" Uncommitted="32736542720"
Committed="27441397507">
        </StorageInfo>
        <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
            </Datastore>
            <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C298-afbd-8265-47d9-6fccd22801d5" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ceb5950bbfed976c409ca4df4ad18d73" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-102/SCC-SP-VM-102.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                </BackingDisk>
                <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:35:05" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                    </BackingNetwork>
                    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                        </BackingDiskCtrlr>

```



```

        <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SP-DV-036</Name>
        <Mor>vm-6211</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\B16-SP-DV-036
</Path>
        <ParentMor>group-v1447</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-07</Version>
        <GuestId>centos64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-01T07:47:11.184771Z
</ChangeVersion>
        <powerState>poweredOn</powerState>
        <connectionState>connected
</connectionState>
        <uuid>42244dff-c710-ec55-a243-3bee2c813e75
</uuid>
        <instanceUuid>5024b100-ae8c-a764-a04f-
d0b6cb8leadb</instanceUuid>
        <vmxDir>[B16-SP-DV-UCS-09] B16-SP-DV-036/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;True&gt;),VM
Network(&lt;True&gt;)</Networks>
        <Nics>VM Network(&lt;true&gt;),VM Network
(&lt;true&gt;)</Nics>
        <NicIpaddresses>unassigned,unassigned
</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sp-dv-ucs-09.cisco.com</host>
        <hostMor>host-1539</hostMor>
        <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>

```



```

</Name>
<Name>B16-SP-DV-036-8c91ad1f.vswp
</Name>
<Size>17179869184</Size>
<Type>swap</Type>
</File>
<StorageInfo Datastore="B16-SP-DV-UCS-09"
Unshared="64548397293" Uncommitted="60005810176"
Committed="64548397293">
</StorageInfo>
<Datastore Mor="datastore-1540"
Url="/vmfs/volumes/4d1d8c3f-80b31bab-b7f1-001018687da2"
Name="B16-SP-DV-UCS-09">
</Datastore>
<BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29f-c22e-5170-fbef-b8balb4c3f21" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="104857600"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1540"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="5374e5fde52454229fe74ece7675f302" Parent=""
Disk="[B16-SP-DV-UCS-09] B16-SP-DV-036/B16-SP-DV-036.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
</BackingDisk>
<BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:74:de" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
</BackingNetwork>
<BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:7e:d9" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="false"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="true" UnitNum="8" Key="4001"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 2">
</BackingNetwork>
<BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"

```

```

ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualFloppyDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="Floppy drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="8000" ControllerKey="400" Type="" Label="Floppy
drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="" BackingType="Vim25Api.VirtualCdromAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="CD/DVD Drive 1"
AllowGuestControl="true" StartConnected="false" Connected="false"
UnitNum="0" Key="3002" ControllerKey="201" Type="" Label="CD/DVD
drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-102-TEMPLATE3</Name>
    <Mor>vm-7790</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-102-
TEMPLATE3</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation>This VM is created by Chandra
Babu M on 25-JAN-2012 for the Sanjay Pataskar on account of
Jan12spataskaSCC2394.</Annotation>
    <Version>vmx-07</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2014-01-08T06:13:53.574928Z
</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>422487f4-75d9-dc83-08ae-b1c956b39424
</uuid>
    <instanceUuid>50242290-e6a4-7bda-f42e-
a49312c1a811</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-102-
TEMPLATE3</vmxDir>
    <template>true</template>

```

```

        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>

        <Nics>None</Nics>
        <NicIpaddresses></NicIpaddresses>
        <hostName></hostName>
        <host>scc-sp-esx-06.cisco.com</host>
        <hostMor>host-1732</hostMor>
        <ResourcePoolMor>Uninitialized

</ResourcePoolMor>

        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1

</NumberOfBackingDisks>

        <NumberOfFiles>5</NumberOfFiles>
        <CpuFeatureMaskSupported>true

</CpuFeatureMaskSupported>

        <NumberOfFeatureMaskEntries>0

</NumberOfFeatureMaskEntries>

        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-102-TEMPLATE3/" suspendDir="[SP-SATA-
STORE-2] SCC-SP-VM-102-TEMPLATE3/" logDir="[SP-SATA-STORE-2] SCC-
SP-VM-102-TEMPLATE3/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-102-
TEMPLATE3/SCC-SP-VM-102-TEMPLATE3.vmtx">
        </VirtualMachineFileInfo>
        <VirtualHardware MemoryMB="16384"
NumCPUs="2">

        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-102-TEMPLATE3.vmtx

</Name>

            <Size>2794</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-102-TEMPLATE3.vmx

</Name>

            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-102-TEMPLATE3.vmsd

</Name>

            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-102-TEMPLATE3.vmdk

</Name>

            <Size>41943040</Size>
            <Type>diskDescriptor</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-2"

```

```

Unshared="10517220074" Uncommitted="49774919680"
Committed="10517220074">
    </StorageInfo>
    <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29a-f1b2-e05c-3fe7-29e97bd8a06a" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="41943040"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="ceedbe48034272c4e8232b2e2304ffe4" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-102-TEMPLATE3/SCC-SP-VM-102-
TEMPLATE3.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:2f:76" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-101-TEMPLATE3</Name>
    <Mor>vm-7789</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-101-
TEMPLATE3</Path>

```

```

        <ParentMor>group-v1447</ParentMor>
        <Annotation>This VM is created by Chandra
Babu M on 25-JAN-2012 for the Sanjay Pataskar on account of
Jan12spataskaSCC2394.</Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>>true
</BootOptionsSupported>
        <SwapPlacementSupported>>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-08T06:13:21.254442Z
</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>422485da-4c88-c7c9-9c31-1609edd8bc5d
</uuid>
        <instanceUuid>5024e2c8-fddd-272d-2980-
05506f806534</instanceUuid>
        <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-101-
TEMPLATE3/</vmxDir>
        <template>>true</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>None</Nics>
        <NicIpaddresses></NicIpaddresses>
        <hostName></hostName>
        <host>scc-sp-esx-06.cisco.com</host>
        <hostMor>host-1732</hostMor>
        <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1
</NumberOfBackingDisks>
        <NumberOfFiles>5</NumberOfFiles>
        <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
        <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
        <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-101-TEMPLATE3/" suspendDir="[SP-SATA-
STORE-2] SCC-SP-VM-101-TEMPLATE3/" logDir="[SP-SATA-STORE-2] SCC-
SP-VM-101-TEMPLATE3/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-101-
TEMPLATE3/SCC-SP-VM-101-TEMPLATE3.vmtx">
</VirtualMachineFileInfo>

```

```

        <VirtualHardware MemoryMB="32768"
NumCPUs="2">
        </VirtualHardware>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-101-TEMPLATE3.vmtx
</Name>
            <Size>2832</Size>
            <Type>config</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-101-TEMPLATE3.vmx
</Name>
            <Size>0</Size>
            <Type>extendedConfig</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-101-TEMPLATE3.vmsd
</Name>
            <Size>0</Size>
            <Type>snapshotList</Type>
        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-101-TEMPLATE3.vmdk
</Name>
            <Size>83886080</Size>
            <Type>diskDescriptor</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="13128174352" Uncommitted="107293507584"
Committed="13128174352">
            </StorageInfo>
            <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C292-f6bc-7222-24be-9ble61bc3fcd" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="83886080"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="efb7a14d9ce431e5d277cfb6d963b32c" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-101-TEMPLATE3/SCC-SP-VM-101-
TEMPLATE3.vmdk" AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4a:a2" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"

```



```

BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingCdrom UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualCdromRemoteAtapiBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
    </BackingCdrom>
</VirtualMachine>
<VirtualMachine>
    <Name>SCC-SP-VM-118-TEMPLATE</Name>
    <Mor>vm-2144</Mor>
    <MorType>VirtualMachine</MorType>
    <Path>\(DC)SCC-SP(DC)\vm\SCC-SP-VM-118-
TEMPLATE</Path>
    <ParentMor>group-v1447</ParentMor>
    <Annotation></Annotation>
    <Version>vmx-08</Version>
    <GuestId>rhel5_64Guest</GuestId>
    <GuestOSAltName></GuestOSAltName>
    <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
    <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
    <BootOptionsSupported>true
</BootOptionsSupported>
    <SwapPlacementSupported>true
</SwapPlacementSupported>
    <SwapPlacement>inherit</SwapPlacement>
    <ChangeVersion>2013-06-18T13:31:02.297345Z
</ChangeVersion>
    <powerState>poweredOff</powerState>
    <connectionState>connected
</connectionState>
    <uuid>4224d046-46db-5238-9c48-eb46d7efdea2
</uuid>
    <instanceUuid>5024c7e4-0ceb-9995-b0fd-
549edb647d77</instanceUuid>
    <vmxDir>[SP-SATA-STORE-2] SCC-SP-VM-118-

```

```

TEMPLATE/</vmxDir>
    <template>true</template>
    <IpAddress></IpAddress>
    <Networks>VM Network(&lt;False&gt;)
</Networks>
    <Nics>VM Network(&lt;false&gt;)</Nics>
    <NicIpaddresses>unassigned</NicIpaddresses>
    <hostName></hostName>
    <host>scs-sp-esx-02.cisco.com</host>
    <hostMor>host-1601</hostMor>
    <ResourcePoolMor>Uninitialized
</ResourcePoolMor>
    <NumberOfDatastores>1</NumberOfDatastores>
    <NumberOfBackingDisks>1
</NumberOfBackingDisks>
    <NumberOfFiles>6</NumberOfFiles>
    <CpuFeatureMaskSupported>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo snapshotDir="[SP-
SATA-STORE-2] SCC-SP-VM-118-TEMPLATE/" suspendDir="[SP-SATA-
STORE-2] SCC-SP-VM-118-TEMPLATE/" logDir="[SP-SATA-STORE-2] SCC-
SP-VM-118-TEMPLATE/" vmxPath="[SP-SATA-STORE-2] SCC-SP-VM-118-
TEMPLATE/SCC-SP-VM-118-TEMPLATE.vmtx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="16384"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-118-TEMPLATE.vmx
</Name>
        <Size>2704</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-118-TEMPLATE.vmx
</Name>
        <Size>0</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-118-TEMPLATE.nvram
</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>SCC-SP-VM-118-TEMPLATE.vmsd
</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>

```

```

        </File>
        <File Type="VmFileInfo">
            <Name>SCC-SP-VM-118-TEMPLATE.vmdk
</Name>

            <Size>62914560</Size>
            <Type>diskDescriptor</Type>
        </File>
        <StorageInfo Datastore="SP-SATA-STORE-2"
Unshared="19605236860" Uncommitted="62161747968"
Committed="19605236860">
            </StorageInfo>
            <Datastore Mor="datastore-1572"
Url="/vmfs/volumes/4fe8380b-5cf6d7c4-61c7-0025b5105aff" Name="SP-
SATA-STORE-2">
                </Datastore>
                <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29c-2e43-7a2a-7f0e-78859349bda3" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="true" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1572"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="e05ecb7d9eef0c9e1caba0b06b69c2ad" Parent="" Disk="[SP-
SATA-STORE-2] SCC-SP-VM-118-TEMPLATE/SCC-SP-VM-118-TEMPLATE.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
                    </BackingDisk>
                    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:4f:93" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
                        </BackingNetwork>
                        <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
                            </BackingDiskCtrlr>
                            <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
                                </BackingFloppy>
                            </BackingDiskCtrlr>
                        </BackingNetwork>
                    </BackingDisk>
                </Datastore>
            </StorageInfo>
        </File>
    </VmFile>
</VmFiles>

```

```

        </BackingFloppy>
        <BackingCdrom UseAutoDetect="false"
FileName="[]" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="3002"
ControllerKey="201" Type="" Label="CD/DVD drive 1">
        </BackingCdrom>
    </VirtualMachine>
    <VirtualMachine>
        <Name>B16-SP-DV-049</Name>
        <Mor>vm-6365</Mor>
        <MorType>VirtualMachine</MorType>
        <Path>\(DC)SCC-SP(DC)\vm\B16-SP-DV-049
</Path>
        <ParentMor>group-v1447</ParentMor>
        <Annotation></Annotation>
        <Version>vmx-07</Version>
        <GuestId>rhel5_64Guest</GuestId>
        <GuestOSAltName></GuestOSAltName>
        <ChangeTrackingEnabled>>false
</ChangeTrackingEnabled>
        <ChangeTrackingSupported>>true
</ChangeTrackingSupported>
        <BootOptionsSupported>true
</BootOptionsSupported>
        <SwapPlacementSupported>true
</SwapPlacementSupported>
        <SwapPlacement>inherit</SwapPlacement>
        <ChangeVersion>2014-01-01T07:30:18.588881Z
</ChangeVersion>
        <powerState>poweredOff</powerState>
        <connectionState>connected
</connectionState>
        <uuid>4224a127-3543-d55e-9fc3-5c761aa7161a
</uuid>
        <instanceUuid>50244519-45d4-af11-74a2-
78202d8a4d67</instanceUuid>
        <vmxDir>[B16-SP-DV-UCS-06] B16-SP-DV-049/
</vmxDir>
        <template>>false</template>
        <IpAddress></IpAddress>
        <Networks>VM Network(&lt;False&gt;)
</Networks>
        <Nics>VM Network(&lt;false&gt;)</Nics>
        <NicIpaddresses>unassigned</NicIpaddresses>
        <hostName></hostName>
        <host>b16-sp-dv-ucs-06.cisco.com</host>
        <hostMor>host-1521</hostMor>
        <ResourcePoolMor>resgroup-1454
</ResourcePoolMor>
        <NumberOfDatastores>1</NumberOfDatastores>
        <NumberOfBackingDisks>1

```

```

</NumberOfBackingDisks>
    <NumberOfFiles>9</NumberOfFiles>
    <CpuFeatureMaskSupported>>true
</CpuFeatureMaskSupported>
    <NumberOfFeatureMaskEntries>0
</NumberOfFeatureMaskEntries>
    <VirtualMachineFileInfo snapshotDir="[B16-
SP-DV-UCS-06] B16-SP-DV-049/" suspendDir="[B16-SP-DV-UCS-06] B16-
SP-DV-049/" logDir="[B16-SP-DV-UCS-06] B16-SP-DV-049/"
vmxPath="[B16-SP-DV-UCS-06] B16-SP-DV-049/B16-SP-DV-049.vmx">
    </VirtualMachineFileInfo>
    <VirtualHardware MemoryMB="2048"
NumCPUs="2">
    </VirtualHardware>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-049.vmdk</Name>
        <Size>62914560</Size>
        <Type>diskDescriptor</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware-1.log</Name>
        <Size>127808</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>vmware.log</Name>
        <Size>68443</Size>
        <Type>log</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-049.vmx</Name>
        <Size>2767</Size>
        <Type>config</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-049.vmx</Name>
        <Size>268</Size>
        <Type>extendedConfig</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-049.nvram</Name>
        <Size>8684</Size>
        <Type>nvram</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-049.vmsd</Name>
        <Size>0</Size>
        <Type>snapshotList</Type>
    </File>
    <File Type="VmFileInfo">
        <Name>B16-SP-DV-049-ddcc04de.vswp
</Name>

```

```

        <Size>2147483648</Size>
        <Type>swap</Type>
    </File>
    <StorageInfo Datastore="B16-SP-DV-UCS-06"
Unshared="66572201533" Uncommitted="0" Committed="66572201533">
    </StorageInfo>
    <Datastore Mor="datastore-1522"
Url="/vmfs/volumes/4e7a4c9e-84d77a3e-164b-d0d0fd094057"
Name="B16-SP-DV-UCS-06">
    </Datastore>
    <BackingDisk LunUuid="" DeviceName=""
DiskUuid="6000C29d-8f27-5f31-3d2c-3033fb7a2ab0" ChangeId=""
EagerlyScrub="false" UseAutoDetect="false" WriteThru="false"
Thin="false" Split="false" CapacityKB="62914560"
CompatibilityMode="" Mode="persistent" dsMor="datastore-1522"
BackingType="Vim25Api.VirtualDiskFlatVer2BackingInfo"
ContentId="06ef63901dddcb71784b128d8e3fe85" Parent=""
Disk="[B16-SP-DV-UCS-06] B16-SP-DV-049/B16-SP-DV-049.vmdk"
AllowGuestControl="false" StartConnected="false"
Connected="false" UnitNum="0" Key="2000" ControllerKey="1000"
Type="" Label="Hard disk 1">
    </BackingDisk>
    <BackingNetwork SwitchUuid="" PortKey=""
PortgroupKey="" ConnectionCookie="-1"
MacAddress="00:50:56:a4:22:f5" AddressType="assigned"
UseAutoDetect="false" InPassthroughMode="false"
WakeOnLanEnabled="true"
BackingType="Vim25Api.VirtualEthernetCardNetworkBackingInfo"
NetName="VM Network" AllowGuestControl="true"
StartConnected="true" Connected="false" UnitNum="7" Key="4000"
ControllerKey="100" Type="Vim25Api.VirtualE1000" Label="Network
adapter 1">
    </BackingNetwork>
    <BackingDiskCtrlr HotAddRemove="true"
EhciEnabled="false" AutoConnect="false" ControllerUnitNumber="7"
SharedBus="noSharing" BackingType="" FileName="" DeviceName="SCSI
controller 0" BusNum="3" AllowGuestControl="false"
StartConnected="false" Connected="false" UnitNum="3" Key="1000"
ControllerKey="100" Type="Vim25Api.VirtualLsiLogicController"
Label="SCSI controller 0">
    </BackingDiskCtrlr>
    <BackingFloppy UseAutoDetect="false"
FileName=""
BackingType="Vim25Api.VirtualFloppyRemoteDeviceBackingInfo"
dsMor="Uninitialized" DeviceName="" AllowGuestControl="true"
StartConnected="false" Connected="false" UnitNum="0" Key="8000"
ControllerKey="400" Type="" Label="Floppy drive 1">
    </BackingFloppy>
    <BackingCdrom UseAutoDetect="false"
FileName="[B16-SP-DV-UCS-06] RHEL-5.4/RHEL5.4-Server-x86_64-
DVD.iso" BackingType="Vim25Api.VirtualCdromIsoBackingInfo"
dsMor="datastore-1522" DeviceName="" AllowGuestControl="true"

```

```
StartConnected="true" Connected="false" UnitNum="0" Key="3002"  
ControllerKey="201" Type="" Label="CD/DVD drive 1">  
    </BackingCdrom>  
    </VirtualMachine>  
    </Folder>  
    </Datacenter>  
</VirtualMachinesProxyView>
```