

Policy Properties Comments?

Policy name:

Policy description:

Job templates

Template Name	Schedule Type	Job Type	Job Method	Device	Media Set
Backup Template 0221	Run according to schedule	Backup	Full	Backup-to-Disk Folder 1	InternalHardDisk1
Duplicate Backup Sets ...	Run according to rule	Duplicate ...		HP 2	IFL Daily Set 1

Template rules (optional)

After Backup Template 0221 completes, start Duplicate Backup Sets Template 0005 to duplicate the backup sets.

Destination**Device and Media****Settings**

General
Advanced
Pre/Post Commands
Network and Security
Advanced Open File
Microsoft SQL
Microsoft Exchange
Notification
Exclusions

Frequency

Schedule

Device and Media

Device:

Backup-to-Disk Folder 1

Media set:

InternalHardDisk1

When this job begins:

- Overwrite media
- Append to media, overwrite if no appendable media is available
- Append to media, terminate job if no appendable media is available

 Eject media after job completes Retention media before backup Use Write once, read many (WORM) media

Multiple data streams (Oracle and DB2 only)

Maximum number of devices to use for resources that support multiple data streams:

1

Minimum number of devices, terminate job if fewer devices are available:

1

OK

Cancel

Help

Destination

Device and Media

Settings**General**

Advanced

Pre/Post Commands

Network and Security

Advanced Open File

Microsoft SQL

Microsoft Exchange

Notification

Exclusions

Frequency

Schedule

General

Template name: Backup Template 0221

Backup set description: Backup Template 0221

Backup method

Backup method for files:

Full - Using archive bit (reset archive bit)

Files accessed in 30 days

 Use the Microsoft Change Journal if available Preserve tree on archive Collect additional information for synthetic backup and for true image restore Verify after backup completes

Compression type:

None

OK

Cancel

Help

Destination

Device and Media

Settings

General

Advanced

Pre/Post Commands

Network and Security

Advanced Open File

Microsoft SQL

Microsoft Exchange

Notification

Exclusions

Frequency

Schedule

Advanced

- Enable single instance backup for NTFS volumes
- Back up files and directories by following junction points
- Back up files and directories by following symbolic links
- Back up data in Remote Storage

Set Remote Agent priority:

Open file backup when Advanced Open File Option is not used

- Never
- If closed within seconds
- With a lock
- Without a lock

OK Cancel Help

Destination

Device and Media

Settings

General

Advanced

Pre/Post Commands

Network and Security

Advanced Open File

Microsoft SQL

Microsoft Exchange

Notification

Exclusions

Frequency

Schedule

Advanced Open File

 Use Advanced Open File Option

Open file configuration

 Automatically select open file technology Symantec Volume Snapshot Provider

Use the Advanced Option File Option (AOFO) wizard to configure the Symantec Volume Snapshot Provider for use with AOFO.

 Veritas Storage Foundation for Windows FlashSnap Option Microsoft Volume Shadow Copy ServiceSnapshot provider: Process logical volumes for backup one at a time

Note: The Advanced Open File Option settings apply to all backup selections in the job, including file system and database selections.

Destination

Device and Media

Settings

General

Advanced

Pre/Post Commands

Network and Security

Advanced Open File

Microsoft SQL

Microsoft Exchange

Notification

Exclusions

Frequency

Schedule

Microsoft Exchange

Information Store Backups

Backup method:

Full - Database & Logs (flush committed logs)  Continuously back up transaction logs with Backup Exec Continuous Protection Server Make a recovery point that creates browsable backup sets and truncates logs every

1

Days 


Without recovery points, individual mail messages and folders can only be recovered from the last full backup.

 Enable the restore of individual mail messages and folders from Information Store backups

(Exchange 2000 and later only; incremental backups supported with policy-based jobs only)

[Guide Me...](#) Perform consistency check before backup when using Microsoft Volume Shadow Copy Service (VSS) snapshot provider Continue with backup if consistency check fails

If Exchange 2007 backup source is LCR or CCR:

Back up from the passive copy and if not available, try the active copy (recommended) 

OK

Cancel

Help