

## Local SDR process as workaround for Remote SDR failing

1. Boot from the SDR CD (if prompted select your language)
2. On the disclaimer screen click Accept (Accetta)



3. Then click Network (Rete) = 1 and Configure network settings (Configura impostazioni delle connessione di rete) = 2



4. Specify your TCPIP and DNS details = 1 + 2, and click OK



5. Back on the network screen click map network drive (Connetti unità di rete)



6. Enter the details of a share to the drive on the media server containing your disk storage device (=1) and click OK (=2)




7. Then click on Restore (Ripristina) followed by Restore Computer (Ripristina computer) =1 + 2




8. Then choose the local option (I dati si trovano in dispositivi collegati localmente a questo computer)




9. Click Browse (Sfoglia) against the Information File (.DR) list




10. In the first highlighted section below, choose the drive mapped in step 6 and then choose the BEDATA folder =1. Then select the DR file for your server =2, and click Open (Apri) =3




**11. Select Next (Avanti)**




**12. Click Browse when asked for the storage device that contains the backup data**



**13. Choose the same BEDATA folder used in step 10 and click OK (=1+2)**




**14. Click Next (Avanti)**



**15. Click Next (Avanti) again**



**16. Click Restore (Ripristina) on the restore summary screen**



**17. Click Finish at the end**