





```
# -----
# DB2 User Exit Program
# -----
# If DB2 log file archiving is enabled (DB2 USEREXIT ON), DB2 will invoke
# the NetBackup user-exit program to backup & restore DB2 archive log files.
# Using ARCFUNC SAVE causes log files to be archived to NetBackup storage,
# as specified by the policy storage-unit setting.
# Using ARCFUNC COPY causes log files to be archived to a disk directory.
# Use ARCDIR to specify the destination directory for log file backup.
# Use RETDIR to specify the source directory for log file restore.
#
DATABASE WEBDB
OBJECTTYPE ARCHIVE
POLICY DB2_Arc
SCHEDULE User
ARCFUNC SAVE
#ARCFUNC COPY
ARCDIR /home/db2inst1/arcdir
#RETDIR /home/db2inst1/arcdir
ENDOPER

# -----
# LOGARCHMETH1 = "VENDOR.." parameter for versions 8.1.2 and above
# Policy is of type DB2.
# -----
#
# Comment the above DB2 User Exit section when using LOGARCHMETH1 = "VENDOR.."
#
DATABASE SAMPLE
OBJECTTYPE ARCHIVE
POLICY DB2_ARCH_Policy
SCHEDULE Default-Application-Backup
ENDOPER
```

db2.conf