

13:43:29.159 [1620.3664] <4> VxBSAInit: Veritas NetBackup XBSA Interface
- 7.6 0
13:43:29.175 [1620.3664] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:43:29.175 [1620.3664] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50902 TO 10.42.1.28.1556 fd = 464
13:43:29.175 [1620.3664] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:43:29.440 [1620.3664] <4> CGlobalInformation::VCSVirtualNameList: INF
- Veritas Cluster Server is not installed.
13:43:29.440 [1620.3664] <1> CGlobalInformation::VCSVirtualNameList:
CONTINUATION: - Le chemin d'accès spécifi  est introuvable.
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - Searching
for ODBC Driver: SQL Native Client
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - Registry
Install Path: SOFTWARE\Microsoft\Microsoft SQL Native Client\
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Native Client\
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - Registry
entry not found for: SOFTWARE\Microsoft\Microsoft SQL Native Client\
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - Searching
for ODBC Driver: SQL Server
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - Registry
Install Path: SOFTWARE\Microsoft\DataAccess\
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Server\
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver: SQL Server is installed on the system
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - Searching
for ODBC Driver: SQL Server Native Client 10.0
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - Registry
Install Path: SOFTWARE\Microsoft\Microsoft SQL Server Native Client 10.0\
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Server Native
Client 10.0\
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver: SQL Server Native Client 10.0 is installed on the system
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - Searching
for ODBC Driver: SQL Server Native Client 11.0
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - Registry
Install Path: SOFTWARE\Microsoft\Microsoft SQL Server Native Client 11.0\
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Server Native
Client 11.0\
13:43:29.440 [1620.3664] <4> ODBCDataSource::isInstalled: INF - Registry
entry not found for: SOFTWARE\Microsoft\Microsoft SQL Server Native
Client 11.0\
13:43:29.440 [1620.3664] <4> getServerName: Read server name from
nb_master_config: dzorvpw28.intranet.hyproc
13:43:29.440 [1620.3664] <4> CDBIniParms::CDBIniParms: INF - NT User is
omega
13:43:29.440 [1620.3664] <4> CGlobalInformation::CreateDSN: INF - Using
ODBC Driver <SQL Server>
13:43:29.440 [1620.3664] <4> DBConnect: INF - Logging into SQL Server
with DSN <NBMSSQL_1620_3664_1>, SQL userid <sa> handle <0x00329080>.
13:43:29.455 [1620.3664] <4> CGlobalInformation::CreateDSN: INF - A
successful connection to SQL Server <DZORVPW71\AMOS2> has been made using
standard security with DSN <NBMSSQL_1620_3664_1>

13:43:29.455 [1620.3664] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x00329080>
13:43:29.455 [1620.3664] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL_1620_3664_1>, SQL userid <sa> handle <0x0046e0a0>.
13:43:29.471 [1620.3664] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0046e0a0>
13:43:29.471 [1620.3664] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL_1620_3664_1>, SQL userid <sa> handle <0x0046e0a0>.
13:43:29.471 [1620.3664] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0046e0a0>
13:43:29.471 [1620.3664] <4> CDBbackcat::GetVirtualServer: INF - Accessing database instance <DZORVPW71\AMOS2> on server <DZORVPW71>.
13:43:29.471 [1620.3664] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:43:29.471 [1620.3664] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:43:29.471 [1620.3664] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.50903 TO 10.42.1.28.1556 fd = 528
13:43:29.471 [1620.3664] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:43:30.719 [1620.3260] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL_1620_3664_1>, SQL userid <sa> handle <0x0046e660>.
13:43:30.719 [1620.3260] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0046e660>
13:43:30.719 [1620.3260] <4> Dbbackrec::PerformNBOperation: INF - RESTORE STARTED USING
Microsoft SQL Server 2008 R2 (RTM) - 10.50.1600.1 (Intel X86)
Apr 2 2010 15:53:02
Copyright (c) Microsoft Corporation
Express Edition with Advanced Services on Windows NT 6.1 <X64> (Build 7600:) (WOW64) (Hypervisor)
Batch = E:\RestorIMOS\IMOS.bch, Op# = 1.
13:43:30.719 [1620.3260] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:43:30.719 [1620.3260] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:43:30.719 [1620.3260] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.50904 TO 10.42.1.28.1556 fd = 700
13:43:30.719 [1620.3260] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:43:30.813 [1620.3260] <4> InitPipeInfo: INF - Using backup image DZORRPW24.MSSQL7.DZORRPW24\IMOS.db.imos7.~.7.001of001.20150418050008..C
13:43:30.813 [1620.3260] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:43:30.813 [1620.3260] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:43:30.813 [1620.3260] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.50905 TO 10.42.1.28.1556 fd = 700
13:43:30.813 [1620.3260] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:43:30.875 [1620.3260] <4> Dbbackrec::CreateSQLcmdSyntax: INF - restore database "imos7" from VIRTUAL_DEVICE='VNBU0-1620-3260-1429706610' with stats = 10, blocksize = 65536, maxtransfersize = 4194304, buffercount = 2, replace , norecovery, move 'imos_v6' to 'E:\IMOS\BDD\imos7.mdf', move 'imos_v6_log' to 'E:\IMOS\BDD\imos7_log.ldf', replace
13:43:30.875 [1620.3260] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:43:30.875 [1620.4064] <4> VxBSAInit: Veritas NetBackup XBSA Interface - 7.6 0
13:43:30.875 [1620.3260] <2> vnet_pbxConnect: pbxConnectEx Succeeded

13:43:30.875 [1620.3260] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50906 TO 10.42.1.28.1556 fd = 724
13:43:30.875 [1620.3260] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:43:30.875 [1620.4064] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:43:30.875 [1620.4064] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50907 TO 10.42.1.28.1556 fd = 752
13:43:30.875 [1620.4064] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:43:31.000 [1620.3260] <4> Dbbackrec::CreateSQLCmdSyntax: INF - Number
of stripes: 1, Number of buffers per stripe 2.
13:43:31.000 [1620.3260] <4> dbc_GetServerClientConfig: ServerName:
<dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:43:31.140 [1620.3260] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:43:31.140 [1620.3260] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50908 TO 10.42.1.28.1556 fd = 752
13:43:31.140 [1620.3260] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:43:31.187 [1620.3260] <4> DBConnect: INF - Logging into SQL Server
with DSN <NBMSQL_1620_3664_1>, SQL userid <sa> handle <0x0046f760>.
13:43:31.203 [1620.3260] <4> CDBbackrec::InitDeviceSet(): INF - Created
VDI object for SQL Server instance <AMOS2>. Connection timeout is <300>
seconds.
13:43:31.203 [1620.3260] <4> dbc_GetServerClientConfig: ServerName:
<dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:43:31.203 [1620.3260] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:43:31.203 [1620.3260] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50909 TO 10.42.1.28.1556 fd = 856
13:43:31.203 [1620.3260] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:43:31.312 [1620.4064] <4> DBthreads::dbclient: INF - wait for addr
assigned 0
13:43:31.312 [1620.4064] <4> VxBSABeginTxn: INF - entering VxBSABeginTxn.
13:43:31.312 [1620.4064] <4> VxBSAQueryObject: INF - entering
QueryObject.
13:43:31.312 [1620.4064] <4> dbc_GetServerClientConfig: ServerName:
<dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:43:31.312 [1620.4064] <8> VxBSAQueryObject: WARNING -
NBBSA_CLIENT_HOST name= <DZORRPW24> differs from NBU config name=
<dzorvpw71.intranet.hyproc>
13:43:31.312 [1620.4064] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:43:31.312 [1620.4064] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50910 TO 10.42.1.28.1556 fd = 864
13:43:31.312 [1620.4064] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:43:31.764 [1620.4064] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
13:43:31.764 [1620.4064] <4> DBthreads::dbclient: INF - Alternate buffer
restore rejected because backup did not use alternate method.
13:43:31.764 [1620.4064] <4> VxBSAGetObject: INF - entering GetObject
13:43:31.764 [1620.4064] <4> dbc_GetServerClientConfig: ServerName:
<dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:43:31.764 [1620.4064] <8> VxBSAGetObject: WARNING - NBBSA_CLIENT_HOST
name= <DZORRPW24> differs from NBU config name=
<dzorvpw71.intranet.hyproc>
13:43:31.764 [1620.4064] <4> RestoreFileObjects: INF - restoring
File:</DZORRPW24.MSSQL7.DZORRPW24\IMOS.db.imos7.~.7.001of001.201504180500
08..C>

13:43:31.764 [1620.4064] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:43:31.764 [1620.4064] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50911 TO 10.42.1.28.1556 fd = 872
13:43:31.764 [1620.4064] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:43:46.475 [1620.4064] <2> verify_hashes: [vnet_vnetd.c:1643] hash_str
605a955b8e0aee9b1954278d71650e8a
13:43:46.491 [1620.4064] <2> verify_hashes: [vnet_vnetd.c:1643] hash_str
6d719a71735fb0ce92199367b52eda18
13:43:48.534 [1620.4064] <2> verify_hashes: [vnet_vnetd.c:1643] hash_str
8dd692402ef43e027cle7d665b7de267
13:45:12.633 [1620.4064] <4> readTarHeader: INF - Image was Compressed
13:45:12.633 [1620.4064] <4> readTarHeader: INF - image to restore = 10
GBytes + 69360824 Bytes
13:45:12.633 [1620.4064] <4> DBthreads::dbclient: INF - DBClient has
opened for stripe <0>
13:45:12.649 [1620.2292] <4> getServerName: Read server name from
nb_master_config: dzorrrpw28.intranet.hyproc
13:45:12.649 [1620.2292] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:45:12.649 [1620.2292] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50942 TO 10.42.1.28.1556 fd = 904
13:45:12.649 [1620.2292] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:45:12.758 [1620.2292] <16> WriteToVirtualDevice: ERR - Error in
GetCommand: 0x80770004.
13:45:12.758 [1620.2292] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:45:12.758 [1620.2292] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:45:12.758 [1620.2292] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50943 TO 10.42.1.28.1556 fd = 912
13:45:12.758 [1620.2292] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:45:12.820 [1620.2292] <1> WriteToVirtualDevice: CONTINUATION: - An
abort request is preventing anything except termination actions.
13:45:12.820 [1620.2292] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:45:12.820 [1620.2292] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:45:12.820 [1620.2292] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50944 TO 10.42.1.28.1556 fd = 912
13:45:12.820 [1620.2292] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:45:12.898 [1620.2292] <4> KillAllThreads: INF - Killing group #0
13:45:12.898 [1620.2292] <4> KillAllThreads: INF - Issuing SignalAbort to
MS SQL Server VDI
13:45:12.898 [1620.772] <4> KillAllThreads: INF - Killing group #0
13:45:13.086 [1620.3260] <16> CODBCaccess::LogODBCerr: DBMS MSG - ODBC
return code <-1>, SQL State <37000>, SQL Message <1827><<[Microsoft][ODBC
SQL Server Driver][SQL Server]Échec de CREATE DATABASE ou ALTER DATABASE
parce que la taille cumulée de la base de données résultante dépassera
les limites de la licence, soit 10240 Mo par base de données.>>.
13:45:13.086 [1620.3260] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:45:13.086 [1620.3260] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:45:13.086 [1620.3260] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50945 TO 10.42.1.28.1556 fd = 732
13:45:13.086 [1620.3260] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0

13:45:13.148 [1620.3260] <16> CODBCAccess::LogODBCerr: DBMS MSG - SQL Message <3013><[Microsoft][ODBC SQL Server Driver][SQL Server]RESTORE DATABASE s'est terminé anormalement.>
13:45:13.148 [1620.3260] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:45:13.148 [1620.3260] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:45:13.148 [1620.3260] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.50946 TO 10.42.1.28.1556 fd = 732
13:45:13.148 [1620.3260] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:45:13.195 [1620.3260] <16> Dbbackrec::PerformNBOperation: ERR - Error found executing <restore database "imos7" from VIRTUAL_DEVICE='VNBU0-1620-3260-1429706610' with stats = 10, blocksize = 65536, maxtransfersize = 4194304, buffercount = 2, replace , norecovery, move 'imos_v6' to 'E:\IMOS\BDD\imos7.mdf', move 'imos_v6_log' to 'E:\IMOS\BDD\imos7_log.ldf', replace>.
13:45:13.195 [1620.3260] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:45:13.210 [1620.3260] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:45:13.210 [1620.3260] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.50947 TO 10.42.1.28.1556 fd = 732
13:45:13.210 [1620.3260] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:45:13.257 [1620.3260] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0046f760>
13:45:13.257 [1620.3260] <4> getServerName: Read server name from nb_master_config: dzorvpw28.intranet.hyproc
13:45:13.273 [1620.3260] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:45:13.273 [1620.3260] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.50948 TO 10.42.1.28.1556 fd = 712
13:45:13.273 [1620.3260] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:45:13.351 [1620.3260] <4> Dbbackrec::Perform: INF - OPERATION #1 of batch E:\RestorIMOS\IMOS.bch FAILED with STATUS 1 (0 is normal). Elapsed time = 104(104) seconds.
13:45:13.351 [1620.3260] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:45:13.351 [1620.3260] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:45:13.351 [1620.3260] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.50949 TO 10.42.1.28.1556 fd = 712
13:45:13.351 [1620.3260] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:45:15.441 [1620.3664] <4> CDBbackmain::dbbackup: INF - Results of executing <E:\RestorIMOS\IMOS.bch>:
<0> operations succeeded. <1> operations failed.
13:45:15.441 [1620.3664] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:45:15.441 [1620.3664] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:45:15.441 [1620.3664] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.50950 TO 10.42.1.28.1556 fd = 528
13:45:15.441 [1620.3664] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:45:15.504 [1620.3664] <4> CGlobalInformation::DeleteDSN: INF - Using ODBC Driver <SQL Server>
13:45:15.504 [1620.3664] <4> VxBSATerminate: INF - entering VxBSATerminate.
13:48:54.136 [2944.368] <4> VxBSAInit: Veritas NetBackup XBSA Interface - 7.6 0

13:48:54.152 [2944.368] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:48:54.152 [2944.368] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50961 TO 10.42.1.28.1556 fd = 440
13:48:54.152 [2944.368] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:48:54.433 [2944.368] <4> CGlobalInformation::VCSVirtualNameList: INF -
Veritas Cluster Server is not installed.
13:48:54.433 [2944.368] <1> CGlobalInformation::VCSVirtualNameList:
CONTINUATION: - Le chemin d'accès spécifié est introuvable.
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - Searching
for ODBC Driver: SQL Native Client
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - Registry
Install Path: SOFTWARE\Microsoft\Microsoft SQL Native Client\
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Native Client\
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - Registry
entry not found for: SOFTWARE\Microsoft\Microsoft SQL Native Client\
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - Searching
for ODBC Driver: SQL Server
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - Registry
Install Path: SOFTWARE\Microsoft\DataAccess\
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Server\
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver: SQL Server is installed on the system
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - Searching
for ODBC Driver: SQL Server Native Client 10.0
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - Registry
Install Path: SOFTWARE\Microsoft\Microsoft SQL Server Native Client 10.0\
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Server Native
Client 10.0\
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver: SQL Server Native Client 10.0 is installed on the system
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - Searching
for ODBC Driver: SQL Server Native Client 11.0
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - Registry
Install Path: SOFTWARE\Microsoft\Microsoft SQL Server Native Client 11.0\
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Server Native
Client 11.0\
13:48:54.433 [2944.368] <4> ODBCDataSource::isInstalled: INF - Registry
entry not found for: SOFTWARE\Microsoft\Microsoft SQL Server Native
Client 11.0\
13:48:54.433 [2944.368] <4> getServerName: Read server name from
nb_master_config: dzorvpw28.intranet.hyproc
13:48:54.433 [2944.368] <4> CDBIniParms::CDBIniParms: INF - NT User is
omega
13:48:54.433 [2944.368] <4> CGlobalInformation::CreatedDSN: INF - Using
ODBC Driver <SQL Server>
13:48:54.448 [2944.368] <4> DBConnect: INF - Logging into SQL Server with
DSN <NBMS SQL_2944_368_1>, SQL userid <sa> handle <0x00419080>.
13:48:54.464 [2944.368] <4> CGlobalInformation::CreatedDSN: INF - A
successful connection to SQL Server <DZORVPW71\AMOS2> has been made using
standard security with DSN <NBMS SQL_2944_368_1>
13:48:54.464 [2944.368] <4> DBDisconnect: INF - Logging out of SQL Server
with handle <0x00419080>

13:48:54.464 [2944.368] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL_2944_368_1>, SQL userid <sa> handle <0x0042e0a0>.
13:48:54.464 [2944.368] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0042e0a0>
13:48:54.464 [2944.368] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL_2944_368_1>, SQL userid <sa> handle <0x0042e0a0>.
13:48:54.464 [2944.368] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0042e0a0>
13:48:54.464 [2944.368] <4> CDBbackcat::GetVirtualServer: INF - Accessing database instance <DZORVPW71\AMOS2> on server <DZORVPW71>.
13:48:54.464 [2944.368] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:48:54.479 [2944.368] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:48:54.479 [2944.368] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.50962 TO 10.42.1.28.1556 fd = 504
13:48:54.479 [2944.368] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:48:55.696 [2944.2504] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL_2944_368_1>, SQL userid <sa> handle <0x0042e660>.
13:48:55.696 [2944.2504] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0042e660>
13:48:55.696 [2944.2504] <4> Dbbackrec::PerformNBOperation: INF - RESTORE STARTED USING
Microsoft SQL Server 2008 R2 (RTM) - 10.50.1600.1 (Intel X86)
Apr 2 2010 15:53:02
Copyright (c) Microsoft Corporation
Express Edition with Advanced Services on Windows NT 6.1 <X64> (Build 7600:) (WOW64) (Hypervisor)
Batch = E:\RestorIMOS\IMOS.bch, Op# = 1.
13:48:55.696 [2944.2504] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:48:55.696 [2944.2504] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:48:55.696 [2944.2504] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.50963 TO 10.42.1.28.1556 fd = 676
13:48:55.696 [2944.2504] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:48:55.790 [2944.2504] <4> InitPipeInfo: INF - Using backup image DZORRPW24.MSSQL7.DZORRPW24\IMOS.db.imos7.~.7.001of001.20150418050008..C
13:48:55.790 [2944.2504] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:48:55.790 [2944.2504] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:48:55.790 [2944.2504] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.50964 TO 10.42.1.28.1556 fd = 676
13:48:55.790 [2944.2504] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:48:55.852 [2944.2504] <4> Dbbackrec::CreateSQLcmdSyntax: INF - restore database "imos7" from VIRTUAL_DEVICE='VNBU0-2944-2504-1429706935' with stats = 10, blocksize = 65536, maxtransfer_size = 4194304, buffercount = 2, replace , norecovery, move 'imos_v6' to 'E:\IMOS\BDD\imos7.mdf', move 'imos_v6_log' to 'E:\IMOS\BDD\imos7_log.ldf', replace
13:48:55.852 [2944.2504] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:48:55.852 [2944.1652] <4> VxBSAInit: Veritas NetBackup XBSA Interface - 7.6 0
13:48:55.852 [2944.2504] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:48:55.852 [2944.2504] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.50965 TO 10.42.1.28.1556 fd = 700

13:48:55.852 [2944.2504] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:48:55.868 [2944.1652] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:48:55.868 [2944.1652] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50966 TO 10.42.1.28.1556 fd = 728
13:48:55.868 [2944.1652] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:48:55.915 [2944.2504] <4> Dbbackrec::CreateSQLcmdSyntax: INF - Number
of stripes: 1, Number of buffers per stripe 2.
13:48:55.915 [2944.2504] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:48:56.149 [2944.2504] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:48:56.149 [2944.2504] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50967 TO 10.42.1.28.1556 fd = 728
13:48:56.149 [2944.2504] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:48:56.211 [2944.2504] <4> DBConnect: INF - Logging into SQL Server
with DSN <NBMSQL_2944_368_1>, SQL userid <sa> handle <0x0042f760>.
13:48:56.211 [2944.2504] <4> CDBbackrec::InitDeviceSet(): INF - Created
VDI object for SQL Server instance <AMOS2>. Connection timeout is <300>
seconds.
13:48:56.211 [2944.2504] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:48:56.211 [2944.2504] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:48:56.211 [2944.2504] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50968 TO 10.42.1.28.1556 fd = 836
13:48:56.211 [2944.2504] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:48:56.289 [2944.1652] <4> DBthreads::dbclient: INF - wait for addr
assigned 0
13:48:56.289 [2944.1652] <4> VxBSABeginTxn: INF - entering VxBSABeginTxn.
13:48:56.289 [2944.1652] <4> VxBSAQueryObject: INF - entering
QueryObject.
13:48:56.289 [2944.1652] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:48:56.289 [2944.1652] <8> VxBSAQueryObject: WARNING -
NBBSA_CLIENT_HOST name= <DZORRPW24> differs from NBU config name=
<dzorvpw71.intranet.hyproc>
13:48:56.289 [2944.1652] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:48:56.289 [2944.1652] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50969 TO 10.42.1.28.1556 fd = 844
13:48:56.289 [2944.1652] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:48:56.773 [2944.1652] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
13:48:56.773 [2944.1652] <4> DBthreads::dbclient: INF - Alternate buffer
restore rejected because backup did not use alternate method.
13:48:56.773 [2944.1652] <4> VxBSAGetObject: INF - entering GetObject
13:48:56.773 [2944.1652] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:48:56.773 [2944.1652] <8> VxBSAGetObject: WARNING - NBBSA_CLIENT_HOST
name= <DZORRPW24> differs from NBU config name=
<dzorvpw71.intranet.hyproc>
13:48:56.773 [2944.1652] <4> RestoreFileObjects: INF - restoring
File:</DZORRPW24.MSSQL7.DZORRPW24\IMOS.db.imos7.~.7.001of001.201504180500
08..C>
13:48:56.773 [2944.1652] <2> vnet_pbxConnect: pbxConnectEx Succeeded

13:48:56.773 [2944.1652] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.50970 TO 10.42.1.28.1556 fd = 852
13:48:56.773 [2944.1652] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:49:10.376 [2944.1652] <2> verify_hashes: [vnet_vnetd.c:1643] hash_str
e5def8f0bb10e4ad3ae70e0b5e35b9c3
13:49:10.391 [2944.1652] <2> verify_hashes: [vnet_vnetd.c:1643] hash_str
917d998b543ff833cc9dd0dlbd5cc311
13:49:13.449 [2944.1652] <2> verify_hashes: [vnet_vnetd.c:1643] hash_str
577950fe8e51ba582ee4b5662e2444c3
13:50:55.659 [2944.1652] <4> readTarHeader: INF - Image was Compressed
13:50:55.659 [2944.1652] <4> readTarHeader: INF - image to restore = 10
GBytes + 69360824 Bytes
13:50:55.659 [2944.1652] <4> DBthreads::dbclient: INF - DBClient has
opened for stripe <0>
13:50:55.675 [2944.3600] <4> getServerName: Read server name from
nb_master_config: dzorrrpw28.intranet.hyproc
13:50:55.675 [2944.3600] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:50:55.675 [2944.3600] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.51001 TO 10.42.1.28.1556 fd = 888
13:50:55.675 [2944.3600] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:50:55.784 [2944.3600] <16> WriteToVirtualDevice: ERR - Error in
GetCommand: 0x80770004.
13:50:55.784 [2944.3600] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:50:55.784 [2944.3600] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:50:55.784 [2944.3600] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.51002 TO 10.42.1.28.1556 fd = 896
13:50:55.784 [2944.3600] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:50:55.831 [2944.3600] <1> WriteToVirtualDevice: CONTINUATION: - An
abort request is preventing anything except termination actions.
13:50:55.831 [2944.3600] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:50:55.847 [2944.3600] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:50:55.847 [2944.3600] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.51003 TO 10.42.1.28.1556 fd = 896
13:50:55.847 [2944.3600] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:50:55.893 [2944.3600] <4> KillAllThreads: INF - Killing group #0
13:50:55.893 [2944.3600] <4> KillAllThreads: INF - Issuing SignalAbort to
MS SQL Server VDI
13:50:55.893 [2944.824] <4> KillAllThreads: INF - Killing group #0
13:50:57.235 [2944.2504] <4> DBDisconnect: INF - Logging out of SQL
Server with handle <0x0042f760>
13:50:57.235 [2944.2504] <4> getServerName: Read server name from
nb_master_config: dzorrrpw28.intranet.hyproc
13:50:57.235 [2944.2504] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:50:57.235 [2944.2504] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.51004 TO 10.42.1.28.1556 fd = 688
13:50:57.235 [2944.2504] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:50:57.313 [2944.2504] <4> Dbbackrec::Perform: INF - OPERATION #1 of
batch E:\RestorIMOS\IMOS.bch FAILED with STATUS 1 (0 is normal). Elapsed
time = 123(123) seconds.
13:50:57.313 [2944.2504] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>

13:50:57.329 [2944.2504] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:50:57.329 [2944.2504] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.51005 TO 10.42.1.28.1556 fd = 688
13:50:57.329 [2944.2504] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:50:59.388 [2944.368] <4> CDBbackmain::dbbackup: INF - Results of
executing <E:\RestorIMOS\IMOS.bch>:
<0> operations succeeded. <1> operations failed.
13:50:59.388 [2944.368] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
13:50:59.403 [2944.368] <2> vnet_pbxConnect: pbxConnectEx Succeeded
13:50:59.403 [2944.368] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.51006 TO 10.42.1.28.1556 fd = 504
13:50:59.403 [2944.368] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
13:50:59.450 [2944.368] <4> CGlobalInformation::DeleteDSN: INF - Using
ODBC Driver <SQL Server>
13:50:59.466 [2944.368] <4> VxBSATerminate: INF - entering
VxBSATerminate.