

14:00:05.894 [904.8096] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:00:05.895 [904.8096] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49852 TO 10.42.1.28.1556 fd = 516  
14:00:06.172 [904.8096] <4> CGlobalInformation::VCSVirtualNameList: INF -  
Veritas Cluster Server is not installed.  
14:00:06.172 [904.8096] <1> CGlobalInformation::VCSVirtualNameList:  
CONTINUATION: - Le chemin d'accès spécifié est introuvable.  
14:00:06.173 [904.8096] <4> getServerName: Read server name from  
nb\_master\_config: 10.42.1.28  
14:00:06.173 [904.8096] <4> CDBIniParms::CDBIniParms: INF - NT User is  
Système  
14:00:06.185 [904.8096] <4> CDBbackmain::OperationsAreGroupable: INF -  
The batch file is not groupable because at least one operation specifies  
a transaction log, filegroup, or file.  
14:00:06.206 [904.8096] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_1>, SQL userid <sa> handle <0x00629470>.  
14:00:06.220 [904.8096] <4> CGlobalInformation::CreateDSN: INF - A  
successful connection to SQL Server <DZORRPW24\IMOS> has been made using  
standard security with DSN <NBMSQL\_904\_8096\_1>  
14:00:06.220 [904.8096] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x00629470>  
14:00:06.220 [904.8096] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_1>, SQL userid <sa> handle <0x00629470>.  
14:00:06.229 [904.8096] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x00629470>  
14:00:06.229 [904.8096] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_1>, SQL userid <sa> handle <0x00629470>.  
14:00:06.237 [904.8096] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x00629470>  
14:00:06.237 [904.8096] <4> CDBbackcat::GetVirtualServer: INF - Accessing  
database instance <DZORRPW24\IMOS> on server <DZORRPW24>.  
14:00:06.242 [904.8096] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:00:06.242 [904.8096] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49856 TO 10.42.1.28.1556 fd = 584  
14:00:06.500 [904.8096] <4> CDBbackrec::CDBbackrec: INF - Use standard  
backup method with policy <OR-SQL-IMOS-BDD-I-T>.  
14:00:07.600 [904.5672] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_1>, SQL userid <sa> handle <0x00629750>.  
14:00:07.609 [904.5672] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x00629750>  
14:00:07.610 [904.5672] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_1>, SQL userid <sa> handle <0x00629750>.  
14:00:07.617 [904.5672] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x00629750>  
14:00:07.618 [904.5672] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_1>, SQL userid <sa> handle <0x0062a830>.  
14:00:07.626 [904.5672] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x0062a830>  
14:00:07.626 [904.5672] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_1>, SQL userid <sa> handle <0x0062a830>.  
14:00:07.633 [904.5672] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x0062a830>  
14:00:07.634 [904.5672] <4> Dbbackrec::PerformNBOperation: INF - BACKUP  
STARTED USING  
Microsoft SQL Server 2008 (RTM) - 10.0.1600.22 (X64)  
Jul 9 2008 14:17:44  
Copyright (c) 1988-2008 Microsoft Corporation  
Enterprise Edition (64-bit) on Windows NT 6.1 <X64> (Build 7600: )

Batch = C:\Program Files\Veritas\NetBackup\DbExt\MsSql\DZORRPW24-  
IMOS\IMOS-Incr.bch, Op# = 1  
14:00:07.646 [904.5672] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:00:07.646 [904.5672] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49861 TO 10.42.1.28.1556 fd = 776  
14:00:07.734 [904.5672] <4> InitPipeInfo: INF - Using backup image  
DZORRPW24.MSSQL7.DZORRPW24\IMOS.trx.imos7.~.7.001of001.20150422140006..C  
14:00:07.737 [904.5672] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:00:07.737 [904.5672] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49862 TO 10.42.1.28.1556 fd = 776  
14:00:07.786 [904.5672] <4> Dbbackrec::CreateSQLcmdSyntax: INF - backup  
log "imos7" to VIRTUAL\_DEVICE='VNBU0-904-5672-1429707607' with stats =  
10, blocksize = 65536, maxtransfersize = 4194304, buffercount = 2  
14:00:07.798 [904.5672] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:00:07.799 [904.5672] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49863 TO 10.42.1.28.1556 fd = 788  
14:00:07.803 [904.5656] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:00:07.804 [904.5656] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49864 TO 10.42.1.28.1556 fd = 828  
14:00:07.858 [904.5672] <4> Dbbackrec::CreateSQLcmdSyntax: INF - Number  
of stripes: 1, Number of buffers per stripe 2.  
14:00:08.061 [904.5672] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:00:08.061 [904.5672] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49865 TO 10.42.1.28.1556 fd = 832  
14:00:08.140 [904.5672] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSSQL\_904\_8096\_1>, SQL userid <sa> handle <0x0062bc90>.  
14:00:08.157 [904.5672] <4> CDBbackrec::InitDeviceSet(): INF - Created  
VDI object for SQL Server instance <IMOS>. Connection timeout is <300>  
seconds.  
14:00:08.170 [904.5672] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:00:08.171 [904.5672] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49867 TO 10.42.1.28.1556 fd = 920  
14:00:08.267 [904.5656] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:00:08.268 [904.5656] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49868 TO 10.42.1.28.1556 fd = 940  
14:00:26.271 [904.5656] <8> vnet\_cached\_getaddrinfo\_and\_update:  
[vnet\_addrinfo.c:1583] in failed file cache ERR=10109 NAME=NULL  
SVC=testdaemon  
14:00:26.271 [904.5656] <8> vnet\_cached\_get\_service\_port:  
[vnet\_addrinfo.c:2387] vnet\_cached\_getaddrinfo failed STAT=6 RV=10109  
NAME=testdaemon  
14:00:26.271 [904.5656] <8> is\_pbxable\_service: [vnet\_connect.c:2159]  
vnet\_cached\_get\_service\_port() failed 6 0x6  
14:00:26.271 [904.5656] <8> is\_pbxable\_service: [vnet\_connect.c:2160]  
service 49882  
14:00:26.271 [904.5656] <8> file\_to\_cache\_item: [vnet\_addrinfo.c:6555]  
fopen() failed ERRNO=2 FILE=C:\Program  
Files\Veritas\NetBackup\var\host\_cache\14f\6cf9fd4f+49882,1,400,2,1,0+127  
.0.0.1.txt  
14:00:26.278 [904.5656] <8> verify\_hashes: [vnet\_vnetd.c:1641] hash\_str  
6c722564c6e90a07f22ab82539ebde2e  
14:00:26.281 [904.5656] <8> vnet\_cached\_getaddrinfo\_and\_update:  
[vnet\_addrinfo.c:1530] in failed cache ERR=10109 NAME=NULL SVC=testdaemon  
14:00:26.281 [904.5656] <8> vnet\_cached\_get\_service\_port:  
[vnet\_addrinfo.c:2387] vnet\_cached\_getaddrinfo failed STAT=6 RV=10109  
NAME=testdaemon  
14:00:26.281 [904.5656] <8> is\_pbxable\_service: [vnet\_connect.c:2159]  
vnet\_cached\_get\_service\_port() failed 6 0x6

14:00:26.281 [904.5656] <8> is\_pbxable\_service: [vnet\_connect.c:2160]  
service 49883  
14:00:26.281 [904.5656] <8> file\_to\_cache\_item: [vnet\_addrinfo.c:6555]  
fopen() failed ERRNO=2 FILE=C:\Program  
Files\Veritas\NetBackup\var\host\_cache\14f\6cf9fd4f+49883,1,400,2,1,0+127  
.0.0.1.txt  
14:00:26.287 [904.5656] <8> verify\_hashes: [vnet\_vnetd.c:1641] hash\_str  
4ec236af71940b446f712f35da22fbf8  
14:00:29.291 [904.5656] <8> vnet\_cached\_getaddrinfo\_and\_update:  
[vnet\_addrinfo.c:1530] in failed cache ERR=10109 NAME=NULL SVC=testdaemon  
14:00:29.291 [904.5656] <8> vnet\_cached\_get\_service\_port:  
[vnet\_addrinfo.c:2387] vnet\_cached\_getaddrinfo failed STAT=6 RV=10109  
NAME=testdaemon  
14:00:29.291 [904.5656] <8> is\_pbxable\_service: [vnet\_connect.c:2159]  
vnet\_cached\_get\_service\_port() failed 6 0x6  
14:00:29.291 [904.5656] <8> is\_pbxable\_service: [vnet\_connect.c:2160]  
service 49881  
14:00:29.291 [904.5656] <8> file\_to\_cache\_item: [vnet\_addrinfo.c:6555]  
fopen() failed ERRNO=2 FILE=C:\Program  
Files\Veritas\NetBackup\var\host\_cache\14f\6cf9fd4f+49881,1,400,2,1,0+127  
.0.0.1.txt  
14:00:29.307 [904.5656] <8> verify\_hashes: [vnet\_vnetd.c:1641] hash\_str  
e7dd9ab082231261084fd0e145895aed  
14:00:29.311 [904.5656] <4> serverResponse: Not a candidate for alternate  
buffer method: shared memory is not in use.  
14:02:33.943 [904.2136] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_1>, SQL userid <sa> handle <0x0062f430>.  
14:02:34.019 [904.2136] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x0062f430>  
14:02:34.020 [904.5656] <4> DBthreads::dbclient: INF - Thread has been  
closed for stripe #0  
14:02:34.023 [904.5656] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:02:34.024 [904.5656] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49894 TO 10.42.1.28.1556 fd = 808  
14:02:34.096 [904.5656] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_1>, SQL userid <sa> handle <0x0062f430>.  
14:02:34.103 [904.5656] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x0062f430>  
14:02:34.103 [904.5656] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_1>, SQL userid <sa> handle <0x0062f430>.  
14:02:34.109 [904.5656] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x0062f430>  
14:02:34.109 [904.5656] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_1>, SQL userid <sa> handle <0x0062f430>.  
14:02:34.115 [904.5656] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_1>, SQL userid <sa> handle <0x0062fbb0>.  
14:02:34.142 [904.5656] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x0062fbb0>  
14:02:34.143 [904.5656] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x0062f430>  
14:02:34.234 [904.5672] <8> CODBCaccess::LogODBCerr: WARN - ODBC return  
code <1>, SQL State <01000>, SQL Message <3211><[Microsoft][ODBC SQL  
Server Driver][SQL Server]11 pour cent traités.>.  
14:02:34.234 [904.5672] <8> CODBCaccess::LogODBCerr: WARN - SQL Message  
<3211><[Microsoft][ODBC SQL Server Driver][SQL Server]21 pour cent  
traités.>

14:02:34.234 [904.5672] <8> CODBCaccess::LogODBCerr: WARN - SQL Message <3211><[Microsoft][ODBC SQL Server Driver][SQL Server]30 pour cent traités.>

14:02:34.234 [904.5672] <8> CODBCaccess::LogODBCerr: WARN - SQL Message <3211><[Microsoft][ODBC SQL Server Driver][SQL Server]40 pour cent traités.>

14:02:34.234 [904.5672] <8> CODBCaccess::LogODBCerr: WARN - SQL Message <3211><[Microsoft][ODBC SQL Server Driver][SQL Server]51 pour cent traités.>

14:02:34.234 [904.5672] <8> CODBCaccess::LogODBCerr: WARN - SQL Message <3211><[Microsoft][ODBC SQL Server Driver][SQL Server]62 pour cent traités.>

14:02:34.234 [904.5672] <8> CODBCaccess::LogODBCerr: WARN - SQL Message <3211><[Microsoft][ODBC SQL Server Driver][SQL Server]70 pour cent traités.>

14:02:34.234 [904.5672] <8> CODBCaccess::LogODBCerr: WARN - SQL Message <3211><[Microsoft][ODBC SQL Server Driver][SQL Server]81 pour cent traités.>

14:02:34.234 [904.5672] <8> CODBCaccess::LogODBCerr: WARN - SQL Message <3211><[Microsoft][ODBC SQL Server Driver][SQL Server]92 pour cent traités.>

14:02:34.234 [904.5672] <8> CODBCaccess::LogODBCerr: WARN - SQL Message <3211><[Microsoft][ODBC SQL Server Driver][SQL Server]100 pour cent traités.>

14:02:34.234 [904.5672] <8> CODBCaccess::LogODBCerr: WARN - SQL Message <4035><[Microsoft][ODBC SQL Server Driver][SQL Server]18882 pages traitées pour la base de données 'imos7', fichier 'imos\_v6\_log' dans le fichier 1.>

14:02:34.234 [904.5672] <8> CODBCaccess::LogODBCerr: WARN - SQL Message <3014><[Microsoft][ODBC SQL Server Driver][SQL Server]BACKUP LOG a traité avec succès 18882 pages en 2.594 secondes (56.865 Mo/s).>

14:02:41.474 [904.5672] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0062bc90>

14:02:41.477 [904.5672] <4> Dbbackrec::Perform: INF - OPERATION #1 of batch C:\Program Files\Veritas\NetBackup\DbExt\MsSql\DZORRPW24-IMOS\IMOS-Incr.bch SUCCEEDED with STATUS 0 (0 is normal). Elapsed time = 155(3) seconds

14:02:41.487 [904.5672] <2> vnet\_pbxConnect: pbxConnectEx Succeeded

14:02:41.488 [904.5672] <2> logconnections: BPRD CONNECT FROM 10.42.1.24.49902 TO 10.42.1.28.1556 fd = 848

14:02:43.571 [904.8096] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL\_904\_8096\_2>, SQL userid <sa> handle <0x0062a760>.

14:02:43.580 [904.8096] <4> CGlobalInformation::CreatedDSN: INF - A successful connection to SQL Server <DZORRPW24\IMOS> has been made using standard security with DSN <NBMSSQL\_904\_8096\_2>

14:02:43.580 [904.8096] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0062a760>

14:02:43.580 [904.8096] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL\_904\_8096\_2>, SQL userid <sa> handle <0x0062a760>.

14:02:43.588 [904.8096] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0062a760>

14:02:43.589 [904.8096] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL\_904\_8096\_2>, SQL userid <sa> handle <0x0062a760>.

14:02:43.596 [904.8096] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0062a760>

14:02:43.596 [904.8096] <4> CDBbackcat::GetVirtualServer: INF - Accessing database instance <DZORRPW24\IMOS> on server <DZORRPW24>.

14:02:43.600 [904.8096] <2> vnet\_pbxConnect: pbxConnectEx Succeeded

14:02:43.600 [904.8096] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49907 TO 10.42.1.28.1556 fd = 956  
14:02:43.863 [904.8096] <4> CDBbackrec::CDBbackrec: INF - Use standard  
backup method with policy <OR-SQL-IMOS-BDD-I-T>.  
14:02:54.963 [904.6224] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_2>, SQL userid <sa> handle <0x0062a760>.  
14:02:54.972 [904.6224] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x0062a760>  
14:02:54.972 [904.6224] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_2>, SQL userid <sa> handle <0x0062a760>.  
14:02:54.981 [904.6224] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x0062a760>  
14:02:54.981 [904.6224] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_2>, SQL userid <sa> handle <0x0062a760>.  
14:02:54.989 [904.6224] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x0062a760>  
14:02:54.989 [904.6224] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_2>, SQL userid <sa> handle <0x0062a760>.  
14:02:54.996 [904.6224] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x0062a760>  
14:02:54.997 [904.6224] <4> Dbbackrec::PerformNBOperation: INF - BACKUP  
STARTED USING  
Microsoft SQL Server 2008 (RTM) - 10.0.1600.22 (X64)  
Jul 9 2008 14:17:44  
Copyright (c) 1988-2008 Microsoft Corporation  
Enterprise Edition (64-bit) on Windows NT 6.1 <X64> (Build 7600: )  
Batch = C:\Program Files\Veritas\NetBackup\DbExt\MsSql\DZORRPW24-  
IMOS\IMOS-Incr.bch, Op# = 2  
14:02:55.001 [904.6224] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:02:55.002 [904.6224] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49912 TO 10.42.1.28.1556 fd = 656  
14:02:55.073 [904.6224] <4> InitPipeInfo: INF - Using backup image  
DZORRPW24.MSSQL7.DZORRPW24\IMOS.trx.veslink.~.7.001of001.20150422140253..  
C  
14:02:55.077 [904.6224] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:02:55.077 [904.6224] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49913 TO 10.42.1.28.1556 fd = 848  
14:02:55.133 [904.6224] <4> Dbbackrec::CreateSQLcmdSyntax: INF - backup  
log "veslink" to VIRTUAL\_DEVICE='VNBU0-904-6224-1429707775' with stats =  
10, blocksize = 65536, maxtransfersize = 4194304, buffercount = 2  
14:02:55.137 [904.6224] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:02:55.138 [904.6224] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49914 TO 10.42.1.28.1556 fd = 844  
14:02:55.143 [904.4564] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:02:55.143 [904.4564] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49915 TO 10.42.1.28.1556 fd = 816  
14:02:55.200 [904.6224] <4> Dbbackrec::CreateSQLcmdSyntax: INF - Number  
of stripes: 1, Number of buffers per stripe 2.  
14:02:55.395 [904.6224] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:02:55.396 [904.6224] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49916 TO 10.42.1.28.1556 fd = 816  
14:02:55.455 [904.6224] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSQL\_904\_8096\_2>, SQL userid <sa> handle <0x00629960>.  
14:02:55.466 [904.6224] <4> CDBbackrec::InitDeviceSet(): INF - Created  
VDI object for SQL Server instance <IMOS>. Connection timeout is <300>  
seconds.  
14:02:55.469 [904.6224] <2> vnet\_pbxConnect: pbxConnectEx Succeeded

14:02:55.470 [904.6224] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49918 TO 10.42.1.28.1556 fd = 808  
14:02:55.555 [904.4564] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:02:55.556 [904.4564] <2> logconnections: BPRD CONNECT FROM  
10.42.1.24.49919 TO 10.42.1.28.1556 fd = 960  
14:03:06.557 [904.4564] <8> vnet\_cached\_getaddrinfo\_and\_update:  
[vnet\_addrinfo.c:1530] in failed cache ERR=10109 NAME=NULL SVC=testdaemon  
14:03:06.557 [904.4564] <8> vnet\_cached\_get\_service\_port:  
[vnet\_addrinfo.c:2387] vnet\_cached\_getaddrinfo failed STAT=6 RV=10109  
NAME=testdaemon  
14:03:06.557 [904.4564] <8> is\_pbxable\_service: [vnet\_connect.c:2159]  
vnet\_cached\_get\_service\_port() failed 6 0x6  
14:03:06.557 [904.4564] <8> is\_pbxable\_service: [vnet\_connect.c:2160]  
service 49927  
14:03:06.557 [904.4564] <8> file\_to\_cache\_item: [vnet\_addrinfo.c:6555]  
fopen() failed ERRNO=2 FILE=C:\Program  
Files\Veritas\NetBackup\var\host\_cache\14f\6cf9fd4f+49927,1,400,2,1,0+127  
.0.0.1.txt  
14:03:06.563 [904.4564] <8> verify\_hashes: [vnet\_vnetd.c:1641] hash\_str  
1996c430d1351c48247e66b1dd469deb  
14:03:07.568 [904.4564] <8> vnet\_cached\_getaddrinfo\_and\_update:  
[vnet\_addrinfo.c:1530] in failed cache ERR=10109 NAME=NULL SVC=testdaemon  
14:03:07.568 [904.4564] <8> vnet\_cached\_get\_service\_port:  
[vnet\_addrinfo.c:2387] vnet\_cached\_getaddrinfo failed STAT=6 RV=10109  
NAME=testdaemon  
14:03:07.568 [904.4564] <8> is\_pbxable\_service: [vnet\_connect.c:2159]  
vnet\_cached\_get\_service\_port() failed 6 0x6  
14:03:07.568 [904.4564] <8> is\_pbxable\_service: [vnet\_connect.c:2160]  
service 49928  
14:03:07.568 [904.4564] <8> file\_to\_cache\_item: [vnet\_addrinfo.c:6555]  
fopen() failed ERRNO=2 FILE=C:\Program  
Files\Veritas\NetBackup\var\host\_cache\14f\6cf9fd4f+49928,1,400,2,1,0+127  
.0.0.1.txt  
14:03:07.574 [904.4564] <8> verify\_hashes: [vnet\_vnetd.c:1641] hash\_str  
c9cbca6f3f4bb4aa787009f968a67be2  
14:03:09.579 [904.4564] <8> vnet\_cached\_getaddrinfo\_and\_update:  
[vnet\_addrinfo.c:1530] in failed cache ERR=10109 NAME=NULL SVC=testdaemon  
14:03:09.579 [904.4564] <8> vnet\_cached\_get\_service\_port:  
[vnet\_addrinfo.c:2387] vnet\_cached\_getaddrinfo failed STAT=6 RV=10109  
NAME=testdaemon  
14:03:09.579 [904.4564] <8> is\_pbxable\_service: [vnet\_connect.c:2159]  
vnet\_cached\_get\_service\_port() failed 6 0x6  
14:03:09.579 [904.4564] <8> is\_pbxable\_service: [vnet\_connect.c:2160]  
service 49926  
14:03:09.579 [904.4564] <8> file\_to\_cache\_item: [vnet\_addrinfo.c:6555]  
fopen() failed ERRNO=2 FILE=C:\Program  
Files\Veritas\NetBackup\var\host\_cache\14f\6cf9fd4f+49926,1,400,2,1,0+127  
.0.0.1.txt  
14:03:09.585 [904.4564] <8> verify\_hashes: [vnet\_vnetd.c:1641] hash\_str  
63d7ff60d6851912718d04130f58cacf  
14:03:09.589 [904.4564] <4> serverResponse: Not a candidate for alternate  
buffer method: shared memory is not in use.  
14:03:15.968 [904.3196] <4> DBConnect: INF - Logging into SQL Server with  
DSN <NBMSSQL\_904\_8096\_2>, SQL userid <sa> handle <0x0062f0b0>.  
14:03:16.530 [904.3196] <4> DBDisconnect: INF - Logging out of SQL Server  
with handle <0x0062f0b0>  
14:03:16.531 [904.4564] <4> DBthreads::dbclient: INF - Thread has been  
closed for stripe #0

14:03:16.531 [904.6224] <8> CODBCaccess::LogODBCerr: WARN - ODBC return code <1>, SQL State <01000>, SQL Message <3211><[Microsoft][ODBC SQL Server Driver][SQL Server]48 pour cent traités.>.  
14:03:16.531 [904.6224] <8> CODBCaccess::LogODBCerr: WARN - SQL Message <3211><[Microsoft][ODBC SQL Server Driver][SQL Server]97 pour cent traités.>  
14:03:16.531 [904.6224] <8> CODBCaccess::LogODBCerr: WARN - SQL Message <3211><[Microsoft][ODBC SQL Server Driver][SQL Server]100 pour cent traités.>  
14:03:16.531 [904.6224] <8> CODBCaccess::LogODBCerr: WARN - SQL Message <4035><[Microsoft][ODBC SQL Server Driver][SQL Server]1054 pages traitées pour la base de données 'veslink', fichier 'veslink\_petco\_log' dans le fichier 1.>  
14:03:16.531 [904.6224] <8> CODBCaccess::LogODBCerr: WARN - SQL Message <3014><[Microsoft][ODBC SQL Server Driver][SQL Server]BACKUP LOG a traité avec succès 1054 pages en 0.372 secondes (22.123 Mo/s).>  
14:03:16.534 [904.4564] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:03:16.534 [904.4564] <2> logconnections: BPRD CONNECT FROM 10.42.1.24.49937 TO 10.42.1.28.1556 fd = 1004  
14:03:16.588 [904.4564] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL\_904\_8096\_2>, SQL userid <sa> handle <0x0062f0b0>.  
14:03:16.595 [904.4564] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0062f0b0>  
14:03:16.595 [904.4564] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL\_904\_8096\_2>, SQL userid <sa> handle <0x0062f0b0>.  
14:03:16.601 [904.4564] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0062f0b0>  
14:03:16.601 [904.4564] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL\_904\_8096\_2>, SQL userid <sa> handle <0x0062f0b0>.  
14:03:16.607 [904.4564] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL\_904\_8096\_2>, SQL userid <sa> handle <0x0062f430>.  
14:03:16.614 [904.4564] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0062f430>  
14:03:16.616 [904.4564] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x0062f0b0>  
14:03:21.951 [904.6224] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x00629960>  
14:03:21.953 [904.6224] <4> Dbbackrec::Perform: INF - OPERATION #2 of batch C:\Program Files\Veritas\NetBackup\DbExt\MsSql\DZORRPW24-IMOS\IMOS-Incr.bch SUCCEEDED with STATUS 0 (0 is normal). Elapsed time = 28(1) seconds  
14:03:21.958 [904.6224] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:03:21.959 [904.6224] <2> logconnections: BPRD CONNECT FROM 10.42.1.24.49943 TO 10.42.1.28.1556 fd = 820  
14:03:24.028 [904.8096] <4> CDBbackmain::dbbackup: INF - Results of executing <C:\Program Files\Veritas\NetBackup\DbExt\MsSql\DZORRPW24-IMOS\IMOS-Incr.bch>:  
<2> operations succeeded. <0> operations failed.  
14:03:24.042 [904.8096] <2> vnet\_pbxConnect: pbxConnectEx Succeeded  
14:03:24.043 [904.8096] <2> logconnections: BPRD CONNECT FROM 10.42.1.24.49945 TO 10.42.1.28.1556 fd = 584