

09:22:42.173 [3396.3012] <4> VxBSAInit: Veritas NetBackup XBSA Interface
- 7.6 0
09:22:42.189 [3396.3012] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:22:42.189 [3396.3012] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52818 TO 10.42.1.28.1556 fd = 476
09:22:42.189 [3396.3012] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:22:42.517 [3396.3012] <4> CGlobalInformation::VCSVirtualNameList: INF
- Veritas Cluster Server is not installed.
09:22:42.517 [3396.3012] <1> CGlobalInformation::VCSVirtualNameList:
CONTINUATION: - Le chemin d'accès spécifi  est introuvable.
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - Searching
for ODBC Driver: SQL Native Client
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - Registry
Install Path: SOFTWARE\Microsoft\Microsoft SQL Native Client\
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Native Client\
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - Registry
entry not found for: SOFTWARE\Microsoft\Microsoft SQL Native Client\
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - Searching
for ODBC Driver: SQL Server
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - Registry
Install Path: SOFTWARE\Microsoft\DataAccess\
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Server\
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver: SQL Server is installed on the system
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - Searching
for ODBC Driver: SQL Server Native Client 10.0
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - Registry
Install Path: SOFTWARE\Microsoft\Microsoft SQL Server Native Client 10.0\
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Server Native
Client 10.0\
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver: SQL Server Native Client 10.0 is installed on the system
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - Searching
for ODBC Driver: SQL Server Native Client 11.0
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - Registry
Install Path: SOFTWARE\Microsoft\Microsoft SQL Server Native Client 11.0\
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - ODBC
Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Server Native
Client 11.0\
09:22:42.517 [3396.3012] <4> ODBCDataSource::isInstalled: INF - Registry
entry not found for: SOFTWARE\Microsoft\Microsoft SQL Server Native
Client 11.0\
09:22:42.517 [3396.3012] <4> getServerName: Read server name from
nb_master_config: dzorvpw28.intranet.hyproc
09:22:42.517 [3396.3012] <4> CDBIniParms::CDBIniParms: INF - NT User is
omega
09:22:42.517 [3396.3012] <4> CGlobalInformation::CreatedDSN: INF - Using
ODBC Driver <SQL Server>
09:22:42.517 [3396.3012] <4> DBConnect: INF - Logging into SQL Server
with DSN <NBMS SQL_temp_3396_3012_1>, SQL userid <sa> handle <0x002e9220>.
09:22:42.532 [3396.3012] <4> CGlobalInformation::CreatedDSN: INF - A
successful connection to SQL Server <DZORVPW71\AMOS2> has been made using
standard security with DSN <NBMS SQL_temp_3396_3012_1>

09:22:42.532 [3396.3012] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x002e9220>
09:22:42.532 [3396.3012] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL_temp_3396_3012_1>, SQL userid <sa> handle <0x002e9220>.
09:22:42.548 [3396.3012] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x002e9220>
09:22:42.548 [3396.3012] <4> CGlobalInformation::DeleteDSN: INF - Using ODBC Driver <SQL Server>
09:22:49.474 [3396.3012] <4> getServerName: Read server name from nb_master_config: dzorrrpw28.intranet.hyproc
09:23:01.626 [3396.3012] <4> VxBSAInit: Veritas NetBackup XBSA Interface - 7.6 0
09:23:01.642 [3396.3012] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:23:01.642 [3396.3012] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.52820 TO 10.42.1.28.1556 fd = 676
09:23:01.642 [3396.3012] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:23:01.892 [3396.3012] <4> VxBSABeginTxn: INF - entering VxBSABeginTxn.
09:23:01.892 [3396.3012] <4> VxBSAQueryObject: INF - entering QueryObject.
09:23:01.892 [3396.3012] <4> dbc_GetServerClientConfig: ServerName: <dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:23:01.892 [3396.3012] <8> VxBSAQueryObject: WARNING - NBBSA_CLIENT_HOST name= <DZORRPW24> differs from NBU config name= <dzorvpw71.intranet.hyproc>
09:23:01.892 [3396.3012] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:23:01.892 [3396.3012] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.52821 TO 10.42.1.28.1556 fd = 680
09:23:01.892 [3396.3012] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:23:02.843 [3396.3012] <4> VxBSAQueryObject: INF - No match was found for query
09:23:02.843 [3396.3012] <4> VxBSAGetNextQueryObject: entering GetNextQueryObject.
09:23:02.843 [3396.3012] <4> VxBSAEndTxn: INF - entering VxBSAEndTxn.
09:23:02.843 [3396.3012] <4> VxBSAEndTxn: INF - Transaction being COMMITED.
09:23:02.843 [3396.3012] <4> VxBSABeginTxn: INF - entering VxBSABeginTxn.
09:23:02.843 [3396.3012] <4> VxBSAQueryObject: INF - entering QueryObject.
09:23:02.843 [3396.3012] <4> dbc_GetServerClientConfig: ServerName: <dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:23:02.843 [3396.3012] <8> VxBSAQueryObject: WARNING - NBBSA_CLIENT_HOST name= <DZORRPW24> differs from NBU config name= <dzorvpw71.intranet.hyproc>
09:23:02.843 [3396.3012] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:23:02.843 [3396.3012] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.52822 TO 10.42.1.28.1556 fd = 680
09:23:02.843 [3396.3012] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:23:03.140 [3396.3012] <4> VxBSAGetNextQueryObject: entering GetNextQueryObject.
09:23:03.140 [3396.3012] <4> VxBSAGetNextQueryObject: entering GetNextQueryObject.
09:23:03.140 [3396.3012] <4> VxBSAGetNextQueryObject: entering GetNextQueryObject.
09:23:03.155 [3396.3012] <4> VxBSAGetNextQueryObject: entering GetNextQueryObject.

09:23:03.280 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.280 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.280 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.280 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.280 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.311 [3396.3012] <4> VxBSAEndTxn: INF - entering VxBSAEndTxn.
09:23:03.311 [3396.3012] <4> VxBSAEndTxn: INF - Transaction being
COMMITTED.
09:23:03.311 [3396.3012] <4> VxBSABeginTxn: INF - entering VxBSABeginTxn.
09:23:03.311 [3396.3012] <4> VxBSAQueryObject: INF - entering
QueryObject.
09:23:03.311 [3396.3012] <4> dbc_GetServerClientConfig: ServerName:
<dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:23:03.311 [3396.3012] <8> VxBSAQueryObject: WARNING -
NBBSA_CLIENT_HOST name= <DZORRPW24> differs from NBU config name=
<dzorvpw71.intranet.hyproc>
09:23:03.311 [3396.3012] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:23:03.311 [3396.3012] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52823 TO 10.42.1.28.1556 fd = 680
09:23:03.311 [3396.3012] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:23:03.592 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.592 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.592 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.592 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.592 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.592 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.592 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.592 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.592 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.592 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.592 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.592 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.592 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.608 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.608 [3396.3012] <4> VxBASAGetNextQueryObject: entering
GetNextQueryObject.

09:23:03.732 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.732 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.732 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.732 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.732 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.732 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.732 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.732 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.732 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.732 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.732 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.748 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.748 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.748 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.748 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.748 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.748 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.748 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.748 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.748 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.748 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:23:03.779 [3396.3012] <4> VxBSAEndTxn: INF - entering VxBSAEndTxn.
09:23:03.779 [3396.3012] <4> VxBSAEndTxn: INF - Transaction being
COMMITTED.
09:23:03.779 [3396.3012] <4> CGlobalInformation::CreatedDSN: INF - Using
ODBC Driver <SQL Server>
09:23:03.779 [3396.3012] <4> DBConnect: INF - Logging into SQL Server
with DSN <NBMSSQL_3396_3012_2>, SQL userid <sa> handle <0x002e9220>.
09:23:03.795 [3396.3012] <4> CGlobalInformation::CreatedDSN: INF - A
successful connection to SQL Server <DZORVPW71\AMOS2> has been made using
standard security with DSN <NBMSSQL_3396_3012_2>
09:23:03.795 [3396.3012] <4> DBDisconnect: INF - Logging out of SQL
Server with handle <0x002e9220>
09:23:03.795 [3396.3012] <4> DBConnect: INF - Logging into SQL Server
with DSN <NBMSSQL_3396_3012_2>, SQL userid <sa> handle <0x002e9220>.

09:24:12.652 [2212.224] <4> ODBCDataSource::isInstalled: INF - ODBC Driver: SQL Server Native Client 10.0 is installed on the system
09:24:12.652 [2212.224] <4> ODBCDataSource::isInstalled: INF - Searching for ODBC Driver: SQL Server Native Client 11.0
09:24:12.652 [2212.224] <4> ODBCDataSource::isInstalled: INF - Registry Install Path: SOFTWARE\Microsoft\Microsoft SQL Server Native Client 11.0\
09:24:12.652 [2212.224] <4> ODBCDataSource::isInstalled: INF - ODBC Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Server Native Client 11.0\
09:24:12.652 [2212.224] <4> ODBCDataSource::isInstalled: INF - Registry entry not found for: SOFTWARE\Microsoft\Microsoft SQL Server Native Client 11.0\
09:24:12.652 [2212.224] <4> getServerName: Read server name from nb_master_config: dzorvpw28.intranet.hyproc
09:24:12.652 [2212.224] <4> CDBIniParms::CDBIniParms: INF - NT User is omega
09:24:12.652 [2212.224] <4> CGlobalInformation::CreateDSN: INF - Using ODBC Driver <SQL Server>
09:24:12.652 [2212.224] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSQL_2212_224_1>, SQL userid <sa> handle <0x003f9120>.
09:24:12.668 [2212.224] <4> CGlobalInformation::CreateDSN: INF - A successful connection to SQL Server <DZORVPW71\AMOS2> has been made using standard security with DSN <NBMSQL_2212_224_1>
09:24:12.668 [2212.224] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x003f9120>
09:24:12.668 [2212.224] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSQL_2212_224_1>, SQL userid <sa> handle <0x003f9120>.
09:24:12.668 [2212.224] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x003f9120>
09:24:12.668 [2212.224] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSQL_2212_224_1>, SQL userid <sa> handle <0x003f9120>.
09:24:12.683 [2212.224] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x003f9120>
09:24:12.683 [2212.224] <4> CDBbackcat::GetVirtualServer: INF - Accessing database instance <DZORVPW71\AMOS2> on server <DZORVPW71>.
09:24:12.683 [2212.224] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:24:12.683 [2212.224] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:24:12.683 [2212.224] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.52827 TO 10.42.1.28.1556 fd = 508
09:24:12.683 [2212.224] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:24:13.042 [3396.3012] <8> CDBbackupView::ClassDropDownList: WARN - Error: bppllist not found in C:\Program Files\Veritas\NetBackup\bin\admincmd\bppllist.exe.
09:24:13.042 [3396.3012] <1> CDBbackupView::ClassDropDownList: CONTINUATION: - Le chemin d'accès spécifié est introuvable.
09:24:13.042 [3396.3012] <8> CBatchDlg::OnInitDialog: WARN - Policy Dropdown not created: Server = DZORRPW28.INTRANET.HYPROC Client = dzorvpw71.intranet.hyproc
09:24:13.042 [3396.3012] <1> CBatchDlg::OnInitDialog: CONTINUATION: - Le chemin d'accès spécifié est introuvable.
09:24:13.900 [2212.2736] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSQL_2212_224_1>, SQL userid <sa> handle <0x003f96e0>.
09:24:13.900 [2212.2736] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x003f96e0>
09:24:13.900 [2212.2736] <4> Dbbackrec::PerformNBOperation: INF - RESTORE STARTED USING

Microsoft SQL Server 2008 R2 (RTM) - 10.50.1600.1 (Intel X86)
Apr 2 2010 15:53:02
Copyright (c) Microsoft Corporation
Express Edition with Advanced Services on Windows NT 6.1 <X64> (Build
7600:) (WOW64) (Hypervisor)
Batch = E:\RestorIMOS\IMOS7.bch, Op# = 1.
09:24:13.900 [2212.2736] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:24:13.900 [2212.2736] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:24:13.900 [2212.2736] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52828 TO 10.42.1.28.1556 fd = 680
09:24:13.900 [2212.2736] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:24:13.994 [2212.2736] <4> InitPipeInfo: INF - Using backup image
DZORRPW24.MSSQL7.DZORRPW24\IMOS.db.imos7.~.7.001of001.20150418050008..C
09:24:13.994 [2212.2736] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:24:13.994 [2212.2736] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:24:13.994 [2212.2736] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52829 TO 10.42.1.28.1556 fd = 680
09:24:13.994 [2212.2736] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:24:14.041 [2212.2736] <4> Dbbackrec::CreateSQLcmdSyntax: INF - restore
database "IMOS" from VIRTUAL_DEVICE='VNBU0-2212-2736-1429777453' with
stats = 10, blocksize = 65536, maxtransfersize = 4194304, buffercount =
2, replace , norecovery, move 'imos_v6' to 'E:\IMOS\BDD\imos7.mdf', move
'imos_v6_log' to 'E:\IMOS\BDD\imos7.ldf', replace
09:24:14.041 [2212.2736] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:24:14.041 [2212.4016] <4> VxBSAInit: Veritas NetBackup XBSA Interface
- 7.6 0
09:24:14.041 [2212.2736] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:24:14.041 [2212.2736] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52830 TO 10.42.1.28.1556 fd = 704
09:24:14.041 [2212.2736] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:24:14.056 [2212.4016] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:24:14.056 [2212.4016] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52831 TO 10.42.1.28.1556 fd = 732
09:24:14.056 [2212.4016] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:24:14.119 [2212.2736] <4> Dbbackrec::CreateSQLcmdSyntax: INF - Number
of stripes: 1, Number of buffers per stripe 2.
09:24:14.119 [2212.2736] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:24:14.337 [2212.2736] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:24:14.337 [2212.2736] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52832 TO 10.42.1.28.1556 fd = 732
09:24:14.337 [2212.2736] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:24:14.384 [2212.2736] <4> DBConnect: INF - Logging into SQL Server
with DSN <NBMSSQL_2212_224_1>, SQL userid <sa> handle <0x003fa7e0>.
09:24:14.399 [2212.2736] <4> CDBbackrec::InitDeviceSet(): INF - Created
VDI object for SQL Server instance <AMOS2>. Connection timeout is <300>
seconds.
09:24:14.399 [2212.2736] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:24:14.399 [2212.2736] <2> vnet_pbxConnect: pbxConnectEx Succeeded

09:24:14.399 [2212.2736] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52833 TO 10.42.1.28.1556 fd = 840
09:24:14.399 [2212.2736] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:24:14.477 [2212.4016] <4> DBthreads::dbclient: INF - wait for addr
assigned 0
09:24:14.477 [2212.4016] <4> VxBSABeginTxn: INF - entering VxBSABeginTxn.
09:24:14.477 [2212.4016] <4> VxBSAQueryObject: INF - entering
QueryObject.
09:24:14.477 [2212.4016] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:24:14.477 [2212.4016] <8> VxBSAQueryObject: WARNING -
NBBSA_CLIENT_HOST name= <DZORRPW24> differs from NBU config name=
<dzorvpw71.intranet.hyproc>
09:24:14.477 [2212.4016] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:24:14.477 [2212.4016] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52834 TO 10.42.1.28.1556 fd = 848
09:24:14.477 [2212.4016] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:24:14.774 [2212.4016] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:24:14.774 [2212.4016] <4> DBthreads::dbclient: INF - Alternate buffer
restore rejected because backup did not use alternate method.
09:24:14.774 [2212.4016] <4> VxBSAGetObject: INF - entering GetObject
09:24:14.774 [2212.4016] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:24:14.774 [2212.4016] <8> VxBSAGetObject: WARNING - NBBSA_CLIENT_HOST
name= <DZORRPW24> differs from NBU config name=
<dzorvpw71.intranet.hyproc>
09:24:14.774 [2212.4016] <4> RestoreFileObjects: INF - restoring
File:</DZORRPW24.MSSQL7.DZORRPW24\IMOS.db.imos7.~.7.001of001.201504180500
08..C>
09:24:14.774 [2212.4016] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:24:14.774 [2212.4016] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52835 TO 10.42.1.28.1556 fd = 856
09:24:14.774 [2212.4016] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:24:16.193 [3396.3012] <4> StartupProcess: INF - Starting: <"C:\Program
Files\Veritas\NetBackup\bin\progress" MSSQL>
09:24:29.578 [2212.4016] <2> verify_hashes: [vnet_vnetd.c:1643] hash_str
d45e9af671bfcaf95043e25a5904cc00
09:24:29.609 [2212.4016] <2> verify_hashes: [vnet_vnetd.c:1643] hash_str
b59a8e0f153b73f02c88fdabdafc08b3
09:24:31.653 [2212.4016] <2> verify_hashes: [vnet_vnetd.c:1643] hash_str
63a407f28c83b1659178e25199fe5823
09:26:04.300 [2212.4016] <4> readTarHeader: INF - Image was Compressed
09:26:04.300 [2212.4016] <4> readTarHeader: INF - image to restore = 10
GBytes + 69360824 Bytes
09:26:04.300 [2212.4016] <4> DBthreads::dbclient: INF - DBClient has
opened for stripe <0>
09:26:04.316 [2212.1436] <4> getServerName: Read server name from
nb_master_config: dzorrrpw28.intranet.hyproc
09:26:04.316 [2212.1436] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:26:04.316 [2212.1436] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52869 TO 10.42.1.28.1556 fd = 892
09:26:04.316 [2212.1436] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0

09:26:04.425 [2212.1436] <16> WriteToVirtualDevice: ERR - Error in GetCommand: 0x80770004.
09:26:04.425 [2212.1436] <4> dbc_GetServerClientConfig: ServerName: <dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:26:04.425 [2212.1436] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:26:04.425 [2212.1436] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.52870 TO 10.42.1.28.1556 fd = 900
09:26:04.425 [2212.1436] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:26:04.472 [2212.1436] <1> WriteToVirtualDevice: CONTINUATION: - An abort request is preventing anything except termination actions.
09:26:04.472 [2212.1436] <4> dbc_GetServerClientConfig: ServerName: <dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:26:04.472 [2212.1436] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:26:04.472 [2212.1436] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.52871 TO 10.42.1.28.1556 fd = 900
09:26:04.472 [2212.1436] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:26:04.534 [2212.1436] <4> KillAllThreads: INF - Killing group #0
09:26:04.534 [2212.1436] <4> KillAllThreads: INF - Issuing SignalAbort to MS SQL Server VDI
09:26:04.534 [2212.2132] <4> KillAllThreads: INF - Killing group #0
09:26:05.314 [2212.2736] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x003fa7e0>
09:26:05.314 [2212.2736] <4> getServerName: Read server name from nb_master_config: dzorrrpw28.intranet.hyproc
09:26:05.314 [2212.2736] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:26:05.314 [2212.2736] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.52872 TO 10.42.1.28.1556 fd = 692
09:26:05.314 [2212.2736] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:26:05.392 [2212.2736] <4> Dbbackrec::Perform: INF - OPERATION #1 of batch E:\RestorIMOS\IMOS7.bch FAILED with STATUS 1 (0 is normal). Elapsed time = 113(113) seconds.
09:26:05.392 [2212.2736] <4> dbc_GetServerClientConfig: ServerName: <dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:26:05.392 [2212.2736] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:26:05.392 [2212.2736] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.52873 TO 10.42.1.28.1556 fd = 692
09:26:05.392 [2212.2736] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:26:07.482 [2212.224] <4> CDBbackmain::dbbackup: INF - Results of executing <E:\RestorIMOS\IMOS7.bch>:
<0> operations succeeded. <1> operations failed.
09:26:07.482 [2212.224] <4> dbc_GetServerClientConfig: ServerName: <dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:26:07.482 [2212.224] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:26:07.482 [2212.224] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.52874 TO 10.42.1.28.1556 fd = 508
09:26:07.482 [2212.224] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:26:07.545 [2212.224] <4> CGlobalInformation::DeleteDSN: INF - Using ODBC Driver <SQL Server>
09:26:07.545 [2212.224] <4> VxBSATerminate: INF - entering VxBSATerminate.
09:29:41.419 [3396.3012] <4> SQLEnumerator: INF - Enumerated SQL hosts: SERVER:Serveur ={DZORRPW13\SOPHOS,DZORRPW24,DZORRPW24\AMOS_PREPROD,DZORRPW24\IMOS,DZORRPW24\IMOS_PREPROD,DZORRPW25\BKUPEXEC,DZORRPW26\BKUPEXEC,DZO

RRPW27\BKUPEXEC,DZORVPW55\SOLARWINDS_ORION,DZORVPW71\AMOS2,DZORVPW71\SQL,
DZORVPW98\VIM_SQLEXP};UID:ID de connexion=?;PWD:Mot de
passe =?;Trusted_Connection:Utiliser la sécurité
intégrée=?;*APP:AppName=?;*WSID:ID de station de travail=?
09:29:41.419 [3396.3012] <4> SQLEnumerator: INF - Could not enumerate
Local SQL host/instance using SQLBrowseConnectW
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
Hosts and instances retrieved from host list string
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
host: DZORRPW13
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
instance: SOPHOS
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
host: DZORRPW24
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
instance: <default>
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
instance: AMOS_PREPROD
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
instance: IMOS
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
instance: IMOS_PREPROD
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
host: DZORRPW25
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
instance: BKUPEXEC
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
host: DZORRPW26
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
instance: BKUPEXEC
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
host: DZORRPW27
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
instance: BKUPEXEC
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
host: DZORVPW55
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
instance: SOLARWINDS_ORION
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
host: DZORVPW71
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
instance: AMOS2
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
instance: SQL
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
host: DZORVPW98
09:29:41.419 [3396.3012] <4> CGlobalInformation::SQLEnumerator: INF -
instance: VIM_SQLEXP
09:30:00.841 [3396.3012] <4> CGlobalInformation::CreateDSN: INF - Using
ODBC Driver <SQL Server>
09:30:00.857 [3396.3012] <4> DBConnect: INF - Logging into SQL Server
with DSN <NBMSSQL_temp_3396_3012_3>, SQL userid <omega> handle
<0x002eea60>.
09:30:00.857 [3396.3012] <4> CGlobalInformation::CreateDSN: INF - A
successful connection to SQL Server <DZORVPW71\SQL> has been made using
standard security with DSN <NBMSSQL_temp_3396_3012_3>
09:30:00.857 [3396.3012] <4> DBDisconnect: INF - Logging out of SQL
Server with handle <0x002eea60>

09:30:00.872 [3396.3012] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL_temp_3396_3012_3>, SQL userid <omega> handle <0x002eea60>.

09:30:00.888 [3396.3012] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x002eea60>

09:30:00.888 [3396.3012] <4> CGlobalInformation::DeleteDSN: INF - Using ODBC Driver <SQL Server>

09:30:13.399 [3396.3012] <4> VxBASInit: Veritas NetBackup XBSA Interface - 7.6 0

09:30:13.399 [3396.3012] <2> vnet_pbxConnect: pbxConnectEx Succeeded

09:30:13.399 [3396.3012] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.52888 TO 10.42.1.28.1556 fd = 884

09:30:13.399 [3396.3012] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0

09:30:13.664 [3396.3012] <4> VxBASBeginTxn: INF - entering VxBASBeginTxn.

09:30:13.664 [3396.3012] <4> VxBSAQueryObject: INF - entering QueryObject.

09:30:13.664 [3396.3012] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>

09:30:13.664 [3396.3012] <8> VxBSAQueryObject: WARNING - NBSA_CLIENT_HOST name= <DZORRPW24> differs from NBU config name= <dzorvpw71.intranet.hyproc>

09:30:13.664 [3396.3012] <2> vnet_pbxConnect: pbxConnectEx Succeeded

09:30:13.664 [3396.3012] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.52889 TO 10.42.1.28.1556 fd = 880

09:30:13.664 [3396.3012] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0

09:30:14.600 [3396.3012] <4> VxBSAQueryObject: INF - No match was found for query

09:30:14.600 [3396.3012] <4> VxBSAGetNextQueryObject: entering GetNextQueryObject.

09:30:14.600 [3396.3012] <4> VxBSAEndTxn: INF - entering VxBSAEndTxn.

09:30:14.600 [3396.3012] <4> VxBSAEndTxn: INF - Transaction being COMMITED.

09:30:14.600 [3396.3012] <4> VxBASBeginTxn: INF - entering VxBASBeginTxn.

09:30:14.600 [3396.3012] <4> VxBSAQueryObject: INF - entering QueryObject.

09:30:14.600 [3396.3012] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>

09:30:14.600 [3396.3012] <8> VxBSAQueryObject: WARNING - NBSA_CLIENT_HOST name= <DZORRPW24> differs from NBU config name= <dzorvpw71.intranet.hyproc>

09:30:14.600 [3396.3012] <2> vnet_pbxConnect: pbxConnectEx Succeeded

09:30:14.600 [3396.3012] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.52890 TO 10.42.1.28.1556 fd = 880

09:30:14.600 [3396.3012] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0

09:30:14.928 [3396.3012] <4> VxBSAGetNextQueryObject: entering GetNextQueryObject.

09:30:14.928 [3396.3012] <4> VxBSAGetNextQueryObject: entering GetNextQueryObject.

09:30:14.928 [3396.3012] <4> VxBSAGetNextQueryObject: entering GetNextQueryObject.

09:30:14.928 [3396.3012] <4> VxBSAGetNextQueryObject: entering GetNextQueryObject.

09:30:14.928 [3396.3012] <4> VxBSAGetNextQueryObject: entering GetNextQueryObject.

09:30:15.053 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.053 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.053 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.053 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.084 [3396.3012] <4> VxBSAEndTxn: INF - entering VxBSAEndTxn.
09:30:15.084 [3396.3012] <4> VxBSAEndTxn: INF - Transaction being
COMMITTED.
09:30:15.084 [3396.3012] <4> VxBSABeginTxn: INF - entering VxBSABeginTxn.
09:30:15.084 [3396.3012] <4> VxBSAQueryObject: INF - entering
QueryObject.
09:30:15.084 [3396.3012] <4> dbc_GetServerClientConfig: ServerName:
<dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:30:15.084 [3396.3012] <8> VxBSAQueryObject: WARNING -
NBBSA_CLIENT_HOST name= <DZORRPW24> differs from NBU config name=
<dzorvpw71.intranet.hyproc>
09:30:15.084 [3396.3012] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:30:15.084 [3396.3012] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52891 TO 10.42.1.28.1556 fd = 880
09:30:15.084 [3396.3012] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:30:15.380 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.380 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.380 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.380 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.380 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.380 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.380 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.380 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.380 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.380 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.380 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.380 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.380 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.380 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.396 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.396 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.

09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.521 [3396.3012] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:30:15.552 [3396.3012] <4> VxBSAEndTxn: INF - entering VxBSAEndTxn.
09:30:15.552 [3396.3012] <4> VxBSAEndTxn: INF - Transaction being
COMMITTED.
09:30:15.552 [3396.3012] <4> CGlobalInformation::CreatedDSN: INF - Using
ODBC Driver <SQL Server>
09:30:15.567 [3396.3012] <4> DBConnect: INF - Logging into SQL Server
with DSN <NBMSSQL_3396_3012_4>, SQL userid <omega> handle <0x002eea60>.
09:30:15.567 [3396.3012] <4> CGlobalInformation::CreatedDSN: INF - A
successful connection to SQL Server <DZORVPW71\SQL> has been made using
standard security with DSN <NBMSSQL_3396_3012_4>
09:30:15.567 [3396.3012] <4> DBDisconnect: INF - Logging out of SQL
Server with handle <0x002eea60>
09:30:15.567 [3396.3012] <4> DBConnect: INF - Logging into SQL Server
with DSN <NBMSSQL_3396_3012_4>, SQL userid <omega> handle <0x002eea60>.
09:30:15.661 [3396.3012] <4> DBDisconnect: INF - Logging out of SQL
Server with handle <0x002eea60>

09:30:15.661 [3396.3012] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSSQL_3396_3012_4>, SQL userid <omega> handle <0x002eea60>.
09:30:15.723 [3396.3012] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x002eea60>
09:30:30.138 [3396.3012] <4> StartupProcess: INF - Starting: <notepad E:\RestorIMOS\IMOS.bch>
09:31:30.244 [3396.3012] <8> CDBbackupView::ClassDropDownList: WARN - Error: bppllist not found in C:\Program Files\Veritas\NetBackup\bin\admincmd\bppllist.exe.
09:31:30.244 [3396.3012] <1> CDBbackupView::ClassDropDownList: CONTINUATION: - Le chemin d'accès spécifié est introuvable.
09:31:30.244 [3396.3012] <8> CBatchDlg::OnInitDialog: WARN - Policy Dropdown not created: Server = DZORRPW28.INTRANET.HYPROC Client = dzorvpw71.intranet.hyproc
09:31:30.244 [3396.3012] <1> CBatchDlg::OnInitDialog: CONTINUATION: - Le chemin d'accès spécifié est introuvable.
09:31:34.643 [3396.3012] <4> StartupProcess: INF - C:\Program Files\Veritas\NetBackup\bin\dbbackex" -u omega -pw ***** -np -f "E:\RestorIMOS\IMOS.bch"
09:31:34.643 [3396.3012] <4> StartupProcess: INF - Starting: <C:\Program Files\Veritas\NetBackup\bin\dbbackex" -u omega -pw ***** -np -f "E:\RestorIMOS\IMOS.bch" >
09:31:34.675 [2236.2540] <4> VxBSAInit: VeritasNetBackup XBSA Interface - 7.6 0
09:31:34.690 [2236.2540] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:31:34.690 [2236.2540] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.52892 TO 10.42.1.28.1556 fd = 444
09:31:34.690 [2236.2540] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:31:34.955 [2236.2540] <4> CGlobalInformation::VCSVirtualNameList: INF - Veritas Cluster Server is not installed.
09:31:34.955 [2236.2540] <1> CGlobalInformation::VCSVirtualNameList: CONTINUATION: - Le chemin d'accès spécifié est introuvable.
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - Searching for ODBC Driver: SQL Native Client
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - Registry Install Path: SOFTWARE\Microsoft\Microsoft SQL Native Client\
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - ODBC Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Native Client\
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - Registry entry not found for: SOFTWARE\Microsoft\Microsoft SQL Native Client\
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - Searching for ODBC Driver: SQL Server
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - Registry Install Path: SOFTWARE\Microsoft\DataAccess\
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - ODBC Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Server\
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - ODBC Driver: SQL Server is installed on the system
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - Searching for ODBC Driver: SQL Server Native Client 10.0
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - Registry Install Path: SOFTWARE\Microsoft\Microsoft SQL Server Native Client 10.0\
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - ODBC Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Server Native Client 10.0\
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - ODBC Driver: SQL Server Native Client 10.0 is installed on the system

09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - Searching for ODBC Driver: SQL Server Native Client 11.0
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - Registry Install Path: SOFTWARE\Microsoft\Microsoft SQL Server Native Client 11.0\
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - ODBC Driver Entry Registry Path: SOFTWARE\ODBC\ODBCINST.INI\SQL Server Native Client 11.0\
09:31:34.955 [2236.2540] <4> ODBCDataSource::isInstalled: INF - Registry entry not found for: SOFTWARE\Microsoft\Microsoft SQL Server Native Client 11.0\
09:31:34.955 [2236.2540] <4> getServerName: Read server name from nb_master_config: dzorvpw28.intranet.hyproc
09:31:34.955 [2236.2540] <4> CDBIniParms::CDBIniParms: INF - NT User is omega
09:31:34.955 [2236.2540] <4> CGlobalInformation::CreateDSN: INF - Using ODBC Driver <SQL Server>
09:31:34.971 [2236.2540] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSQL_2236_2540_1>, SQL userid <omega> handle <0x00309120>.
09:31:34.987 [2236.2540] <4> CGlobalInformation::CreateDSN: INF - A successful connection to SQL Server <DZORVPW71\SQL> has been made using standard security with DSN <NBMSQL_2236_2540_1>
09:31:34.987 [2236.2540] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x00309120>
09:31:34.987 [2236.2540] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSQL_2236_2540_1>, SQL userid <omega> handle <0x00309120>.
09:31:34.987 [2236.2540] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x00309120>
09:31:34.987 [2236.2540] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSQL_2236_2540_1>, SQL userid <omega> handle <0x00309120>.
09:31:34.987 [2236.2540] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x00309120>
09:31:34.987 [2236.2540] <4> CDBbackcat::GetVirtualServer: INF - Accessing database instance <DZORVPW71\SQL> on server <DZORVPW71>.
09:31:34.987 [2236.2540] <4> dbc_GetServerClientConfig: ServerName: <dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:31:35.002 [2236.2540] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:31:35.002 [2236.2540] <2> logconnections: BPRD CONNECT FROM 10.42.1.71.52893 TO 10.42.1.28.1556 fd = 528
09:31:35.002 [2236.2540] <2> vnet_check_vxss_client_magic_with_info_ex: [vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:31:35.501 [3396.3012] <8> CDBbackupView::ClassDropDownList: WARN - Error: bppllist not found in C:\Program Files\Veritas\NetBackup\bin\admincmd\bppllist.exe.
09:31:35.501 [3396.3012] <1> CDBbackupView::ClassDropDownList: CONTINUATION: - Le chemin d'accès spécifié est introuvable.
09:31:35.501 [3396.3012] <8> CBatchDlg::OnInitDialog: WARN - Policy Dropdown not created: Server = DZORRPW28.INTRANET.HYPROC Client = dzorvpw71.intranet.hyproc
09:31:35.501 [3396.3012] <1> CBatchDlg::OnInitDialog: CONTINUATION: - Le chemin d'accès spécifié est introuvable.
09:31:36.203 [2236.2416] <4> DBConnect: INF - Logging into SQL Server with DSN <NBMSQL_2236_2540_1>, SQL userid <omega> handle <0x003096e0>.
09:31:36.203 [2236.2416] <4> DBDisconnect: INF - Logging out of SQL Server with handle <0x003096e0>
09:31:36.203 [2236.2416] <4> Dbbackrec::PerformNBOperation: INF - RESTORE STARTED USING
Microsoft SQL Server 2008 R2 (RTM) - 10.50.1600.1 (X64)
Apr 2 2010 15:48:46

Copyright (c) Microsoft Corporation
Express Edition with Advanced Services (64-bit) on Windows NT 6.1 <X64>
(Build 7600:) (Hypervisor)
Batch = E:\RestorIMOS\IMOS.bch, Op# = 1.
09:31:36.203 [2236.2416] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:31:36.203 [2236.2416] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:31:36.219 [2236.2416] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52894 TO 10.42.1.28.1556 fd = 696
09:31:36.219 [2236.2416] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:31:36.281 [2236.2416] <4> InitPipeInfo: INF - Using backup image
DZORRPW24.MSSQL7.DZORRPW24\IMOS.db.imos7.~.7.001of001.20150418050008..C
09:31:36.281 [2236.2416] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:31:36.297 [2236.2416] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:31:36.297 [2236.2416] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52895 TO 10.42.1.28.1556 fd = 696
09:31:36.297 [2236.2416] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:31:36.344 [2236.2416] <4> Dbbackrec::CreateSQLcmdSyntax: INF - restore
database "IMOS" from VIRTUAL_DEVICE='VNBU0-2236-2416-1429777896' with
stats = 10, blocksize = 65536, maxtransfersize = 4194304, buffercount =
2, replace , norecovery, move 'imos_v6' to 'E:\IMOS\BDD\IMOS.mdf', move
'imos_v6_log' to 'E:\IMOS\BDD\IMOS_log.ldf', replace
09:31:36.344 [2236.2416] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:31:36.344 [2236.2328] <4> VxBSAInit: Veritas NetBackup XBSA Interface
- 7.6 0
09:31:36.344 [2236.2416] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:31:36.344 [2236.2416] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52896 TO 10.42.1.28.1556 fd = 720
09:31:36.344 [2236.2416] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:31:36.344 [2236.2328] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:31:36.344 [2236.2328] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52897 TO 10.42.1.28.1556 fd = 748
09:31:36.344 [2236.2328] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:31:36.406 [2236.2416] <4> Dbbackrec::CreateSQLcmdSyntax: INF - Number
of stripes: 1, Number of buffers per stripe 2.
09:31:36.406 [2236.2416] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:31:36.625 [2236.2416] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:31:36.625 [2236.2416] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52898 TO 10.42.1.28.1556 fd = 748
09:31:36.625 [2236.2416] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:31:36.671 [2236.2416] <4> DBConnect: INF - Logging into SQL Server
with DSN <NBMSSQL_2236_2540_1>, SQL userid <omega> handle <0x0030a7e0>.
09:31:36.687 [2236.2416] <4> CDBbackrec::InitDeviceSet(): INF - Created
VDI object for SQL Server instance <SQL>. Connection timeout is <300>
seconds.
09:31:36.687 [2236.2416] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:31:36.687 [2236.2416] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:31:36.687 [2236.2416] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52899 TO 10.42.1.28.1556 fd = 852

09:31:36.687 [2236.2416] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:31:36.765 [2236.2328] <4> DBthreads::dbclient: INF - wait for addr
assigned 0
09:31:36.765 [2236.2328] <4> VxBSABeginTxn: INF - entering VxBSABeginTxn.
09:31:36.765 [2236.2328] <4> VxBSAQueryObject: INF - entering
QueryObject.
09:31:36.765 [2236.2328] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:31:36.765 [2236.2328] <8> VxBSAQueryObject: WARNING -
NBBSA_CLIENT_HOST name= <DZORRPW24> differs from NBU config name=
<dzorvpw71.intranet.hyproc>
09:31:36.765 [2236.2328] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:31:36.765 [2236.2328] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52900 TO 10.42.1.28.1556 fd = 860
09:31:36.765 [2236.2328] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:31:37.061 [2236.2328] <4> VxBSAGetNextQueryObject: entering
GetNextQueryObject.
09:31:37.061 [2236.2328] <4> DBthreads::dbclient: INF - Alternate buffer
restore rejected because backup did not use alternate method.
09:31:37.061 [2236.2328] <4> VxBSAGetObject: INF - entering GetObject
09:31:37.061 [2236.2328] <4> dbc_GetServerClientConfig: ServerName:
<dzorrrpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:31:37.061 [2236.2328] <8> VxBSAGetObject: WARNING - NBBSA_CLIENT_HOST
name= <DZORRPW24> differs from NBU config name=
<dzorvpw71.intranet.hyproc>
09:31:37.061 [2236.2328] <4> RestoreFileObjects: INF - restoring
File:</DZORRPW24.MSSQL7.DZORRPW24\IMOS.db.imos7.~.7.001of001.201504180500
08..C>
09:31:37.061 [2236.2328] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:31:37.061 [2236.2328] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52901 TO 10.42.1.28.1556 fd = 868
09:31:37.061 [2236.2328] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:31:38.200 [3396.3012] <4> StartupProcess: INF - Starting: <"C:\Program
Files\Veritas\NetBackup\bin\progress" MSSQL>
09:31:50.820 [2236.2328] <2> verify_hashes: [vnet_vnetd.c:1643] hash_str
e3e76aebcbd6afb24b16f62d7544993b
09:31:50.836 [2236.2328] <2> verify_hashes: [vnet_vnetd.c:1643] hash_str
ea96edbbe5551ab647aea35b87fd3012
09:31:52.880 [2236.2328] <2> verify_hashes: [vnet_vnetd.c:1643] hash_str
61b431d9e704d25e2b6795266216ce91
09:33:19.677 [2236.2328] <4> readTarHeader: INF - Image was Compressed
09:33:19.677 [2236.2328] <4> readTarHeader: INF - image to restore = 10
GBytes + 69360824 Bytes
09:33:19.677 [2236.2328] <4> DBthreads::dbclient: INF - DBClient has
opened for stripe <0>
09:33:19.693 [2236.2232] <4> getServerName: Read server name from
nb_master_config: dzorrrpw28.intranet.hyproc
09:33:19.709 [2236.2232] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:33:19.709 [2236.2232] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52932 TO 10.42.1.28.1556 fd = 904
09:33:19.709 [2236.2232] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:33:19.802 [2236.2232] <16> WriteToVirtualDevice: ERR - Error in
GetCommand: 0x80770004.

09:33:19.802 [2236.2232] <4> dbc_GetServerClientConfig: ServerName:
<dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:33:19.802 [2236.2232] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:33:19.802 [2236.2232] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52933 TO 10.42.1.28.1556 fd = 912
09:33:19.802 [2236.2232] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:33:19.865 [2236.2232] <1> WriteToVirtualDevice: CONTINUATION: - An
abort request is preventing anything except termination actions.
09:33:19.865 [2236.2232] <4> dbc_GetServerClientConfig: ServerName:
<dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:33:19.865 [2236.2232] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:33:19.865 [2236.2232] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52934 TO 10.42.1.28.1556 fd = 912
09:33:19.865 [2236.2232] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:33:19.927 [2236.2232] <4> KillAllThreads: INF - Killing group #0
09:33:19.927 [2236.2232] <4> KillAllThreads: INF - Issuing SignalAbort to
MS SQL Server VDI
09:33:19.927 [2236.1768] <4> KillAllThreads: INF - Killing group #0
09:33:22.579 [2236.2416] <4> DBDisconnect: INF - Logging out of SQL
Server with handle <0x0030a7e0>
09:33:22.579 [2236.2416] <4> getServerName: Read server name from
nb_master_config: dzorvpw28.intranet.hyproc
09:33:22.579 [2236.2416] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:33:22.579 [2236.2416] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52935 TO 10.42.1.28.1556 fd = 708
09:33:22.579 [2236.2416] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:33:22.657 [2236.2416] <4> Dbbackrec::Perform: INF - OPERATION #1 of
batch E:\RestorIMOS\IMOS.bch FAILED with STATUS 1 (0 is normal). Elapsed
time = 107(107) seconds.
09:33:22.657 [2236.2416] <4> dbc_GetServerClientConfig: ServerName:
<dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:33:22.657 [2236.2416] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:33:22.657 [2236.2416] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52936 TO 10.42.1.28.1556 fd = 708
09:33:22.657 [2236.2416] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:33:24.747 [2236.2540] <4> CDBbackmain::dbbackup: INF - Results of
executing <E:\RestorIMOS\IMOS.bch>:
<0> operations succeeded. <1> operations failed.
09:33:24.747 [2236.2540] <4> dbc_GetServerClientConfig: ServerName:
<dzorvpw28.intranet.hyproc>, ClientName: <dzorvpw71.intranet.hyproc>
09:33:24.794 [2236.2540] <2> vnet_pbxConnect: pbxConnectEx Succeeded
09:33:24.794 [2236.2540] <2> logconnections: BPRD CONNECT FROM
10.42.1.71.52937 TO 10.42.1.28.1556 fd = 528
09:33:24.794 [2236.2540] <2> vnet_check_vxss_client_magic_with_info_ex:
[vnet_vxss_helper.c:898] Assuming no VxSS for DB Agents 0 0x0
09:33:24.841 [2236.2540] <4> CGlobalInformation::DeleteDSN: INF - Using
ODBC Driver <SQL Server>
09:33:24.841 [2236.2540] <4> VxBSATerminate: INF - entering
VxBSATerminate.