



Symantec NetBackup™ 7.x Database and Application Agent Compatibility List

Created on June 01, 2011

Introduction

This Software Compatibility List (SCL) document contains information for Symantec NetBackup 7.x. It covers Database and Application Agents that are supported on specific Operating Systems and CPU Architectures. It is divided into bookmarks on the left that can be expanded.

Major versions of database software have been qualified in Symantec Labs and are listed in the tables below. NetBackup supports minor versions, service packs, and patches unless otherwise noted. If a minor version, service pack, or patch is causing a problem, Symantec will work with the database vendor to resolve the problem.

Reference Article TECH59978 <http://www.symantec.com/docs/TECH59978> for links to all other NetBackup compatibility lists.

Release History

NetBackup Version	Description	Release Date
7.0	NetBackup 7.0 FA	January, 2010
7.0	NetBackup 7.0 GA	February, 2010
7.0.1	NetBackup 7.0.1 FA	July, 2010
7.0.1	NetBackup 7.0.1 GA	August, 2010
7.1	NetBackup 7.1 FA	February, 2011
7.1	NetBackup 7.1 GA	March, 2011

7.x Database and Application Agent Software Compatibility List Updates

Update Information

Description of Change	Date	NetBackup Version Start of Support
Added DB2 UDB-EE/DPF 9.7 x64 agent support on Red Hat Enterprise Linux 6.0 x64	2011-04-27	NetBackup 7.0.1
Added Informix IDS 11.7 x64 agent support on Red Hat Enterprise Linux 6.0 x64	2011-04-27	NetBackup 7.0.1
Added Oracle 11g R2 x64 agent support on Red Hat Enterprise Linux 6.0 x64	2011-04-27	NetBackup 7.0.1
Added Sybase ASE 15.5 x64 agent support on Red Hat Enterprise Linux 6.0 x64	2011-04-27	NetBackup 7.0.1
Added Informix IDS 11.7 x64 agent support on AIX 7.1 x64	2011-04-27	NetBackup 7.0.1
Added Oracle 11g R2 x64 agent support on AIX 7.1 x64	2011-04-27	NetBackup 7.0.1
Added Sybase ASE 15.5 x64 agent support on AIX 7.1 x64	2011-04-27	NetBackup 7.0.1
Added SQL Server 2008 R2 IA64 agent support on Windows Server 2008 R2 IA64	2011-04-14	NetBackup 7.0.1
Added MySQL agent support through Zmanda. Reference note below.	2011-03-21	NetBackup 7.0
Added Oracle 11g R2 support on Solaris 11 Express x64	2011-03-11	NetBackup 7.0.1
Added Sybase 15.5 support on HP-UX 11.31 IA64	2011-02-15	NetBackup 7.1
Added Oracle 11g R2 support on HP-UX 11.31 PA-RISC	2011-02-15	NetBackup 7.1
Updated Microsoft Sharepoint footnotes to include SQL Express support	2011-02-15	NetBackup 7.1
Updated Microsoft Exchange footnotes to include Exchange Granular Recovery support	2011-02-15	NetBackup 7.1
Added Informix IDS 11.7 on AIX 6.1	2011-02-15	NetBackup 7.0.1
Added Informix IDS 11.7 on Solaris 10 SPARC	2011-02-15	NetBackup 7.0.1
Added Informix IDS 11.7 on HP-UX 11.23 PARISC	2011-02-15	NetBackup 7.0.1
Added Informix IDS 11.7 on HP-UX 11.31 PARISC	2011-02-15	NetBackup 7.0.1
Added Informix IDS 11.7 on HP-UX 11.31 IA64	2011-02-15	NetBackup 7.0.1
Added Informix IDS 11.7 on Red Hat Enterprise Linux 5.x	2011-02-15	NetBackup 7.0.1
Added Oracle 11g R2 support on the Oracle Unbreakable Linux Kernel (OEL 5 Update 5)	2011-02-01	NetBackup 7.0.1

Update Information

Description of Change	Date	NetBackup Version Start of Support
Updated title to include "Application". Moved Active Directory Appendix to the NetBackup 7.x OS Software Compatibility List.	2010-12-01	NetBackup 7.0
Added Microsoft SCL Server 2005 support on Windows 2003 R2	2010-12-01	NetBackup 7.0
Oracle 11g R2 on Windows Server 2003 R2 32 and 64 bit and Windows Server 2008 R2 64 bit	2010-07-29	NetBackup 7.0.1
DB2 UDB; EE and DPF 9.7 support on HP-UX 11.31 IA64	2010-07-23	NetBackup 7.0.1
DB2 UDB; EE and EEE support on Solaris 10 x64	2010-07-23	NetBackup 7.0.1
Enterprise Vault 8.0 SP4 support on Windows Server 2008 R2	2010-07-23	NetBackup 7.0.1
Enterprise Vault 9.0 support on Windows Server 2003	2010-07-23	NetBackup 7.0.1
Enterprise Vault 9.0 support on Windows Server 2008	2010-07-23	NetBackup 7.0.1
Microsoft Exchange 2010 SP1 on Windows Server 2008 SP2 and Windows 2008 R2	2010-07-23	NetBackup 7.0.1
Microsoft SharePoint 2010 support on Windows Server 2008 SP2 and Windows 2008 R2	2010-07-23	NetBackup 7.0.1
Microsoft SQL Server 2008 R2 on Windows Server 2003 IA64	2010-07-23	NetBackup 7.0.1
Microsoft SQL Server 2008 R2 on Windows Server 2003 32 and 64 bit	2010-07-23	NetBackup 7.0.1
Microsoft SQL Server 2008 R2 on Windows Server 2008 and Windows 2008 R2	2010-07-23	NetBackup 7.0.1
Oracle 10g R2 on Red Hat Enterprise Linux 5 (zArchitecture)	2010-07-23	NetBackup 7.0.1
Oracle 10g R2 on SUSE Linux Enterprise Server 10 (zArchitecture)	2010-07-23	NetBackup 7.0.1
Sybase 12.5 and 15 support on Windows 2003 and 2008	2010-06-21	NetBackup 7.0
Oracle 11g R2 support on Windows 2003 R2 and 2008 R2	2010-06-16	NetBackup 7.0
Exadata V1 and V2 support note	2010-06-11	NetBackup 7.0
Oracle 11g R2 support on Oracle Enterprise Linux 5	2010-04-30	NetBackup 7.0

Database Agents

The sections below contain information that is related to specific DB Agents and OS platforms.

Microsoft SharePoint and SQL Server

All Microsoft SQL Server Service Packs (SP) for SQL Server and SharePoint Portal Server are not explicitly qualified and are supported by default, unless noted otherwise in this compatibility list.

SAP

The NetBackup SAP Agent protects SAP Oracle environments by integrating with SAP BR*Tools. SAP BR*Tools may have a separate version from the SAP Kernel. Reference Technical Solution 51094 for details <http://www.symantec.com/docs/TECH51094>.

SAP environments based on Microsoft SQL or DB2 databases are supported via the NetBackup Microsoft SQL and DB2 agents respectively.

SAP supports Oracle and MAX-DB base environments.

Windows Server 2003 and Windows Server 2008

When using a 32-bit OS on a x64 CPU the DB Agent is supported if the x86 CPU is listed in this compatibility list.

MySQL

MySQL Agent is available from Zmanda <http://www.zmanda.com> For quotes or any other technical or business questions related to this agent, please contact Zmanda at: symantec@zmanda.com

Enterprise Vault

Note: All SQL versions supported by Enterprise Vault are supported in cluster configurations unless specifically noted in the table below.

Enterprise Vault - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Enterprise Vault	7.5 [1]	32	Windows Server 2003	x86-32	32	7.0
Enterprise Vault	7.5 [1]	32	Windows Server 2003	x86-64	32	7.0
Enterprise Vault	7.5 [1]	32	Windows Server 2003 (x64)	x86-64	64	7.0
Enterprise Vault	8.0 [1]	32	Windows Server 2003	x86-32	32	7.0
Enterprise Vault	8.0 [1]	32	Windows Server 2003 (x64)	x86-64	64	7.0
Enterprise Vault	8.0 [1]	32	Windows Server 2003 (x64)	x86-64	32	7.0
Enterprise Vault	8.0 [1]	32	Windows Server 2008	x86-64	64	7.0
Enterprise Vault	8.0 SP4 [1]	32	Windows Server 2008 R2	x86-64	64	7.0.1
Enterprise Vault	9.0 [2]	32	Windows Server 2003	x86-32	32	7.0.1
Enterprise Vault	9.0 [2]	32	Windows Server 2003 (x64)	x86-64	64	7.0.1
Enterprise Vault	9.0 [2]	32	Windows Server 2008	x86-32	32	7.0.1
Enterprise Vault	9.0 [2]	32	Windows Server 2008	x86-64	64	7.0.1

1. Supported on SQL Server 2000 and SQL Server 2005.
2. Supported on SQL Server 2000, SQL Server 2005 and SQL Server 2008.

IBM DB2

Recommend using the latest DB2 FixPaks or these minimum revisions, DB2 V8.1 FixPak 3 or later. (This information is subject to change.)

IBM DB2 - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
DB2 UDB - EE/DPF	9.7	64	AIX 5.3	POWER	64	7.0
DB2 UDB - EE/DPF	9.7	64	AIX 6.1	POWER	64	7.0
DB2 UDB - EE/DPF	9.7	64	AIX 7.1	POWER	64	7.0.1
DB2 UDB - EE/DPF	9.7	64	HP-UX 11.31	IA64	64	7.0.1
DB2 UDB - EE/DPF	9.7	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
DB2 UDB - EE/DPF	9.7	64	Red Hat Enterprise Linux 5.0 (base) (POWER)	POWER [1]	64	7.0
DB2 UDB - EE/DPF	9.7	64	Red Hat Enterprise Linux 6.0 (Advanced) (x86-64)	x86-64	64	7.0.1
DB2 UDB - EE/DPF	9.7	64	Solaris 9.0	SPARC	64	7.0
DB2 UDB - EE/DPF	9.7	64	Solaris 10 SPARC	SPARC	64	7.0
DB2 UDB - EE/DPF	9.7	64	SUSE Linux Enterprise Server 10 (POWER)	POWER [2]	64	7.0
DB2 UDB - EE/DPF	9.7	64	SUSE Linux Enterprise Server 10 (x86-64)	x86-64	64	7.0
DB2 UDB - EE/DPF	9.7	64	SUSE Linux Enterprise Server 11 (x86-64)	x86-64	64	7.0
DB2 UDB - EE/DPF	9.7	32	Windows Server 2003	x86-32	32	7.0
DB2 UDB - EE/DPF	9.7	64	Windows Server 2003 (x64)	x86-64	64	7.0
DB2 UDB - EE/DPF	9.7	32	Windows Server 2008	x86-32	32	7.0
DB2 UDB - EE/DPF	9.7	64	Windows Server 2008	x86-64	64	7.0
DB2 UDB - EE/DPF	9.7	64	Windows Server 2008 R2	x86-64	64	7.0
DB2 UDB - EE/EEE	8.1	64	AIX 5.3	POWER	64	7.0
DB2 UDB - EE/EEE	8.1	64	HP-UX 11.11	PA-RISC	64	7.0
DB2 UDB - EE/EEE	8.1	64	Solaris 9.0	SPARC	64	7.0
DB2 UDB - EE/EEE	8.1	64	Solaris 10 SPARC	SPARC	64	7.0

IBM DB2 - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
DB2 UDB - EE/EEE	8.1	32	Windows Server 2003	x86-32	32	7.0
DB2 UDB - EE/EEE	8.1	64	Windows Server 2003 (IA64)	IA64	64	7.0
DB2 UDB - EE/EEE	8.1	32	Windows Server 2003 (x64)	x86-64	32	7.0
DB2 UDB - EE/EEE	8.2	64	AIX 5.3	POWER	64	7.0
DB2 UDB - EE/EEE	8.2	64	HP-UX 11.11	PA-RISC	64	7.0
DB2 UDB - EE/EEE	8.2	64	Red Hat Enterprise Linux 4.0 (AS) (IA64)	IA64	64	7.0
DB2 UDB - EE/EEE	8.2	64	Red Hat Enterprise Linux 4.0 (AS) (POWER)	POWER [1]	64	7.0
DB2 UDB - EE/EEE	8.2	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
DB2 UDB - EE/EEE	8.2	64	Solaris 9.0	SPARC	64	7.0
DB2 UDB - EE/EEE	8.2	64	Solaris 10 SPARC	SPARC	64	7.0
DB2 UDB - EE/EEE	8.2	64	SUSE Linux Enterprise Server 10 (x86-64)	x86-64	64	7.0
DB2 UDB - EE/EEE	8.2	32	Windows Server 2003	x86-32	32	7.0
DB2 UDB - EE/EEE	8.2	64	Windows Server 2003 (IA64)	IA64	64	7.0
DB2 UDB - EE/EEE	8.2	32	Windows Server 2003 (x64)	x86-64	32	7.0
DB2 UDB - EE/EEE	8.2	64	Windows Server 2003 (x64)	x86-64	64	7.0
DB2 UDB - EE/EEE	9.1	64	AIX 5.3	POWER	64	7.0
DB2 UDB - EE/EEE	9.1	64	AIX 6.1	POWER	64	7.0
DB2 UDB - EE/EEE	9.1	64	HP-UX 11.23	PA-RISC	64	7.0
DB2 UDB - EE/EEE	9.1	64	HP-UX 11.31	PA-RISC	64	7.0
DB2 UDB - EE/EEE	9.1	64	HP-UX 11.31	IA64	64	7.0
DB2 UDB - EE/EEE	9.1	64	Red Hat Enterprise Linux 4.0 (AS) (POWER)	POWER [1]	64	7.0
DB2 UDB - EE/EEE	9.1	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
DB2 UDB - EE/EEE	9.1	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
DB2 UDB - EE/EEE	9.1	64	Red Hat Enterprise Linux 5.0 (base) (POWER)	POWER [1]	64	7.0
DB2 UDB - EE/EEE	9.1	64	Solaris 9.0	SPARC	64	7.0
DB2 UDB - EE/EEE	9.1	64	Solaris 10 SPARC	SPARC	64	7.0

IBM DB2 - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
DB2 UDB - EE/EEE	9.1	64	SUSE Linux Enterprise Server 10 (POWER)	POWER [2]	64	7.0
DB2 UDB - EE/EEE	9.1	64	SUSE Linux Enterprise Server 10 (x86-64)	x86-64	64	7.0
DB2 UDB - EE/EEE	9.1	64	SUSE Linux Enterprise Server 11 (x86-64)	x86-64	64	7.0
DB2 UDB - EE/EEE	9.1	32	Windows Server 2003	x86-32	32	7.0
DB2 UDB - EE/EEE	9.1	64	Windows Server 2003 (x64)	x86-64	64	7.0
DB2 UDB - EE/EEE	9.1	32	Windows Server 2008	x86-32	32	7.0
DB2 UDB - EE/EEE	9.1	64	Windows Server 2008	x86-64	32	7.0
DB2 UDB - EE/EEE	9.5	64	AIX 5.3	POWER	64	7.0
DB2 UDB - EE/EEE	9.5	64	AIX 6.1	POWER	64	7.0
DB2 UDB - EE/EEE	9.5	64	HP-UX 11.31	IA64	64	7.0
DB2 UDB - EE/EEE	9.5	64	Red Hat Enterprise Linux 4.0 (AS) (POWER)	POWER [1]	64	7.0
DB2 UDB - EE/EEE	9.5	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
DB2 UDB - EE/EEE	9.5	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
DB2 UDB - EE/EEE	9.5	64	Red Hat Enterprise Linux 5.0 (base) (POWER)	POWER [1]	64	7.0
DB2 UDB - EE/EEE	9.5	64	Solaris 9.0	SPARC	64	7.0
DB2 UDB - EE/EEE	9.5	64	Solaris 10 SPARC	SPARC	64	7.0
DB2 UDB - EE/EEE	9.5	64	Solaris 10 x64	x86-64	64	7.0.1
DB2 UDB - EE/EEE	9.5	64	SUSE Linux Enterprise Server 10 (POWER)	POWER [2]	64	7.0
DB2 UDB - EE/EEE	9.5	64	SUSE Linux Enterprise Server 10 (x86-64)	x86-64	64	7.0
DB2 UDB - EE/EEE	9.5	64	SUSE Linux Enterprise Server 11 (x86-64)	x86-64	64	7.0
DB2 UDB - EE/EEE	9.5	32	Windows Server 2003	x86-32	32	7.0
DB2 UDB - EE/EEE	9.5	64	Windows Server 2003 (x64)	x86-64	64	7.0
DB2 UDB - EE/EEE	9.5	32	Windows Server 2008	x86-32	32	7.0
DB2 UDB - EE/EEE	9.5	64	Windows Server 2008	x86-64	64	7.0

1. GUI's are not supported for this agent on the IBM pSeries (POWER) CPU Architecture on Red Hat Enterprise Linux.
2. GUI's are not supported for this agent on the IBM pSeries (POWER) CPU Architecture on SUSE Linux Enterprise Server.

IBM Informix

IBM Informix - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Informix IDS	7.3	64	HP-UX 11.11	PA-RISC	64	7.0
Informix IDS	7.31	32	AIX 5.3	POWER	64	7.0
Informix IDS	7.31	64	HP-UX 11.11	PA-RISC	64	7.0
Informix IDS	7.31	64	Solaris 9.0	SPARC	64	7.0
Informix IDS	7.31	64	Solaris 10 SPARC	SPARC	64	7.0
Informix IDS	9.3	64	HP-UX 11.11	PA-RISC	64	7.0
Informix IDS	9.3	64	Solaris 9.0	SPARC	64	7.0
Informix IDS	9.4	64	AIX 5.3	POWER	64	7.0
Informix IDS	9.4	64	HP-UX 11.11	PA-RISC	64	7.0
Informix IDS	9.4	32	HP-UX 11.23	PA-RISC	32	7.0
Informix IDS	9.4	64	HP-UX 11.23	PA-RISC	64	7.0
Informix IDS	9.4	64	Solaris 9.0	SPARC	64	7.0
Informix IDS	9.4	64	Solaris 10 SPARC	SPARC	64	7.0
Informix IDS	9.21	64	HP-UX 11.11	PA-RISC	64	7.0
Informix IDS	9.21	64	Solaris 9.0	SPARC	64	7.0
Informix IDS	10	32	AIX 5.3	POWER	64	7.0
Informix IDS	10	64	AIX 5.3	POWER	64	7.0
Informix IDS	10	64	AIX 6.1	POWER	64	7.0
Informix IDS	10	64	HP-UX 11.11	PA-RISC	64	7.0
Informix IDS	10	64	HP-UX 11.23	PA-RISC	64	7.0
Informix IDS	10	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
Informix IDS	10	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0

IBM Informix - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Informix IDS	10	64	Solaris 9.0	SPARC	64	7.0
Informix IDS	10	64	Solaris 10 SPARC	SPARC	64	7.0
Informix IDS	11.1	32	AIX 5.3	POWER	64	7.0
Informix IDS	11.1	64	AIX 5.3	POWER	64	7.0
Informix IDS	11.1	64	AIX 6.1	POWER	64	7.0
Informix IDS	11.1	64	HP-UX 11.11	PA-RISC	64	7.0
Informix IDS	11.1	32	HP-UX 11.23	PA-RISC	64	7.0
Informix IDS	11.1	64	HP-UX 11.23	PA-RISC	64	7.0
Informix IDS	11.1	64	HP-UX 11.31	PA-RISC	64	7.0
Informix IDS	11.1	64	HP-UX 11.31 IA64	IA64	64	7.0
Informix IDS	11.1	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
Informix IDS	11.1	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
Informix IDS	11.1	64	Solaris 9.0	SPARC	64	7.0
Informix IDS	11.1	64	Solaris 10 SPARC	SPARC	64	7.0
Informix IDS	11.5	32	AIX 5.3	POWER	64	7.0
Informix IDS	11.5	64	AIX 5.3	POWER	64	7.0
Informix IDS	11.5	64	AIX 6.1	POWER	64	7.0
Informix IDS	11.5	64	HP-UX 11.11	PA-RISC	64	7.0
Informix IDS	11.5	32	HP-UX 11.23	PA-RISC	64	7.0
Informix IDS	11.5	64	HP-UX 11.23	PA-RISC	64	7.0
Informix IDS	11.5	64	HP-UX 11.31	PA-RISC	64	7.0
Informix IDS	11.5	64	HP-UX 11.31 IA64	IA64	64	7.0
Informix IDS	11.5	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
Informix IDS	11.5	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
Informix IDS	11.5	64	Solaris 9.0	SPARC	64	7.0
Informix IDS	11.5	64	Solaris 10 SPARC	SPARC	64	7.0

IBM Informix - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Informix IDS	11.7	64	AIX 6.1	POWER	64	7.0.1
Informix IDS	11.7	64	AIX 7.1	POWER	64	7.0.1
Informix IDS	11.7	64	HP-UX 11.23	PA-RISC	64	7.0.1
Informix IDS	11.7	64	HP-UX 11.31	PA-RISC	64	7.0.1
Informix IDS	11.7	64	HP-UX 11.31 IA64	IA64	64	7.0.1
Informix IDS	11.7	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0.1
Informix IDS	11.7	64	Red Hat Enterprise Linux 6.0 (Advanced) (x86-64)	x86-64	64	7.0.1
Informix IDS	11.7	64	Solaris 10 SPARC	SPARC	64	7.0.1
Informix XPS	8.4	64	HP-UX 11.11	PA-RISC	64	7.0
Informix XPS	8.4	64	Solaris 9.0	SPARC	64	7.0
Informix XPS	8.5	64	AIX 5.3	POWER	64	7.0
Informix XPS	8.5	64	HP-UX 11.11	PA-RISC	64	7.0
Informix XPS	8.5	64	HP-UX 11.23	PA-RISC	64	7.0
Informix XPS	8.5	64	HP-UX 11.31	IA64	64	7.0
Informix XPS	8.5	64	HP-UX 11.31	PA-RISC	64	7.0
Informix XPS	8.5	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
Informix XPS	8.5	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
Informix XPS	8.5	64	Solaris 9.0	SPARC	64	7.0
Informix XPS	8.5	64	Solaris 10 SPARC	SPARC	64	7.0
Informix XPS	8.31	64	HP-UX 11.11	PA-RISC	64	7.0
Informix XPS	8.32	64	HP-UX 11.11	PA-RISC	64	7.0
Informix XPS	8.51	64	Solaris 9.0	SPARC	64	7.0
Informix XPS	8.51	64	Solaris 10 SPARC	SPARC	64	7.0

IBM Lotus Domino

IBM Lotus Domino - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Lotus/Domino	6.0	32	AIX 5.3	POWER	32	7.0
Lotus/Domino	6.0	32	AIX 5.3	POWER	64	7.0
Lotus/Domino	6.0	32	Windows Server 2003	x86-32	32	7.0
Lotus/Domino	6.5	32	AIX 5.3	POWER	64	7.0
Lotus/Domino	6.5	32	AIX 5.3	POWER	32	7.0
Lotus/Domino	6.5	32	Windows Server 2003	x86-32	32	7.0
Lotus/Domino	6.5	32	Windows Server 2003 (x64)	x86-64	64	7.0
Lotus/Domino	7.0	32	AIX 5.3	POWER	64	7.0
Lotus/Domino	7.0	32	AIX 5.3	POWER	32	7.0
Lotus/Domino	7.0	32	Windows Server 2003	x86-32	32	7.0
Lotus/Domino	7.0	32	Windows Server 2003 (x64)	x86-64	32	7.0
Lotus/Domino	7.0	32	Windows Server 2003 (x64)	x86-64	64	7.0
Lotus/Domino	8.0	32	AIX 5.3	POWER	64	7.0
Lotus/Domino	8.0	64	AIX 5.3	POWER	64	7.0
Lotus/Domino	8.0	64	AIX 6.1	POWER	64	7.0
Lotus/Domino	8.0	32	Windows Server 2003	x86-32	32	7.0
Lotus/Domino	8.0	32	Windows Server 2003 (x64)	x86-64	64	7.0
Lotus/Domino	8.0	64	Windows Server 2003 (x64)	x86-64	64	7.0
Lotus/Domino	8.5 [1]	32	AIX 5.3	POWER	64	7.0
Lotus/Domino	8.5 [1]	64	AIX 5.3	POWER	64	7.0
Lotus/Domino	8.5 [1]	32	AIX 6.1	POWER	64	7.0
Lotus/Domino	8.5 [1]	64	AIX 6.1	POWER	64	7.0

IBM Lotus Domino - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Lotus/Domino	8.5	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
Lotus/Domino	8.5 [1]	64	Solaris 10 SPARC	SPARC	64	7.0
Lotus/Domino	8.5 [1]	64	SUSE Linux Enterprise Server 10 (x86-64)	x86-64	64	7.0
Lotus/Domino	8.5 [1]	32	Windows Server 2003	x86-32	32	7.0
Lotus/Domino	8.5 [1]	32	Windows Server 2003 (x64)	x86-64	64	7.0
Lotus/Domino	8.5 [1]	64	Windows Server 2003 (x64)	x86-64	64	7.0
Lotus/Domino	8.5 [1]	32	Windows Server 2008	x86-64	64	7.0
Lotus/Domino	8.5 [1]	32	Windows Server 2008	x86-32	32	7.0
Lotus/Domino	8.5 [1]	64	Windows Server 2008	x86-64	64	7.0

1. Reference Article TECH69745 <http://www.symantec.com/docs/TECH69745> Using NetBackup to Protect Lotus Domino Servers that are configured to use the Domino Attachment and Object Services (DAOS)

Microsoft Exchange

Exchange Granular Recovery

In IPV6-enabled NetBackup 7.1 environments, granular recovery is not supported for Exchange Server.

Microsoft Exchange - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Exchange	2003	32	Windows Server 2003 (x64)	x86-64	32	7.0
Exchange	2003 SP1 [1]	32	Windows Server 2003 R2	x86-32	32	7.0
Exchange	2007 [1]	64	Windows Server 2003 R2	x86-64	64	7.0
Exchange	2007 SP1 [2]	64	Windows Server 2008	x86-64	64	7.0
Exchange	2010 [3]	64	Windows Server 2008 R2	x86-64	64	7.0
Exchange	2010 [4]	64	Windows Server 2008 SP2	x86-64	64	7.0
Exchange	2010 SP1 [3]	64	Windows Server 2008 R2	x86-64	64	7.0.1
Exchange	2010 SP1 [4]	64	Windows Server 2008 SP2	x86-64	64	7.0.1

1. Supports Exchange Granular Recovery (Windows Server 2003 R2 and later).
2. Supports Exchange Granular Recovery (Windows Server 2008 and later).
3. Supports Exchange Granular Recovery (Windows Server 2008 R2 and later).
4. Supports Exchange Granular Recovery (Windows Server 2008 SP2 and later).

Microsoft SharePoint

SharePoint Granular Recovery

All of the configurations noted below are supported for SharePoint Server Granular Recovery. For Information on the media server platforms that are supported for Granular Recovery Technology (GRT) reference the NetBackup Enterprise Server and Server 7.x OS Software Compatibility List.

In IPV6-enabled NetBackup 7.1 environments, granular recovery is not supported for SharePoint Server.

All Microsoft SQL Server Service Packs (SP) are not explicitly qualified and are supported by default, unless noted otherwise in the table below.

SharePoint 2003 continues to be supported using SQL Server x86-32 (32-bit) as a back-end server.

Microsoft SharePoint - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
SharePoint	2003 SP1 [1]	32	Windows Server 2003	x86-32	32	7.0
SharePoint	2003 SP1 [1]	32	Windows Server 2003 (x64)	x86-64	32	7.0
SharePoint	2003 SP1 [1]	64	Windows Server 2003 (x64)	x86-64	64	7.0
SharePoint	2007 [2]	32	Windows Server 2003	x86-32	32	7.0
SharePoint	2007 [2]	64	Windows Server 2003 (x64)	x86-64	64	7.0
SharePoint	2007 [3]	32	Windows Server 2008	x86-32	32	7.0
SharePoint	2007 [3]	64	Windows Server 2008	x86-64	64	7.0
SharePoint	2007 [3]	64	Windows Server 2008 R2	x86-64	64	7.0
SharePoint	2010 [4]	64	Windows Server 2008 R2	x86-64	64	7.0.1
SharePoint	2010 [4] [5]	64	Windows Server 2008 SP2	x86-64	64	7.0.1

1. Supported on SQL Server 2000, SQL Server 2005 and SQL Express.
2. Supported on SQL Server 2005 and SQL Express.
3. Supported on SQL Server 2005, SQL Server 2008 and SQL Express.
4. Supported on SQL Server 2005 (64-bit), SQL Server 2008 and SQL Server 2008 R2.
5. Reference NetBackup 7.0.1 Release Notes for Windows 2008 SP2 requirements with SharePoint 2010.

Microsoft SQL Server

All SQL Server 2000, 2005, and 2008 Editions are supported except Microsoft Desktop Edition (MDSE) 2000.

Microsoft SQL Server - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
SQL Server	2000	32	Windows Server 2003	x86-32	32	7.0
SQL Server	2000	64	Windows Server 2003 (IA64)	IA64	64	7.0
SQL Server	2000	32	Windows Server 2003 (x64)	x86-64	32	7.0
SQL Server	2000 SP4 [1]	32	Windows Server 2003 (x64)	x86-64	64	7.0
SQL Server	2005	32	Windows Server 2003 R2	x86-32	32	7.0
SQL Server	2005	32	Windows Server 2003 SP1	x86-32	32	7.0
SQL Server	2005	64	Windows Server 2003 (IA64) R2	IA64	64	7.0
SQL Server	2005	64	Windows Server 2003 (IA64) SP1	IA64	64	7.0
SQL Server	2005	32	Windows Server 2003 (x64) R2	x86-64	64	7.0
SQL Server	2005	64	Windows Server 2003 (x64) R2	x86-64	64	7.0
SQL Server	2005	32	Windows Server 2003 (x64) SP1	x86-64	64	7.0
SQL Server	2005	64	Windows Server 2003 (x64) SP1	x86-64	64	7.0
SQL Server	2005	32	Windows Server 2008	x86-64	32	7.0
SQL Server	2005	32	Windows Server 2008	x86-32	32	7.0
SQL Server	2005	64	Windows Server 2008	x86-64	64	7.0
SQL Server	2005	64	Windows Server 2008 R2	x86-64	64	7.0
SQL Server	2005	64	Windows Server 2008 for Itanium-based Systems	IA64	64	7.0
SQL Server	2008	32	Windows Server 2003 SP2	x86-32	32	7.0
SQL Server	2008	64	Windows Server 2003 (IA64) SP2	IA64	64	7.0
SQL Server	2008	64	Windows Server 2003 (x64) SP2	x86-64	64	7.0
SQL Server	2008	32	Windows Server 2008	x86-32	32	7.0

Microsoft SQL Server - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
SQL Server	2008	64	Windows Server 2008	x86-64	64	7.0
SQL Server	2008	64	Windows Server 2008 R2	x86-64	64	7.0
SQL Server	2008	64	Windows Server 2008 for Itanium-based Systems	IA64	64	7.0
SQL Server	2008	64	Windows Server 2008 for Itanium-based Systems R2	IA64	64	7.0.1
SQL Server	2008 R2	32	Windows Server 2003	x86-32	32	7.0.1
SQL Server	2008 R2	64	Windows Server 2003 (IA64)	IA64	64	7.0.1
SQL Server	2008 R2	64	Windows Server 2003 (x64)	x86-64	64	7.0.1
SQL Server	2008 R2	32	Windows Server 2008	x86-32	32	7.0.1
SQL Server	2008 R2	64	Windows Server 2008	x86-64	64	7.0.1
SQL Server	2008 R2	64	Windows Server 2008 R2	x86-64	64	7.0.1
SQL Server	2008 R2	64	Windows Server 2008 for Itanium-based Systems	IA64	64	7.0.1
SQL Server	2008 R2	64	Windows Server 2008 for Itanium-based Systems R2	IA64	64	7.0.1

1. Microsoft SQL Server 2000 SP4 (32-bit) on Windows 2003 x86-64 requires: SQL Server 2000 Hot Fix <http://support.microsoft.com/?kbid=913100>

Oracle Database

Oracle Database - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Oracle	9i R2	64	AIX 5.3	POWER	64	7.0
Oracle	9i R2	64	AIX 6.1	POWER	64	7.0
Oracle	9i R2	64	HP-UX 11.11	PA-RISC	64	7.0
Oracle	9i R2	64	HP-UX 11.23	PA-RISC	64	7.0
Oracle	9i R2	64	HP-UX 11.31	PA-RISC	64	7.0
Oracle	9i R2	64	HP-UX 11.31	IA64	64	7.0
Oracle	9i R2	64	Red Hat Enterprise Linux 4.0 (AS) (IA64)	IA64	64	7.0
Oracle	9i R2	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
Oracle	9i R2	64	Solaris 9.0	SPARC	64	7.0
Oracle	9i R2	64	Solaris 10 SPARC	SPARC	64	7.0
Oracle	9i R2	32	Windows Server 2003	x86-32	32	7.0
Oracle	9i R2	64	Windows Server 2003 (IA64)	IA64	64	7.0
Oracle	10g R1	64	AIX 5.3	POWER	64	7.0
Oracle	10g R1	64	HP-UX 11.11	PA-RISC	64	7.0
Oracle	10g R1	64	HP-UX 11.23	PA-RISC	64	7.0
Oracle	10g R1	64	HP-UX 11.31	PA-RISC	64	7.0
Oracle	10g R1	64	Red Hat Enterprise Linux 4.0 (AS) (IA64)	IA64	64	7.0
Oracle	10g R1	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
Oracle	10g R1	64	Solaris 9.0	SPARC	64	7.0
Oracle	10g R1	64	Solaris 10 SPARC	SPARC	64	7.0
Oracle	10g R1	32	Windows Server 2003	x86-32	32	7.0
Oracle	10g R1	64	Windows Server 2003 (IA64)	IA64	64	7.0

Oracle Database - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Oracle	10g R2	64	AIX 5.3	POWER	64	7.0
Oracle	10g R2	64	AIX 6.1	POWER	64	7.0
Oracle	10g R2	64	Asianux 3.0 (x86-64)	x86-64	64	7.0
Oracle	10g R2	64	HP-UX 11.11	PA-RISC	64	7.0
Oracle	10g R2	64	HP-UX 11.23	PA-RISC	64	7.0
Oracle	10g R2	64	HP-UX 11.31	PA-RISC	64	7.0
Oracle	10g R2	64	HP-UX 11.31	IA64	64	7.0
Oracle	10g R2	64	Red Flag Linux 5.0 DC	x86-64	64	7.0
Oracle	10g R2	64	Red Hat Enterprise Linux 4.0 (AS) (IA64)	IA64	64	7.0
Oracle	10g R2	64	Red Hat Enterprise Linux 4.0 (AS) (POWER)	POWER [1]	64	7.0
Oracle	10g R2	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
Oracle	10g R2	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
Oracle	10g R2	64	Red Hat Enterprise Linux 5.0 (base)	z/Architecture	64	7.0.1
Oracle	10g R2	64	Red Hat Enterprise Linux 5.0 (base) (IA64)	IA64	64	7.0
Oracle	10g R2	64	Red Hat Enterprise Linux 5.0 (base) (POWER)	POWER [1]	64	7.0
Oracle	10g R2	64	Solaris 9.0	SPARC	64	7.0
Oracle	10g R2	64	Solaris 10 SPARC	SPARC	64	7.0
Oracle	10g R2	64	Solaris 10 x64	x86-64	64	7.0
Oracle	10g R2	64	SUSE Linux Enterprise Server 10	z/Architecture	64	7.0.1
Oracle	10g R2	64	SUSE Linux Enterprise Server 10 (IA64)	IA64	64	7.0
Oracle	10g R2	64	SUSE Linux Enterprise Server 10 (POWER)	POWER [2]	64	7.0
Oracle	10g R2	64	SUSE Linux Enterprise Server 10 (x86-64)	x86-64	64	7.0
Oracle	10g R2	64	SUSE Linux Enterprise Server 11 (x86-64)	x86-64	64	7.0
Oracle	10g R2	32	Windows Server 2003	x86-32	32	7.0
Oracle	10g R2	64	Windows Server 2003 (IA64)	IA64	64	7.0
Oracle	10g R2	64	Windows Server 2003 (x64)	x86-64	64	7.0

Oracle Database - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Oracle	10g R2	32	Windows Server 2008	x86-32	32	7.0
Oracle	10g R2	64	Windows Server 2008	x86-64	64	7.0
Oracle	10g R2	64	Windows Server 2008 R2	x86-64	64	7.0.1
Oracle	10g R2	64	Windows Server 2008 for Itanium-based Systems	IA64	64	7.0
Oracle	11g R1	64	AIX 5.3	POWER	64	7.0
Oracle	11g R1	64	AIX 6.1	POWER	64	7.0
Oracle	11g R1	64	Asianux 3.0 (x86-64)	x86-64	64	7.0
Oracle	11g R1	64	HP-UX 11.23	PA-RISC	64	7.0
Oracle	11g R1	64	HP-UX 11.31	PA-RISC	64	7.0
Oracle	11g R1	64	HP-UX 11.31	IA64	64	7.0
Oracle	11g R1	64	Red Flag Linux 5.0 DC	x86-64	64	7.0
Oracle	11g R1	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
Oracle	11g R1	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
Oracle	11g R1	64	Solaris 9.0	SPARC	64	7.0
Oracle	11g R1	64	Solaris 10 SPARC	SPARC	64	7.0
Oracle	11g R1	64	SUSE Linux Enterprise Server 10 (x86-64)	x86-64	64	7.0
Oracle	11g R1	32	Windows Server 2003	x86-32	32	7.0
Oracle	11g R1	64	Windows Server 2003 (x64)	x86-64	64	7.0
Oracle	11g R1	32	Windows Server 2008	x86-32	32	7.0
Oracle	11g R1	64	Windows Server 2008	x86-64	64	7.0
Oracle	11g R1	64	Windows Server 2008 for Itanium-based Systems	IA64	64	7.0
Oracle	11g R2	64	AIX 5.3	POWER	64	7.0
Oracle	11g R2	64	AIX 6.1	POWER	64	7.0
Oracle	11g R2	64	AIX 7.1	POWER	64	7.0.1
Oracle	11g R2	64	Asianux 3.0 (x86-64)	x86-64	64	7.0
Oracle	11g R2	64	Oracle Enterprise Linux 5 [3]	x86-64	64	7.0

Oracle Database - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Oracle	11g R2	64	HP-UX 11.31 IA64	IA64	64	7.0
Oracle	11g R2	64	HP-UX 11.31 PA-RISC	PA-RISC	64	7.1
Oracle	11g R2	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
Oracle	11g R2	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
Oracle	11g R2	64	Red Hat Enterprise Linux 6.0 (Advanced) (x86-64)	x86-64	64	7.0.1
Oracle	11g R2	64	Solaris 10 SPARC	SPARC	64	7.0
Oracle	11g R2	64	Solaris 10 x64	x86-64	64	7.0
Oracle	11g R2	64	Solaris 11 Express	x86-64	64	7.0.1
Oracle	11g R2	64	SUSE Linux Enterprise Server 10 (x86-64)	x86-64	64	7.0
Oracle	11g R2	64	SUSE Linux Enterprise Server 11 (x86-64)	x86-64	64	7.0
Oracle	11g R2	32	Windows Server 2003	x86-32	32	7.0
Oracle	11g R2	64	Windows Server 2003	x86-64	64	7.0
Oracle	11g R2	32	Windows Server 2008	x86-32	32	7.0
Oracle	11g R2	64	Windows Server 2008	x86-64	64	7.0
Oracle	11g R2	64	Windows Server 2008 R2	x86-64	64	7.0.1

1. GUI's are not supported for this agent on the IBM pSeries (POWER) CPU Architecture on Red Hat Enterprise Linux.
2. GUI's are not supported for this agent on the IBM pSeries (POWER) CPU Architecture on SUSE Linux Enterprise Server.
3. Starting in NetBackup 7.0.1 this version of the Oracle Agent is supported on the Oracle Unbreakable Linux Kernel. The Unbreakable Enterprise Kernel installs directly on top of Oracle Enterprise Linux 5 starting with Update 5.

SAP MaxDB

The "Version" on SAP Max-DB represents the version of the SAP Kernel.

SAP MaxDB - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
SAP MaxDB	7	64	AIX 5.3	POWER	64	7.0
SAP MaxDB	7	64	AIX 6.1	POWER	64	7.0
SAP MaxDB	7	64	HP-UX 11.11	PA-RISC	64	7.0
SAP MaxDB	7	64	HP-UX 11.23	PA-RISC	64	7.0
SAP MaxDB	7	64	HP-UX 11.31	PA-RISC	64	7.0
SAP MaxDB	7	64	HP-UX 11.31	IA64	64	7.0
SAP MaxDB	7	64	Red Hat Enterprise Linux 4.0 (AS) (IA64)	IA64	64	7.0
SAP MaxDB	7	64	Red Hat Enterprise Linux 4.0 (AS) (POWER)	POWER [1]	64	7.0
SAP MaxDB	7	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
SAP MaxDB	7	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
SAP MaxDB	7	64	Red Hat Enterprise Linux 5.0 (base) (POWER)	POWER [1]	64	7.0
SAP MaxDB	7	64	Solaris 9.0	SPARC	64	7.0
SAP MaxDB	7	64	Solaris 10 SPARC	SPARC	64	7.0
SAP MaxDB	7	64	Solaris 10 x64	x86-64	64	7.0
SAP MaxDB	7	64	SUSE Linux Enterprise Server 10 (x86-64)	x86-64	64	7.0
SAP MaxDB	7	64	Windows Server 2003 (IA64)	IA64	64	7.0
SAP MaxDB	7	32	Windows Server 2003 (x64)	x86-64	32	7.0
SAP MaxDB	7	64	Windows Server 2003 (x64)	x86-64	64	7.0
SAP MaxDB	7	32	Windows Server 2008	x86-32	32	7.0
SAP MaxDB	7	64	Windows Server 2008	x86-64	64	7.0

1. GUI's are not supported for this agent on the IBM pSeries (POWER) CPU Architecture on Red Hat Enterprise Linux.

SAP Oracle

The "Version" on SAP Oracle represents the version of the SAP Kernel BR*Tools. BR*Tools version 6.40, patch level 36 or greater, is required for SAP Snapshot backups through RMAN proxy.

SAP Oracle agent includes Oracle RAC support iwht Oracle Cluster File System and RAW partition.

SAP Oracle - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Oracle	6	64	AIX 5.3	POWER	64	7.0
Oracle	6	64	HP-UX 11.11	PA-RISC	64	7.0
Oracle	6	64	HP-UX 11.23	PA-RISC	64	7.0
Oracle	6	64	Red Hat Enterprise Linux 4.0 (AS) (IA64)	IA64	64	7.0
Oracle	6	64	Red Hat Enterprise Linux 4.0 (AS) (POWER)	POWER [1]	64	7.0
Oracle	6	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
Oracle	6	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
Oracle	6	64	Red Hat Enterprise Linux 5.0 (base) (IA64)	IA64	64	7.0
Oracle	6	64	Red Hat Enterprise Linux 5.0 (base) (POWER)	POWER [1]	64	7.0
Oracle	6	64	Solaris 9.0	SPARC	64	7.0
Oracle	6	64	Solaris 10 SPARC	SPARC	64	7.0
Oracle	6	64	SUSE Linux Enterprise Server 10 (POWER)	POWER [2]	64	7.0
Oracle	6	32	Windows Server 2003	x86-32	32	7.0
Oracle	6	64	Windows Server 2003 (IA64)	IA64	64	7.0
Oracle	6	64	Windows Server 2003 (x64)	x86-64	64	7.0
Oracle	7	64	AIX 5.3	POWER	64	7.0
Oracle	7	64	AIX 6.1	POWER	64	7.0
Oracle	7	64	HP-UX 11.11	PA-RISC	64	7.0
Oracle	7	64	HP-UX 11.23	PA-RISC	64	7.0

SAP Oracle - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Oracle	7	64	HP-UX 11.31	PA-RISC	64	7.0
Oracle	7	64	HP-UX 11.31	IA64	64	7.0
Oracle	7	64	Red Hat Enterprise Linux 4.0 (AS) (IA64)	IA64	64	7.0
Oracle	7	64	Red Hat Enterprise Linux 4.0 (AS) (POWER)	POWER [1]	64	7.0
Oracle	7	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
Oracle	7	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
Oracle	7	64	Red Hat Enterprise Linux 5.0 (Advanced) (IA64)	IA64	64	7.0
Oracle	7	64	Red Hat Enterprise Linux 5.0 (base) (POWER)	POWER [1]	64	7.0
Oracle	7	64	Solaris 9.0	SPARC	64	7.0
Oracle	7	64	Solaris 10 SPARC	SPARC	64	7.0
Oracle	7	64	Solaris 10 x64	x86-64	64	7.0
Oracle	7	64	SUSE Linux Enterprise Server 10	x86-64	64	7.0
Oracle	7	64	SUSE Linux Enterprise Server 10 (IA64)	IA64	64	7.0
Oracle	7	64	SUSE Linux Enterprise Server 11	x86-64	64	7.0.1
Oracle	7	32	Windows Server 2003	x86-32	32	7.0
Oracle	7	64	Windows Server 2003 (IA64)	IA64	64	7.0
Oracle	7	64	Windows Server 2003 (x64)	x86-64	64	7.0
Oracle	7	64	Windows Server 2008	x86-64	64	7.0

1. GUI's are not supported for this agent on the IBM pSeries (POWER) CPU Architecture on Red Hat Enterprise Linux.
2. GUI's are not supported for this agent on the IBM pSeries (POWER) CPU Architecture on SUSE Linux Enterprise Server.

Sybase ASE

Sybase ASE - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Sybase ASE	12	64	HP-UX 11.11	PA-RISC	64	7.0
Sybase ASE	12	64	Solaris 9.0	SPARC	64	7.0
Sybase ASE	12.5	32	AIX 5.3	POWER	64	7.0
Sybase ASE	12.5	64	AIX 5.3	POWER	64	7.0
Sybase ASE	12.5	64	AIX 6.1	POWER	64	7.0
Sybase ASE	12.5	64	HP-UX 11.11	PA-RISC	64	7.0
Sybase ASE	12.5	64	HP-UX 11.23	PA-RISC	64	7.0
Sybase ASE	12.5	64	HP-UX 11.31	IA64	64	7.0
Sybase ASE	12.5	64	HP-UX 11.31	PA-RISC	64	7.0
Sybase ASE	12.5	64	Red Hat Enterprise Linux 4.0 (AS) (POWER)	POWER [1]	64	7.0
Sybase ASE	12.5	64	Red Hat Enterprise Linux 5.0 (base) (POWER)	POWER [1]	64	7.0
Sybase ASE	12.5	64	Solaris 9.0	SPARC	64	7.0
Sybase ASE	12.5	64	Solaris 10 SPARC	SPARC	64	7.0
Sybase ASE	12.5	64	SUSE Linux Enterprise Server 10 (POWER)	POWER [2]	64	7.0
Sybase ASE	12.5	32	Windows Server 2003	x86-32	32	7.0
Sybase ASE	12.5	64	Windows Server 2003 (x64)	x86-64	64	7.0
Sybase ASE	12.5	32	Windows Server 2008	x86-64	64	7.0
Sybase ASE	15	64	AIX 5.3	POWER	64	7.0
Sybase ASE	15	64	AIX 6.1	POWER	64	7.0
Sybase ASE	15	64	HP-UX 11.11	PA-RISC	64	7.0
Sybase ASE	15	64	HP-UX 11.23	PA-RISC	64	7.0
Sybase ASE	15	64	HP-UX 11.31	IA64	64	7.0

Sybase ASE - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
Sybase ASE	15	64	HP-UX 11.31	PA-RISC	64	7.0
Sybase ASE	15	64	Red Hat Enterprise Linux 4.0 (AS) (POWER)	POWER [1]	64	7.0
Sybase ASE	15	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
Sybase ASE	15	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
Sybase ASE	15	64	Red Hat Enterprise Linux 5.0 (base) (POWER)	POWER [1]	64	7.0
Sybase ASE	15	64	Solaris 9.0	SPARC	64	7.0
Sybase ASE	15	64	Solaris 10 SPARC	SPARC	64	7.0
Sybase ASE	15	32	Windows Server 2003	x86-64	64	7.0
Sybase ASE	15	32	Windows Server 2003	x86-32	32	7.0
Sybase ASE	15	64	Windows Server 2003	x86-64	64	7.0
Sybase ASE	15	32	Windows Server 2008	x86-32	32	7.0
Sybase ASE	15	32	Windows Server 2008	x86-64	64	7.0
Sybase ASE	15	64	Windows Server 2008	x86-64	64	7.0
Sybase ASE	15.5	64	AIX 5.3	POWER	64	7.0
Sybase ASE	15.5	64	AIX 6.1	POWER	64	7.0
Sybase ASE	15.5	64	AIX 7.1	POWER	64	7.0.1
Sybase ASE	15.5	64	HP-UX 11.23	PA-RISC	64	7.0
Sybase ASE	15.5	64	HP-UX 11.31	PA-RISC	64	7.0
Sybase ASE	15.5	64	HP-UX 11.31 IA64	IA64	64	7.1
Sybase ASE	15.5	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
Sybase ASE	15.5	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
Sybase ASE	15.5	64	Red Hat Enterprise Linux 6.0 (Advanced) (x86-64)	x86-64	64	7.0.1
Sybase ASE	15.5	64	Solaris 9.0	SPARC	64	7.0
Sybase ASE	15.5	64	Solaris 10 SPARC	SPARC	64	7.0
Sybase ASE	15.5	32	Windows Server 2003	x86-32	32	7.0
Sybase ASE	15.5	32	Windows Server 2008	x86-32	32	7.0

1. GUI's are not supported for this agent on the IBM pSeries (POWER) CPU Architecture on Red Hat Enterprise Linux.
2. GUI's are not supported for this agent on the IBM pSeries (POWER) CPU Architecture on SUSE Linux Enterprise Server.

XBSA Extensible Client

XBSA Extensible Client - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
XBSA Extensible Client	NetBackup 7.0	32	AIX 5.3	POWER	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	AIX 5.3	POWER	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	AIX 6.1	POWER	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	HP-UX 11.11	PA-RISC	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	HP-UX 11.23	PA-RISC	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	HP-UX 11.31	IA64	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	Red Hat Enterprise Linux 4.0 (AS) (IA64)	IA64	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	Red Hat Enterprise Linux 4.0 (AS) (POWER)	POWER [1]	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	Red Hat Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	Red Hat Enterprise Linux 5.0 (Advanced)	x86-64	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	Red Hat Enterprise Linux 5.0 (base) (POWER)	POWER [1]	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	Solaris 9.0	SPARC	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	Solaris 10 SPARC	SPARC	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	Solaris 10 x64	x86-64	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	SUSE Linux Enterprise Server 9 (POWER)	POWER [2]	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	SUSE Linux Enterprise Server 10 (POWER)	POWER [2]	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	SUSE Linux Enterprise Server 10 (x86-64)	x86-64	64	7.0
XBSA Extensible Client	NetBackup 7.0	32	Windows Server 2003	x86-32	32	7.0
XBSA Extensible Client	NetBackup 7.0	64	Windows Server 2003 (IA64)	IA64	64	7.0
XBSA Extensible Client	NetBackup 7.0	32	Windows Server 2003 (x64)	x86-64	32	7.0
XBSA Extensible Client	NetBackup 7.0	64	Windows Server 2003 (x64)	x86-64	64	7.0
XBSA Extensible Client	NetBackup 7.0	32	Windows Server 2008	x86-32	32	7.0

XBSA Extensible Client - Supported Configurations

Database Software	Version	DB Bit	OS	CPU Architecture	OS Bit	Start of Support
XBSA Extensible Client	NetBackup 7.0	64	Windows Server 2008	x86-64	64	7.0
XBSA Extensible Client	NetBackup 7.0	64	Windows Server 2008 R2	x86-64	64	7.0

1. GUI's are not supported for this agent on the IBM pSeries (POWER) CPU Architecture on Red Hat Enterprise Linux.
2. GUI's are not supported for this agent on the IBM pSeries (POWER) CPU Architecture on SUSE Linux Enterprise Server.